

# Code review

[myAccount.test.ts](#) for what that test file? I think you should remove it.

11 lines (10 sloc) | 288 Bytes

```
1  import { loginPage } from "../pages/loginPage";
2
3  describe('My Account Functionality', () => {
4    beforeEach(() => {
5      cy.visit('https://google.com');
6      //loginPage.launchApplication()
7    })
8    it('Sample Test', () => {
9      console.log("This is a sample test")
10    })
11  })
```

File path:

[cypressAllure/cypress/e2e/tests/login.test.ts](#)

**line 12&18:** Tests “login with valid credentials” & “login with valid credentials read data from fixture” are same , only difference in path to credentials, i think you should remove one of them.

```
11  it('login with valid credentials', function () {
12    loginPage.login("testautomation@cypress-test.com", "Test@1234")
13    myAccountPage.validateSuccessfulLogin()
14    myAccountPage.logout()
15    myAccountPage.validateSuccessfulLogout()
16  })
17  it('login with valid credentials read data from fixture', function () {
18    loginPage.login(this.data.valid_credentials.emailId, this.data.valid_credentials.password)
19    myAccountPage.validateSuccessfulLogin()
20    myAccountPage.logout()
21    myAccountPage.validateSuccessfulLogout()
22  })
```

**line 14,15 & 20,21:** Why do we logout in this tests? We can just check the logout button “be.visible”, the main scope of these tests are login, not logout.

```
11  it('login with valid credentials', function () {
12    loginPage.login("testautomation@cypress-test.com", "Test@1234")
13    myAccountPage.validateSuccessfulLogin()
14    myAccountPage.logout()
15    myAccountPage.validateSuccessfulLogout()
16  })
17  it('login with valid credentials read data from fixture', function () {
18    loginPage.login(this.data.valid_credentials.emailId, this.data.valid_credentials.password)
19    myAccountPage.validateSuccessfulLogin()
20    myAccountPage.logout()
21    myAccountPage.validateSuccessfulLogout()
22  })
```

**line 34:** I think you should move to the next line path to password input

```
33     it('login with wrong email format credentials read data from fixture', function () {
34         loginPage.login(this.data.invalid_credentials.wrong_email_format.emailId, this.data.invalid_credentials.wrong_email_format.password)
35         loginPage.validateLoginError('Invalid email addresssssss.')
36     })
37 })
```


**line 35:** validateLoginError('Invalid email addresssssss') , it's incorrect error message

```
33     it('login with wrong email format credentials read data from fixture', function () {
34         loginPage.login(this.data.invalid_credentials.wrong_email_format.emailId, this.data.invalid_credentials.wrong_email_format.password)
35         loginPage.validateLoginError('Invalid email addresssssss.')
36     })
37 })
```

## README file :

Steps to run, second step "Change 'Username' and 'Password'. What, where should I change?I don't understand. In my mind, steps should be more detailed. Also i expect link on repo&pages.

### ☰ README.md



## 🔗 Steps to run

- Clone the repository using "git clone "
- Change "Username" and "Password"
- npm install
- npm run cy:run