

Applying Genetic Programming to Bytecode and Assembly

Eric Collom

Division of Science and Mathematics
University of Minnesota, Morris
Morris, Minnesota, USA

29 April '14,
UMM Senior Seminar

The big picture

-
-
-
-
-

Outline

- 1 Background
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs
- 4 Using Instruction-level code to automate bug repair
- 5 Conclusions

Outline

- 1 Background
 - EC
 - Java Bytecode and x86 Assembly
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs
- 4 Using Instruction-level code to automate bug repair
- 5 Conclusions

Evolutionary Computation

Java Bytecode and x86 Assembly

Outline

- 1 Background
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs
- 4 Using Instruction-level code to automate bug repair
- 5 Conclusions

Source Code Constraints

Flexibility

Outline

- 1 Background
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs**
 - How it Works
 - Results
- 4 Using Instruction-level code to automate bug repair
- 5 Conclusions

Selecting Offspring

- There is still a chance to produce non-compilable code
- Solution: Add restrictions to code selection.
- Stack and Frame Depth
- Variable Types
- Control Flow

Crossover

Non-Halting Offspring

Outline

- 1 Background
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs
- 4 Using Instruction-level code to automate bug repair
 - How it Works
 - Results
- 5 Conclusions

Selecting Offspring

Genetic Operators

Non-Halting Offspring

Outline

- 1 Background
- 2 Why Evolve Instruction-level Code
- 3 FINCH:Evolving Programs
- 4 Using Instruction-level code to automate bug repair
- 5 Conclusions**

Conclusions

References