

# DOKUMENTACIJA-WEB PROGRAMIRANJE PHP 1



**Link:**

## **SADRZAJ:**

1. Uvod
2. Organizacija
  - 2.1. Korisceni programski jezici I tehnologije
  - 2.2. Opis funkcionalnosti
3. Kodovi

**Ime I prezime:** Bojan Novaković

**Indeks:** 39/23

## **1. UVOD**

Ovaj projekat predstavlja web aplikaciju za frizerski salon pod nazivom "**Blade & Comb**". Cilj aplikacije je da korisnicima omogući lak pregled usluga, proizvoda i informacija o salonu, uz mogućnost online rezervacije termina i učestvovanja u anketama. Aplikacija je dizajnirana da bude intuitivna, moderna i responzivna, pružajući administrativni dio za upravljanje korisnicima i rezervacijama.

## 2. TEHNIČKA DOKUMENTACIJA

### 2.1 Korišćeni programski jezici i tehnologije

Za izradu aplikacije korišćene su sljedeće tehnologije:

**PHP:** Serverski jezik korišćen za logiku aplikacije, rad sa sesijama, validaciju formi i komunikaciju sa bazom podataka.

**MySQL:** Relaciona baza podataka u kojoj se čuvaju svi ključni podaci (korisnici, usluge, rezervacije, ankete). Baza je kreirana i administrirana putem **phpMyAdmin** alata.

**HTML5 & CSS3:** Za strukturu i stilizovanje korisničkog interfejsa, uz korišćenje eksternog CSS fajla (style.css).

**JavaScript (AJAX & jQuery):** Korišćen za dinamičko učitavanje galerije i asinhrono slanje podataka bez osvežavanja stranice.

**Bootstrap:** Framework za responzivni dizajn (korišćen za slider, kartice proizvoda i modalne prozore).

### 2.2 Opis funkcionalnosti

Aplikacija je podijeljena na korisnički i administratorski dio:

**Prikaz usluga i proizvoda:** Dinamički prikaz dostupnih frizerskih usluga (šišanje, brada, paketi) sa cijenama direktno iz baze podataka.

**Sistem rezervacije:** Korisnici mogu popuniti formu za zakazivanje termina birajući uslugu, datum i vrijeme, uz automatsku provjeru zauzetosti termina.

**Ankete i glasanje:** Mogućnost učestvovanja u aktivnim anketama i pregled rezultata glasanja u realnom vremenu.

**Autentifikacija i zaštita:** Registracija i aktivacija naloga putem email-a, kao i zaštita stranica od neautorizovanog pristupa.

**Administrativni panel:** Upravljanje rezervisanim terminima (pregled i brisanje) i statusima korisnika (aktivacija/deaktivacija).

### 3. Kodovi

#### 3.1 public/Index.php

```
<?php
if (session_status() === PHP_SESSION_NONE) {
    session_start();
}
require_once __DIR__ . '/../app/Helper/logger.php';
zabeleziPristup();
?>
```

```
<?php require '../app/layout/head.php'; ?>
<?php require '../app/layout/header.php'; ?>
```

```
<!-- HERO / SLIDER -->
<div id="heroCarousel" class="carousel slide" data-bs-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      
      <div class="carousel-caption d-none d-md-block carousel-caption-top">
        <h1>Dobrodošli u naš frizerski salon</h1>
```

```

        <h3>Profesionalno šišanje i stilizovanje brade</h3>
        <a href="../public/book.php" class="btn btn-primary btn-frizer">Rezerviši
termin</a>
    </div>
</div>
<div class="carousel-item">
    
</div>
<div class="carousel-item">
    
</div>
</div>
<button class="carousel-control-prev" type="button" data-bs-target="#heroCarousel"
data-bs-slide="prev">
    <span class="carousel-control-prev-icon"></span>
</button>
<button class="carousel-control-next" type="button" data-bs-target="#heroCarousel"
data-bs-slide="next">
    <span class="carousel-control-next-icon"></span>
</button>
</div>

```

```

<!-- TIM -->
<section class="container mt-5">
    <h2 class="text-center mb-4">Naš tim</h2>
    <div class="row g-4">
        <div class="col-md-4 text-center">
            
            <h5>Marko Petrović</h5>
            <p>Glavni frizer, stručnjak za muško šišanje</p>
        </div>
        <div class="col-md-4 text-center">
            
            <h5>Jelena Jovanović</h5>
            <p>Stilizovanje i bojenje kose</p>
        </div>
        <div class="col-md-4 text-center">
            
            <h5>Ivan Ilić</h5>
            <p>Brada i detaljno oblikovanje</p>
        </div>
    </div>
</section>

```

```

<!-- KONTAKT -->
<section class="container mt-5 mb-5">
  <h2 class="text-center mb-4">Kontakt</h2>
  <div class="row justify-content-center">
    <div class="col-md-6">
      <ul class="list-unstyled text-center contact-info">
        <li><i class="fa-solid fa-phone me-2"></i> 061/123-4567</li>
        <li><i class="fa-solid fa-envelope me-2"></i> info@frizerskison.rs</li>
        <li><i class="fa-solid fa-clock me-2"></i> Pon-Pet 09:00-19:00</li>
      </ul>
    </div>
    <div>
      <div class="col-12 d-flex justify-content-end">
        <a href="https://wa.me/0611234567" class="btn btn-frizer" target="_blank">
          <i class="fa-brands fa-whatsapp me-1"></i> Rezerviši preko WhatsApp
        </a>
      </div>
    </div>
  </div>
  <div class="d-flex align-items-center gap-3 mt-4 mb-4">
    <i class="fa-solid fa-user fa-2x"></i>
    <div>
      <span id="clientCounter" class="fs-3 fw-bold">0</span>
      <span> zadovoljnih klijentkinja i klijenata – pridruži im se</span>
    </div>
  </div>
  <div class="mt-4 mb-4">
    <iframe
      src="https://www.google.com/maps?q=Zdravka+Celara+16,Belgrad,Serbia&output=embed"
      width="100%" height="300" style="border:0;" allowfullscreen="" loading="lazy">
    </iframe>
  </div>
</section>

```

```

<!-- PROIZVODI -->
<section class="container mt-5">
  <h2 class="text-center mb-4">Naši proizvodi</h2>
  <div class="row g-4">
    <!-- Proizvod 1 -->
    <div class="col-md-3">
      <div class="card h-100 shadow-sm">
        

```

```

<div class="card-body text-center">
  <h5 class="card-title">Šampon za muškarce</h5>
  <p class="card-text">Održava kosu zdravom i sjajnom.</p>
  <p class="fw-bold">Cena: 1200 RSD</p>
  <button type="button" class="btn btn-frizer" data-bs-toggle="modal" data-bs-
target="#product1Modal">
    Više info
  </button>
</div>
</div>
</div>

```

```

<!-- Modal za Proizvod 1 -->
<div class="modal fade" id="product1Modal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Šampon za muškarce</h5>
        <button type="button" class="btn-close" data-bs-
dismiss="modal"></button>
      </div>
      <div class="modal-body">
        
        <p>Profesionalni šampon za muškarce koji održava kosu zdravom i
sjajnom. Pogodan za sve tipove kose.</p>
        <p class="fw-bold">Cena: 1200 RSD</p>
      </div>
      <div class="modal-footer">
        <a href="../public/proizvodi.php" class="btn btn-frizer">Pogledaj
proizvod</a>
      </div>
    </div>
  </div>
</div>

```

```

<!-- Proizvod 2 -->
<div class="col-md-3">
  <div class="card h-100 shadow-sm">
    
    <div class="card-body text-center">
      <h5 class="card-title">Ulje za bradu</h5>
      <p class="card-text">Nega i stilizovanje brade svaki dan.</p>
      <p class="fw-bold">Cena: 1200 RSD</p>
      <button type="button" class="btn btn-frizer" data-bs-toggle="modal" data-bs-
target="#product2Modal">

```

```

        Više info
      </button>
    </div>
  </div>
</div>

<!-- Modal za Proizvod 2 -->
<div class="modal fade" id="product2Modal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Ulje za bradu</h5>
        <button type="button" class="btn-close" data-bs-
dismiss="modal"></button>
      </div>
      <div class="modal-body">
        
        <p>Nega i stilizovanje brade svaki dan. Dodaje sjaj i olakšava oblikovanje
brade.</p>
        <p class="fw-bold">Cena: 1200 RSD</p>
      </div>
      <div class="modal-footer">
        <a href="../public/proizvodi.php" class="btn btn-frizer">Pogledaj
proizvod</a>
      </div>
    </div>
  </div>
</div>

<!-- Proizvod 3 -->
<div class="col-md-3">
  <div class="card h-100 shadow-sm">
    
    <div class="card-body text-center">
      <h5 class="card-title">Gel za kosu</h5>
      <p class="card-text">Savršena frizura ceo dan bez masnog efekta.</p>
      <p class="fw-bold">Cena: 900 RSD</p>
      <button type="button" class="btn btn-frizer" data-bs-toggle="modal" data-bs-
target="#product3Modal">
        Više info
      </button>
    </div>
  </div>
</div>

```

```

<!-- Modal za Proizvod 3 -->
<div class="modal fade" id="product3Modal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Gel za kosu</h5>
        <button type="button" class="btn-close" data-bs-
dismiss="modal"></button>
      </div>
      <div class="modal-body">
        
        <p>Gel za kosu koji drži frizuru ceo dan, bez masnog izgleda. Pogodan za
sve tipove kose.</p>
        <p class="fw-bold">Cena: 900 RSD</p>
      </div>
      <div class="modal-footer">
        <a href="../public/proizvodi.php" class="btn btn-frizer">Pogledaj
proizvod</a>
      </div>
    </div>
  </div>
</div>

<!-- Proizvod 4 -->
<div class="col-md-3">
  <div class="card h-100 shadow-sm">
    
    <div class="card-body text-center">
      <h5 class="card-title">Četka za bradu</h5>
      <p class="card-text">Četka za bradu za svakog muškarca.</p>
      <p class="fw-bold">Cena: 500 RSD</p>
      <button type="button" class="btn btn-frizer" data-bs-toggle="modal" data-bs-
target="#product4Modal">
        Više info
      </button>
    </div>
  </div>
</div>

<!-- Modal za Proizvod 4 -->
<div class="modal fade" id="product4Modal" tabindex="-1" aria-hidden="true">
  <div class="modal-dialog modal-dialog-centered">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Četka za bradu</h5>

```





```

<section class="container my-5 text-center">
  <h1 class="mb-3">Naše usluge</h1>
  <p class="text-muted">
    Profesionalne frizerske i barber usluge prilagođene svakom stilu.
  </p>
</section>

<section class="container mb-5">
  <div class="row g-4">

    <?php foreach ($services as $service): ?>
      <div class="col-md-4">
        <div class="card h-100 text-center shadow-sm service-card">
          <div class="card-body">
            <i class="fa-solid fa-scissors fa-2x mb-3 text-warning"></i>

            <h5 class="card-title">
              <?= htmlspecialchars($service['tittle']) ?>
            </h5>

            <p class="card-text">
              <?= htmlspecialchars($service['description']) ?>
            </p>

            <p class="fw-bold fs-5">
              <?= (int)$service['price'] ?> RSD
            </p>

            <a href="../../../public/book.php?service=<?= $service['id_services']
?>"
              class="btn btn-frizer">
              Rezerviši
            </a>
          </div>
        </div>
      </div>
    </div>
  <?php endforeach; ?>

</div>
</section>

<section class="container my-5 text-center">
  <h2 class="mb-4">Premium usluge</h2>

```

```

        <p class="fs-5">
            <i class="fa-solid fa-gem text-warning me-2"></i> VIP tretman (šišanje +
brada + masaža glave) – <strong>2.500 RSD</strong>
        </p>
        <p class="fs-5">
            <i class="fa-solid fa-gem text-warning me-2"></i> Nega kose i brade
profesionalnim proizvodima
        </p>
    </section>

    <section class="text-center my-5">
        <h3>Spreman za novi stil?</h3>
        <a href="../public/book.php" class="btn btn-frizer btn-lg mt-3">
            Rezerviši termin
        </a>
    </section>

    <?php require '../app/layout/footer.php'; ?>
    <?php require '../app/layout/scripts.php'; ?>

```

### 3.3 public/book.php

```

<?php
require '../app/helper/protect.php';
require '../app/config/database.php';
require '../app/layout/head.php';
require '../app/layout/header.php';

$success = "";
$errors = [];

if ($_SERVER['REQUEST_METHOD'] === 'POST' && isset($_POST['submit'])) {

    $fullName = trim($_POST['fullName']);
    $email = trim($_POST['email']);
    $phone = trim($_POST['phone']);
    $service = $_POST['service'];
    $date = $_POST['date'];
    $time = $_POST['time'];

    // VALIDACIJA
    if (empty($fullName)) $errors[] = "Ime i prezime je obavezno.";

```

```

    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = "Email nije validan.";
    if (empty($phone)) $errors[] = "Telefon je obavezan.";
    if (!in_array($service, ['sisanje', 'brada', 'paketi'])) $errors[] = "Izaberite validnu
    uslugu.";
    if (empty($date)) $errors[] = "Datum je obavezan.";
    if (empty($time)) $errors[] = "Vreme je obavezno.";

    if (empty($errors)) {
        $today = date("Y-m-d");

        if ($date < $today) {
            $errors[] = "Ne možete zakazati termin u prošlosti.";
        }

        if ($date === $today) {
            $currentTime = date("H:i");

            if ($time <= $currentTime) {
                $errors[] = "Ne možete zakazati termin za vreme koje je već prošlo.";
            }
        }
    }

    if (empty($errors)) {
        $allowedHours = range(9, 19);
        list($hour, $minute) = explode(":", $time);
        if (!in_array((int)$hour, $allowedHours) || (int)$minute !== 0) {
            $errors[] = "Vreme mora biti na pun sat između 09:00 i 19:00.";
        }
    }
}

// PROVERA DA LI JE TERMIN ZAUZET
if (empty($errors)) {
    $stmtCheck = $conn->prepare("SELECT COUNT(*) FROM books WHERE date = ?
    AND time = ?");
    $stmtCheck->bind_param("ss", $date, $time);
    $stmtCheck->execute();
    $stmtCheck->bind_result($count);
    $stmtCheck->fetch();
    $stmtCheck->close();

    if ($count > 0) {
        $errors[] = "Termin na datum $date u $time je već zauzet. Molimo izaberite drugi
        termin.";
    }
}
}

```

```

if (empty($errors)) {
    $stmt = $conn->prepare("
        INSERT INTO books (fullName, email, phone, service, date, time)
        VALUES (?, ?, ?, ?, ?, ?)
    ");
    $stmt->bind_param("ssssss", $fullName, $email, $phone, $service, $date, $time);

    if ($stmt->execute()) {
        $success = "Termin uspešno zakazan!";
        $fullName = $email = $phone = $service = $date = $time = "";
    } else {
        $errors[] = "Došlo je do greške prilikom zakazivanja termina. Pokušajte ponovo.";
    }
    $stmt->close();
}
?>

```

```

<section class="container mt-5 mb-5">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <h2 class="text-center mb-4">Zakažite termin</h2>

            <?php if(!empty($errors)): ?>
                <div class="alert alert-danger">
                    <ul>
                        <?php foreach($errors as $err): ?>
                            <li><?= htmlspecialchars($err) ?></li>
                        <?php endforeach; ?>
                    </ul>
                </div>
            <?php elseif($success): ?>
                <div class="alert alert-success"><?= $success ?></div>
            <?php endif; ?>

            <!-- FORMA ZA TERMIN -->
            <form action="book.php" method="POST" class="needs-validation"
novalidate>
                <div class="mb-3">
                    <label for="fullName" class="form-label">Ime i prezime</label>
                    <input type="text" class="form-control" id="fullName" name="fullName"
required
                        value="<?= htmlspecialchars($fullName ?? "") ?>">

```

```
<div class="invalid-feedback">Unesite ime i prezime</div>
</div>
```

```
<div class="mb-3">
  <label for="email" class="form-label">Email adresa</label>
  <input type="email" class="form-control" id="email" name="email"
required
    value="<?= htmlspecialchars($email ?? "") ?>"
  <div class="invalid-feedback">Unesite validnu email adresu</div>
</div>
```

```
<div class="mb-3">
  <label for="phone" class="form-label">Telefon</label>
  <input type="text" class="form-control" id="phone" name="phone"
required
    value="<?= htmlspecialchars($phone ?? "") ?>"
  <div class="invalid-feedback">Unesite broj telefona</div>
</div>
```

```
<div class="mb-3">
  <label for="service" class="form-label">Usluga</label>
  <select class="form-select" id="service" name="service" required>
    <option value="">Izaberite uslugu</option>
    <option value="sisanje" <?= (isset($service) && $service=='sisanje') ?
'selected' : "" ?>>Muško šisanje</option>
    <option value="brada" <?= (isset($service) && $service=='brada') ?
'selected' : "" ?>>Stilizovanje brade</option>
    <option value="paket" <?= (isset($service) && $service=='paket') ?
'selected' : "" ?>>Šisanje + brada</option>
  </select>
  <div class="invalid-feedback">Izaberite uslugu</div>
</div>
```

```
<div class="row">
  <div class="col-md-6 mb-3">
    <label for="date" class="form-label">Datum</label>
    <input type="date" class="form-control" id="date" name="date" required
min="<?= date('Y-m-d') ?>"
    value="<?= htmlspecialchars($date ?? "") ?>"
    <div class="invalid-feedback">Unesite datum</div>
  </div>
```

```
<div class="col-md-6 mb-3">
  <label for="time" class="form-label">Vreme</label>
  <select class="form-select" id="time" name="time" required>
    <option value="">Izaberite vreme</option>
```

```

        <?php
        for ($h = 9; $h <= 19; $h++) {
            $hourStr = str_pad($h, 2, "0", STR_PAD_LEFT) . ":00";
            $selected = (isset($time) && $time == $hourStr) ? 'selected' : "";
            echo "<option value='$hourStr' $selected>$hourStr</option>";
        }
        ?>
    </select>
    <div class="invalid-feedback">Unesite vreme</div>
</div>
</div>

    <button type="submit" name="submit" class="btn btn-frizer w-
100">Zakaži</button>
</form>
</div>
</div>
</section>

<?php

$poll = $conn->query("SELECT * FROM polls WHERE is_active = 1 ORDER BY id_polls
DESC LIMIT 1")->fetch_assoc();

if($poll):

    $answers = $conn->query("SELECT * FROM polls_answers WHERE id_polls =
{$poll['id_polls']}");
    ?>
<section class="container mt-5 mb-5">
    <div class="row justify-content-center">
        <div class="col-md-8">
            <h4><?= htmlspecialchars($poll['question']) ?></h4>

            <form action="vote.php" method="POST">
                <?php while($ans = $answers->fetch_assoc()): ?>
                    <div class="form-check">
                        <input class="form-check-input" type="radio" name="answer"
value="<?= $ans['id_answers'] ?>" required>
                        <label class="form-check-label"><?=
htmlspecialchars($ans['answer_text']) ?></label>
                    </div>
                <?php endwhile; ?>
                <input type="hidden" name="id_polls" value="<?= $poll['id_polls'] ?>">
                <button type="submit" class="btn btn-primary mt-2">Glasaj</button>
            </form>
        </div>
    </div>
</section>

```

```

</form>

<?php

    $answers = $conn->query("SELECT * FROM polls_answers WHERE id_polls =
    {$poll['id_polls']}");
    $total_votes = $conn->query("SELECT COUNT(*) FROM poll_votes WHERE
    id_polls = {$poll['id_polls']}")->fetch_row()[0];

    echo "<h5 class='mt-3'>Rezultati ankete:</h5>";
    while($ans = $answers->fetch_assoc()) {
        $votes = $conn->query("SELECT COUNT(*) FROM poll_votes WHERE
        id_answers = {$ans['id_answers']}")->fetch_row()[0];
        $percent = ($total_votes > 0) ? round($votes / $total_votes * 100) : 0;
        echo "<p>{$ans['answer_text']}: $votes glasova ($percent%)</p>";
    }
    ?>
</div>
</div>
</section>
<?php endif; ?>

<?php require '../app/layout/footer.php'; ?>
<?php require '../app/layout/scripts.php'; ?>

```

### 3.4 public/vote.php

```

<?php
require '../app/helper/protect.php';
require '../app/config/database.php';

$id_poll = $_POST['id_polls'];
$id_answer = $_POST['answer'];

// Uzmima ID ulogovanog korisnika
$id_user = $_SESSION['user']['id_user'] ?? null;

if (!$id_user) {
    $msg = "Morate biti ulogovani da glasate!";
    header("Location: book.php?msg=" . urlencode($msg));
    exit;
}

// Proveramo da li je korisnik već glasao za ovu anketu

```



```

$stmt = $conn->prepare("SELECT COUNT(*) FROM poll_votes WHERE id_polls
= ? AND id_user = ?");
$stmt->bind_param("ii", $id_poll, $id_user);
$stmt->execute();
$stmt->bind_result($count);
$stmt->fetch();
$stmt->close();

if($count > 0){
    $msg = "Već ste glasali za ovu anketu!";
} else {
    // Ubacivanje glasa
    $stmt = $conn->prepare("INSERT INTO poll_votes (id_polls, id_answers,
id_user) VALUES (?, ?, ?)");
    $stmt->bind_param("iii", $id_poll, $id_answer, $id_user);
    if($stmt->execute()){
        $msg = "Hvala što ste glasali!";
    } else {
        $msg = "Došlo je do greške, probajte ponovo.";
    }
    $stmt->close();
}

header("Location: book.php?msg=" . urlencode($msg));
exit;
?>

```

### 3.5 public/poll.php

```

<?php
require '../app/helper/protect.php';
require '../app/config/database.php';

$msg = $_GET['msg'] ?? "";

// Uzmima aktivnu anketu
$poll = $conn->query("SELECT * FROM polls WHERE is_active = 1 ORDER BY
id_polls DESC LIMIT 1")->fetch_assoc();
?>

<div class="container mt-5 mb-5">
    <?php if($msg): ?>
        <div class="alert alert-info"><?= htmlspecialchars($msg) ?></div>
    </?php if($msg): ?>

```

```

<?php endif; ?>

<?php if ($poll): ?>
    <?php
        // Uzmima odgovore
        $answers = $conn->query("SELECT * FROM polls_answers WHERE id_polls =
{$poll['id_polls']}");
    ?>
    <form action="vote.php" method="POST">
        <h4><?= htmlspecialchars($poll['question']) ?></h4>
        <?php while($ans = $answers->fetch_assoc()): ?>
            <div class="form-check">
                <input class="form-check-input" type="radio" name="answer"
value="<?= $ans['id_answers'] ?>" required>
                <label class="form-check-label"><?=
htmlspecialchars($ans['answer_text']) ?></label>
            </div>
            <?php endwhile; ?>
            <input type="hidden" name="id_polls" value="<?= $poll['id_polls'] ?>">
            <button type="submit" class="btn btn-primary mt-2">Glasaj</button>
        </form>

        <?php
            $answers = $conn->query("SELECT * FROM polls_answers WHERE id_polls =
{$poll['id_polls']}");
            $total_votes = $conn->query("SELECT COUNT(*) FROM poll_votes WHERE
id_polls = {$poll['id_polls']}")->fetch_row()[0];

            echo "<h5 class='mt-3'>Rezultati ankete:</h5>";

            while($ans = $answers->fetch_assoc()) {
                $votes = $conn->query("SELECT COUNT(*) FROM poll_votes WHERE
id_answers = {$ans['id_answers']}")->fetch_row()[0];
                $percent = ($total_votes > 0) ? round($votes / $total_votes * 100) : 0;
                echo "<p>{$ans['answer_text']}: $votes glasova ($percent%)</p>";
            }
        ?>
    <?php else: ?>
        <p>Trenutno nema aktivnih anketa.</p>
    <?php endif; ?>
</div>

```

### 3.6 public/autor.php

```

<?php
require '../app/layout/head.php';
require '../app/layout/header.php';
?>

<div class="d-flex justify-content-center mt-3 mb-3">
    <div class="card">
        
        <div class="card-body">
            <p>Bojan Novaković 39/23</p>
        </div>
    </div>
</div>

<?php require '../app/layout/footer.php'; ?>
<?php require '../app/layout/scripts.php'; ?>

```

### 3.7 public/galery.php

```

<?php require '../app/layout/head.php'; ?>
<?php require '../app/layout/header.php'; ?>

<main class="min-vh-100 d-flex flex-column">

    <h2 class="text-center mt-4">Galerija</h2>

    <p class="text-center text-muted fs-5 mt-3 mb-4 px-3">
        Pogledajte deo naših realizovanih projekata i uverite se u kvalitet naše izrade.
        Klikom na jednu od kategorija ispod, prikazaće se fotografije koje najbolje
        predstavljaju naš rad.
    </p>

    <div class="text-center mb-3">
        <button class="btn btn-dark gallery-btn" data-category="sisanje">Šišanje</button>
        <button class="btn btn-dark gallery-btn" data-category="frizura">Frizura</button>
        <button class="btn btn-dark gallery-btn" data-category="brada">Brade</button>
    </div>

```

```
<div id="gallery" class="d-flex flex-wrap justify-content-center gap-3 flex-grow-1"></div>
```

```
</main>
```

```
<?php require '../app/layout/footer.php'; ?>  
<?php require '../app/layout/scripts.php'; ?>
```

### 3.8 public/login.php

```
<?php  
session_start();  
require '../app/config/database.php';  
require '../app/layout/head.php';  
require '../app/layout/header.php';  
require_once __DIR__ . '/../app/helper/logger.php';  
zabeleziPristup();  
  
$errors = [];  
  
if ($_SERVER['REQUEST_METHOD'] === 'POST') {  
  
    $email = trim($_POST['email']);  
    $password = $_POST['password'];  
  
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {  
        $errors[] = "Email nije validan.";  
    }  
  
    if (empty($password)) {  
        $errors[] = "Lozinka je obavezna.";  
    }  
  
    if (empty($errors)) {  
        $stmt = $conn->prepare("  
            SELECT id_user, first_name, last_name, email, password, id_role, is_active,  
login_attempts, attempt_time, is_locked  
            FROM users  
            WHERE email = ?  
            LIMIT 1  
        ");  
        $stmt->bind_param("s", $email);  
        $stmt->execute();  
        $result = $stmt->get_result();  
  
        if ($user = $result->fetch_assoc()) {
```

```

if ($user['is_locked'] == 1) {
    $vreme_locka = strtotime($user['attempt_time']);
    $trenutno_vreme = time();
    if (($trenutno_vreme - $vreme_locka) < 300) {
        $errors[] = "Nalog je privremeno zaključan na 5 minuta zbog 3 neuspešna
pokušaja.";
    } else {
        $reset_stmt = $conn->prepare("UPDATE users SET login_attempts = 0,
is_locked = 0, attempt_time = NULL WHERE id_user = ?");
        $reset_stmt->bind_param("i", $user['id_user']);
        $reset_stmt->execute();
        $reset_stmt->close();
        $user['is_locked'] = 0;
        $user['login_attempts'] = 0;
    }
}
if (empty($errors)) {
    if ($user['is_active'] == 0) {
        $errors[] = "Vaš nalog nije aktiviran. Proverite email.";
    }
    elseif (!password_verify($password, $user['password'])) {

        $novi_pokusaji = $user['login_attempts'] + 1;
        $trenutno_vreme_baza = date('Y-m-d H:i:s');

        if ($novi_pokusaji >= 3) {
            $update_stmt = $conn->prepare("UPDATE users SET login_attempts = ?,
attempt_time = ?, is_locked = 1 WHERE id_user = ?");
            $update_stmt->bind_param("ssi", $novi_pokusaji, $trenutno_vreme_baza,
$user['id_user']);
            $update_stmt->execute();
            $update_stmt->close();
            $to = $user['email'];
            $subject = "Upozorenje: Nalog je zaključan";
            $message = "Postovani, zabelezena su 3 neuspesna pokusaja logovanja na
Vas nalog u roku od 5 minuta. Nalog je zaključan iz bezbednosnih razloga na narednih 5
minuta.";
            $headers = "From: sigurnost@frizeraj.com\r\n" .
                "Reply-To: sigurnost@frizeraj.com\r\n" .
                "Content-Type: text/plain; charset=UTF-8\r\n" .
                "X-Mailer: PHP/" . phpversion();
            @mail($to, $subject, $message, $headers);

            $errors[] = "Pogrešna lozinka. Pokušali ste 3 puta i nalog je uspešno
zaključan. Poslat Vam je sigurnosni email.";
        } else {

```

```

        $update_stmt = $conn->prepare("UPDATE users SET login_attempts = ?,
attempt_time = ? WHERE id_user = ?");
        $update_stmt->bind_param("ssi", $novi_pokusaji, $trenutno_vreme_baza,
$user['id_user']);
        $update_stmt->execute();
        $update_stmt->close();

        $preostalo = 3 - $novi_pokusaji;
        $errors[] = "Pogrešna lozinka. Preostalo pokušaja: " . $preostalo;
    }
}
else {
    $clear_stmt = $conn->prepare("UPDATE users SET login_attempts = 0,
attempt_time = NULL, is_locked = 0 WHERE id_user = ?");
    $clear_stmt->bind_param("i", $user['id_user']);
    $clear_stmt->execute();
    $clear_stmt->close();

    $_SESSION['user'] = [
        'id_user' => $user['id_user'],
        'first_name' => $user['first_name'],
        'last_name' => $user['last_name'],
        'email' => $user['email'],
        'id_role' => $user['id_role']
    ];

    header("Location: ../public/index.php");
    exit;
}
}

} else {
    $errors[] = "Korisnik sa ovim emailom ne postoji.";
}

$stmt->close();
}
}
?>

```

```

<section class="text-center my-5">
    <h1>Dobrodošli nazad!</h1>
    <p class="text-muted">
        Prijavite se da rezervišete svoj termin i uživajte u vrhunskim frizerskim uslugama
    </p>
</section>

```

```

<section class="container mt-5">
  <div class="row justify-content-center">
    <div class="col-md-6 col-lg-5">
      <div class="card shadow-sm p-4">
        <h3 class="text-center mb-4">Prijava</h3>

        <?php if (!empty($errors)): ?>
          <div class="alert alert-danger">
            <ul>
              <?php foreach ($errors as $err): ?>
                <li><?= htmlspecialchars($err) ?></li>
              <?php endforeach; ?>
            </ul>
          </div>
        <?php endif; ?>

        <form method="POST" class="needs-validation" novalidate>
          <div class="mb-3">
            <label class="form-label">Email</label>
            <input type="email"
              name="email"
              class="form-control"
              required
              value="<?= htmlspecialchars($email ?? "") ?>">
            <div class="invalid-feedback">Unesite validnu email adresu</div>
          </div>

          <div class="mb-3">
            <label class="form-label">Lozinka</label>
            <input type="password"
              name="password"
              class="form-control"
              required>
            <div class="invalid-feedback">Unesite lozinku</div>
          </div>

          <button class="btn btn-frizer w-100">Prijavi se</button>
        </form>

        <p class="text-center mt-3">
          Nemate nalog? <a href="register.php">Registrujte se</a>
        </p>
      </div>
    </div>
  </div>
</div>

```

</section>

```
<?php require '../app/layout/footer.php'; ?>
<?php require '../app/layout/scripts.php'; ?>
```

### 3.9 public/register.php

```
<?php
session_start();
require '../app/config/database.php';
require '../app/layout/head.php';
require '../app/layout/header.php';

use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;

require '../vendor/autoload.php';

$errors = [];
$success = "";

if ($_SERVER['REQUEST_METHOD'] === 'POST') {

    $fullName = trim($_POST['fullName']);
    $email = trim($_POST['email']);
    $password = $_POST['password'];
    $confirmPassword = $_POST['confirmPassword'];

    $role_id = 2;
    $is_active = 0;
    $token = bin2hex(random_bytes(32));

    $nameParts = explode(" ", $fullName, 2);
    $first_name = $nameParts[0] ?? "";
    $last_name = $nameParts[1] ?? "";

    // VALIDACIJA
    if (empty($fullName)) $errors[] = "Ime i prezime je obavezno.";
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) $errors[] = "Email nije validan.";
    if (strlen($password) < 6) $errors[] = "Lozinka mora imati najmanje 6 karaktera.";
    if ($password !== $confirmPassword) $errors[] = "Lozinke se ne poklapaju.";

    // PROVERA EMAILA
    $stmt = $conn->prepare("SELECT id_user FROM users WHERE email = ?");
    $stmt->bind_param("s", $email);
```



```

$stmt->execute();
$stmt->store_result();
if ($stmt->num_rows > 0) {
    $errors[] = "Korisnik sa ovim emailom već postoji.";
}
$stmt->close();

if (empty($errors)) {

    $hashedPassword = password_hash($password, PASSWORD_DEFAULT);

    $stmt = $conn->prepare("
        INSERT INTO users
        (first_name, last_name, email, password, id_role, is_active, activation_token,
created_at)
        VALUES (?, ?, ?, ?, ?, ?, ?, NOW())
    ");

    $stmt->bind_param(
        "ssssiss",
        $first_name,
        $last_name,
        $email,
        $hashedPassword,
        $role_id,
        $is_active,
        $token
    );

    if ($stmt->execute()) {

        // LINK ZA AKTIVACIJU
        $activationLink = "http://localhost/Frizeraj/auth/activate.php?token=$token";

        $mail = new PHPMailer(true);

        try {
            $mail->isSMTP();
            $mail->Host      = 'smtp.gmail.com';
            $mail->SMTPAuth  = true;
            $mail->Username  = 'bojannovakovic49@gmail.com';
            $mail->Password  = 'lzaf eyec znrm lwfy';
            $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
            $mail->Port      = 587;

```

```

$mail->setFrom('bojannovakovic49@gmail.com', 'Frizeraj');
$mail->addAddress($email, $first_name);

$mail->isHTML(true);
$mail->Subject = 'Aktivacija naloga - Frizeraj';
$mail->Body = "
    Zdravo <b>$first_name</b>,<br><br>
    Kliknite na link ispod kako biste aktivirali svoj nalog:<br><br>
    <a href='$activationLink'>$activationLink</a><br><br>
    Ako se niste vi registrovali, ignorišite ovaj email.
";

$mail->send();

$success = "Registracija uspešna! Proverite email i aktivirajte nalog.";
$fullName = $email = "";

} catch (Exception $e) {
    $errors[] = "Email nije poslat. Pokušajte kasnije.";
}

} else {
    $errors[] = "Došlo je do greške. Pokušajte ponovo.";
}

$stmt->close();
}
?>

<section class="container mt-5">
    <div class="row justify-content-center">
        <div class="col-md-6 col-lg-5">
            <div class="card shadow-sm p-4">
                <h3 class="text-center mb-4">Registracija</h3>

                <?php if (!empty($errors)): ?>
                    <div class="alert alert-danger">
                        <ul>
                            <?php foreach ($errors as $err): ?>
                                <li><?= htmlspecialchars($err) ?></li>
                            <?php endforeach; ?>
                        </ul>
                    </div>
                <?php endif; ?>
            </div>
        </div>
    </div>
</section>

```

```

<?php if ($success): ?>
    <div class="alert alert-success"><?= $success ?></div>
<?php endif; ?>

<form method="POST" novalidate>
    <div class="mb-3">
        <label class="form-label">Ime i prezime</label>
        <input type="text" name="fullName" class="form-control"
            value="<?= htmlspecialchars($fullName ?? ") ?>" required>
        </div>

        <div class="mb-3">
            <label class="form-label">Email</label>
            <input type="email" name="email" class="form-control"
                value="<?= htmlspecialchars($email ?? ") ?>" required>
            </div>

            <div class="mb-3">
                <label class="form-label">Lozinka</label>
                <input type="password" name="password" class="form-control" required>
            </div>

            <div class="mb-3">
                <label class="form-label">Potvrdi lozinku</label>
                <input type="password" name="confirmPassword" class="form-control"
required>
            </div>

            <button class="btn btn-frizer w-100">Registruj se</button>
        </form>

        <p class="text-center mt-3">
            Već imate nalog? <a href="login.php">Prijavite se</a>
        </p>
    </div>
</div>
</div>
</section>

<?php require '../app/layout/footer.php'; ?>
<?php require '../app/layout/scripts.php'; ?>

```

### 3.10 public/logout.php

```
<?php
session_start();    // Pokreće sesiju
session_unset();    // Briše sve promenljive iz sesije
session_destroy();  // Uništava sesiju
header("Location: ../public/index.php"); // Preusmerava na početnu
exit;
?>
```

### 3.11 public/proizvodi.php

```
<?php
session_start();
require '../app/layout/head.php';
require '../app/layout/header.php';
require_once __DIR__ . '/../app/helper/logger.php';
zabeleziPristup();
?>
```

```
<div class="container mt-5">
  <h1 class="text-center mb-5">Naši Proizvodi</h1>

  <div class="row g-3 mb-4 bg-light p-3 rounded shadow-sm">
    <div class="col-md-6">
      <input type="text" id="pretragaInput" class="form-control" placeholder="Pretraži
proizvode po nazivu...">
    </div>
    <div class="col-md-6">
      <select id="sortiranjeSelect" class="form-select">
        <option value="default">Sortiraj po: Najnovije</option>
        <option value="price_asc">Cena: Od niže ka višoj</option>
        <option value="price_desc">Cena: Od više ka nižoj</option>
      </select>
    </div>
  </div>

  <div class="row g-4" id="proizvodiKontejner">
  </div>

  <nav class="mt-5">
    <ul class="pagination justify-content-center" id="paginacijaKontejner">
    </ul>
  </nav>
```

</div>

<script>

```
document.addEventListener("DOMContentLoaded", function() {
    const pretragaInput = document.getElementById("pretragaInput");
    const sortiranjeSelect = document.getElementById("sortiranjeSelect");
    const proizvodiKontejner = document.getElementById("proizvodiKontejner");
    const paginacijaKontejner = document.getElementById("paginacijaKontejner");
    let trenutnaStranica = 1;
    function ucitajProizvode() {
        const searchValue = pretragaInput.value;
        const sortValue = sortiranjeSelect.value;

        fetch(`ajax/ajax_proizvodi.php?search=${encodeURIComponent(searchValue)}&sort=${sortValue}&page=${trenutnaStranica}`)
            .then(response => response.json())
            .then(data => {
                proizvodiKontejner.innerHTML = "";

                if (data.proizvodi.length === 0) {
                    proizvodiKontejner.innerHTML = '<div class="col-12 text-center text-muted"><p>Nema pronađenih proizvoda.</p></div>';
                } else {
                    data.proizvodi.forEach(proizvod => {
                        const htmlKartica = `
                            <div class="col-md-4">
                                <div class="card h-100 shadow-sm">
                                    
                                    <div class="card-body text-center">
                                        <h5 class="card-title fw-bold">${proizvod.name}</h5>
                                        <p class="card-text text-muted">${proizvod.description ?
proizvod.description : 'Nema opisa.'}</p>
                                        <p class="fw-bold text-primary fs-5">Cena: ${proizvod.price}
RSD</p>
                                        <a href="../../../assets/images/originals/${proizvod.image}"
target="_blank" class="btn btn-outline-secondary btn-sm w-100">Prikaži punu
rezoluciju</a>
                                    </div>
                                </div>
                            </div>
                        `;
                        proizvodiKontejner.innerHTML += htmlKartica;
                    });
                }
                paginacijaKontejner.innerHTML = "";
            });
    }
```

```

        for (let i = 1; i <= data.ukupnoStranica; i++) {
            const aktivnaKlasa = (i === data.trenutnaStranica) ? 'active' : '';
            const htmlDugme = `
                <li class="page-item ${aktivnaKlasa}">
                    <button class="page-link nalog-stranica-btn" data-
page="${i}">${i}</button>
                </li>
            `;
            paginacijaKontejner.innerHTML += htmlDugme;
        }
        document.querySelectorAll(".nalog-stranica-btn").forEach(button => {
            button.addEventListener("click", function() {
                trenutnaStranica = parseInt(this.getAttribute("data-page"));
                ucitajProizvode();
            });
        });
    })
    .catch(error => console.error("Greška pri učitavanju:", error));
}
pretragalInput.addEventListener("input", function() {
    trenutnaStranica = 1;
    ucitajProizvode();
});

sortiranjeSelect.addEventListener("change", function() {
    trenutnaStranica = 1;
    ucitajProizvode();
});
ucitajProizvode();
});
</script>

```

```

<?php
require '../app/layout/footer.php';
require '../app/layout/scripts.php';
?>

```

### 3.11 public/ajax/gallery\_fetch.php

```
<?php
require '../app/config/database.php';

$conn->set_charset("utf8mb4");

if (!isset($_GET['category']) || empty($_GET['category'])) {
    http_response_code(400);
    echo json_encode(['error' => 'Category missing']);
    exit;
}

$category = $_GET['category'];
$stmt = $conn->prepare("
    SELECT image_path
    FROM galery
    WHERE category = ? AND is_active = 1
");
$stmt->bind_param("s", $category);
$stmt->execute();

$result = $stmt->get_result();

$images = [];

while ($row = $result->fetch_assoc()) {
    $images[] = $row['image_path'];
}

if (empty($images)) {
    http_response_code(204);
    exit;
}

header('Content-Type: application/json; charset=utf-8');
http_response_code(200);
echo json_encode($images);
exit;
```

### 3.12 public/ajax/ajax\_proizvodi.php

```
<?php
require '../app/config/database.php';
$pretraga = isset($_GET['search']) ? trim($_GET['search']) : "";
```

```

$sortiranje = isset($_GET['sort']) ? $_GET['sort'] : 'default';
$stranica = isset($_GET['page']) ? (int)$_GET['page'] : 1;
$proizvodaPoStranici = 3;
$offset = ($stranica - 1) * $proizvodaPoStranici;
$sql = "FROM products WHERE 1=1";
if (!empty($pretraga)) {
    $sql .= " AND name LIKE ?";
}

$countSql = "SELECT COUNT(*) as ukupno " . $sql;
$stmtCount = $conn->prepare($countSql);
if (!empty($pretraga)) {
    $likePretraga = "%$pretraga%";
    $stmtCount->bind_param("s", $likePretraga);
}
$stmtCount->execute();
$ukupnoProizvoda = $stmtCount->get_result()->fetch_assoc()['ukupno'];
$ukupnoStranica = ceil($ukupnoProizvoda / $proizvodaPoStranici);
$stmtCount->close();

$glavniSql = "SELECT * " . $sql;
if ($sortiranje === 'price_asc') {
    $glavniSql .= " ORDER BY price ASC";
} elseif ($sortiranje === 'price_desc') {
    $glavniSql .= " ORDER BY price DESC";
} else {
    $glavniSql .= " ORDER BY id_product DESC";
}

$glavniSql .= " LIMIT ? OFFSET ?";

$stmt = $conn->prepare($glavniSql);

if (!empty($pretraga)) {
    $stmt->bind_param("sii", $likePretraga, $proizvodaPoStranici, $offset);
} else {
    $stmt->bind_param("ii", $proizvodaPoStranici, $offset);
}

$stmt->execute();
$result = $stmt->get_result();

$proizvodi = [];
while ($row = $result->fetch_assoc()) {

```



```

    $proizvodi[] = $row;
}
$stmt->close();

header('Content-Type: application/json');
echo json_encode([
    'proizvodi' => $proizvodi,
    'trenutnaStranica' => $stranica,
    'ukupnoStranica' => $ukupnoStranica
]);

```

### 3.13 auth/activate.php

```

<?php
session_start();
require '../app/config/database.php';
require '../app/layout/head.php';
require '../app/layout/header.php';

$token = $_GET['token'] ?? "";
$errors = [];
$success = "";

if ($token) {
    $stmt = $conn->prepare("SELECT id_user, is_active FROM users WHERE
activation_token = ?");
    $stmt->bind_param("s", $token);
    $stmt->execute();
    $result = $stmt->get_result();
    $user = $result->fetch_assoc();

    if ($user) {
        if ($user['is_active'] == 1) {
            $errors[] = "Nalog je već aktiviran.";
        } else {
            // Aktiviraj nalog
            $stmt = $conn->prepare("UPDATE users SET is_active = 1, activation_token =
NULL WHERE id_user = ?");
            $stmt->bind_param("i", $user['id_user']);
            if ($stmt->execute()) {
                $success = "Nalog je uspešno aktiviran! Možete se prijaviti.";
            } else {
                $errors[] = "Došlo je do greške. Pokušajte ponovo.";
            }
            $stmt->close();
        }
    }
}

```

```

    } else {
        $errors[] = "Nevažeći token.";
    }
} else {
    $errors[] = "Token nije prosleđen.";
}
?>

<section class="container mt-5">
    <div class="row justify-content-center">
        <div class="col-md-6 col-lg-5">
            <div class="card shadow-sm p-4">
                <h3 class="text-center mb-4">Aktivacija naloga</h3>

                <?php if (!empty($errors)): ?>
                    <div class="alert alert-danger">
                        <ul>
                            <?php foreach ($errors as $err): ?>
                                <li><?= htmlspecialchars($err) ?></li>
                            <?php endforeach; ?>
                        </ul>
                    </div>
                <?php endif; ?>

                <?php if ($success): ?>
                    <div class="alert alert-success"><?= $success ?></div>
                    <p class="text-center mt-3">
                        <a href="../public/login.php">Prijavite se</a>
                    </p>
                <?php endif; ?>
            </div>
        </div>
    </div>
</section>

<?php require '../app/layout/footer.php'; ?>
<?php require '../app/layout/scripts.php'; ?>

```

### 3.14 app/layout/footer.php

```

<footer class="bg-dark text-light pt-5 pb-3">
    <div class="container">
        <div class="row">

            <div class="col-md-4 mb-3">

```

```
<h5 class="fw-bold">
  Blade & Comb
</h5>
<p>Najbolja usluga za rezervacije i informacije. Pratite nas na društvenim
mrežama!</p>
</div>
```

```
<div class="col-md-4 mb-3">
  <h5 class="fw-bold">Quick Links</h5>
  <ul class="list-unstyled">
    <li><a href="../public/index.php" class="text-light text-decoration-
none">Home</a></li>
    <li><a href="../public/services.php" class="text-light text-decoration-
none">Services</a></li>
    <li><a href="../public/book.php" class="text-light text-decoration-
none">Book</a></li>
    <li><a href="../public/login.php" class="text-light text-decoration-
none">Login</a></li>
    <li><a href="../public/register.php" class="text-light text-decoration-
none">Register</a></li>
    <li><a href="../public/DOKUMENTACIJA.pdf" target="_blank" class="text-light
text-decoration-none">Dokumentacija</a></li>
  </ul>
</div>
```

```
<div class="col-md-4 mb-3">
  <h5 class="fw-bold">Follow Us</h5>
  <div class="d-flex gap-3 mt-2">
    <a href="https://www.facebook.com/" class="text-light fs-5"><i class="fab fa-
facebook-f"></i></a>
    <a href="https://x.com/home" class="text-light fs-5"><i class="fab fa-
twitter"></i></a>
    <a href="https://www.instagram.com/" class="text-light fs-5"><i class="fab
fa-instagram"></i></a>
    <a href="https://www.linkedin.com/feed/" class="text-light fs-5"><i class="fab
fa-linkedin-in"></i></a>
  </div>
</div>
```

```
</div>
```

```
<hr class="bg-light">
```

```

        <div class="text-center small">
            &copy; 2026 Blade & Comb. Sva prava zadržana.
        </div>
    </div>
</footer>

```

### 3.15 app/layout/head.php

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Frizerski salon</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link rel="stylesheet" href="../assets/css/style.css">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.1/css/all.min.css">

</head>
<body>

```

### 3.16 app/layout/header.php

```

<?php
if (session_status() == PHP_SESSION_NONE) {
    session_start();
}
require '../app/config/database.php';

$menuitems = [];
$result = $conn->query("SELECT * FROM menu WHERE position='header' AND
is_active=1 ORDER BY sort_order ASC");
if ($result) {
    while($row = $result->fetch_assoc()) {
        $menuitems[] = $row;
    }
}
?>
<nav class="navbar navbar-expand-lg navbar-dark bg-dark shadow-sm">
    <div class="container">

        <a class="navbar-brand fw-bold" href="../public/index.php">
            Blade & Comb

```

```

</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#mainNavbar">
    <span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="mainNavbar">

    <ul class="navbar-nav me-auto mb-2 mb-lg-0">
        <?php foreach($menuitems as $item): ?>
            <li class="nav-item">
                <a class="nav-link <?= basename($_SERVER['PHP_SELF']) ==
basename($item['url']) ? 'active' : " ?>"
                href="<?= $item['url'] ?>">
                    <?= htmlspecialchars($item['title']) ?>
                </a>
            </li>
        <?php endforeach; ?>
    </ul>

    <div class="d-flex gap-2">
        <?php if (!isset($_SESSION['user'])): ?>
            <a href="../public/login.php" class="btn btn-outline-light btn-sm">Login</a>
            <a href="../public/register.php" class="btn btn-frizer btn-sm">Register</a>
        <?php else: ?>
            <?php if (isset($_SESSION['user']['id_role']) && $_SESSION['user']['id_role']
== 1): ?>
                <a href="../admin/index.php" class="btn btn-warning btn-sm">Admin</a>
            <?php endif; ?>
            <a href="../public/logout.php" class="btn btn-frizer btn-sm">Logout</a>
        <?php endif; ?>
    </div>

</div>
</div>
</nav>

```

### 3.17 app/layout/scripts.php

```

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scri
pt>

```

```

<script src="https://code.jquery.com/jquery-3.7.1.min.js"></script>
<script src="../../assets/js/main.js"></script>
<script src="../../assets/js/gallery.js"></script>
</body>
</html>

```

### 3.18 app/helper/protect.php

```

<?php
session_start();

if (!isset($_SESSION['user'])) {
    header("Location: /Frizeraj/public/login.php");
    exit;
}

```

### 3.19 app/helper/logger.php

```

<?php
function zabeleziPristup() {
    $logFajl = __DIR__ . '/../data/pristupi.txt';

    $vreme = date('Y-m-d H:i:s');
    $stranica = $_SERVER['REQUEST_URI'];
    $ipAdresa = $_SERVER['REMOTE_ADDR'];
    $korisnikID = isset($_SESSION['user']) ? $_SESSION['user']['id'] ??
$_SESSION['user']['email'] ?? 'Ulogovan' : 'Gost';

    $zapis = "{$vreme}|{$stranica}|{$korisnikID}|{$ipAdresa}\n";

    file_put_contents($logFajl, $zapis, FILE_APPEND | LOCK_EX);
}

```

### 3.20 app/confing/database.php

```

<?php
$host = "localhost";
$db_name = "frizerski_salon";
$username = "root";
$password = "";

$conn = new mysqli($host, $username, $password, $db_name);

if ($conn->connect_error) {
    die("Greška prilikom povezivanja na bazu: " . $conn->connect_error);
}

```

```
$conn->set_charset("utf8");  
?>
```

### 3.21 admin/admin.php

```
<?php  
session_start();  
  
if (!isset($_SESSION['user'])) {  
    header("Location: /Frizeraj/public/login.php");  
    exit;  
}  
  
// samo admin (id_role = 1)  
if ($_SESSION['user']['id_role'] != 1) {  
    header("Location: /Frizeraj/public/index.php");  
    exit;  
}
```

### 3.22 admin/bookings.php

```
<?php  
require 'admin.php';  
require '../app/config/database.php';  
require '../app/layout/head.php';  
require 'layout/header.php';  
  
$query = "  
    SELECT  
        id_book,  
        fullName,  
        email,  
        phone,  
        service,  
        date,  
        time,  
        created_at  
    FROM books
```

ORDER BY date DESC, time ASC

";

\$result = \$conn->query(\$query);

?>

<div class="container mt-5">

<h2 class="mb-4">Rezervacije</h2>

<p class="text-muted">

Prikazani su samo zauzeti termini. Svi termini koji nisu navedeni smatraju se slobodnim.

</p>

<table class="table table-bordered table-hover align-middle">

<thead class="table-dark">

<tr>

<th>#</th>

<th>Ime</th>

<th>Email</th>

<th>Telefon</th>

<th>Usluga</th>

<th>Datum</th>

<th>Vreme</th>

<th>Status</th>

<th>Akcija</th>

</tr>

</thead>

<tbody>

<?php if (\$result && \$result->num\_rows > 0): ?>

<?php while (\$row = \$result->fetch\_assoc()): ?>

<tr>

<td><?= \$row['id\_book'] ?></td>

<td><?= htmlspecialchars(\$row['fullName']) ?></td>

<td><?= htmlspecialchars(\$row['email']) ?></td>

<td><?= htmlspecialchars(\$row['phone']) ?></td>

<td>

<span class="badge bg-secondary">

<?= ucfirst(\$row['service']) ?>

</span>

</td>

<td><?= \$row['date'] ?></td>

<td><?= substr(\$row['time'], 0, 5) ?></td>

<td>

<span class="badge bg-danger">Zauzeto</span>



```

        </td>

        <td>
            <a href="delete_book.php?id=<?= $row['id_book'] ?>"
                class="btn btn-sm btn-outline-danger"
                onclick="return confirm('Obrisati rezervaciju?')">
                Obriši
            </a>
        </td>
    </tr>
<?php endwhile; ?>
<?php else: ?>
    <tr>
        <td colspan="9" class="text-center">Nema rezervacija</td>
    </tr>
<?php endif; ?>

</tbody>
</table>
</div>

```

```
<?php require 'layout/footer.php'; ?>
```

### 3.23 admin/delete\_book.php

```

<?php
session_start();

if (!isset($_SESSION['user']) || $_SESSION['user']['id_role'] != 1) {
    header("Location: /Frizeraj/public/index.php");
    exit;
}

require '../app/config/database.php';

if (!isset($_GET['id'])) {
    header("Location: bookings.php");
    exit;
}

$id = (int) $_GET['id'];

$stmt = $conn->prepare("DELETE FROM books WHERE id_book = ?");
$stmt->bind_param("i", $id);
$stmt->execute();

header("Location: bookings.php");

```

```
exit;
```

### 3.24 admin/index.php

```
<?php
```

```
require 'admin.php';
```

```
if (session_status() === PHP_SESSION_NONE) {  
    session_start();  
}
```

```
require_once __DIR__ . '/../app/helper/logger.php';  
zabeleziPristup();
```

```
$logFajl = __DIR__ . '/../data/pristupi.txt';
```

```
$statistika = [];
```

```
$ukupnoPristupa = 0;
```

```
$ulogovaniDanas = [];
```

```
$danasnjiDatum = date('Y-m-d');
```

```
if (file_exists($logFajl)) {  
    $linije = file($logFajl, FILE_IGNORE_NEW_LINES | FILE_SKIP_EMPTY_LINES);
```

```
    foreach ($linije as $linija) {  
        $delovi = explode('|', $linija);  
        if (count($delovi) < 4) continue;
```

```
        $vreme = $delovi[0];
```

```
        $stranica = $delovi[1];
```

```
        $korisnik = $delovi[2];
```

```
        $ukupnoPristupa++;
```

```
        if (!isset($statistika[$stranica])) {  
            $statistika[$stranica] = 0;  
        }
```

```
        $statistika[$stranica]++;
```

```
        if (strpos($vreme, $danasnjiDatum) === 0 && $korisnik !== 'Gost') {  
            $ulogovaniDanas[$korisnik] = true;  
        }
```

```
}  
}
```

```
$brojKorisnikaDanas = count($ulogovaniDanas);
```

```
$procentiStranica = [];  
if ($ukupnoPristupa > 0) {  
    foreach ($statistika as $stranica => $brojPristupa) {  
        $procentiStranica[$stranica] = round(($brojPristupa / $ukupnoPristupa) * 100, 2);  
    }  
}
```

```
require '../app/layout/head.php';  
require 'layout/header.php';  
?>
```

```
<div class="container mt-5">  
    <h1 class="mb-4">Admin panel</h1>  
  
    <div class="row g-4 mb-5">  
        <div class="col-md-3">  
            <a href="user.php" class="card text-center p-4 shadow-sm text-decoration-none  
bg-light fw-bold">☐ Korisnici</a>  
        </div>  
        <div class="col-md-3">  
            <a href="bookings.php" class="card text-center p-4 shadow-sm text-decoration-  
none bg-light fw-bold">☐ Rezervacije</a>  
        </div>  
  
        <div class="col-md-3">  
            <a href="add_product.php" class="card text-center p-4 shadow-sm text-decoration-  
none bg-light fw-bold">☐ Dodaj Proizvod</a>  
        </div>  
  
        <div class="col-md-4">  
            <div class="card text-center p-3 shadow-sm bg-primary text-white">  
                <h6 class="mb-1">Korisnici tekućeg dana</h6>  
                <h3 class="fw-bold mb-0"><?php echo $brojKorisnikaDanas; ?></h3>  
            </div>  
        </div>  
    </div>  
  
    <div class="card shadow mb-5">  
        <div class="card-header bg-dark text-white">  
            <h5 class="mb-0">Statistika pristupa stranicama (u %)</h5>  
        </div>
```

```

<div class="card-body">
  <table class="table table-hover">
    <thead class="table-light">
      <tr>
        <th>Stranica (Ruta)</th>
        <th>Broj poseta</th>
        <th>Procenat prisutnosti</th>
      </tr>
    </thead>
    <tbody>
      <?php if (!empty($procentiStranica)): ?>
        <?php foreach ($procentiStranica as $stranica => $procenat): ?>
          <tr>
            <td><code><?php echo htmlspecialchars($stranica); ?></code></td>
            <td><?php echo $statistika[$stranica]; ?></td>
            <td>
              <div class="d-flex align-items-center">
                <span class="me-2 fw-bold"><?php echo $procenat; ?>%</span>
                <div class="progress w-100" style="height: 10px;">
                  <div class="progress-bar bg-success" role="progressbar"
style="width: <?php echo $procenat; ?>%"></div>
                </div>
              </div>
            </td>
          </tr>
        <?php endforeach; ?>
      <?php else: ?>
        <tr>
          <td colspan="3" class="text-center">Nema zabeleženih pristupa u
fajlu.</td>
        </tr>
      <?php endif; ?>
    </tbody>
  </table>
</div>
</div>
</div>

```

```

<?php require 'layout/footer.php'; ?>

```

### 3.25 admin/toggle\_user.php

```

<?php
session_start();

if (!isset($_SESSION['user'])) {

```

```

    header("Location: /Frizeraj/public/login.php");
    exit;
}

```

```

// samo admin (id_role = 1)
if ($_SESSION['user']['id_role'] != 1) {
    header("Location: /Frizeraj/public/index.php");
    exit;
}
?>

```

```

<?php
require 'admin.php';
require '../app/config/database.php';

if (!isset($_GET['id'], $_GET['status'])) {
    header("Location: user.php");
    exit;
}

```

```

$id = (int) $_GET['id'];
$currentStatus = (int) $_GET['status'];
$newStatus = $currentStatus ? 0 : 1;

```

```

// Ne diramo admina
$stmt = $conn->prepare("UPDATE users SET is_active = ? WHERE id_user = ? AND
id_role != 1");
$stmt->bind_param("ii", $newStatus, $id);
$stmt->execute();

```

```

header("Location: user.php");
exit;

```

### 3.26 admin/user.php

```

<?php
require 'admin.php';
require '../app/config/database.php';
require '../app/layout/head.php';
require 'layout/header.php';

```

// Dohvatanje korisnika

```

$query = "
    SELECT
        u.id_user,
        u.first_name,

```

```

        u.last_name,
        u.email,
        u.is_active,
        r.name_role AS role_name,
        u.id_role
    FROM users u
    JOIN roles r ON u.id_role = r.id_role
    ORDER BY u.created_at DESC
";

```

```

$result = $conn->query($query);
?>

```

```

<div class="container mt-5">
    <h2 class="mb-4">Korisnici</h2>

```

```

    <table class="table table-bordered table-hover align-middle">
        <thead class="table-dark">
            <tr>
                <th>#</th>
                <th>Ime</th>
                <th>Email</th>
                <th>Uloga</th>
                <th>Status</th>
                <th>Akcija</th>
            </tr>
        </thead>
        <tbody>

```

```

            <?php if ($result && $result->num_rows > 0): ?>
                <?php while ($user = $result->fetch_assoc()): ?>
                    <tr>
                        <td><?=$user['id_user'] ?></td>

                        <td>
                            <?=$user['first_name'] . ' ' . $user['last_name'] ?>
                        </td>

                        <td><?=$user['email'] ?></td>

                        <td>
                            <span class="badge bg-<?=$user['id_role'] == 1 ? 'warning' : 'secondary'
?>">
                                <?=$user['role_name'] ?>
                            </span>
                        </td>

```

```

        <td>
            <?php if ($user['is_active']): ?>
                <span class="badge bg-success">Aktivan</span>
            <?php else: ?>
                <span class="badge bg-danger">Neaktivan</span>
            <?php endif; ?>
        </td>

        <td>
            <?php if ($user['id_role'] != 1): ?>
                <a href="toggle_user.php?id=<?=$user['id_user'] ?>&status=<?=$user['is_active'] ?>"
                    class="btn btn-sm <?=$user['is_active'] ? 'btn-danger' : 'btn-success'
?>">
                    <?=$user['is_active'] ? 'Deaktiviraj' : 'Aktiviraj' ?>
                </a>
            <?php else: ?>
                <span class="text-muted">Admin</span>
            <?php endif; ?>
        </td>
    </tr>
<?php endwhile; ?>
<?php else: ?>
    <tr>
        <td colspan="6" class="text-center">Nema korisnika</td>
    </tr>
<?php endif; ?>

</tbody>
</table>
</div>

<?php require 'layout/footer.php'; ?>

```

### 3.27 admin/layout/footer.php

```

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></scri
pt>
<script src="../assets/js/main.js"></script>
</body>
</html>

```

### 3.28 admin/layout/header.php

```

<nav class="navbar navbar-dark bg-dark">
  <div class="container">
    <a class="navbar-brand" href="index.php">Admin Panel</a>

    <div class="d-flex gap-2">
      <span class="text-light">
        <?= $_SESSION['user']['first_name'] ?>
      </span>
      <a href="../public/index.php" class="btn btn-outline-light btn-sm">
        Nazad na sajt
      </a>
      <a href="../public/logout.php" class="btn btn-danger btn-sm">
        Logout
      </a>
    </div>
  </div>
</nav>

```

### 3.29 assets/css/style.css

```

body {
  background-color: #f8f9fa;
  color: #333;
}

/* =====
  NAVBAR
  ===== */
.navbar {
  background-color: #2c3e50;
  box-shadow: 0 2px 5px rgba(0,0,0,0.1);
}

.navbar .navbar-brand {
  color: #f39c12;
  font-size: 1.5rem;
}

.navbar .navbar-brand:hover {
  color: #e67e22;
}

.navbar .nav-link {
  color: #ecf0f1;
}

```



```

    font-weight: 500;
}

.navbar .nav-link:hover {
    color: #f39c12;
}

.navbar .nav-link.active {
    color: #f39c12;
    font-weight: 600;
}

/* =====
DUGMAD U NAVBAR-U
===== */
.navbar .btn-primary {
    background-color: #e74c3c;
    border: none;
    font-weight: 500;
    transition: background 0.3s;
}

.navbar .btn-primary:hover {
    background-color: #c0392b;
}

.navbar .btn-outline-light {
    color: #ecf0f1;
    border-color: #ecf0f1;
    transition: all 0.3s;
}

.navbar .btn-outline-light:hover {
    background-color: #ecf0f1;
    color: #2c3e50;
}

/* =====
FOOTER
===== */
footer {
    background-color: #2c3e50;
    color: #ecf0f1;
    padding: 1rem 0;
    text-align: center;
    margin-top: 50px;
}

```

```

}

/* =====
  BUTTONS
  ===== */
.btn {
  border-radius: 0.3rem;
}

.btn-frizer {
  background-color: #DCA44E;
  border-color: #DCA44E;
  color: #000;
  font-weight: bold;
}

.btn-frizer:hover {
  background-color: #C9953E;
  border-color: #C9953E;
  color: #000;
}

/* =====
  Karusel slike
  ===== */

#heroCarousel .carousel-inner img {
  height: 891px;
  object-fit: cover;
}

#heroCarousel .carousel-caption h1,
#heroCarousel .carousel-caption h3 {
  color: #5A3E1B;
  text-shadow: 1px 1px 2px rgba(0,0,0,0.4);
}

#heroCarousel .carousel-item::before {
  content: "";
  position: absolute;
  top:0; left:0; width:100%; height:100%;
  background: rgba(0,0,0,0.45);
}

.carousel-caption-top {
  top: 10%;
  transform: translateY(0);
  text-align: center;

```

```

}
#heroCarousel .carousel-caption a.btn-frizer {
    margin-top: 10px;
}

```

```

/* =====
Kontakt sekcija
===== */

```

```

#clientCounter {
    color: #DCA44E;
}

```

```

.d-flex.align-items-center i {
    color: #DCA44E;
}

```

```

.contact-info li {
    font-size: 1.3rem;
    margin-bottom: 0.8rem;
    color: #333;
    font-weight: 500;
}

```

```

.contact-info li i {
    color: #DCA44E;
    font-size: 1.5rem;
    vertical-align: middle;
}

```

```

.contact-info li i:hover {
    transform: scale(1.2);
    transition: 0.3s ease;
}

```

```

/* =====
SERVICE STRANA
===== */

```

```

.service-card {
    transition:
        transform 0.3s ease,
        box-shadow 0.3s ease;
    border-radius: 12px;
}

```

```

.service-card:hover {
    transform: translateY(-6px) scale(1.03);
    box-shadow: 0 15px 35px rgba(0, 0, 0, 0.15);
}

/* Ikonica malo reaguje */
.service-card i {
    transition: transform 0.3s ease;
}

.service-card:hover i {
    transform: scale(1.15);
}

/* Dugme na hover kartice */
.service-card:hover .btn-frizer {
    box-shadow: 0 0 0 2px rgba(220, 164, 78, 0.4);
}

@media (max-width: 767px) {
    .service-card {
        transform: none !important;
        box-shadow: 0 8px 20px rgba(0, 0, 0, 0.08);
    }

    .service-card i {
        transform: none !important;
    }

    .service-card:hover {
        transform: none !important;
        box-shadow: 0 8px 20px rgba(0, 0, 0, 0.08);
    }
}

.service-card.premium {
    border: 2px solid #DCA44E;
    box-shadow: 0 15px 35px rgba(220, 164, 78, 0.3);
    transform: scale(1.02);
}

.service-card.premium:hover {
    transform: translateY(-6px) scale(1.05);
    box-shadow: 0 20px 45px rgba(220, 164, 78, 0.4);
}

```

### 3.30 assets/js/main.js

```
document.addEventListener("DOMContentLoaded", function() {
  const counter = document.getElementById('clientCounter');
  if (!counter) return; // proveri da li element postoji

  const target = 500;
  let count = 0;
  const speed = 2000; // trajanje animacije u ms

  const stepTime = Math.abs(Math.floor(speed / target));

  const timer = setInterval(() => {
    count++;
    counter.textContent = count;
    if(count >= target) clearInterval(timer);
  }, stepTime);
});
```

### 3.26 assets/js/gallery.js

```
const BASE_URL = '/Frizeraj/'; // tvoj podfolder

document.querySelectorAll('.gallery-btn').forEach(btn => {
  btn.addEventListener('click', function () {
    const category = this.dataset.category;
    const gallery = document.getElementById('gallery');

    gallery.innerHTML = '<p>Učitavanje...</p>';

    fetch(`${BASE_URL}public/ajax/gallery_fetch.php?category=${encodeURIComponent(category)}`)
      .then(response => {
        if (response.status === 204) {
          gallery.innerHTML = '<p>Nema slika u ovoj kategoriji.</p>';
          return [];
        }
        if (!response.ok) {
          throw new Error('Server error: ' + response.status);
        }
      })
      .then(data => {
        gallery.innerHTML = data;
      })
      .catch(error => {
        console.error('Error:', error);
      })
  });
});
```

```

    }
    return response.json();
  })
  .then(data => {
    console.log('Primljene slike:', data);
    if (data.length === 0) return;

    gallery.innerHTML = "";
    data.forEach(path => {
      gallery.innerHTML += `
        <div style="width: 400px; height: 400px; overflow: hidden; margin: 5px;
display: inline-block;">
          
        </div>
      `;
    });
  })
  .catch(err => {
    console.error(err);
    gallery.innerHTML = '<p class="text-danger">Greška pri učitavanju
galerije.</p>';
  });
});
});

```

