

VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I
KOMUNIKACIONE TEHNOLOGIJE

Dokumentacija

Praktikum iz web programiranja PHP / Web Programiranje PHP2

Skar Sneakers

Admin nalog: admin@gmail.com admin123

User nalog: user123@gmail.com user123

Milan Bojkovski 9/22

Sadržaj

Uvod	4
Korisćene tehnologije	4
Opis funkcionalnosti	4
Template	6
Struktura projekta	6
Struktura baze podataka	7
Funkcionalnost sajta	7
Home stranica	8
Products stranica	9
Product details stranica	10
Cart stranica	10
Orders stranica	11
Order details stranica	11
Registracija	12
Login	13
Admin Dashboard stranica	13
Admin Statistics stranica	14
Admin Products stranica	15
Admin Add Product stranica	16
Admin Edit Product stranica	16
Admin Delete Product modal	17
Admin Users stranica	17
Author stranica	18
Dokumentacija	18
Kodovi	19
index.php	19
ajax/products.php	31
assets/css/style.css	32

assets/js/main.js	35
config/connection.php.....	40
helpers/mail.php	41
models/auth.php	43
models/cart.php.....	45
models/order.php	46
models/product.php.....	48
models/user.php	52
views/layout/head.php	57
views/layout/top-nav.php.....	58
views/layout/footer.php	61
views/pages/activate	62
views/pages/author.php.....	63
views/pages/cart.php	65
views/pages/home.php.....	68
views/pages/login.php	71
views/pages/logout.php	75
views/pages/my_orders.php.....	75
views/pages/order_details.php.....	77
views/pages/product.php	80
views/pages/products.php.....	82
views/pages/register.php	85
views/pages/admin/dashboard.php	90
views/pages/admin/product_add.php.....	94
views/pages/admin/product_edit.php.....	97
views/pages/admin/products.php	101
views/pages/admin/stats.php.....	106
views/pages/admin/users.php.....	111

Uvod

Korisćene tehnologije

Projekat je razvijen koristeći PHP, MySQL, HTML, CSS i JavaScript uz Bootstrap framework za frontend stilizaciju i responzivni dizajn.

Opis funkcionalnosti


- Sistem omogućava registraciju novih korisnika uz osnovnu validaciju unetih podataka, kao i aktivaciju naloga putem linka poslatog na email adresu korisnika. Implementiran je login sistem sa zaštitom od brute-force napada, gde se nalog privremeno zaključava nakon više neuspešnih pokušaja prijave.
- Aplikacija koristi role-based sistem gde se korisnici dele na obične korisnike i administratore, pri čemu administratori imaju dodatne privilegije u upravljanju sistemom.
- Korisnici mogu pregledati listu proizvoda koja podržava filtriranje po brendu i kategoriji, kao i sortiranje po različitim kriterijumima kao što su cena i datum dodavanja.
- Svaki proizvod ima svoj detaljan prikaz sa osnovnim informacijama, cenom, opisom i slikom proizvoda.
- Korisnici mogu dodavati proizvode u korpu, menjati količinu proizvoda u korpi ili ih u potpunosti ukloniti iz nje.
- Implementiran je checkout proces koji omogućava kreiranje porudžbine na osnovu sadržaja korpe, nakon čega se korpa prazni.

- Korisnici imaju mogućnost pregleda svojih porudžbina, kao i detaljan uvid u svaku pojedinačnu porudžbinu uključujući proizvode, količine i ukupnu cenu.
- Svaka porudžbina ima status koji može biti pending, completed ili cancelled, a administratori imaju mogućnost da odobre ili otkazu porudžbine.
- Administratorski panel omogućava pregled svih korisnika sistema, kao i promenu njihovih uloga između običnog korisnika i administratora.
- Takođe je omogućeno da administrator vidi sve porudžbine određenog korisnika i upravlja njihovim statusom.
- U okviru admin panela implementirano je upravljanje proizvodima kroz CRUD operacije, uključujući dodavanje, izmenu i brisanje proizvoda.
- Lista proizvoda u admin panelu podržava pretragu u realnom vremenu radi lakšeg upravljanja većim brojem proizvoda.
- Brisanje proizvoda je zaštićeno potvrdom putem modalnog prozora kako bi se sprečile slučajne akcije.
- Sistem beleži statistiku poseta stranica, koja se koristi za analizu najposećenijih delova sajta.
- Dodatno se prati statistika uspešnih prijava korisnika radi uvida u aktivnost sistema.
- Sistem koristi session baziranu korpu koja se čuva tokom sesije korisnika.
- Omogućena je logout funkcionalnost koja briše korisničku sesiju i vraća korisnika na početnu stranicu.
- Admin rute su zaštićene i dostupne isključivo korisnicima sa administratorskom ulogom.
- Sistem takođe beleži logove aktivnosti korisnika, uključujući posete stranica, radi osnovne analitike i praćenja ponašanja korisnika.


Template

Za izradu sajta nije korišćen gotov template, već je ceo frontend razvijen ručno koristeći Bootstrap kao osnovni CSS framework za layout i komponentnu strukturu.

Struktura projekta




Struktura baze podataka



Funkcionalnost sajta

Home stranica



Početna stranica sajta koja prikazuje istaknute proizvode kako bi korisnik odmah dobio pregled ponude. Takođe omogućava brzu navigaciju ka ostalim delovima sajta kao što su proizvodi, korpa i prijava.

Products stranica

All Sneakers

Browse our latest collection and discover your next pair.

Premium Collection

Filters

Refine your search

Brand

All brands

Category

All categories

Sort

Newest

Reset filters

Products

Showing results



Adidas

Adidas Ultraboost 22

Premium running patike sa Boost...

159.99 €

[Details](#)



New Balance

New Balance 990

Premium model poznat po udobnosti i...

179.99 €

[Details](#)



Nike

Nike Pegasus 40

Running patike za svakodnevni trening.

129.99 €

[Details](#)



Jordan

Jordan 1 Retro High

Legendarni košarkaški model sa streetwear...

199.99 €

[Details](#)



Jordan

Jordan 4 Black Cat

All-black premium sneaker dizajn.

219.99 €

[Details](#)



Nike

Nike Air Max 270

Komforne lifestyle patike sa modernim...

129.99 €

[Details](#)

1

2

3

Products stranica prikazuje kompletnu listu proizvoda iz ponude. Korisnici mogu da filtriraju proizvode po brendu i kategoriji, kao i da ih sortiraju po ceni ili novim proizvodima.

Product details stranica



Adidas

Adidas Ultraboost 22

Running

159.99 €

Premium running patike sa Boost amortizacijom.

Add to Cart

Back to Products

Product details stranica prikazuje detaljne informacije o odabranom proizvodu, uključujući sliku, cenu, opis i pripadnost brendu i kategoriji. Korisnik sa ove stranice može direktno dodati proizvod u korpu.

Cart stranica

Your cart



Adidas Ultraboost 22

Price: 159.99 €

-

3

+

Subtotal: 479.97 €

Remove

Order summary

479.97 €

Checkout

Continue shopping

Cart stranica prikazuje sve proizvode koje je korisnik dodao u korpu. Omogućava izmenu količine, uklanjanje proizvoda i prelazak na checkout.

Orders stranica

Your orders

Order #9

Date: 2026-06-20 22:22:04

479.97 €

processing

Order #6

Date: 2026-06-20 18:29:22

319.98 €

cancelled

Order #5

Date: 2026-06-20 18:08:08

359.98 €

completed

Order #4

Date: 2026-06-20 18:08:00

179.99 €

cancelled

Order #2

Date: 2026-06-19 23:35:53

799.96 €

completed


Orders stranica prikazuje sve porudžbine ulogovanog korisnika sa informacijama o datumu, statusu i ukupnoj ceni. Korisnik ovde može da prati status svojih narudžbina.

Order details stranica

Order #9

Date: 2026-06-20 22:22:04

Status: processing

**Adidas Ultraboost 22**

Quantity: 3

Price: 159.99 €

Total**479.97 €**

Order details stranica prikazuje detalje jedne porudžbine, uključujući listu proizvoda, količine, cene i ukupnu vrednost. Takođe prikazuje datum i status porudžbine.

Registracija

Register

Registration successful! Check your email to activate your account.
WARNING: It might be in your spam folder.

First name

Last name

Username


Email

Password

Register

Register stranica omogućava kreiranje novog korisničkog naloga uz osnovnu validaciju podataka. Nakon uspješne registracije korisniku se prikazuje poruka o uspehu i šalje aktivacioni email za potvrdu naloga.


Login



The login form is contained within a light gray box. It features a large 'Login' title at the top. Below the title are two input fields: 'Email' and 'Password'. At the bottom of the form is a dark gray button with the text 'Login' in white.

Login stranica omogućava prijavu postojećih korisnika u sistem. U slučaju više uzastopnih pogrešnih pokušaja, nalog se privremeno zaključava na određeni vremenski period radi zaštite od brute-force napada.


Admin Dashboard stranica



The Admin Dashboard interface for 'Skar Sneakers' features a dark top navigation bar with links for Products, About, Docs, Admin (active), Dashboard (active), Orders, Cart, and Logout. The main content area is titled 'Admin Dashboard' with a 'Welcome, Admin' message. It displays three summary cards: 'Total Users' (6), 'Total Products' (16), and 'Total Orders' (8). Below these are three functional sections: 'Statistics' (Traffic and user activity overview), 'Products' (Add, edit and manage products), and 'Users' (Manage accounts and roles).

Admin dashboard stranica predstavlja centralni panel za upravljanje sistemom. Omogućava brzi pristup ključnim sekcijama kao što su proizvodi, korisnici i statistika.

Admin Statistics stranica



Stats stranica prikazuje analitiku sajta, uključujući statistiku poseta stranica i broj uspešnih prijava korisnika. Podaci su prikazani kroz grafike i progres barove radi lakšeg pregleda aktivnosti sistema.

Admin Products stranica

Products

Manage your sneaker catalog

[← Back to Dashboard](#)[+ Add Product](#)

Total: 16

ID	Image	Name	Price	Brand	Category	Actions
3		Adidas Ultraboost 22	159.99 €	Adidas	Running	Edit Delete
8		New Balance 990	179.99 €	New Balance	Running	Edit Delete
13		Nike Pegasus 40	129.99 €	Nike	Running	Edit Delete
11		Jordan 1 Retro High	199.99 €	Jordan	Basketball	Edit Delete
12		Jordan 4 Black Cat	219.99 €	Jordan	Basketball	Edit Delete
1		Nike Air Max 270	129.99 €	Nike	Lifestyle	Edit Delete
6		Puma Suede Classic	79.99 €	Puma	Lifestyle	Edit Delete
7		New Balance 574	94.99 €	New Balance	Lifestyle	Edit Delete
10		Reebok Classic Leather	89.99 €	Reebok	Lifestyle	Edit Delete
9		Reebok Nano X3	119.99 €	Reebok	Training	Edit Delete
2		Nike Air Force 1	109.99 €	Nike	Streetwear	Edit Delete
4		Adidas Samba	99.99 €	Adidas	Streetwear	Edit Delete
5		Puma RS-X	89.99 €	Puma	Streetwear	Edit Delete
14		Adidas NMD R1	139.99 €	Adidas	Streetwear	Edit Delete
15		Puma Future Rider	84.99 €	Puma	Streetwear	Edit Delete

Admin products stranica omogućava administratoru pregled, pretragu i upravljanje svim proizvodima u sistemu. Sa ove stranice moguće je dodavanje, izmena i brisanje proizvoda.

Admin Add Product stranica

Add Product

Product image

Add product stranica omogućava administratoru dodavanje novih proizvoda u sistem unosom osnovnih informacija kao što su naziv, cena, opis, slika i kategorija. Nakon unosa, proizvod se čuva u bazi i postaje dostupan na sajtu.

Admin Edit Product stranica

Edit Product


Current image:



Change product image


Edit product stranica omogućava administratoru izmenu postojećih proizvoda, uključujući naziv, cenu, opis, sliku i kategoriju. Izmene se odmah čuvaju u bazi i ažuriraju prikaz na sajtu.

Admin Delete Product modal



Delete product modal je potvrdni prozor koji se prikazuje pre brisanja proizvoda. Administrator mora potvrditi akciju kako bi se proizvod trajno uklonio iz baze podataka.

Admin Users stranica



Admin users stranica omogućava pregled svih korisnika sistema i promenu njihovih uloga. Takođe omogućava pregled porudžbina po izabranom korisniku i upravljanje njihovim statusima.

Author stranica

About the Author

O autoru



Milan Bojkovski 9/22

I am a student passionate about web development and backend systems. This project represents my work in building a fully functional e-commerce platform using PHP, MySQL, and JavaScript.

During my studies, I gained experience working with HTML, CSS, JavaScript, PHP, and relational databases. This project helped me combine all of these technologies into a single functional system.

Technologies: HTML, CSS, JavaScript, PHP, MySQL
Project type: E-commerce Web Application
Role: Full-stack Development

Author stranica prikazuje informacije o autoru projekta, uključujući sliku i kratak opis.

Dokumentacija

Dokumentacija sajta se može naći u navigacionom meniju pod “Docs”.

Kodovi

index.php

```
<?php
```

```
session_start();
```

```
require_once "config/connection.php";
```

```
require_once "models/product.php";
```

```
require_once "models/user.php";
```

```
require_once "models/auth.php";
```

```
$page = $_GET['strana'] ?? 'home';
```

```
$logLine = date("Y-m-d H:i:s") . " - $page\n";
```

```
file_put_contents("data/logs.txt", $logLine, FILE_APPEND);
```

```
require_once "views/layout/head.php";
```

```
require_once "views/layout/top-nav.php";
```

```
echo '<div class="page-wrapper">';
```

```
if ($page == 'home') {
```

```
    $featuredProducts = getFeaturedProducts($conn);
```

```
    require_once "views/pages/home.php";
```

```
} elseif ($page == 'products') {  
  
    require_once "views/pages/products.php";  
  
} elseif ($page == 'register') {  
  
    require_once "views/pages/register.php";  
  
} elseif ($page == 'login') {  
  
    require_once "views/pages/login.php";  
  
} elseif ($page == 'logout') {  
  
    require_once "views/pages/logout.php";  
  
} elseif ($page == 'activate') {  
  
    require_once "views/pages/activate.php";  
  
} elseif ($page == 'product') {  
  
    require_once "views/pages/product.php";  
  
}
```

```
elseif ($page == 'cart_add') {

    require_once "models/cart.php";

    $id = $_GET['id'];
    $product = getProductById($conn, $id);

    if ($product) {
        addToCart($product);
    }

    header("Location: index.php?strana=cart");
    exit;

} elseif ($page == 'cart') {

    require_once "views/pages/cart.php";

} elseif ($page == 'cart_inc') {

    $id = $_GET['id'];

    if (isset($_SESSION['cart'][$id])) {
        $_SESSION['cart'][$id]['quantity']++;
    }
}
```

```
header("Location: index.php?strana=cart");
exit;

} elseif ($page == 'cart_dec') {

    $id = $_GET['id'];

    if (isset($_SESSION['cart'][$id])) {
        $_SESSION['cart'][$id]['quantity']--;

        if ($_SESSION['cart'][$id]['quantity'] <= 0) {
            unset($_SESSION['cart'][$id]);
        }
    }

    header("Location: index.php?strana=cart");
    exit;

} elseif ($page == 'cart_remove') {

    $id = $_GET['id'];

    if (isset($_SESSION['cart'][$id])) {
        unset($_SESSION['cart'][$id]);
    }
}
```

```
header("Location: index.php?strana=cart");
exit;
}

elseif ($page == 'checkout') {

    require_once "models/order.php";
    require_once "models/cart.php";

    if (!isset($_SESSION['user'])) {
        header("Location: index.php?strana=login");
        exit;
    }

    $userId = $_SESSION['user']['id'];
    $cart = $_SESSION['cart'] ?? [];

    if (empty($cart)) {
        header("Location: index.php?strana=cart");
        exit;
    }

    $total = 0;

    foreach ($cart as $item) {
        $total += $item['price'] * $item['quantity'];
    }
}
```

```
}
```

```
$orderId = createOrder($conn, $userId, 1, $total);
```

```
foreach ($cart as $item) {
```

```
    addOrderItem(
```

```
        $conn,
```

```
        $orderId,
```

```
        $item['id'],
```

```
        $item['quantity'],
```

```
        $item['price']
```

```
    );
```

```
}
```

```
unset($_SESSION['cart']);
```

```
header("Location: index.php?strana=my_orders");
```

```
exit;
```

```
} elseif ($page == 'my_orders') {
```

```
    require_once "models/order.php";
```

```
    if (!isset($_SESSION['user'])) {
```

```
        header("Location: index.php?strana=login");
```

```
        exit;
```



```
}
```

```
$orders = getOrdersByUser($conn, $_SESSION['user']['id']);
```

```
require_once "views/pages/my_orders.php";
```

```
} elseif ($page == 'order_details') {
```

```
    require_once "views/pages/order_details.php";
```

```
}
```

```
elseif ($page == 'admin') {
```

```
    if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
```

```
        header("Location: index.php?strana=home");
```

```
        exit;
```

```
    }
```

```
    require_once "views/pages/admin/dashboard.php";
```

```
} elseif ($page == 'admin_stats') {
```

```
    if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
```

```
        header("Location: index.php?strana=home");
```

```
        exit;
```

```
}
```

```
require_once "views/pages/admin/stats.php";
```

```
} elseif ($page == 'admin_products') {
```

```
if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
```

```
    header("Location: index.php?strana=home");
```

```
    exit;
```

```
}
```

```
require_once "models/product.php";
```

```
$products = getAllProducts($conn);
```

```
require_once "views/pages/admin/products.php";
```

```
} elseif ($page == 'admin_product_add') {
```

```
if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
```

```
    header("Location: index.php?strana=home");
```

```
    exit;
```

```
}
```

```
require_once "models/product.php";
```

```
require_once "views/pages/admin/product_add.php";
```

```
} elseif ($page == 'admin_product_edit') {

    if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
        header("Location: index.php?strana=home");
        exit;
    }

    require_once "models/product.php";

    $id = $_GET['id'];
    $product = getProductById($conn, $id);

    if (!$product) {
        echo "Product not found";
        exit;
    }

    require_once "views/pages/admin/product_edit.php";

} elseif ($page == 'admin_product_delete') {

    if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
        header("Location: index.php?strana=home");
        exit;
    }

}
```

```
$id = $_GET['id'];
```

```
$stmt = $conn->prepare("DELETE FROM products WHERE id = ?");
```

```
$stmt->execute([$id]);
```

```
header("Location: index.php?strana=admin_products");
```

```
exit;
```

```
} elseif ($page == 'admin_users') {
```

```
if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
```

```
    header("Location: index.php?strana=home");
```

```
    exit;
```

```
}
```

```
require_once "models/auth.php";
```

```
require_once "models/order.php";
```

```
$users = getAllUsers($conn);
```

```
$selectedUser = null;
```

```
$userOrders = [];
```

```
if (isset($_GET['user_id'])) {
```

```
    $selectedUser = $_GET['user_id'];
```

```
        $userOrders = getOrdersByUser($conn, $selectedUser);
    }

    require_once "views/pages/admin/users.php";
} elseif ($page == 'admin_order_complete') {

    if (!isAdmin($_SESSION['user']['role_id'])) {
        header("Location: index.php");
        exit;
    }

    require_once "models/auth.php";

    updateOrderStatus($conn, $_GET['id'], 2);

    $userId = $_GET['user_id'] ?? null;

    header("Location: index.php?strana=admin_users&user_id=" . $userId);
    exit;

} elseif ($page == 'admin_order_cancel') {

    if (!isAdmin($_SESSION['user']['role_id'])) {
        header("Location: index.php");
        exit;
    }
}
```

```
require_once "models/auth.php";

updateOrderStatus($conn, $_GET['id'], 3);

$userId = $_GET['user_id'] ?? null;

header("Location: index.php?strana=admin_users&user_id=" . $userId);
exit;

} elseif ($page == 'admin_user_update_role') {

    if (!isset($_SESSION['user']) || $_SESSION['user']['role_id'] != 1) {
        header("Location: index.php");
        exit;
    }

    $userId = $_POST['user_id'];
    $roleId = $_POST['role_id'];

    $stmt = $conn->prepare("UPDATE users SET role_id = ? WHERE id = ?");
    $stmt->execute([$roleId, $userId]);

    header("Location: index.php?strana=admin_users");
    exit;
}
```

```
elseif ($page == 'author') {  
    require_once "views/pages/author.php";  
  
} elseif ($page == 'documentation') {  
    require_once "views/pages/documentation.php";  
  
} else {  
  
    echo "<div class='container py-5'>404 - Stranica ne postoji</div>";  
}  
  
echo '</div>';  
require_once "views/layout/footer.php";
```

ajax/products.php

```
<?php  
  
require_once "../config/connection.php";  
require_once "../models/product.php";  
  
header("Content-Type: application/json");  
  
$brand = isset($_GET['brand']) ? (int)$_GET['brand'] : 0;  
$category = isset($_GET['category']) ? (int)$_GET['category'] : 0;  
$sort = $_GET['sort'] ?? '';
```

```
$page = isset($_GET['page']) ? (int)$_GET['page'] : 1;
```

```
$limit = 6;
```

```
$offset = ($page - 1) * $limit;
```

```
$products = getProductsAjax($conn, $brand, $category, $sort, $limit, $offset);
```

```
$total = countProductsAjax($conn, $brand, $category);
```

```
echo json_encode([  
    "products" => $products,  
    "total" => $total,  
    "limit" => $limit  
]);
```

```
?>
```

assets/css/style.css

```
html, body {  
    height: 100%;  
}
```

```
body {  
    min-height: 100vh;  
    display: flex;  
    flex-direction: column;  
    background-color: #f5f6f8;
```



```
}
```

```
.page-wrapper {
```

```
  flex: 1;
```

```
}
```

```
.nav-link-custom {
```

```
  color: #ddd;
```

```
  text-decoration: none;
```

```
  padding: 6px 10px;
```

```
  border-radius: 8px;
```

```
  transition: 0.2s ease;
```

```
  font-size: 14px;
```

```
}
```

```
.nav-link-custom:hover {
```

```
  background: rgba(255, 255, 255, 0.08);
```

```
  color: #fff;
```

```
}
```

```
.product-img {
```

```
  width: 100%;
```

```
  height: 220px;
```

```
  object-fit: cover;
```

```
  object-position: center;
```

```
}
```

```
.product-desc {  
  display: -webkit-box;  
  -webkit-line-clamp: 1;  
  -webkit-box-orient: vertical;  
  overflow: hidden;  
}
```

```
.product-main-image {  
  transition: transform 0.3s ease;  
}
```

```
.product-main-image:hover {  
  transform: scale(1.03);  
}
```

```
.card img {  
  transition: transform 0.3s ease;  
}
```

```
.card:hover img {  
  transform: scale(1.05);  
}
```

```
.dashboard-card {  
  min-height: 180px;
```

```
transition: 0.2s ease;

cursor: pointer;

}
```

```
.dashboard-card:hover {

  transform: translateY(-3px);

  box-shadow: 0 8px 20px rgba(0,0,0,0.12);

}
```

assets/js/main.js

```
document.addEventListener("DOMContentLoaded", function () {

  const brandFilter = document.querySelector("#brandFilter");
  const categoryFilter = document.querySelector("#categoryFilter");
  const sortFilter = document.querySelector("#sortFilter");
  const applyBtn = document.querySelector("#applyFilters");

  const productsContainer = document.querySelector("#productsContainer");

  let currentPage = 1;

  function loadProducts(page = 1) {

    const brand = brandFilter ? brandFilter.value : 0;
    const category = categoryFilter ? categoryFilter.value : 0;
    const sort = sortFilter ? sortFilter.value : "";
```

```
fetch(` ajax/products.php?brand=${brand}&category=${category}&sort=${sort}&page=${page}` )

.then(res => res.json())

.then(data => {

    productsContainer.innerHTML = "";

    if (data.products.length === 0) {

        productsContainer.innerHTML = `

            <p class="text-muted">Nema proizvoda za izabrani filter.</p>

        `;

        return;

    }

    data.products.forEach(product => {

        productsContainer.innerHTML += `

            <div class="col-md-4 mb-4">

                <div class="card h-100 shadow-sm">

                    
```

```
<div class="card-body">
```

```
    <span class="badge bg-secondary">
```

```
        ${product.brand_name}
```

```
    </span>
```

```
    <h5 class="mt-2">
```

```
        ${product.name}
```

```
    </h5>
```

```
    <p class="text-muted small product-desc">
```

```
        ${product.description.substring(0, 60)}
```

```
    </p>
```

```
<div class="d-flex justify-content-between align-items-center">
```

```
    <strong>${product.price} €</strong>
```

```
    <a href="index.php?strana=product&id=${product.id}"
```

```
        class="btn btn-sm btn-dark">
```

```
        Details
```

```
    </a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
`;
```

```
});
```

```
renderPagination(data.total, data.limit, page);
```

```
});
```

```
}
```

```
function renderPagination(total, limit, page) {
```

```
    const paginationContainer = document.querySelector("#pagination");
```

```
    if (!paginationContainer) return;
```

```
    let pages = Math.ceil(total / limit);
```

```
    paginationContainer.innerHTML = "";
```

```
    for (let i = 1; i <= pages; i++) {
```

```
        paginationContainer.innerHTML += `
```

```
            <button class="btn btn-sm ${i === page ? 'btn-dark' : 'btn-outline-dark'}"
```

```
                data-page="${i}">
```

```
                ${i}
```

```
        </button>
      `;
    }
  }
}
```

```
document.querySelectorAll("#pagination button").forEach(btn => {
  btn.addEventListener("click", function () {
    loadProducts(this.dataset.page);
  });
});
}
```

```
const resetBtn = document.querySelector("#resetFilters");
```

```
if (resetBtn) {
  resetBtn.addEventListener("click", function () {
```

```
    if (brandFilter) brandFilter.value = 0;
    if (categoryFilter) categoryFilter.value = 0;
    if (sortFilter) sortFilter.value = "newest";
```

```
    loadProducts(1);
  });
}
```

```
if (brandFilter) {
  brandFilter.addEventListener("change", function () {
```

```
        loadProducts(1);  
    });  
}
```

```
if (categoryFilter) {  
    categoryFilter.addEventListener("change", function () {  
        loadProducts(1);  
    });  
}
```

```
if (sortFilter) {  
    sortFilter.addEventListener("change", function () {  
        loadProducts(1);  
    });  
}
```

```
loadProducts();  
  
});
```

config/connection.php

```
<?php
```

```
$server = "localhost";  
$database = "skarsneakers";  
$username = "root";
```



```
$password = "";

try{

    $conn = new PDO(
        "mysql:host=$server;dbname=$database;charset=utf8mb4",
        $username,
        $password
    );

    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

} catch (PDOException $e) {
    echo $e->getMessage();
}
```

helpers/mail.php

```
<?php

use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;

require_once __DIR__ . '/../vendor/autoload.php';

function sendActivationEmail($toEmail, $activationLink)
{
```

```
$mail = new PHPMailer(true);
```

```
try {
```

```
    $mail->isSMTP();
```

```
    $mail->Host = 'smtp.gmail.com';
```

```
    $mail->SMTPAuth = true;
```

```
    $mail->Username = 'milan.bojkovski.9.22@ict.edu.rs';
```

```
    $mail->Password = 'rzcf ciwx yhhr wqxx';
```

```
    $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
```

```
    $mail->Port = 587;
```

```
    $mail->setFrom('milan.bojkovski.9.22@ict.edu.rs', 'Skar Sneakers');
```

```
    $mail->addAddress($toEmail);
```

```
    $mail->isHTML(true);
```

```
    $mail->Subject = 'Activate your Skar Sneakers account';
```

```
    $mail->Body = "
```

```
        <h2>Welcome to Skar Sneakers</h2>
```

```
        <p>Click the link below to activate your account:</p>
```

```
        <a href='$activationLink'>Activate Account</a>
```

```
    ";
```

```
    $mail->send();
```

```
    return true;
```

```
} catch (Exception $e) {  
    return false;  
}  
}
```

models/auth.php

```
<?php
```

```
function isAdmin() {  
    return isset($_SESSION["user"]) && $_SESSION["user"]["role_id"] == 1;  
}
```

```
function updateProduct($conn, $id, $name, $price, $description, $brand_id, $category_id,  
$thumbnail = null)
```

```
{  
    if ($thumbnail) {  
  
        $query = "  
            UPDATE products  
            SET name = ?, price = ?, description = ?, brand_id = ?, category_id = ?, thumbnail = ?  
            WHERE id = ?  
        ";
```

```
$params = [$name, $price, $description, $brand_id, $category_id, $thumbnail, $id];
```

```
} else {
```

```
    $query = "
```

```
        UPDATE products
```

```
        SET name = ?, price = ?, description = ?, brand_id = ?, category_id = ?
```

```
        WHERE id = ?
```

```
    ";
```

```
    $params = [$name, $price, $description, $brand_id, $category_id, $id];
```

```
}
```

```
$stmt = $conn->prepare($query);
```

```
return $stmt->execute($params);
```

```
}
```

```
function getAllUsers($conn)
```

```
{
```

```
    $stmt = $conn->query("
```

```
        SELECT u.*, r.name AS role_name
```

```
        FROM users u
```

```
        INNER JOIN roles r ON u.role_id = r.id
```

```
        ORDER BY u.id DESC
```

```
    ");
```

```
    return $stmt->fetchAll(PDO::FETCH_OBJ);
```

```
}
```

```

function updateOrderStatus($conn, $orderId, $statusId)
{
    $stmt = $conn->prepare("
        UPDATE orders
        SET status_id = ?
        WHERE id = ?
    ");

    return $stmt->execute([$statusId, $orderId]);
}

?>

```

models/cart.php

```

<?php

function addToCart($product)
{
    if (!isset($_SESSION['cart'])) {
        $_SESSION['cart'] = [];
    }

    $id = $product->id;

    if (isset($_SESSION['cart'][$id])) {

```

```

        $_SESSION['cart'][$id]['quantity']++;
    } else {
        $_SESSION['cart'][$id] = [
            "id" => $product->id,
            "name" => $product->name,
            "price" => $product->price,
            "image" => $product->thumbnail,
            "quantity" => 1
        ];
    }
}

?>

```

models/order.php

```

<?php

function createOrder($conn, $userId, $statusId, $totalPrice)
{
    $query = "
        INSERT INTO orders (user_id, status_id, total_price)
        VALUES (?, ?, ?)
    ";

    $stmt = $conn->prepare($query);
    $stmt->execute([$userId, $statusId, $totalPrice]);
}

```

```
    return $conn->lastInsertId();  
}
```

```
function addOrderItem($conn, $orderId, $productId, $quantity, $price)  
{  
    $query = "  
        INSERT INTO order_items (order_id, product_id, quantity, price)  
        VALUES (?, ?, ?, ?)  
    ";  
  
    $stmt = $conn->prepare($query);  
    return $stmt->execute([$orderId, $productId, $quantity, $price]);  
}
```

```
function getOrdersByUser($conn, $userId)  
{  
    $query = "  
        SELECT o.*, s.name AS status_name  
        FROM orders o  
        INNER JOIN statuses s ON o.status_id = s.id  
        WHERE o.user_id = ?  
        ORDER BY o.order_date DESC  
    ";  
  
    $stmt = $conn->prepare($query);
```

```
$stmt->execute([$userId]);

return $stmt->fetchAll(PDO::FETCH_OBJ);
}

?>
```

models/product.php

```
<?php

function getFeaturedProducts($conn)
{
    $query = "
        SELECT p.*, b.name AS brand_name, c.name AS category_name
        FROM products p
        INNER JOIN brands b ON p.brand_id = b.id
        INNER JOIN categories c ON p.category_id = c.id
        WHERE p.featured = 1
        ORDER BY p.created_at DESC
        LIMIT 3
    ";

    return $conn->query($query)->fetchAll(PDO::FETCH_OBJ);
}

function getAllProducts($conn)
```



```
{  
    $query = "  
        SELECT p.*, b.name AS brand_name, c.name AS category_name  
        FROM products p  
        INNER JOIN brands b ON p.brand_id = b.id  
        INNER JOIN categories c ON p.category_id = c.id  
        ORDER BY p.created_at DESC  
    ";  
  
    return $conn->query($query)->fetchAll(PDO::FETCH_OBJ);  
}
```

```
function getProductById($conn, $id)  
{  
    $query = "  
        SELECT p.*, b.name AS brand_name, c.name AS category_name  
        FROM products p  
        INNER JOIN brands b ON p.brand_id = b.id  
        INNER JOIN categories c ON p.category_id = c.id  
        WHERE p.id = ?  
    ";  
  
    $stmt = $conn->prepare($query);  
    $stmt->execute([$id]);  
  
    return $stmt->fetch(PDO::FETCH_OBJ);  
}
```

```
}
```

```
function getProductsAjax($conn, $brand, $category, $sort, $limit, $offset)
```

```
{
```

```
    $limit = (int)$limit;
```

```
    $offset = (int)$offset;
```

```
    $query = "
```

```
        SELECT p.*, b.name AS brand_name, c.name AS category_name
```

```
        FROM products p
```

```
        INNER JOIN brands b ON p.brand_id = b.id
```

```
        INNER JOIN categories c ON p.category_id = c.id
```

```
        WHERE 1=1
```

```
    ";
```

```
    $params = [];
```

```
    if ($brand != 0) {
```

```
        $query .= " AND p.brand_id = ?";
```

```
        $params[] = $brand;
```

```
    }
```

```
    if ($category != 0) {
```

```
        $query .= " AND p.category_id = ?";
```

```
        $params[] = $category;
```

```
    }
```

```

if ($sort == "price_asc") {
    $query .= " ORDER BY p.price ASC";
} else if ($sort == "price_desc") {
    $query .= " ORDER BY p.price DESC";
} else {
    $query .= " ORDER BY p.created_at DESC";
}

$query .= " LIMIT $limit OFFSET $offset";

$stmt = $conn->prepare($query);
$stmt->execute($params);

return $stmt->fetchAll(PDO::FETCH_OBJ);
}

function countProductsAjax($conn, $brand, $category)
{
    $query = "SELECT COUNT(*) FROM products WHERE 1=1";
    $params = [];

    if ($brand != 0) {
        $query .= " AND brand_id = ?";
        $params[] = $brand;
    }
}

```

```
if ($category != 0) {  
    $query .= " AND category_id = ?";  
    $params[] = $category;  
}  
  
$stmt = $conn->prepare($query);  
$stmt->execute($params);  
  
return $stmt->fetchColumn();  
}  
  
function getAllBrands($conn)  
{  
    $query = "SELECT * FROM brands ORDER BY name ASC";  
    return $conn->query($query)->fetchAll(PDO::FETCH_OBJ);  
}  
  
function getAllCategories($conn)  
{  
    $query = "SELECT * FROM categories ORDER BY name ASC";  
    return $conn->query($query)->fetchAll(PDO::FETCH_OBJ);  
}
```

[models/user.php](#)

<?php

```
function getUserByEmail($conn, $email)
{
    $query = "SELECT * FROM users WHERE email = ?";

    $stmt = $conn->prepare($query);
    $stmt->execute([$email]);

    return $stmt->fetch(PDO::FETCH_OBJ);
}
```

```
function getUserByUsername($conn, $username)
{
    $query = "SELECT * FROM users WHERE username = ?";

    $stmt = $conn->prepare($query);
    $stmt->execute([$username]);

    return $stmt->fetch(PDO::FETCH_OBJ);
}
```

```
function registerUser(
    $conn,
    $firstName,
    $lastName,
    $username,
```

```
$email,  
$password,  
$activationCode  
)  
{  
    $query = "  
        INSERT INTO users  
        (  
            first_name,  
            last_name,  
            username,  
            email,  
            password,  
            activation_code,  
            role_id  
        )  
        VALUES  
        (  
            ?, ?, ?, ?, ?, ?, 2  
        )  
    ";  
  
    $stmt = $conn->prepare($query);  
  
    return $stmt->execute([  
        $firstName,
```

```
        $lastName,  
        $username,  
        $email,  
        $password,  
        $activationCode  
    ]);  
}
```

```
function loginUser($conn, $email)  
{  
    $query = "SELECT * FROM users WHERE email = ? LIMIT 1";  
  
    $stmt = $conn->prepare($query);  
    $stmt->execute([$email]);  
  
    return $stmt->fetch(PDO::FETCH_OBJ);  
}
```

```
function activateUser($conn, $token)  
{  
    $query = "  
        UPDATE users  
        SET active = 1,  
            activation_code = NULL  
        WHERE activation_code = ?  
    ";
```

```
$stmt = $conn->prepare($query);  
return $stmt->execute([$token]);  
}
```

```
function incrementFailedLogin($conn, $userId)
```

```
{  
    $query = "  
        UPDATE users  
        SET failed_attempts = failed_attempts + 1  
        WHERE id = ?  
    ";
```

```
$stmt = $conn->prepare($query);  
return $stmt->execute([$userId]);  
}
```

```
function lockUser($conn, $userId)
```

```
{  
    $query = "  
        UPDATE users  
        SET locked_until = DATE_ADD(NOW(), INTERVAL 5 MINUTE),  
        failed_attempts = 0  
        WHERE id = ?  
    ";
```



```
$stmt = $conn->prepare($query);  
return $stmt->execute([$userId]);  
}
```

```
function resetFailedLogin($conn, $userId)
```

```
{  
    $query = "  
        UPDATE users  
        SET failed_attempts = 0,  
            locked_until = NULL  
        WHERE id = ?  
    ";  
  
    $stmt = $conn->prepare($query);  
    return $stmt->execute([$userId]);  
}
```

views/layout/head.php

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Skar Sneakers</title>
```

```
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"  
rel="stylesheet">
```

```
    <link rel="stylesheet" href="assets/css/style.css">
```

```
</head>
```

```
<body>
```

views/layout/top-nav.php

```
<nav class="navbar navbar-dark bg-dark px-3">
```

```
  <div class="container">
```

```
    <a class="navbar-brand fw-bold" href="index.php?strana=home">
```

```
      Skar Sneakers
```

```
    </a>
```

```
    <div class="d-flex align-items-center gap-4">
```

```
      <a href="index.php?strana=products" class="text-light text-decoration-none nav-link-custom">
```

```
        Products
```

```
      </a>
```

```
      <a href="index.php?strana=author" class="text-light text-decoration-none nav-link-custom">
```

```
        About
```

```
      </a>
```

```
      <a href="dokumentacija.pdf" target="_blank" class="text-light text-decoration-none nav-link-custom">
```

```
        Docs
```

```
      </a>
```

```
      <?php if (isset($_SESSION["user"])): ?>
```

```
        <div class="d-flex align-items-center gap-3 ms-3 ps-3 border-start border-secondary">
```

```
          <span class="text-warning fw-semibold">
```

```
             <?= $_SESSION["user"]["username"] ?>
```

```

</span>

<?php if ($_SESSION["user"]["role_id"] != 1): ?>

    <a href="index.php?strana=my_orders" class="text-light text-decoration-none
nav-link-custom">

        Orders

    </a>

    <a href="index.php?strana=cart"

        class="text-light text-decoration-none position-relative nav-link-custom">

        Cart

        <?php

            $cartCount = 0;

            if (isset($_SESSION['cart'])) {

                foreach ($_SESSION['cart'] as $item) {

                    $cartCount += $item['quantity'];

                }

            }

        ?>

        <?php if ($cartCount > 0): ?>

            <span class="badge bg-warning text-dark ms-1">

                <?= $cartCount ?>

            </span>

        <?php endif; ?>

    </a>

<?php endif; ?>

<?php if ($_SESSION["user"]["role_id"] == 1): ?>

    <div class="d-flex align-items-center gap-3 ms-3 ps-3 border-start border-
info">

```

```
<a href="index.php?strana=admin" class="text-info text-decoration-none fw-semibold">
```

```
    Dashboard
```

```
</a>
```

```
<a href="index.php?strana=my_orders" class="text-light text-decoration-none nav-link-custom">
```

```
    Orders
```

```
</a>
```

```
<a href="index.php?strana=cart" class="text-light text-decoration-none nav-link-custom position-relative">
```

```
    Cart
```

```
<?php
```

```
    $cartCount = 0;
```

```
    if (isset($_SESSION['cart'])) {
```

```
        foreach ($_SESSION['cart'] as $item) {
```

```
            $cartCount += $item['quantity'];
```

```
        }
```

```
    }
```

```
?>
```

```
<?php if ($cartCount > 0): ?>
```

```
    <span class="badge bg-warning text-dark ms-1">
```

```
        <?= $cartCount ?>
```

```
    </span>
```

```
<?php endif; ?>
```

```
</a>
```

```
</div>
```

```
<?php endif; ?>
```

```
</div>

<a href="index.php?strana=logout" class="text-light text-decoration-none ms-3">

    Logout

</a>

<?php else: ?>

<div class="d-flex align-items-center gap-3">

    <a href="index.php?strana=login" class="text-light text-decoration-none nav-link-
custom">

        Login

    </a>

    <a href="index.php?strana=register" class="text-light text-decoration-none nav-
link-custom">

        Register

    </a>

</div>

<?php endif; ?>

</div>

</div>

</nav>
```

views/layout/footer.php

```
<footer class="bg-dark text-light text-center p-3 mt-5">

    Skar Sneakers © <?= date("Y") ?>

</footer>
```

```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min.js"></scri  
pt>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

views/pages/activate

```
<?php
```

```
require_once "models/user.php";
```

```
$token = $_GET['token'] ?? null;
```

```
$message = "";
```

```
$error = "";
```

```
if (!$token) {
```

```
    $error = "Nevalidan aktivacioni link.";
```

```
} else {
```

```
    $success = activateUser($conn, $token);
```

```
    if ($success) {
```

```
$message = "Nalog je uspešno aktiviran. Sada se možete ulogovati.";

} else {

    $error = "Aktivacioni link je nevažeći ili je već iskorišćen.";
}

?>
```

```
<div class="container py-5">
```

```
<?php if ($error): ?>

    <div class="alert alert-danger"><?= $error ?></div>

<?php endif; ?>
```

```
<?php if ($message): ?>

    <div class="alert alert-success"><?= $message ?></div>

    <a href="index.php?strana=login" class="btn btn-dark mt-3">

        Idi na login

    </a>

<?php endif; ?>
```

```
</div>
```

[views/pages/author.php](#)

```
<div class="container py-5">
```

```
<div class="text-center mb-5">
```

```
  <h1 class="fw-bold">About the Author</h1>
```

```
  <p class="text-muted">
```

```
    O autoru
```

```
  </p>
```

```
</div>
```

```
<div class="row align-items-center">
```

```
  <div class="col-md-4 text-center mb-4 mb-md-0">
```

```
    
```

```
  </div>
```

```
  <div class="col-md-8">
```

```
    <h3 class="fw-semibold">Milan Bojkovski 9/22</h3>
```

```
    <p class="text-muted">
```

```
      I am a student passionate about web development and backend systems.
```

```
      This project represents my work in building a fully functional e-commerce platform  
      using PHP, MySQL, and JavaScript.
```

```
    </p>
```

```
    <p class="text-muted">
```

```
      During my studies, I gained experience working with HTML, CSS, JavaScript, PHP,  
      and relational databases. This project helped me combine all of these technologies  
      into a single functional system.
```

```
    </p>
```

```
    <hr>
```



```
<ul class="list-unstyled text-muted">
  <li><strong>Technologies:</strong> HTML, CSS, JavaScript, PHP, MySQL</li>
  <li><strong>Project type:</strong> E-commerce Web Application</li>
  <li><strong>Role:</strong> Full-stack Development</li>
</ul>
</div>
</div>
</div>
```

views/pages/cart.php

```
<?php
require_once "models/product.php";

if (!isset($_SESSION['cart']) || empty($_SESSION['cart'])) {
?>
<div class="container py-5 text-center">
  <div class="py-5">
    <h3 class="mb-3">Your cart is empty</h3>
    <p class="text-muted mb-4">
      You haven't added any products yet.
    </p>
    <a href="index.php?strana=products" class="btn btn-dark">
      Browse sneakers
    </a>
  </div>
</div>
```

```
<?php
```

```
return;
```

}

```
$cart = $_SESSION['cart'];
```

```
$total = 0;
```

?>

```
<div class="container py-5">
```

```
<div class="d-flex justify-content-between align-items-center mb-4">
```

Your cart

</div>

```
<div class="row">
```

<div class="col-md-8">

```
<?php foreach ($cart as $item): ?>
```

```
<?php
```

```
$subtotal = $item['price'] * $item['quantity'];
```

```
$total += $subtotal;
```

?>

```
<div class="card mb-3 shadow-sm">
```

<div class="row g-0">

<div class="col-md-3">

```
">
```

```

</div>

<div class="col-md-9">

    <div class="card-body">

        <h5><?= $item['name'] ?></h5>

        <p class="text-muted mb-1">

            Price: <?= $item['price'] ?> €

        </p>

        <div class="d-flex gap-2 align-items-center mb-2">

            <a href="index.php?strana=cart_dec&id=<?= $item['id'] ?>"

                class="btn btn-sm btn-outline-dark">-</a>

            <span class="px-2"><?= $item['quantity'] ?></span>

            <a href="index.php?strana=cart_inc&id=<?= $item['id'] ?>"

                class="btn btn-sm btn-outline-dark">+</a>

        </div>

        <p>

            <strong>Subtotal: <?= $subtotal ?> €</strong>

        </p>

        <a href="index.php?strana=cart_remove&id=<?= $item['id'] ?>"

            class="btn btn-sm btn-danger">

            Remove

        </a>

    </div>

</div>

</div>

</div>

```

```
<?php endforeach; ?>

</div>

<div class="col-md-4">

    <div class="card shadow-sm p-3">

        <h4>Order summary</h4>

        <hr>

        <h3><?= $total ?> €</h3>

        <a href="index.php?strana=checkout" class="btn btn-success w-100 mt-3">

            Checkout

        </a>

        <a href="index.php?strana=products" class="btn btn-outline-dark w-100 mt-2">

            Continue shopping

        </a>

    </div>

</div>

</div>

</div>
```

views/pages/home.php

```
<section class="bg-dark text-light py-5">

    <div class="container text-center py-5">

        <p class="text-uppercase text-secondary">

            Skar Sneakers

        </p>

        <h1 class="display-4 fw-bold">

            Step into style.<br>
```

```
        <span class="text-warning">Walk your story.</span>

    </h1>

    <p class="lead mt-3">

        Discover a collection of modern sneakers for every style — from performance
        sportswear to streetwear classics.

    </p>

    <a href="index.php?strana=products" class="btn btn-warning btn-lg mt-3">

        View Collection

    </a>

</div>

</section>
```

```
<section class="py-4 bg-light">

    <div class="container text-center">

        <div class="row">

            <div class="col-md-4">

                <h3><?= count($featuredProducts) ?>+</h3>

                <p>Featured models</p>

            </div>

            <div class="col-md-4">

                <h3>100+</h3>

                <p>Sneaker models</p>

            </div>

            <div class="col-md-4">

                <h3>24/7</h3>

                <p>Online store</p>

            </div>

        </div>

    </div>

</section>
```

```
</div>

</div>

</div>

</section>


<section class="py-5">

  <div class="container">

    <div class="d-flex justify-content-between align-items-center mb-4">

      <div>

        <p class="text-muted mb-0">Featured</p>

        <h2>Our best sneakers</h2>

      </div>

      <a href="index.php?strana=products" class="btn btn-outline-dark">

        View all sneakers →

      </a>

    </div>

    <div class="row">

      <?php foreach (array_slice($featuredProducts, 0, 3) as $product): ?>

        <div class="col-md-4 mb-4">

          <div class="card shadow-sm h-100">

            name ?>">

            <div class="card-body">

              <span class="badge bg-secondary">

                <?= $product->brand_name ?>

              </span>

            </div>

          </div>

        </div>

      </foreach>

    </div>

  </div>

</section>
```

```

</span>

<h5 class="mt-2">
    <?= $product->name ?>
</h5>

<p class="text-muted">
    <?= substr($product->description, 0, 80) ?>...
</p>

<div class="d-flex justify-content-between align-items-center">
    <strong><?= $product->price ?> €</strong>

    <a href="index.php?strana=product&id=<?= $product->id ?>"
        class="btn btn-sm btn-dark">
        Details
    </a>
</div>
</div>
</div>
</div>

<?php endforeach; ?>
</div>
</div>
</section>

```

views/pages/login.php

```
<?php
```

```
require_once "config/connection.php";
```

```
require_once "models/user.php";
```

```
require_once "models/auth.php";
```

```
$errors = [];
```

```
$email = "";
```

```
$password = "";
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $email = trim($_POST["email"]);
```

```
    $password = $_POST["password"];
```

```
    $user = loginUser($conn, $email);
```

```
    if (!$user) {
```

```
        $errors[] = "Korisnik ne postoji.";
```

```
    }
```

```
    else {
```

```
        if ($user->locked_until && strtotime($user->locked_until) > time()) {
```

```
            $errors[] = "Nalog je zaključan. Pokušajte kasnije.";
```

```
        }
```

```
        elseif ($user->active == 0) {
```

```
            $errors[] = "Nalog nije aktiviran.";
```

```
        }
```



```
elseif (!password_verify($password, $user->password)) {
```

```
    incrementFailedLogin($conn, $user->id);
```

```
    $user->failed_attempts++;
```

```
    if ($user->failed_attempts >= 3) {
```

```
        lockUser($conn, $user->id);
```

```
    }
```

```
    $errors[] = "Pogrešna lozinka.";
```

```
}
```

```
else {
```

```
    resetFailedLogin($conn, $user->id);
```

```
    $_SESSION["user"] = [
```

```
        "id" => $user->id,
```

```
        "username" => $user->username,
```

```
        "email" => $user->email,
```

```
        "role_id" => $user->role_id
```

```
    ];
```

```
    if ($user->role_id == 1) {
```

```
$_SESSION["user"]["is_admin"] = true;

header("Location: index.php?strana=admin");

exit;

}
```

```
$logLine = date("Y-m-d H:i:s") . " - LOGIN - " . $user->id . "\n";
file_put_contents("data/login_logs.txt", $logLine, FILE_APPEND);
```

```
header("Location: index.php?strana=home");

exit;

}

}

}

?>
```

```
<div class="container py-5" style="max-width:500px;">

  <h2 class="mb-4">Login</h2>

  <?php if(count($errors)): ?>

    <div class="alert alert-danger">

      <?php foreach($errors as $error): ?>

        <div><?= $error ?></div>

      <?php endforeach; ?>

    </div>

  <?php endif; ?>

  <form method="POST">

    <div class="mb-3">
```

```
<label class="form-label">Email</label>

<input type="email" name="email" class="form-control"
    value="<?= htmlspecialchars($email) ?>" required>

</div>

<div class="mb-3">

    <label class="form-label">Password</label>

    <input type="password" name="password" class="form-control" required>

</div>

<button class="btn btn-dark w-100">

    Login

</button>

</form>

</div>
```

views/pages/logout.php

```
<?php

session_start();

session_destroy();


header("Location: index.php?strana=home");

exit;
```

views/pages/my_orders.php

```
<div class="container py-5">

    <h2 class="mb-4">Your orders</h2>

    <?php if (empty($orders)): ?>
```

```
<div class="alert alert-info">
```

```
    You don't have any orders yet.
```

```
</div>
```

```
<?php else: ?>
```

```
<div class="row">
```

```
    <div class="col-12">
```

```
        <?php foreach ($orders as $order): ?>
```

```
            <a href="index.php?strana=order_details&id=<?= $order->id ?>" class="text-decoration-none text-dark">
```

```
                <div class="card mb-3 shadow-sm">
```

```
                    <div class="card-body">
```

```
                        <div class="d-flex justify-content-between align-items-center">
```

```
                            <div>
```

```
                                <h5>Order #<?= $order->id ?></h5>
```

```
                                <p class="mb-1 text-muted">
```

```
                                    Date: <?= $order->order_date ?>
```

```
                                </p>
```

```
                                <span class="badge bg-secondary">
```

```
                                    <?= $order->status_name ?>
```

```
                                </span>
```

```
                            </div>
```

```
                        <div class="text-end">
```

```
                            <h5 class="mb-0">
```

```
                                <?= $order->total_price ?> €
```

```
                            </h5>
```

```
                        </div>
```

```
        </div>
    </div>
</div>
</a>
<?php endforeach; ?>
</div>
</div>
<?php endif; ?>
</div>
```

views/pages/order_details.php

```
<?php
require_once "models/order.php";
require_once "models/product.php";

$orderId = $_GET["id"] ?? 0;
$userId = $_SESSION["user"]["id"] ?? 0;

$query = "
    SELECT o.*, s.name AS status_name
    FROM orders o
    INNER JOIN statuses s ON o.status_id = s.id
    WHERE o.id = ? AND o.user_id = ?
";

$stmt = $conn->prepare($query);
```

```
$stmt->execute([$orderId, $userId]);
```

```
$order = $stmt->fetch(PDO::FETCH_OBJ);
```

```
if (!$order) {  
    echo "<div class='container py-5'>Order not found.</div>";  
    return;  
}
```

```
$queryItems = "  
    SELECT oi.*, p.name, p.thumbnail  
    FROM order_items oi  
    INNER JOIN products p ON oi.product_id = p.id  
    WHERE oi.order_id = ?  
";
```

```
$stmt = $conn->prepare($queryItems);  
$stmt->execute([$orderId]);
```

```
$items = $stmt->fetchAll(PDO::FETCH_OBJ);  
?>
```

```
<div class="container py-5">
```

```
<h2 class="mb-3">Order #<?= $order->id ?></h2>
```

```
<p class="text-muted">
```

```
    Date: <?= $order->order_date ?><br>
```

```
    Status:
```

```
    <span class="badge bg-secondary">
```

```
        <?= $order->status_name ?>
```

```
    </span>
```

```
</p>
```

```
<hr>
```

```
<div class="row">
```

```
    <div class="col-md-8">
```

```
        <?php foreach ($items as $item): ?>
```

```
            <div class="card mb-3 shadow-sm">
```

```
                <div class="row g-0">
```

```
                    <div class="col-md-3">
```

```
                        name) ?>">
```

```
                    </div>
```

```
                <div class="col-md-9">
```

```
                    <div class="card-body">
```

```
                        <h5><?= $item->name ?></h5>
```

```
                        <p class="mb-1">
```

```
                            Quantity: <?= $item->quantity ?>
```

```
                        </p>
```

```
                    <p class="mb-0">
```

```

                Price: <?= $item->price ?> €
            </p>
        </div>
    </div>
</div>
</div>
</div>
<?php endforeach; ?>
</div>
<div class="col-md-4">
    <div class="card p-3 shadow-sm">
        <h4>Total</h4>
        <h3><?= $order->total_price ?> €</h3>
    </div>
</div>
</div>
</div>
</div>

```

views/pages/product.php

```

<?php
require_once "models/product.php";

$id = $_GET['id'] ?? 0;

$product = getProductById($conn, $id);

if (!$product) {

```



```
echo "<div class='container py-5'><h3>Product not found</h3></div>";  
return;  
}  
?>
```

```
<div class="container py-5">  
  <div class="row g-5">  
    <div class="col-md-6">  
      <div class="product-image-wrapper">  
        name) ?>">  
      </div>  
    </div>  
    <div class="col-md-6">  
      <span class="badge bg-secondary mb-2">  
        <?= $product->brand_name ?>  
      </span>  
      <h2 class="mb-2">  
        <?= $product->name ?>  
      </h2>  
      <p class="text-muted mb-3">  
        <?= $product->category_name ?>  
      </p>  
      <h3 class="mb-4">  
        <?= $product->price ?> €
```

```
</h3>

<p class="mb-4 text-secondary">
    <?= $product->description ?>
</p>

<div class="d-flex gap-2">

    <a href="index.php?strana=cart_add&id=<?= $product->id ?>"
        class="btn btn-success btn-lg">
        Add to Cart

    </a>

    <a href="index.php?strana=products"
        class="btn btn-outline-dark btn-lg">
        Back to Products

    </a>

</div>

</div>

</div>

</div>
```

views/pages/products.php

```
<?php

require_once "models/product.php";

$brands = getAllBrands($conn);

$categories = getAllCategories($conn);

?>
```

```
<div class="container py-4">
```

```
<div class="mb-5">
```

```
<div class="d-flex justify-content-between align-items-end flex-wrap gap-3">
```

```
<div>
```

```
<h2 class="mb-1 fw-bold">All Sneakers</h2>
```

```
<p class="text-muted mb-0">
```

```
  Browse our latest collection and discover your next pair.
```

```
</p>
```

```
</div>
```

```
<span class="badge bg-dark px-3 py-2">
```

```
  Premium Collection
```

```
</span>
```

```
</div>
```

```
<hr class="mt-3">
```

```
</div>
```

```
<div class="row">
```

```
<div class="col-md-3">
```

```
<div class="card shadow-sm border-0 p-3 mb-3">
```

```
<h5 class="mb-2">Filters</h5>
```

```
<p class="text-muted small mb-3">
```

```
  Refine your search
```

```
</p>
```

```
<div class="mb-3">
```

```
<label class="form-label">Brand</label>
```

```
<select id="brandFilter" class="form-select">
```

```
<option value="0">All brands</option>

<?php foreach ($brands as $brand): ?>

    <option value="<?= $brand->id ?>">

        <?= $brand->name ?>

    </option>

<?php endforeach; ?>

</select>

</div>

<div class="mb-3">

    <label class="form-label">Category</label>

    <select id="categoryFilter" class="form-select">

        <option value="0">All categories</option>

        <?php foreach ($categories as $category): ?>

            <option value="<?= $category->id ?>">

                <?= $category->name ?>

            </option>

        <?php endforeach; ?>

    </select>

</div>

<div class="mb-3">

    <label class="form-label">Sort</label>

    <select id="sortFilter" class="form-select">

        <option value="newest">Newest</option>

        <option value="price_asc">Price ↑</option>

        <option value="price_desc">Price ↓</option>

    </select>
```

```

        </div>

        <button id="resetFilters" class="btn btn-outline-dark w-100 mt-2">

            Reset filters

        </button>

    </div>

</div>

<div class="col-md-9">

    <div class="d-flex justify-content-between align-items-center mb-3">

        <h4 class="mb-0">Products</h4>

        <span class="text-muted small">

            Showing results

        </span>

    </div>

    <div class="row g-3" id="productsContainer"></div>

    <div id="pagination" class="mt-4 d-flex justify-content-center gap-2"></div>

</div>

</div>

</div>

```

views/pages/register.php

```

<?php

require_once "models/user.php";

require_once "helpers/mail.php";

$errors = [];

$message = "";

```

```
$firstName = "";
```

```
$lastName = "";
```

```
$username = "";
```

```
$email = "";
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $firstName = trim($_POST["first_name"]);
```

```
    $lastName = trim($_POST["last_name"]);
```

```
    $username = trim($_POST["username"]);
```

```
    $email = trim($_POST["email"]);
```

```
    $password = $_POST["password"];
```

```
// VALIDACIJA
```

```
if (strlen($firstName) < 3) {
```

```
    $errors[] = "Ime mora imati najmanje 3 karaktera.";
```

```
}
```

```
if (strlen($lastName) < 3) {
```

```
    $errors[] = "Prezime mora imati najmanje 3 karaktera.";
```

```
}
```

```
if (strlen($username) < 4) {
```

```
    $errors[] = "Korisničko ime mora imati najmanje 4 karaktera.";
```

```
}
```

```
if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {  
    $errors[] = "Email nije ispravan."  
}
```

```
if (strlen($password) < 6) {  
    $errors[] = "Lozinka mora imati najmanje 6 karaktera."  
}
```

```
if (getUserByEmail($conn, $email)) {  
    $errors[] = "Email je već zauzet."  
}
```

```
if (getUserByUsername($conn, $username)) {  
    $errors[] = "Korisničko ime je već zauzeto."  
}
```

```
if (count($errors) == 0) {
```

```
    $hash = password_hash($password, PASSWORD_DEFAULT);
```

```
    $activationCode = md5(time() . $email);
```

```
    $success = registerUser(  
        $conn,  
        $firstName,
```

```
$lastName,  
$username,  
$email,  
$hash,  
$activationCode  
);
```

```
if ($success) {
```

```
    $activationLink =  
        "http://localhost/skarsneakers/index.php?strana=activate&token=" .  
        $activationCode;
```

```
    sendActivationEmail($email, $activationLink);
```

```
    $message = "Registration successful! Check your email to activate your account.  
WARNING: It might be in your spam folder.";
```

```
    $firstName = "";  
    $lastName = "";  
    $username = "";  
    $email = "";
```

```
} else {  
    $errors[] = "Greška prilikom registracije."  
}
```



```
}  
}  
?>
```

```
<div class="container py-5" style="max-width:600px;">  
  <h2 class="mb-4">Register</h2>  
  <?php if(count($errors)): ?>  
    <div class="alert alert-danger">  
      <?php foreach($errors as $error): ?>  
        <div><?= $error ?></div>  
      <?php endforeach; ?>  
    </div>  
  <?php endif; ?>  
  <?php if($message): ?>  
    <div class="alert alert-success">  
      <?= $message ?>  
    </div>  
  <?php endif; ?>  
  <form method="POST">  
    <div class="mb-3">  
      <label class="form-label">First name</label>  
      <input type="text" class="form-control" name="first_name"  
        value="<?= htmlspecialchars($firstName) ?>" required>  
    </div>  
    <div class="mb-3">  
      <label class="form-label">Last name</label>
```

```
<input type="text" class="form-control" name="last_name"
    value="<?= htmlspecialchars($lastName) ?>" required>
</div>

<div class="mb-3">

    <label class="form-label">Username</label>

    <input type="text" class="form-control" name="username"
        value="<?= htmlspecialchars($username) ?>" required>

</div>

<div class="mb-3">

    <label class="form-label">Email</label>

    <input type="email" class="form-control" name="email"
        value="<?= htmlspecialchars($email) ?>" required>

</div>

<div class="mb-4">

    <label class="form-label">Password</label>

    <input type="password" class="form-control" name="password" required>

</div>

<button class="btn btn-dark w-100">

    Register

</button>

</form>

</div>
```

<views/pages/admin/dashboard.php>

```
<?php

if (!isset($_SESSION["user"]) || !isAdmin($_SESSION["user"]["role_id"])) {
```

```
header("Location: index.php?strana=home");  
exit;  
}
```

```
require_once "config/connection.php";
```

```
$totalUsers = $conn->query("SELECT COUNT(*) FROM users")->fetchColumn();  
$totalProducts = $conn->query("SELECT COUNT(*) FROM products")->fetchColumn();  
$totalOrders = $conn->query("SELECT COUNT(*) FROM orders")->fetchColumn();  
?>
```

```
<div class="container py-5">  
  <div class="mb-4">  
    <h2 class="mb-1">Admin Dashboard</h2>  
    <p class="text-muted mb-0">  
      Welcome, <? = htmlspecialchars($_SESSION["user"]["username"]) ?>  
    </p>  
  </div>  
  <div class="row mb-4 g-3">  
    <div class="col-md-4">  
      <div class="card shadow-sm border-0 p-3">  
        <h6 class="text-muted mb-1">Total Users</h6>  
        <h3 class="mb-0"><? = $totalUsers ?></h3>  
      </div>  
    </div>  
    <div class="col-md-4">
```

```
<div class="card shadow-sm border-0 p-3">

  <h6 class="text-muted mb-1">Total Products</h6>

  <h3 class="mb-0"><?= $totalProducts ?></h3>

</div>

</div>

<div class="col-md-4">

  <div class="card shadow-sm border-0 p-3">

    <h6 class="text-muted mb-1">Total Orders</h6>

    <h3 class="mb-0"><?= $totalOrders ?></h3>

  </div>

</div>

</div>

<div class="row g-3">

  <div class="col-md-4">

    <a href="index.php?strana=admin_stats"

class="text-decoration-none text-dark">

      <div class="card shadow-sm border-0 h-100 dashboard-card">

        <div class="card-body">

          <h5 class="mb-1">Statistics</h5>

          <p class="text-muted mb-0">

            Traffic and user activity overview

          </p>

        </div>

      </div>

    </div>

  </div>

</div>

</div>
```

```
<div class="col-md-4">

  <a href="index.php?strana=admin_products"
  class="text-decoration-none text-dark">

    <div class="card shadow-sm border-0 h-100 dashboard-card">

      <div class="card-body">

        <h5 class="mb-1">Products</h5>

        <p class="text-muted mb-0">

          Add, edit and manage products

        </p>

      </div>

    </div>

  </a>

</div>

<div class="col-md-4">

  <a href="index.php?strana=admin_users"
  class="text-decoration-none text-dark">

    <div class="card shadow-sm border-0 h-100 dashboard-card">

      <div class="card-body">

        <h5 class="mb-1">Users</h5>

        <p class="text-muted mb-0">

          Manage accounts and roles

        </p>

      </div>

    </div>

  </a>

</div>
```

```
</div>
```

```
</div>
```

views/pages/admin/product_add.php

```
<?php
```

```
require_once "config/connection.php";
```

```
$errors = [];
```

```
$brandsStmt = $conn->query("SELECT id, name FROM brands");
```

```
$brands = $brandsStmt->fetchAll(PDO::FETCH_OBJ);
```

```
$categoriesStmt = $conn->query("SELECT id, name FROM categories");
```

```
$categories = $categoriesStmt->fetchAll(PDO::FETCH_OBJ);
```

```
if ($_SERVER["REQUEST_METHOD"] == "POST") {
```

```
    $name = $_POST["name"];
```

```
    $price = $_POST["price"];
```

```
    $description = $_POST["description"];
```

```
    $brand_id = $_POST["brand_id"];
```

```
    $category_id = $_POST["category_id"];
```

```
    $imageName = $_FILES["image"]["name"];
```

```
    $tmp = $_FILES["image"]["tmp_name"];
```

```
$path = "assets/images/thumbnails/" . $imageName;
```

```
move_uploaded_file($tmp, $path);
```

```
$stmt = $conn->prepare("
```

```
    INSERT INTO products
```

```
    (name, price, description, brand_id, category_id, thumbnail, image)
```

```
    VALUES (?, ?, ?, ?, ?, ?, ?)
```

```
");
```

```
$stmt->execute([
```

```
    $name,
```

```
    $price,
```

```
    $description,
```

```
    $brand_id,
```

```
    $category_id,
```

```
    $imageName,
```

```
    $imageName
```

```
]);
```

```
header("Location: index.php?strana=admin_products");
```

```
exit;
```

```
}
```

```
?>
```

```
<div class="container py-5">

  <h2 class="mb-4">Add Product</h2>

  <form method="POST" enctype="multipart/form-data">

    <input class="form-control mb-2" name="name" placeholder="Product name"
required>

    <input class="form-control mb-2" name="price" placeholder="Price" required>

    <textarea class="form-control mb-2" name="description"
placeholder="Description"></textarea>

    <select class="form-control mb-2" name="brand_id" required>

      <option value="">Select brand</option>

      <?php foreach ($brands as $brand): ?>

        <option value="<?= $brand->id ?>">

          <?= $brand->name ?>

        </option>

      <?php endforeach; ?>

    </select>

    <select class="form-control mb-2" name="category_id" required>

      <option value="">Select category</option>

      <?php foreach ($categories as $category): ?>

        <option value="<?= $category->id ?>">

          <?= $category->name ?>

        </option>

      <?php endforeach; ?>

    </select>

    <div class="mb-3">

      <label class="form-label">Product image</label>

      <input class="form-control" type="file" name="image" required>

    </div>

  </form>

</div>
```



```
</div>

<button class="btn btn-success w-100">

    Save Product

</button>

</form>

</div>
```

views/pages/admin/product_edit.php

```
<?php

require_once "config/connection.php";

$brandsStmt = $conn->query("SELECT id, name FROM brands");
$brands = $brandsStmt->fetchAll(PDO::FETCH_OBJ);

$categoriesStmt = $conn->query("SELECT id, name FROM categories");
$categories = $categoriesStmt->fetchAll(PDO::FETCH_OBJ);

$errors = [];

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $name = $_POST["name"];
    $price = $_POST["price"];
    $description = $_POST["description"];
    $brand_id = $_POST["brand_id"];
    $category_id = $_POST["category_id"];
```

```
$imageName = null;
```

```
if (!empty($_FILES["image"]["name"])) {
```

```
    $imageName = $_FILES["image"]["name"];
```

```
    $tmp = $_FILES["image"]["tmp_name"];
```

```
    move_uploaded_file($tmp, "assets/images/thumbnails/" . $imageName);
```

```
}
```

```
$sql = "
```

```
    UPDATE products
```

```
    SET name = ?, price = ?, description = ?, brand_id = ?, category_id = ?
```

```
";
```

```
$params = [$name, $price, $description, $brand_id, $category_id];
```

```
if ($imageName) {
```

```
    $sql .= ", thumbnail = ?, image = ?";
```

```
    $params[] = $imageName;
```

```
    $params[] = $imageName;
```

```
}
```

```
$sql .= " WHERE id = ?";
```

```
$params[] = $product->id;
```

```
$stmt = $conn->prepare($sql);  
$stmt->execute($params);  
  
header("Location: index.php?strana=admin_products");  
exit;  
}  
?>
```

```
<div class="container py-5">
```

```
<h2 class="mb-4">Edit Product</h2>
```

```
<form method="POST" enctype="multipart/form-data">
```

```
<input class="form-control mb-2"
```

```
    name="name"
```

```
    value="<?= htmlspecialchars($product->name) ?>"
```

```
    required>
```

```
<input class="form-control mb-2"
```

```
    name="price"
```

```
    value="<?= $product->price ?>"
```

```
    required>
```

```
<textarea class="form-control mb-2"
```

```
    name="description"><?= htmlspecialchars($product->description) ?></textarea>
```

```

<select class="form-control mb-2" name="brand_id" required>
    <?php foreach ($brands as $brand): ?>
        <option value="<?= $brand->id ?>"
            <?= $brand->id == $product->brand_id ? 'selected' : " ?>>
            <?= $brand->name ?>
        </option>
    <?php endforeach; ?>
</select>

<select class="form-control mb-2" name="category_id" required>
    <?php foreach ($categories as $category): ?>
        <option value="<?= $category->id ?>"
            <?= $category->id == $product->category_id ? 'selected' : " ?>>
            <?= $category->name ?>
        </option>
    <?php endforeach; ?>
</select>

<p class="mt-3 mb-1">Current image:</p>


<div class="mb-3">
    <label class="form-label">Change product image</label>
    <input class="form-control" type="file" name="image">

```

```
</div>
```

```
<button class="btn btn-warning w-100">
```

```
    Update Product
```

```
</button>
```

```
</form>
```

```
</div>
```

views/pages/admin/products.php

```
<?php require_once "models/product.php"; ?>
```

```
<div class="container py-5">
```

```
    <div class="d-flex justify-content-between align-items-start mb-4">
```

```
        <div>
```

```
            <h2 class="mb-1">Products</h2>
```

```
            <p class="text-muted mb-0">
```

```
                Manage your sneaker catalog
```

```
            </p>
```

```
        </div>
```

```
    <div class="d-flex gap-2">
```

```
        <a href="index.php?strana=admin"
```

```
            class="btn btn-outline-dark">
```

```
            ← Back to Dashboard
```

```
        </a>
```

```
        <a href="index.php?strana=admin_product_add"
```

```
            class="btn btn-success">
```

+ Add Product

</div>

</div>

<div class="card shadow-sm border-0">

<div class="card-body">

<div class="d-flex justify-content-between align-items-center mb-3">

<input type="text"

id="searchInput"

class="form-control w-50"

placeholder="Search products...">

<small class="text-muted">

Total: <?= count(\$products) ?>

</small>

</div>

<div class="table-responsive">

<table class="table align-middle table-hover">

<thead class="table-light sticky-top">

<tr>

<th>ID</th>

<th>Image</th>

<th>Name</th>

<th>Price</th>

<th>Brand</th>

<th>Category</th>

<th class="text-end">Actions</th>

```

        </tr>
    </thead>
    <tbody id="productTable">
        <?php foreach ($products as $p): ?>
            <tr>
                <td class="text-muted"><?= $p->id ?></td>
                <td>
                    
                </td>
                <td class="fw-semibold">
                    <?= $p->name ?>
                </td>
                <td>
                    <span class="badge bg-dark">
                        <?= $p->price ?> €
                    </span>
                </td>
                <td>
                    <span class="badge bg-secondary">
                        <?= $p->brand_name ?? '-' ?>
                    </span>
                </td>
            </tr>
        </tbody>
    </table>

```

```

        <td>

            <span class="badge bg-light text-dark border">

                <?= $p->category_name ?? '-' ?>

            </span>

        </td>

        <td class="text-end">

            <a href="index.php?strana=admin_product_edit&id=<?= $p->id ?>"

                class="btn btn-sm btn-outline-warning">

                    Edit

            </a>

            <button

                class="btn btn-sm btn-outline-danger"

                data-bs-toggle="modal"

                data-bs-target="#deleteModal"

                onclick="setDeleteld(<?= $p->id ?>)">

                    Delete

            </button>

        </td>

    </tr>

    <?php endforeach; ?>

</tbody>

</table>

</div>

</div>

</div>

</div>

```



```
<div class="modal fade" id="deleteModal" tabindex="-1">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title">Confirm delete</h5>
        <button type="button" class="btn-close" data-bs-dismiss="modal"></button>
      </div>
      <div class="modal-body">
        Are you sure you want to delete this product?
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">
          Cancel
        </button>
        <a id="deleteBtn" href="#" class="btn btn-danger">
          Delete
        </a>
      </div>
    </div>
  </div>
</div>

<script>

function setDeleteld(id) {
```

```

document.getElementById("deleteBtn").href =
    "index.php?strana=admin_product_delete&id=" + id;
}
document.getElementById("searchInput").addEventListener("keyup", function () {

    let value = this.value.toLowerCase();

    let rows = document.querySelectorAll("#productTable tr");

    rows.forEach(row => {

        row.style.display = row.innerText.toLowerCase().includes(value) ? "" : "none";

    });

});

</script>

```

views/pages/admin/stats.php

```

<?php

if (!isset($_SESSION["user"]) || $_SESSION["user"]["role_id"] != 1) {

    header("Location: index.php");

    exit;

}

$logFile = "data/logs.txt";

$loginLogFile = "data/login_logs.txt";

```

```
$pageStats = [];
```

```
if (file_exists($logFile)) {
```

```
    $lines = file($logFile, FILE_IGNORE_NEW_LINES | FILE_SKIP_EMPTY_LINES);
```

```
    foreach ($lines as $line) {
```

```
        $parts = explode(" - ", $line);
```

```
        if (count($parts) == 2) {
```

```
            $page = trim($parts[1]);
```

```
            if (!isset($pageStats[$page])) {
```

```
                $pageStats[$page] = 0;
```

```
            }
```

```
            $pageStats[$page]++;
```

```
        }
```

```
    }
```

```
}
```

```
$totalPages = array_sum($pageStats);
```

```
$loginsToday = 0;
```

```
if (file_exists($loginLogFile)) {
```

```
    $lines = file($loginLogFile, FILE_IGNORE_NEW_LINES | FILE_SKIP_EMPTY_LINES);
```

```
$today = date("Y-m-d");
```

```
foreach ($lines as $line) {
```

```
    if (strpos($line, $today) === 0) {
```

```
        $loginsToday++;
```

```
    }
```

```
}
```

```
}
```

```
?>
```

```
<div class="container py-5">
```

```
<div class="mb-4 d-flex justify-content-between align-items-center">
```

```
<div>
```

```
<h2 class="mb-1">Website Analytics</h2>
```

```
<p class="text-muted mb-0">
```

```
    Overview of traffic, logins and page activity
```

```
</p>
```

```
</div>
```

```
<a href="index.php?strana=admin"
```

```
class="btn btn-outline-dark">
```

```
    ← Back to Dashboard
```

```
</a>
```

```
</div>
```

```
<div class="row g-3 mb-4">
```

```
<div class="col-md-4">
```

```
<div class="card border-0 shadow-sm h-100">

  <div class="card-body">

    <p class="text-muted mb-1">Logins Today</p>

    <h2 class="mb-0 text-success"><?= $loginsToday ?></h2>

  </div>

</div>

</div>

<div class="col-md-4">

  <div class="card border-0 shadow-sm h-100">

    <div class="card-body">

      <p class="text-muted mb-1">Tracked Pages</p>

      <h2 class="mb-0"><?= count($pageStats) ?></h2>

    </div>

  </div>

</div>

<div class="col-md-4">

  <div class="card border-0 shadow-sm h-100">

    <div class="card-body">

      <p class="text-muted mb-1">Total Visits</p>

      <h2 class="mb-0"><?= $totalPages ?></h2>

    </div>

  </div>

</div>

</div>

<div class="card border-0 shadow-sm">
```

```
<div class="card-body">

  <h5 class="mb-3">Page Visit Distribution</h5>

  <?php if ($totalPages == 0): ?>

    <p class="text-muted mb-0">No analytics data available yet.</p>

  <?php else: ?>

    <?php foreach ($pageStats as $page => $count): ?>

      <?php

        $percent = round(($count / $totalPages) * 100, 2);

      ?>

      <div class="mb-3">

        <div class="d-flex justify-content-between mb-1">

          <span class="fw-semibold"><?= htmlspecialchars($page) ?></span>

          <span class="text-muted"><?= $count ?> visits • <?= $percent ?>%</span>

        </div>

        <div class="progress" style="height: 8px;">

          <div class="progress-bar bg-dark"

            role="progressbar"

            style="width: <?= $percent ?>%">

          </div>

        </div>

      </div>

    <?php endforeach; ?>

  <?php endif; ?>

</div>

</div>

</div>
```

views/pages/admin/users.php

```
<?php
```

```
$selectedUserId = $_GET['user_id'] ?? null;
```

```
$selectedUser = null;
```

```
$userOrders = [];
```

```
if ($selectedUserId) {
```

```
    $stmt = $conn->prepare("SELECT * FROM users WHERE id = ?");
```

```
    $stmt->execute([$selectedUserId]);
```

```
    $selectedUser = $stmt->fetch(PDO::FETCH_OBJ);
```

```
    if ($selectedUser) {
```

```
        $stmt = $conn->prepare("
```

```
        SELECT o.*, s.name AS status_name
```

```
        FROM orders o
```

```
        INNER JOIN statuses s ON o.status_id = s.id
```

```
        WHERE o.user_id = ?
```

```
        ORDER BY o.id DESC
```

```
");
```

```
    $stmt->execute([$selectedUserId]);
```

```
    $userOrders = $stmt->fetchAll(PDO::FETCH_OBJ);
```

```
    }
```

```
}
```

?>

```
<div class="container py-5">
```

```
  <div class="d-flex justify-content-between align-items-center mb-4">
```

```
    <h2 class="mb-0">Users Management</h2>
```

```
    <a href="index.php?strana=admin"
```

```
      class="btn btn-outline-dark btn-sm">
```

```
      ← Back to Dashboard
```

```
    </a>
```

```
  </div>
```

```
<div class="row">
```

```
  <div class="col-md-5">
```

```
    <div class="card shadow-sm">
```

```
      <div class="card-body">
```

```
        <h5 class="mb-3">All Users</h5>
```

```
        <?php foreach ($users as $user): ?>
```

```
          <div class="border-bottom py-3">
```

```
            <div class="mb-2">
```

```
              <strong><?= htmlspecialchars($user->username) ?></strong><br>
```

```
              <small class="text-muted"><?= $user->role_name ?></small>
```

```
            </div>
```

```
          <form method="POST"
```

```
            action="index.php?strana=admin_user_update_role"
```

```
            class="d-flex gap-2 mb-2">
```



```

        <input type="hidden" name="user_id" value="<?= $user->id ?>">

        <select name="role_id" class="form-select form-select-sm">

            <option value="2" <?= $user->role_id == 2 ? 'selected' : " ?">>

                User

            </option>

            <option value="1" <?= $user->role_id == 1 ? 'selected' : " ?">>

                Admin

            </option>

        </select>

        <button class="btn btn-sm btn-dark">

            Update

        </button>

    </form>

    <a href="index.php?strana=admin_users&user_id=<?= $user->id ?>"

        class="btn btn-sm btn-outline-secondary w-100">

        View Orders

    </a>

</div>

<?php endforeach; ?>

</div>

</div>

<div class="col-md-7">

    <div class="card shadow-sm">

        <div class="card-body">

            <h5 class="mb-3">User Orders</h5>

```

```
<?php if (!$selectedUser): ?>
```

```
<p class="text-muted">
```

```
    Select a user to view orders.
```

```
</p>
```

```
<?php else: ?>
```

```
<?php if (empty($userOrders)): ?>
```

```
<p class="text-muted">
```

```
    This user has no orders.
```

```
</p>
```

```
<?php else: ?>
```

```
<?php foreach ($userOrders as $order): ?>
```

```
<?php $uid = $selectedUser->id; ?>
```

```
<div class="border-bottom py-3">
```

```
<div class="d-flex justify-content-between">
```

```
<div>
```

```
<strong>Order #<?= $order->id ?></strong><br>
```

```
<small class="text-muted">
```

```
<?= $order->order_date ?>

</small>

</div>

<div>

    <?php if ($order->status_id == 1): ?>

        <a href="index.php?strana=admin_order_complete&id=<?= $order-
>id ?>&user_id=<?= $uid ?>"

            class="btn btn-sm btn-success">

                Approve

            </a>

        <a href="index.php?strana=admin_order_cancel&id=<?= $order->id
?>&user_id=<?= $uid ?>"

            class="btn btn-sm btn-danger">

                Cancel

            </a>

    <?php elseif ($order->status_id == 2): ?>

        <span class="badge bg-success">

            Completed

        </span>

    <?php else: ?>

        <span class="badge bg-danger">

            Cancelled

        </span>

    <?php endif; ?>

</div>
```

</div>

<div class="mt-2">

Total:

<?= \$order->total_price ?> €

</div>

</div>

<?php endforeach; ?>

<?php endif; ?>

<?php endif; ?>

</div>

</div>

</div>

</div>

</div>