

MPTRAC

Generated by Doxygen 1.8.11

## Contents

<b>1</b>	<b>Main Page</b>	<b>2</b>
<b>2</b>	<b>Data Structure Index</b>	<b>2</b>
2.1	Data Structures . . . . .	2
<b>3</b>	<b>File Index</b>	<b>2</b>
3.1	File List . . . . .	2
<b>4</b>	<b>Data Structure Documentation</b>	<b>3</b>
4.1	atm_t Struct Reference . . . . .	3
4.1.1	Detailed Description . . . . .	4
4.1.2	Field Documentation . . . . .	4
4.2	ctl_t Struct Reference . . . . .	5
4.2.1	Detailed Description . . . . .	9
4.2.2	Field Documentation . . . . .	9
4.3	met_t Struct Reference . . . . .	19
4.3.1	Detailed Description . . . . .	20
4.3.2	Field Documentation . . . . .	20
<b>5</b>	<b>File Documentation</b>	<b>22</b>
5.1	center.c File Reference . . . . .	22
5.1.1	Detailed Description . . . . .	22
5.1.2	Function Documentation . . . . .	23
5.2	center.c . . . . .	24
5.3	dist.c File Reference . . . . .	26
5.3.1	Detailed Description . . . . .	27
5.3.2	Function Documentation . . . . .	27
5.4	dist.c . . . . .	30
5.5	extract.c File Reference . . . . .	33
5.5.1	Detailed Description . . . . .	33
5.5.2	Function Documentation . . . . .	33

5.6	<a href="#">extract.c</a>	34
5.7	<a href="#">init.c File Reference</a>	35
5.7.1	<a href="#">Detailed Description</a>	36
5.7.2	<a href="#">Function Documentation</a>	36
5.8	<a href="#">init.c</a>	37
5.9	<a href="#">jsec2time.c File Reference</a>	39
5.9.1	<a href="#">Detailed Description</a>	39
5.9.2	<a href="#">Function Documentation</a>	39
5.10	<a href="#">jsec2time.c</a>	40
5.11	<a href="#">libtrac.c File Reference</a>	40
5.11.1	<a href="#">Detailed Description</a>	42
5.11.2	<a href="#">Function Documentation</a>	42
5.12	<a href="#">libtrac.c</a>	71
5.13	<a href="#">libtrac.h File Reference</a>	95
5.13.1	<a href="#">Detailed Description</a>	97
5.13.2	<a href="#">Function Documentation</a>	97
5.14	<a href="#">libtrac.h</a>	126
5.15	<a href="#">match.c File Reference</a>	133
5.15.1	<a href="#">Detailed Description</a>	133
5.15.2	<a href="#">Function Documentation</a>	134
5.16	<a href="#">match.c</a>	136
5.17	<a href="#">met_map.c File Reference</a>	138
5.17.1	<a href="#">Detailed Description</a>	138
5.17.2	<a href="#">Function Documentation</a>	138
5.18	<a href="#">met_map.c</a>	140
5.19	<a href="#">met_prof.c File Reference</a>	142
5.19.1	<a href="#">Detailed Description</a>	142
5.19.2	<a href="#">Function Documentation</a>	142
5.20	<a href="#">met_prof.c</a>	144
5.21	<a href="#">met_sample.c File Reference</a>	146

5.21.1 Detailed Description	147
5.21.2 Function Documentation	147
5.22 met_sample.c	148
5.23 met_zm.c File Reference	149
5.23.1 Detailed Description	150
5.23.2 Function Documentation	150
5.24 met_zm.c	152
5.25 smago.c File Reference	154
5.25.1 Detailed Description	154
5.25.2 Function Documentation	154
5.26 smago.c	156
5.27 split.c File Reference	157
5.27.1 Detailed Description	157
5.27.2 Function Documentation	158
5.28 split.c	160
5.29 time2jsec.c File Reference	161
5.29.1 Detailed Description	161
5.29.2 Function Documentation	162
5.30 time2jsec.c	162
5.31 trac.c File Reference	163
5.31.1 Detailed Description	163
5.31.2 Function Documentation	164
5.32 trac.c	182
5.33 wind.c File Reference	198
5.33.1 Detailed Description	198
5.33.2 Function Documentation	198
5.34 wind.c	200

## 1 Main Page

Massive-Parallel Trajectory Calculations (MPTRAC) is a Lagrangian particle dispersion model for the troposphere and stratosphere. This reference manual provides information on the algorithms and data structures used in the code. Further information can be found at: <http://www.fz-juelich.de/ias/jsc/mptrac>

## 2 Data Structure Index

### 2.1 Data Structures

Here are the data structures with brief descriptions:

<a href="#">atm_t</a>	Atmospheric data	3
<a href="#">ctl_t</a>	Control parameters	5
<a href="#">met_t</a>	Meteorological data	19

## 3 File Index

### 3.1 File List

Here is a list of all files with brief descriptions:

<a href="#">center.c</a>	Calculate center of mass of air parcels	22
<a href="#">dist.c</a>	Calculate transport deviations of trajectories	26
<a href="#">extract.c</a>	Extract single trajectory from atmospheric data files	33
<a href="#">init.c</a>	Create atmospheric data file with initial air parcel positions	35
<a href="#">jsec2time.c</a>	Convert Julian seconds to date	39
<a href="#">libtrac.c</a>	MPTRAC library definitions	40
<a href="#">libtrac.h</a>	MPTRAC library declarations	95
<a href="#">match.c</a>	Calculate deviations between two trajectories	133

<a href="#">met_map.c</a>	Extract global map from meteorological data	138
<a href="#">met_prof.c</a>	Extract vertical profile from meteorological data	142
<a href="#">met_sample.c</a>	Sample meteorological data at given geolocations	146
<a href="#">met_zm.c</a>	Extract zonal mean from meteorological data	149
<a href="#">smago.c</a>	Estimate horizontal diffusivity based on Smagorinsky theory	154
<a href="#">split.c</a>	Split air parcels into a larger number of parcels	157
<a href="#">time2jsec.c</a>	Convert date to Julian seconds	161
<a href="#">trac.c</a>	Lagrangian particle dispersion model	163
<a href="#">wind.c</a>	Create meteorological data files with synthetic wind fields	198

## 4 Data Structure Documentation

### 4.1 atm\_t Struct Reference

Atmospheric data.

```
#include <libtrac.h>
```

#### Data Fields

- int [np](#)  
*Number of air pacels.*
- double [time](#) [NP]  
*Time [s].*
- double [p](#) [NP]  
*Pressure [hPa].*
- double [lon](#) [NP]  
*Longitude [deg].*
- double [lat](#) [NP]  
*Latitude [deg].*
- double [q](#) [NQ][NP]  
*Quantitiy data (for various, user-defined attributes).*
- double [up](#) [NP]  
*Zonal wind perturbation [m/s].*
- double [vp](#) [NP]  
*Meridional wind perturbation [m/s].*
- double [wp](#) [NP]  
*Vertical velocity perturbation [hPa/s].*

#### 4.1.1 Detailed Description

Atmospheric data.

Definition at line [459](#) of file [libtrac.h](#).

#### 4.1.2 Field Documentation

##### 4.1.2.1 `int atm_t::np`

Number of air parcels.

Definition at line [462](#) of file [libtrac.h](#).

##### 4.1.2.2 `double atm_t::time[NP]`

Time [s].

Definition at line [465](#) of file [libtrac.h](#).

##### 4.1.2.3 `double atm_t::p[NP]`

Pressure [hPa].

Definition at line [468](#) of file [libtrac.h](#).

##### 4.1.2.4 `double atm_t::lon[NP]`

Longitude [deg].

Definition at line [471](#) of file [libtrac.h](#).

##### 4.1.2.5 `double atm_t::lat[NP]`

Latitude [deg].

Definition at line [474](#) of file [libtrac.h](#).

##### 4.1.2.6 `double atm_t::q[NQ][NP]`

Quantity data (for various, user-defined attributes).

Definition at line [477](#) of file [libtrac.h](#).

##### 4.1.2.7 `double atm_t::up[NP]`

Zonal wind perturbation [m/s].

Definition at line [480](#) of file [libtrac.h](#).

4.1.2.8 `double atm_t::vp[NP]`

Meridional wind perturbation [m/s].

Definition at line 483 of file [libtrac.h](#).

4.1.2.9 `double atm_t::wp[NP]`

Vertical velocity perturbation [hPa/s].

Definition at line 486 of file [libtrac.h](#).

The documentation for this struct was generated from the following file:

- [libtrac.h](#)

## 4.2 `ctl_t` Struct Reference

Control parameters.

```
#include <libtrac.h>
```

### Data Fields

- `int nq`  
*Number of quantities.*
- `char qnt_name [NQ][LEN]`  
*Quantity names.*
- `char qnt_unit [NQ][LEN]`  
*Quantity units.*
- `char qnt_format [NQ][LEN]`  
*Quantity output format.*
- `int qnt_ens`  
*Quantity array index for ensemble IDs.*
- `int qnt_m`  
*Quantity array index for mass.*
- `int qnt_rho`  
*Quantity array index for particle density.*
- `int qnt_r`  
*Quantity array index for particle radius.*
- `int qnt_ps`  
*Quantity array index for surface pressure.*
- `int qnt_p`  
*Quantity array index for pressure.*
- `int qnt_t`  
*Quantity array index for temperature.*
- `int qnt_u`  
*Quantity array index for zonal wind.*
- `int qnt_v`  
*Quantity array index for meridional wind.*



- int [qnt\\_w](#)  
*Quantity array index for vertical velocity.*
- int [qnt\\_h2o](#)  
*Quantity array index for water vapor vmr.*
- int [qnt\\_o3](#)  
*Quantity array index for ozone vmr.*
- int [qnt\\_theta](#)  
*Quantity array index for potential temperature.*
- int [qnt\\_pv](#)  
*Quantity array index for potential vorticity.*
- int [qnt\\_tice](#)  
*Quantity array index for T<sub>ice</sub>.*
- int [qnt\\_tsts](#)  
*Quantity array index for T<sub>STS</sub>.*
- int [qnt\\_tnat](#)  
*Quantity array index for T<sub>NAT</sub>.*
- int [qnt\\_stat](#)  
*Quantity array index for station flag.*
- int [qnt\\_gw\\_u750](#)  
*Quantity array index for low-level zonal wind.*
- int [qnt\\_gw\\_v750](#)  
*Quantity array index for low-level meridional wind.*
- int [qnt\\_gw\\_sso](#)  
*Quantity array index for subgrid-scale orography.*
- int [qnt\\_gw\\_var](#)  
*Quantity array index for gravity wave variances.*
- int [direction](#)  
*Direction flag (1=forward calculation, -1=backward calculation).*
- double [t\\_start](#)  
*Start time of simulation [s].*
- double [t\\_stop](#)  
*Stop time of simulation [s].*
- double [dt\\_mod](#)  
*Time step of simulation [s].*
- double [dt\\_met](#)  
*Time step of meteorological data [s].*
- int [met\\_np](#)  
*Number of target pressure levels.*
- double [met\\_p](#) [EP]  
*Target pressure levels [hPa].*
- int [isosurf](#)  
*Isosurface parameter (0=none, 1=pressure, 2=density, 3=theta, 4=balloon).*
- char [balloon](#) [LEN]  
*Balloon position filename.*
- double [turb\\_dx\\_trop](#)  
*Horizontal turbulent diffusion coefficient (troposphere) [ $m^2/s$ ].*
- double [turb\\_dx\\_strat](#)  
*Horizontal turbulent diffusion coefficient (stratosphere) [ $m^2/s$ ].*
- double [turb\\_dz\\_trop](#)  
*Vertical turbulent diffusion coefficient (troposphere) [ $m^2/s$ ].*
- double [turb\\_dz\\_strat](#)

- Vertical turbulent diffusion coefficient (stratosphere) [ $m^2/s$ ].*

  - double [turb\\_meso](#)
- Scaling factor for mesoscale wind fluctuations.*

  - double [tdec\\_trop](#)
- Life time of particles (troposphere) [s].*

  - double [tdec\\_strat](#)
- Life time of particles (stratosphere) [s].*

  - double [psc\\_h2o](#)
- H2O volume mixing ratio for PSC analysis.*

  - double [psc\\_hno3](#)
- HNO3 volume mixing ratio for PSC analysis.*

  - char [gw\\_basename](#) [LEN]
- Basename for gravity wave variance data.*

  - char [atm\\_basename](#) [LEN]
- Basename of atmospheric data files.*

  - char [atm\\_gfile](#) [LEN]
- Gnuplot file for atmospheric data.*

  - double [atm\\_dt\\_out](#)
- Time step for atmospheric data output [s].*

  - int [atm\\_filter](#)
- Time filter for atmospheric data output (0=no, 1=yes).*

  - char [csi\\_basename](#) [LEN]
- Basename of CSI data files.*

  - double [csi\\_dt\\_out](#)
- Time step for CSI data output [s].*

  - char [csi\\_obsfile](#) [LEN]
- Observation data file for CSI analysis.*

  - double [csi\\_obsmin](#)
- Minimum observation index to trigger detection.*

  - double [csi\\_modmin](#)
- Minimum column density to trigger detection [ $kg/m^2$ ].*

  - int [csi\\_nz](#)
- Number of altitudes of gridded CSI data.*

  - double [csi\\_z0](#)
- Lower altitude of gridded CSI data [km].*

  - double [csi\\_z1](#)
- Upper altitude of gridded CSI data [km].*

  - int [csi\\_nx](#)
- Number of longitudes of gridded CSI data.*

  - double [csi\\_lon0](#)
- Lower longitude of gridded CSI data [deg].*

  - double [csi\\_lon1](#)
- Upper longitude of gridded CSI data [deg].*

  - int [csi\\_ny](#)
- Number of latitudes of gridded CSI data.*

  - double [csi\\_lat0](#)
- Lower latitude of gridded CSI data [deg].*

  - double [csi\\_lat1](#)
- Upper latitude of gridded CSI data [deg].*

  - char [grid\\_basename](#) [LEN]
- Basename of grid data files.*

- char `grid_gpfile` [LEN]  
*Gnuplot file for gridded data.*
- double `grid_dt_out`  
*Time step for gridded data output [s].*
- int `grid_sparse`  
*Sparse output in grid data files (0=no, 1=yes).*
- int `grid_nz`  
*Number of altitudes of gridded data.*
- double `grid_z0`  
*Lower altitude of gridded data [km].*
- double `grid_z1`  
*Upper altitude of gridded data [km].*
- int `grid_nx`  
*Number of longitudes of gridded data.*
- double `grid_lon0`  
*Lower longitude of gridded data [deg].*
- double `grid_lon1`  
*Upper longitude of gridded data [deg].*
- int `grid_ny`  
*Number of latitudes of gridded data.*
- double `grid_lat0`  
*Lower latitude of gridded data [deg].*
- double `grid_lat1`  
*Upper latitude of gridded data [deg].*
- char `prof_basename` [LEN]  
*Basename for profile output file.*
- char `prof_obsfile` [LEN]  
*Observation data file for profile output.*
- int `prof_nz`  
*Number of altitudes of gridded profile data.*
- double `prof_z0`  
*Lower altitude of gridded profile data [km].*
- double `prof_z1`  
*Upper altitude of gridded profile data [km].*
- int `prof_nx`  
*Number of longitudes of gridded profile data.*
- double `prof_lon0`  
*Lower longitude of gridded profile data [deg].*
- double `prof_lon1`  
*Upper longitude of gridded profile data [deg].*
- int `prof_ny`  
*Number of latitudes of gridded profile data.*
- double `prof_lat0`  
*Lower latitude of gridded profile data [deg].*
- double `prof_lat1`  
*Upper latitude of gridded profile data [deg].*
- char `ens_basename` [LEN]  
*Basename of ensemble data file.*
- char `stat_basename` [LEN]  
*Basename of station data file.*
- double `stat_lon`

- Longitude of station [deg].*
  - double `stat_lat`
- Latitude of station [deg].*
  - double `stat_r`
- Search radius around station [km].*

### 4.2.1 Detailed Description

Control parameters.

Definition at line 177 of file `libtrac.h`.

### 4.2.2 Field Documentation

#### 4.2.2.1 `int ctl_t::nq`

Number of quantities.

Definition at line 180 of file `libtrac.h`.

#### 4.2.2.2 `char ctl_t::qnt_name[NQ][LEN]`

Quantity names.

Definition at line 183 of file `libtrac.h`.

#### 4.2.2.3 `char ctl_t::qnt_unit[NQ][LEN]`

Quantity units.

Definition at line 186 of file `libtrac.h`.

#### 4.2.2.4 `char ctl_t::qnt_format[NQ][LEN]`

Quantity output format.

Definition at line 189 of file `libtrac.h`.

#### 4.2.2.5 `int ctl_t::qnt_ens`

Quantity array index for ensemble IDs.

Definition at line 192 of file `libtrac.h`.

#### 4.2.2.6 `int ctl_t::qnt_m`

Quantity array index for mass.

Definition at line 195 of file `libtrac.h`.

#### 4.2.2.7 `int ctl_t::qnt_rho`

Quantity array index for particle density.

Definition at line 198 of file [libtrac.h](#).

#### 4.2.2.8 `int ctl_t::qnt_r`

Quantity array index for particle radius.

Definition at line 201 of file [libtrac.h](#).

#### 4.2.2.9 `int ctl_t::qnt_ps`

Quantity array index for surface pressure.

Definition at line 204 of file [libtrac.h](#).

#### 4.2.2.10 `int ctl_t::qnt_p`

Quantity array index for pressure.

Definition at line 207 of file [libtrac.h](#).

#### 4.2.2.11 `int ctl_t::qnt_t`

Quantity array index for temperature.

Definition at line 210 of file [libtrac.h](#).

#### 4.2.2.12 `int ctl_t::qnt_u`

Quantity array index for zonal wind.

Definition at line 213 of file [libtrac.h](#).

#### 4.2.2.13 `int ctl_t::qnt_v`

Quantity array index for meridional wind.

Definition at line 216 of file [libtrac.h](#).

#### 4.2.2.14 `int ctl_t::qnt_w`

Quantity array index for vertical velocity.

Definition at line 219 of file [libtrac.h](#).

#### 4.2.2.15 `int ctl_t::qnt_h2o`

Quantity array index for water vapor vmr.

Definition at line 222 of file [libtrac.h](#).

#### 4.2.2.16 `int ctl_t::qnt_o3`

Quantity array index for ozone vmr.

Definition at line 225 of file [libtrac.h](#).

#### 4.2.2.17 `int ctl_t::qnt_theta`

Quantity array index for potential temperature.

Definition at line 228 of file [libtrac.h](#).

#### 4.2.2.18 `int ctl_t::qnt_pv`

Quantity array index for potential vorticity.

Definition at line 231 of file [libtrac.h](#).

#### 4.2.2.19 `int ctl_t::qnt_tice`

Quantity array index for T\_ice.

Definition at line 234 of file [libtrac.h](#).

#### 4.2.2.20 `int ctl_t::qnt_tsts`

Quantity array index for T\_STS.

Definition at line 237 of file [libtrac.h](#).

#### 4.2.2.21 `int ctl_t::qnt_tnat`

Quantity array index for T\_NAT.

Definition at line 240 of file [libtrac.h](#).

#### 4.2.2.22 `int ctl_t::qnt_stat`

Quantity array index for station flag.

Definition at line 243 of file [libtrac.h](#).

#### 4.2.2.23 `int ctl_t::qnt_gw_u750`

Quantity array index for low-level zonal wind.

Definition at line 246 of file [libtrac.h](#).

#### 4.2.2.24 `int ctl_t::qnt_gw_v750`

Quantity array index for low-level meridional wind.

Definition at line 249 of file [libtrac.h](#).

#### 4.2.2.25 `int ctl_t::qnt_gw_sso`

Quantity array index for subgrid-scale orography.

Definition at line 252 of file [libtrac.h](#).

#### 4.2.2.26 `int ctl_t::qnt_gw_var`

Quantity array index for gravity wave variances.

Definition at line 255 of file [libtrac.h](#).

#### 4.2.2.27 `int ctl_t::direction`

Direction flag (1=forward calculation, -1=backward calculation).

Definition at line 258 of file [libtrac.h](#).

#### 4.2.2.28 `double ctl_t::t_start`

Start time of simulation [s].

Definition at line 261 of file [libtrac.h](#).

#### 4.2.2.29 `double ctl_t::t_stop`

Stop time of simulation [s].

Definition at line 264 of file [libtrac.h](#).

#### 4.2.2.30 `double ctl_t::dt_mod`

Time step of simulation [s].

Definition at line 267 of file [libtrac.h](#).

#### 4.2.2.31 `double ctl_t::dt_met`

Time step of meteorological data [s].

Definition at line 270 of file [libtrac.h](#).

#### 4.2.2.32 `int ctl_t::met_np`

Number of target pressure levels.

Definition at line 273 of file [libtrac.h](#).

#### 4.2.2.33 `double ctl_t::met_p[EP]`

Target pressure levels [hPa].

Definition at line 276 of file [libtrac.h](#).

#### 4.2.2.34 `int ctl_t::isosurf`

Isosurface parameter (0=none, 1=pressure, 2=density, 3=theta, 4=balloon).

Definition at line 280 of file [libtrac.h](#).

#### 4.2.2.35 `char ctl_t::balloon[LEN]`

Balloon position filename.

Definition at line 283 of file [libtrac.h](#).

#### 4.2.2.36 `double ctl_t::turb_dx_trop`

Horizontal turbulent diffusion coefficient (troposphere) [ $\text{m}^2/\text{s}$ ].

Definition at line 286 of file [libtrac.h](#).

#### 4.2.2.37 `double ctl_t::turb_dx_strat`

Horizontal turbulent diffusion coefficient (stratosphere) [ $\text{m}^2/\text{s}$ ].

Definition at line 289 of file [libtrac.h](#).

#### 4.2.2.38 `double ctl_t::turb_dz_trop`

Vertical turbulent diffusion coefficient (troposphere) [ $\text{m}^2/\text{s}$ ].

Definition at line 292 of file [libtrac.h](#).

#### 4.2.2.39 `double ctl_t::turb_dz_strat`

Vertical turbulent diffusion coefficient (stratosphere) [ $\text{m}^2/\text{s}$ ].

Definition at line 295 of file [libtrac.h](#).

#### 4.2.2.40 `double ctl_t::turb_meso`

Scaling factor for mesoscale wind fluctuations.

Definition at line 298 of file [libtrac.h](#).

#### 4.2.2.41 `double ctl_t::tdec_trop`

Life time of particles (troposphere) [s].

Definition at line 301 of file [libtrac.h](#).

#### 4.2.2.42 `double ctl_t::tdec_strat`

Life time of particles (stratosphere) [s].

Definition at line 304 of file [libtrac.h](#).



#### 4.2.2.43 `double ctl_t::psc_h2o`

H2O volume mixing ratio for PSC analysis.

Definition at line 307 of file [libtrac.h](#).

#### 4.2.2.44 `double ctl_t::psc_hno3`

HNO3 volume mixing ratio for PSC analysis.

Definition at line 310 of file [libtrac.h](#).

#### 4.2.2.45 `char ctl_t::gw_basename[LEN]`

Basename for gravity wave variance data.

Definition at line 313 of file [libtrac.h](#).

#### 4.2.2.46 `char ctl_t::atm_basename[LEN]`

Basename of atmospheric data files.

Definition at line 316 of file [libtrac.h](#).

#### 4.2.2.47 `char ctl_t::atm_gpfile[LEN]`

Gnuplot file for atmospheric data.

Definition at line 319 of file [libtrac.h](#).

#### 4.2.2.48 `double ctl_t::atm_dt_out`

Time step for atmospheric data output [s].

Definition at line 322 of file [libtrac.h](#).

#### 4.2.2.49 `int ctl_t::atm_filter`

Time filter for atmospheric data output (0=no, 1=yes).

Definition at line 325 of file [libtrac.h](#).

#### 4.2.2.50 `char ctl_t::csi_basename[LEN]`

Basename of CSI data files.

Definition at line 328 of file [libtrac.h](#).

#### 4.2.2.51 `double ctl_t::csi_dt_out`

Time step for CSI data output [s].

Definition at line 331 of file [libtrac.h](#).

**4.2.2.52** `char ctl_t::csi_obsfile[LEN]`

Observation data file for CSI analysis.

Definition at line 334 of file [libtrac.h](#).

**4.2.2.53** `double ctl_t::csi_obsmin`

Minimum observation index to trigger detection.

Definition at line 337 of file [libtrac.h](#).

**4.2.2.54** `double ctl_t::csi_modmin`

Minimum column density to trigger detection [ $\text{kg/m}^2$ ].

Definition at line 340 of file [libtrac.h](#).

**4.2.2.55** `int ctl_t::csi_nz`

Number of altitudes of gridded CSI data.

Definition at line 343 of file [libtrac.h](#).

**4.2.2.56** `double ctl_t::csi_z0`

Lower altitude of gridded CSI data [km].

Definition at line 346 of file [libtrac.h](#).

**4.2.2.57** `double ctl_t::csi_z1`

Upper altitude of gridded CSI data [km].

Definition at line 349 of file [libtrac.h](#).

**4.2.2.58** `int ctl_t::csi_nx`

Number of longitudes of gridded CSI data.

Definition at line 352 of file [libtrac.h](#).

**4.2.2.59** `double ctl_t::csi_lon0`

Lower longitude of gridded CSI data [deg].

Definition at line 355 of file [libtrac.h](#).

**4.2.2.60** `double ctl_t::csi_lon1`

Upper longitude of gridded CSI data [deg].

Definition at line 358 of file [libtrac.h](#).

#### 4.2.2.61 `int ctl_t::csi_ny`

Number of latitudes of gridded CSI data.

Definition at line 361 of file [libtrac.h](#).

#### 4.2.2.62 `double ctl_t::csi_lat0`

Lower latitude of gridded CSI data [deg].

Definition at line 364 of file [libtrac.h](#).

#### 4.2.2.63 `double ctl_t::csi_lat1`

Upper latitude of gridded CSI data [deg].

Definition at line 367 of file [libtrac.h](#).

#### 4.2.2.64 `char ctl_t::grid_basename[LEN]`

Basename of grid data files.

Definition at line 370 of file [libtrac.h](#).

#### 4.2.2.65 `char ctl_t::grid_gfile[LEN]`

Gnuplot file for gridded data.

Definition at line 373 of file [libtrac.h](#).

#### 4.2.2.66 `double ctl_t::grid_dt_out`

Time step for gridded data output [s].

Definition at line 376 of file [libtrac.h](#).

#### 4.2.2.67 `int ctl_t::grid_sparse`

Sparse output in grid data files (0=no, 1=yes).

Definition at line 379 of file [libtrac.h](#).

#### 4.2.2.68 `int ctl_t::grid_nz`

Number of altitudes of gridded data.

Definition at line 382 of file [libtrac.h](#).

#### 4.2.2.69 `double ctl_t::grid_z0`

Lower altitude of gridded data [km].

Definition at line 385 of file [libtrac.h](#).

**4.2.2.70** `double ctl_t::grid_z1`

Upper altitude of gridded data [km].

Definition at line 388 of file [libtrac.h](#).

**4.2.2.71** `int ctl_t::grid_nx`

Number of longitudes of gridded data.

Definition at line 391 of file [libtrac.h](#).

**4.2.2.72** `double ctl_t::grid_lon0`

Lower longitude of gridded data [deg].

Definition at line 394 of file [libtrac.h](#).

**4.2.2.73** `double ctl_t::grid_lon1`

Upper longitude of gridded data [deg].

Definition at line 397 of file [libtrac.h](#).

**4.2.2.74** `int ctl_t::grid_ny`

Number of latitudes of gridded data.

Definition at line 400 of file [libtrac.h](#).

**4.2.2.75** `double ctl_t::grid_lat0`

Lower latitude of gridded data [deg].

Definition at line 403 of file [libtrac.h](#).

**4.2.2.76** `double ctl_t::grid_lat1`

Upper latitude of gridded data [deg].

Definition at line 406 of file [libtrac.h](#).

**4.2.2.77** `char ctl_t::prof_basename[LEN]`

Basename for profile output file.

Definition at line 409 of file [libtrac.h](#).

**4.2.2.78** `char ctl_t::prof_obsfile[LEN]`

Observation data file for profile output.

Definition at line 412 of file [libtrac.h](#).

**4.2.2.79 int ctl\_t::prof\_nz**

Number of altitudes of gridded profile data.

Definition at line 415 of file [libtrac.h](#).

**4.2.2.80 double ctl\_t::prof\_z0**

Lower altitude of gridded profile data [km].

Definition at line 418 of file [libtrac.h](#).

**4.2.2.81 double ctl\_t::prof\_z1**

Upper altitude of gridded profile data [km].

Definition at line 421 of file [libtrac.h](#).

**4.2.2.82 int ctl\_t::prof\_nx**

Number of longitudes of gridded profile data.

Definition at line 424 of file [libtrac.h](#).

**4.2.2.83 double ctl\_t::prof\_lon0**

Lower longitude of gridded profile data [deg].

Definition at line 427 of file [libtrac.h](#).

**4.2.2.84 double ctl\_t::prof\_lon1**

Upper longitude of gridded profile data [deg].

Definition at line 430 of file [libtrac.h](#).

**4.2.2.85 int ctl\_t::prof\_ny**

Number of latitudes of gridded profile data.

Definition at line 433 of file [libtrac.h](#).

**4.2.2.86 double ctl\_t::prof\_lat0**

Lower latitude of gridded profile data [deg].

Definition at line 436 of file [libtrac.h](#).

**4.2.2.87 double ctl\_t::prof\_lat1**

Upper latitude of gridded profile data [deg].

Definition at line 439 of file [libtrac.h](#).

4.2.2.88 char ctl\_t::ens\_basename[LEN]

Basename of ensemble data file.

Definition at line 442 of file [libtrac.h](#).

4.2.2.89 char ctl\_t::stat\_basename[LEN]

Basename of station data file.

Definition at line 445 of file [libtrac.h](#).

4.2.2.90 double ctl\_t::stat\_lon

Longitude of station [deg].

Definition at line 448 of file [libtrac.h](#).

4.2.2.91 double ctl\_t::stat\_lat

Latitude of station [deg].

Definition at line 451 of file [libtrac.h](#).

4.2.2.92 double ctl\_t::stat\_r

Search radius around station [km].

Definition at line 454 of file [libtrac.h](#).

The documentation for this struct was generated from the following file:

- [libtrac.h](#)

## 4.3 met\_t Struct Reference

Meteorological data.

```
#include <libtrac.h>
```

## Data Fields

- double [time](#)  
*Time [s].*
- int [nx](#)  
*Number of longitudes.*
- int [ny](#)  
*Number of latitudes.*
- int [np](#)  
*Number of pressure levels.*
- double [lon](#) [EX]  
*Longitude [deg].*
- double [lat](#) [EY]  
*Latitude [deg].*
- double [p](#) [EP]  
*Pressure [hPa].*
- double [ps](#) [EX][EY]  
*Surface pressure [hPa].*
- float [pl](#) [EX][EY][EP]  
*Pressure on model levels [hPa].*
- float [t](#) [EX][EY][EP]  
*Temperature [K].*
- float [u](#) [EX][EY][EP]  
*Zonal wind [m/s].*
- float [v](#) [EX][EY][EP]  
*Meridional wind [m/s].*
- float [w](#) [EX][EY][EP]  
*Vertical wind [hPa/s].*
- float [h2o](#) [EX][EY][EP]  
*Water vapor volume mixing ratio [1].*
- float [o3](#) [EX][EY][EP]  
*Ozone volume mixing ratio [1].*

### 4.3.1 Detailed Description

Meteorological data.

Definition at line [491](#) of file [libtrac.h](#).

### 4.3.2 Field Documentation

#### 4.3.2.1 double met\_t::time

Time [s].

Definition at line [494](#) of file [libtrac.h](#).

#### 4.3.2.2 int met\_t::nx

Number of longitudes.

Definition at line 497 of file [libtrac.h](#).

#### 4.3.2.3 int met\_t::ny

Number of latitudes.

Definition at line 500 of file [libtrac.h](#).

#### 4.3.2.4 int met\_t::np

Number of pressure levels.

Definition at line 503 of file [libtrac.h](#).

#### 4.3.2.5 double met\_t::lon[EX]

Longitude [deg].

Definition at line 506 of file [libtrac.h](#).

#### 4.3.2.6 double met\_t::lat[EY]

Latitude [deg].

Definition at line 509 of file [libtrac.h](#).

#### 4.3.2.7 double met\_t::p[EP]

Pressure [hPa].

Definition at line 512 of file [libtrac.h](#).

#### 4.3.2.8 double met\_t::ps[EX][EY]

Surface pressure [hPa].

Definition at line 515 of file [libtrac.h](#).

#### 4.3.2.9 float met\_t::pl[EX][EY][EP]

Pressure on model levels [hPa].

Definition at line 518 of file [libtrac.h](#).

#### 4.3.2.10 float met\_t::t[EX][EY][EP]

Temperature [K].

Definition at line 521 of file [libtrac.h](#).



#### 4.3.2.11 float met\_t::u[EX][EY][EP]

Zonal wind [m/s].

Definition at line 524 of file [libtrac.h](#).

#### 4.3.2.12 float met\_t::v[EX][EY][EP]

Meridional wind [m/s].

Definition at line 527 of file [libtrac.h](#).

#### 4.3.2.13 float met\_t::w[EX][EY][EP]

Vertical wind [hPa/s].

Definition at line 530 of file [libtrac.h](#).

#### 4.3.2.14 float met\_t::h2o[EX][EY][EP]

Water vapor volume mixing ratio [1].

Definition at line 533 of file [libtrac.h](#).

#### 4.3.2.15 float met\_t::o3[EX][EY][EP]

Ozone volume mixing ratio [1].

Definition at line 536 of file [libtrac.h](#).

The documentation for this struct was generated from the following file:

- [libtrac.h](#)

## 5 File Documentation

### 5.1 center.c File Reference

Calculate center of mass of air parcels.

#### Functions

- int [main](#) (int argc, char \*argv[ ])

#### 5.1.1 Detailed Description

Calculate center of mass of air parcels.

Definition in file [center.c](#).

## 5.1.2 Function Documentation

## 5.1.2.1 int main ( int argc, char \* argv[] )

Definition at line 28 of file [center.c](#).

```

00030         {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm;
00035
00036     FILE *out;
00037
00038     char *name, *year, *mon, *day, *hour, *min;
00039
00040     double latm, lats, lonm, lons, t, zm, zs;
00041
00042     int i, f, ip;
00043
00044     /* Allocate... */
00045     ALLOC(atm, atm_t, 1);
00046
00047     /* Check arguments... */
00048     if (argc < 3)
00049         ERRMSG("Give parameters: <outfile> <atm1> [<atm2> ...]");
00050
00051     /* Write info... */
00052     printf("Write center of mass data: %s\n", argv[1]);
00053
00054     /* Create output file... */
00055     if (!(out = fopen(argv[1], "w")))
00056         ERRMSG("Cannot create file!");
00057
00058     /* Write header... */
00059     fprintf(out,
00060         "# $1 = time [s]\n"
00061         "# $2 = altitude (mean) [km]\n"
00062         "# $3 = altitude (sigma) [km]\n"
00063         "# $4 = altitude (minimum) [km]\n"
00064         "# $5 = altitude (10%% percentile) [km]\n"
00065         "# $6 = altitude (1st quarter) [km]\n"
00066         "# $7 = altitude (median) [km]\n"
00067         "# $8 = altitude (3rd quarter) [km]\n"
00068         "# $9 = altitude (90%% percentile) [km]\n"
00069         "# $10 = altitude (maximum) [km]\n");
00070     fprintf(out,
00071         "# $11 = longitude (mean) [deg]\n"
00072         "# $12 = longitude (sigma) [deg]\n"
00073         "# $13 = longitude (minimum) [deg]\n"
00074         "# $14 = longitude (10%% percentile) [deg]\n"
00075         "# $15 = longitude (1st quarter) [deg]\n"
00076         "# $16 = longitude (median) [deg]\n"
00077         "# $17 = longitude (3rd quarter) [deg]\n"
00078         "# $18 = longitude (90%% percentile) [deg]\n"
00079         "# $19 = longitude (maximum) [deg]\n");
00080     fprintf(out,
00081         "# $20 = latitude (mean) [deg]\n"
00082         "# $21 = latitude (sigma) [deg]\n"
00083         "# $22 = latitude (minimum) [deg]\n"
00084         "# $23 = latitude (10%% percentile) [deg]\n"
00085         "# $24 = latitude (1st quarter) [deg]\n"
00086         "# $25 = latitude (median) [deg]\n"
00087         "# $26 = latitude (3rd quarter) [deg]\n"
00088         "# $27 = latitude (90%% percentile) [deg]\n"
00089         "# $28 = latitude (maximum) [deg]\n\n");
00090
00091     /* Loop over files... */
00092     for (f = 2; f < argc; f++) {
00093
00094         /* Read atmospheric data... */
00095         read_atm(argv[f], &ctl, atm);
00096
00097         /* Initialize... */
00098         zm = zs = 0;
00099         lonm = lons = 0;
00100         latm = lats = 0;
00101
00102         /* Calculate mean and standard deviation... */
00103         for (ip = 0; ip < atm->np; ip++) {
00104             zm += Z(atm->p[ip]) / atm->np;
00105             lonm += atm->lon[ip] / atm->np;


```

```

00106     latm += atm->lat[ip] / atm->np;
00107     zs += gsl_pow_2(Z(atm->p[ip])) / atm->np;
00108     lons += gsl_pow_2(atm->lon[ip]) / atm->np;
00109     lats += gsl_pow_2(atm->lat[ip]) / atm->np;
00110 }
00111
00112 /* Normalize... */
00113 zs = sqrt(zs - gsl_pow_2(zm));
00114 lons = sqrt(lons - gsl_pow_2(lonm));
00115 lats = sqrt(lats - gsl_pow_2(latm));
00116
00117 /* Sort arrays... */
00118 gsl_sort(atm->p, 1, (size_t) atm->np);
00119 gsl_sort(atm->lon, 1, (size_t) atm->np);
00120 gsl_sort(atm->lat, 1, (size_t) atm->np);
00121
00122 /* Get date from filename... */
00123 for (i = (int) strlen(argv[f]) - 1; argv[f][i] != '/' || i == 0; i--);
00124 name = strtok(&argv[f][i], "_");
00125 year = strtok(NULL, "_");
00126 mon = strtok(NULL, "_");
00127 day = strtok(NULL, "_");
00128 hour = strtok(NULL, "_");
00129 name = strtok(NULL, "_"); /* TODO: Why another "name" here? */
00130 min = strtok(name, ".");
00131 time2jsec(atoi(year), atoi(mon), atoi(day), atoi(hour), atoi(min), 0, 0,
00132           &t);
00133
00134 /* Write data... */
00135 fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g "
00136         "%g %g %g %g %g %g %g %g %g %g %g %g %g %g %g\n",
00137         t, zm, zs, Z(atm->p[atm->np - 1]),
00138         Z(atm->p[atm->np - atm->np / 10]),
00139         Z(atm->p[atm->np - atm->np / 4]),
00140         Z(atm->p[atm->np / 2]), Z(atm->p[atm->np / 4]),
00141         Z(atm->p[atm->np / 10]), Z(atm->p[0]),
00142         lonm, lons, atm->lon[0], atm->lon[atm->np / 10],
00143         atm->lon[atm->np / 4], atm->lon[atm->np / 2],
00144         atm->lon[atm->np - atm->np / 4],
00145         atm->lon[atm->np - atm->np / 10],
00146         atm->lon[atm->np - 1],
00147         latm, lats, atm->lat[0], atm->lat[atm->np / 10],
00148         atm->lat[atm->np / 4], atm->lat[atm->np / 2],
00149         atm->lat[atm->np - atm->np / 4],
00150         atm->lat[atm->np - atm->np / 10], atm->lat[atm->np - 1]);
00151 }
00152
00153 /* Close file... */
00154 fclose(out);
00155
00156 /* Free... */
00157 free(atm);
00158
00159 return EXIT_SUCCESS;
00160 }

```

Here is the call graph for this function:



## 5.2 center.c

```
00001 /*
```

```

00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018  */
00019
00025  #include "libtrac.h"
00026  #include <gsl/gsl_sort.h>
00027
00028  int main(
00029      int argc,
00030      char *argv[]) {
00031
00032      ctl_t ctl;
00033
00034      atm_t *atm;
00035
00036      FILE *out;
00037
00038      char *name, *year, *mon, *day, *hour, *min;
00039
00040      double latm, lats, lonm, lons, t, zm, zs;
00041
00042      int i, f, ip;
00043
00044      /* Allocate... */
00045      ALLOC(atm, atm_t, 1);
00046
00047      /* Check arguments... */
00048      if (argc < 3)
00049          ERRMSG("Give parameters: <outfile> <atm1> [<atm2> ...]");
00050
00051      /* Write info... */
00052      printf("Write center of mass data: %s\n", argv[1]);
00053
00054      /* Create output file... */
00055      if (!(out = fopen(argv[1], "w")))
00056          ERRMSG("Cannot create file!");
00057
00058      /* Write header... */
00059      fprintf(out,
00060          "# $1 = time [s]\n"
00061          "# $2 = altitude (mean) [km]\n"
00062          "# $3 = altitude (sigma) [km]\n"
00063          "# $4 = altitude (minimum) [km]\n"
00064          "# $5 = altitude (10%% percentile) [km]\n"
00065          "# $6 = altitude (1st quarter) [km]\n"
00066          "# $7 = altitude (median) [km]\n"
00067          "# $8 = altitude (3rd quarter) [km]\n"
00068          "# $9 = altitude (90%% percentile) [km]\n"
00069          "# $10 = altitude (maximum) [km]\n");
00070      fprintf(out,
00071          "# $11 = longitude (mean) [deg]\n"
00072          "# $12 = longitude (sigma) [deg]\n"
00073          "# $13 = longitude (minimum) [deg]\n"
00074          "# $14 = longitude (10%% percentile) [deg]\n"
00075          "# $15 = longitude (1st quarter) [deg]\n"
00076          "# $16 = longitude (median) [deg]\n"
00077          "# $17 = longitude (3rd quarter) [deg]\n"
00078          "# $18 = longitude (90%% percentile) [deg]\n"
00079          "# $19 = longitude (maximum) [deg]\n");
00080      fprintf(out,
00081          "# $20 = latitude (mean) [deg]\n"
00082          "# $21 = latitude (sigma) [deg]\n"
00083          "# $22 = latitude (minimum) [deg]\n"
00084          "# $23 = latitude (10%% percentile) [deg]\n"
00085          "# $24 = latitude (1st quarter) [deg]\n"
00086          "# $25 = latitude (median) [deg]\n"
00087          "# $26 = latitude (3rd quarter) [deg]\n"
00088          "# $27 = latitude (90%% percentile) [deg]\n"
00089          "# $28 = latitude (maximum) [deg]\n");
00090
00091      /* Loop over files... */
00092      for (f = 2; f < argc; f++) {
00093

```

```

00094     /* Read atmospheric data... */
00095     read_atm(argv[f], &ctl, atm);
00096
00097     /* Initialize... */
00098     zm = zs = 0;
00099     lonm = lons = 0;
00100     latm = lats = 0;
00101
00102     /* Calculate mean and standard deviation... */
00103     for (ip = 0; ip < atm->np; ip++) {
00104         zm += Z(atm->p[ip]) / atm->np;
00105         lonm += atm->lon[ip] / atm->np;
00106         latm += atm->lat[ip] / atm->np;
00107         zs += gsl_pow_2(Z(atm->p[ip])) / atm->np;
00108         lons += gsl_pow_2(atm->lon[ip]) / atm->np;
00109         lats += gsl_pow_2(atm->lat[ip]) / atm->np;
00110     }
00111
00112     /* Normalize... */
00113     zs = sqrt(zs - gsl_pow_2(zm));
00114     lons = sqrt(lons - gsl_pow_2(lonm));
00115     lats = sqrt(lats - gsl_pow_2(latm));
00116
00117     /* Sort arrays... */
00118     gsl_sort(atm->p, 1, (size_t) atm->np);
00119     gsl_sort(atm->lon, 1, (size_t) atm->np);
00120     gsl_sort(atm->lat, 1, (size_t) atm->np);
00121
00122     /* Get date from filename... */
00123     for (i = (int) strlen(argv[f]) - 1; argv[f][i] != '/' || i == 0; i--);
00124     name = strtok(&argv[f][i], "_");
00125     year = strtok(NULL, "_");
00126     mon = strtok(NULL, "_");
00127     day = strtok(NULL, "_");
00128     hour = strtok(NULL, "_");
00129     name = strtok(NULL, "_"); /* TODO: Why another "name" here? */
00130     min = strtok(name, ".");
00131     time2jsec(atoi(year), atoi(mon), atoi(day), atoi(hour), atoi(min), 0, 0,
00132              &t);
00133
00134     /* Write data... */
00135     fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00136            t, zm, zs, Z(atm->p[atm->np - 1]),
00137            Z(atm->p[atm->np - atm->np / 10]),
00138            Z(atm->p[atm->np - atm->np / 4]),
00139            Z(atm->p[atm->np / 2]), Z(atm->p[atm->np / 4]),
00140            Z(atm->p[atm->np / 10]), Z(atm->p[0]),
00141            lonm, lons, atm->lon[0], atm->lon[atm->np / 10],
00142            atm->lon[atm->np / 4], atm->lon[atm->np / 2],
00143            atm->lon[atm->np - atm->np / 4],
00144            atm->lon[atm->np - atm->np / 10],
00145            atm->lon[atm->np - 1],
00146            latm, lats, atm->lat[0], atm->lat[atm->np / 10],
00147            atm->lat[atm->np / 4], atm->lat[atm->np / 2],
00148            atm->lat[atm->np - atm->np / 4],
00149            atm->lat[atm->np - atm->np / 10], atm->lat[atm->np - 1]);
00150 }
00151
00152     /* Close file... */
00153     fclose(out);
00154
00155     /* Free... */
00156     free(atm);
00157
00158     return EXIT_SUCCESS;
00159 }
00160

```

## 5.3 dist.c File Reference

Calculate transport deviations of trajectories.

### Functions

- int [main](#) (int argc, char \*argv[])

### 5.3.1 Detailed Description

Calculate transport deviations of trajectories.

Definition in file [dist.c](#).

### 5.3.2 Function Documentation

#### 5.3.2.1 `int main ( int argc, char * argv[] )`

Definition at line 28 of file [dist.c](#).

```

00030         {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm1, *atm2;
00035
00036     FILE *out;
00037
00038     char *name, *year, *mon, *day, *hour, *min;
00039
00040     double aux, x0[3], x1[3], x2[3], *lon1, *lat1, *p1, *lh1, *lv1,
00041             *lon2, *lat2, *p2, *lh2, *lv2, ahtd, avtd, ahtd2, avtd2,
00042             rhtd, rvtd, rhtd2, rvtd2, t, *dh, *dv;
00043
00044     int f, i, ip, iph, ipv;
00045
00046     /* Allocate... */
00047     ALLOC(atm1, atm_t, 1);
00048     ALLOC(atm2, atm_t, 1);
00049     ALLOC(lon1, double,
00050           NP);
00051     ALLOC(lat1, double,
00052           NP);
00053     ALLOC(p1, double,
00054           NP);
00055     ALLOC(lh1, double,
00056           NP);
00057     ALLOC(lv1, double,
00058           NP);
00059     ALLOC(lon2, double,
00060           NP);
00061     ALLOC(lat2, double,
00062           NP);
00063     ALLOC(p2, double,
00064           NP);
00065     ALLOC(lh2, double,
00066           NP);
00067     ALLOC(lv2, double,
00068           NP);
00069     ALLOC(dh, double,
00070           NP);
00071     ALLOC(dv, double,
00072           NP);
00073
00074     /* Check arguments... */
00075     if (argc < 4)
00076         ERRMSG
00077             ("Give parameters: <outfile> <atm1a> <atm1b> [<atm2a> <atm2b> ...]");
00078
00079     /* Write info... */
00080     printf("Write transport deviations: %s\n", argv[1]);
00081
00082     /* Create output file... */
00083     if (!(out = fopen(argv[1], "w")))
00084         ERRMSG("Cannot create file!");
00085
00086     /* Write header... */
00087     fprintf(out,
00088            "# $1 = time [s]\n"
00089            "# $2 = AHTD (mean) [km]\n"
00090            "# $3 = AHTD (sigma) [km]\n"
00091            "# $4 = AHTD (minimum) [km]\n"
00092            "# $5 = AHTD (10%% percentile) [km]\n"
00093            "# $6 = AHTD (1st quartile) [km]\n"
00094            "# $7 = AHTD (median) [km]\n"

```

```

00095     "# $8 = AHTD (3rd quartile) [km]\n"
00096     "# $9 = AHTD (90% percentile) [km]\n"
00097     "# $10 = AHTD (maximum) [km]\n"
00098     "# $11 = AHTD (maximum trajectory index)\n"
00099     "# $12 = RHTD (mean) [%]\n" "# $13 = RHTD (sigma) [%]\n");
00100 fprintf(out,
00101     "# $14 = AVTD (mean) [km]\n"
00102     "# $15 = AVTD (sigma) [km]\n"
00103     "# $16 = AVTD (minimum) [km]\n"
00104     "# $17 = AVTD (10% percentile) [km]\n"
00105     "# $18 = AVTD (1st quartile) [km]\n"
00106     "# $19 = AVTD (median) [km]\n"
00107     "# $20 = AVTD (3rd quartile) [km]\n"
00108     "# $21 = AVTD (90% percentile) [km]\n"
00109     "# $22 = AVTD (maximum) [km]\n"
00110     "# $23 = AVTD (maximum trajectory index)\n"
00111     "# $24 = RVTD (mean) [%]\n" "# $25 = RVTD (sigma) [%]\n\n");
00112
00113 /* Loop over file pairs... */
00114 for (f = 2; f < argc; f += 2) {
00115
00116     /* Read atmospheric data... */
00117     read_atm(argv[f], &ctl, atm1);
00118     read_atm(argv[f + 1], &ctl, atm2);
00119
00120     /* Check if structs match... */
00121     if (atm1->np != atm2->np)
00122         ERRMSG("Different numbers of parcels!");
00123     for (ip = 0; ip < atm1->np; ip++)
00124         if (atm1->time[ip] != atm2->time[ip])
00125             ERRMSG("Times do not match!");
00126
00127     /* Init... */
00128     ahtd = ahtd2 = 0;
00129     avtd = avtd2 = 0;
00130     rhtd = rhtd2 = 0;
00131     rvtd = rvtd2 = 0;
00132
00133     /* Loop over air parcels... */
00134     for (ip = 0; ip < atm1->np; ip++) {
00135
00136         /* Get Cartesian coordinates... */
00137         geo2cart(0, atm1->lon[ip], atm1->lat[ip], x1);
00138         geo2cart(0, atm2->lon[ip], atm2->lat[ip], x2);
00139
00140         /* Calculate absolute transport deviations... */
00141         dh[ip] = DIST(x1, x2);
00142         ahtd += dh[ip];
00143         ahtd2 += gsl_pow_2(dh[ip]);
00144
00145         dv[ip] = fabs(Z(atm1->p[ip]) - Z(atm2->p[ip]));
00146         avtd += dv[ip];
00147         avtd2 += gsl_pow_2(dv[ip]);
00148
00149         /* Calculate relative transport deviations... */
00150         if (f > 2) {
00151
00152             /* Get trajectory lengths... */
00153             geo2cart(0, lon1[ip], lat1[ip], x0);
00154             lh1[ip] += DIST(x0, x1);
00155             lv1[ip] += fabs(Z(p1[ip]) - Z(atm1->p[ip]));
00156
00157             geo2cart(0, lon2[ip], lat2[ip], x0);
00158             lh2[ip] += DIST(x0, x2);
00159             lv2[ip] += fabs(Z(p2[ip]) - Z(atm2->p[ip]));
00160
00161             /* Get relative transport deviations... */
00162             if (lh1[ip] + lh2[ip] > 0) {
00163                 aux = 200. * DIST(x1, x2) / (lh1[ip] + lh2[ip]);
00164                 rhtd += aux;
00165                 rhtd2 += gsl_pow_2(aux);
00166             }
00167             if (lv1[ip] + lv2[ip] > 0) {
00168                 aux =
00169                     200. * fabs(Z(atm1->p[ip]) - Z(atm2->p[ip])) / (lv1[ip] +
00170                                                                 lv2[ip]);
00171                 rvtd += aux;
00172                 rvtd2 += gsl_pow_2(aux);
00173             }
00174         }
00175
00176         /* Save positions of air parcels... */
00177         lon1[ip] = atm1->lon[ip];
00178         lat1[ip] = atm1->lat[ip];
00179         p1[ip] = atm1->p[ip];
00180
00181         lon2[ip] = atm2->lon[ip];

```


```

00182     lat2[ip] = atm2->lat[ip];
00183     p2[ip] = atm2->p[ip];
00184 }
00185
00186 /* Get indices of trajectories with maximum errors... */
00187 iph = (int) gsl_stats_max_index(dh, 1, (size_t) atml->np);
00188 ipv = (int) gsl_stats_max_index(dv, 1, (size_t) atml->np);
00189
00190 /* Sort distances to calculate percentiles... */
00191 gsl_sort(dh, 1, (size_t) atml->np);
00192 gsl_sort(dv, 1, (size_t) atml->np);
00193
00194 /* Get date from filename... */
00195 for (i = (int) strlen(argv[f]) - 1; argv[f][i] != '/' || i == 0; i--);
00196 name = strtok(&argv[f][i], "_");
00197 year = strtok(NULL, "_");
00198 mon = strtok(NULL, "_");
00199 day = strtok(NULL, "_");
00200 hour = strtok(NULL, "_");
00201 name = strtok(NULL, "_"); /* TODO: Why another "name" here? */
00202 min = strtok(name, ".");
00203 time2jsec(atoi(year), atoi(mon), atoi(day), atoi(hour), atoi(min), 0, 0,
00204           &t);
00205
00206 /* Write output... */
00207 fprintf(out, "%.2f %g %g %g %g %g %g %g %g %d %g %g"
00208         " %g %g %g %g %g %g %g %g %d %g %g\n", t,
00209         ahtd / atml->np,
00210         sqrt(ahtd2 / atml->np - gsl_pow_2(ahtd / atml->np)),
00211         dh[0], dh[atml->np / 10], dh[atml->np / 4], dh[atml->np / 2],
00212         dh[atml->np - atml->np / 4], dh[atml->np - atml->np / 10],
00213         dh[atml->np - 1], iph, rhtd / atml->np,
00214         sqrt(rhtd2 / atml->np - gsl_pow_2(rhtd / atml->np)),
00215         avtd / atml->np,
00216         sqrt(avtd2 / atml->np - gsl_pow_2(avtd / atml->np)),
00217         dv[0], dv[atml->np / 10], dv[atml->np / 4], dv[atml->np / 2],
00218         dv[atml->np - atml->np / 4], dv[atml->np - atml->np / 10],
00219         dv[atml->np - 1], ipv, rvtd / atml->np,
00220         sqrt(rvtd2 / atml->np - gsl_pow_2(rvtd / atml->np)));
00221 }
00222
00223 /* Close file... */
00224 fclose(out);
00225
00226 /* Free... */
00227 free(atml);
00228 free(atm2);
00229 free(lon1);
00230 free(lat1);
00231 free(pl);
00232 free(lh1);
00233 free(lv1);
00234 free(lon2);
00235 free(lat2);
00236 free(p2);
00237 free(lh2);
00238 free(lv2);
00239 free(dh);
00240 free(dv);
00241
00242 return EXIT_SUCCESS;
00243 }

```



Here is the call graph for this function:



## 5.4 dist.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026 #include <gsl/gsl_sort.h>
00027
00028 int main(
00029     int argc,
00030     char *argv[]) {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm1, *atm2;
00035
00036     FILE *out;
00037
00038     char *name, *year, *mon, *day, *hour, *min;
00039
00040     double aux, x0[3], x1[3], x2[3], *lon1, *lat1, *p1, *lh1, *lv1,
00041             *lon2, *lat2, *p2, *lh2, *lv2, ahtd, avtd, ahtd2, avtd2,
00042             rhtd, rvtd, rhtd2, rvtd2, t, *dh, *dv;
00043
00044     int f, i, ip, iph, ipv;
00045
00046     /* Allocate... */
00047     ALLOC(atm1, atm_t, 1);
00048     ALLOC(atm2, atm_t, 1);
00049     ALLOC(lon1, double,
00050           NP);
00051     ALLOC(lat1, double,
00052           NP);
00053     ALLOC(p1, double,
00054           NP);
00055     ALLOC(lh1, double,
00056           NP);
00057     ALLOC(lv1, double,
00058           NP);
00059     ALLOC(lon2, double,
  
```

```

00060     NP);
00061     ALLOC(lat2, double,
00062     NP);
00063     ALLOC(p2, double,
00064     NP);
00065     ALLOC(lh2, double,
00066     NP);
00067     ALLOC(lv2, double,
00068     NP);
00069     ALLOC(dh, double,
00070     NP);
00071     ALLOC(dv, double,
00072     NP);
00073
00074     /* Check arguments... */
00075     if (argc < 4)
00076         ERRMSG
00077         ("Give parameters: <outfile> <atmla> <atmlb> [<atm2a> <atm2b> ...]");
00078
00079     /* Write info... */
00080     printf("Write transport deviations: %s\n", argv[1]);
00081
00082     /* Create output file... */
00083     if (!(out = fopen(argv[1], "w")))
00084         ERRMSG("Cannot create file!");
00085
00086     /* Write header... */
00087     fprintf(out,
00088             "# $1 = time [s]\n"
00089             "# $2 = AHTD (mean) [km]\n"
00090             "# $3 = AHTD (sigma) [km]\n"
00091             "# $4 = AHTD (minimum) [km]\n"
00092             "# $5 = AHTD (10%% percentile) [km]\n"
00093             "# $6 = AHTD (1st quartile) [km]\n"
00094             "# $7 = AHTD (median) [km]\n"
00095             "# $8 = AHTD (3rd quartile) [km]\n"
00096             "# $9 = AHTD (90%% percentile) [km]\n"
00097             "# $10 = AHTD (maximum) [km]\n"
00098             "# $11 = AHTD (maximum trajectory index)\n"
00099             "# $12 = RHTD (mean) [%%]\n" "# $13 = RHTD (sigma) [%%]\n");
00100     fprintf(out,
00101             "# $14 = AVTD (mean) [km]\n"
00102             "# $15 = AVTD (sigma) [km]\n"
00103             "# $16 = AVTD (minimum) [km]\n"
00104             "# $17 = AVTD (10%% percentile) [km]\n"
00105             "# $18 = AVTD (1st quartile) [km]\n"
00106             "# $19 = AVTD (median) [km]\n"
00107             "# $20 = AVTD (3rd quartile) [km]\n"
00108             "# $21 = AVTD (90%% percentile) [km]\n"
00109             "# $22 = AVTD (maximum) [km]\n"
00110             "# $23 = AVTD (maximum trajectory index)\n"
00111             "# $24 = RVTD (mean) [%%]\n" "# $25 = RVTD (sigma) [%%]\n\n");
00112
00113     /* Loop over file pairs... */
00114     for (f = 2; f < argc; f += 2) {
00115
00116         /* Read atmospheric data... */
00117         read_atm(argv[f], &ctl, atml);
00118         read_atm(argv[f + 1], &ctl, atm2);
00119
00120         /* Check if structs match... */
00121         if (atml->np != atm2->np)
00122             ERRMSG("Different numbers of parcels!");
00123         for (ip = 0; ip < atml->np; ip++)
00124             if (atml->time[ip] != atm2->time[ip])
00125                 ERRMSG("Times do not match!");
00126
00127         /* Init... */
00128         ahtd = ahtd2 = 0;
00129         avtd = avtd2 = 0;
00130         rhtd = rhtd2 = 0;
00131         rvtd = rvtd2 = 0;
00132
00133         /* Loop over air parcels... */
00134         for (ip = 0; ip < atml->np; ip++) {
00135
00136             /* Get Cartesian coordinates... */
00137             geo2cart(0, atml->lon[ip], atml->lat[ip], x1);
00138             geo2cart(0, atm2->lon[ip], atm2->lat[ip], x2);
00139
00140             /* Calculate absolute transport deviations... */
00141             dh[ip] = DIST(x1, x2);
00142             ahtd += dh[ip];
00143             ahtd2 += gsl_pow_2(dh[ip]);
00144
00145             dv[ip] = fabs(Z(atml->p[ip]) - Z(atm2->p[ip]));
00146             avtd += dv[ip];

```

```

00147     avtd2 += gsl_pow_2(dv[ip]);
00148
00149     /* Calculate relative transport deviations... */
00150     if (f > 2) {
00151
00152         /* Get trajectory lengths... */
00153         geo2cart(0, lon1[ip], lat1[ip], x0);
00154         lh1[ip] += DIST(x0, x1);
00155         lv1[ip] += fabs(Z(p1[ip]) - Z(atm1->p[ip]));
00156
00157         geo2cart(0, lon2[ip], lat2[ip], x0);
00158         lh2[ip] += DIST(x0, x2);
00159         lv2[ip] += fabs(Z(p2[ip]) - Z(atm2->p[ip]));
00160
00161         /* Get relative transport deviations... */
00162         if (lh1[ip] + lh2[ip] > 0) {
00163             aux = 200. * DIST(x1, x2) / (lh1[ip] + lh2[ip]);
00164             rhtd += aux;
00165             rhtd2 += gsl_pow_2(aux);
00166         }
00167         if (lv1[ip] + lv2[ip] > 0) {
00168             aux =
00169                 200. * fabs(Z(atm1->p[ip]) - Z(atm2->p[ip])) / (lv1[ip] +
00170                                                                lv2[ip]);
00171             rvtd += aux;
00172             rvtd2 += gsl_pow_2(aux);
00173         }
00174     }
00175
00176     /* Save positions of air parcels... */
00177     lon1[ip] = atm1->lon[ip];
00178     lat1[ip] = atm1->lat[ip];
00179     p1[ip] = atm1->p[ip];
00180
00181     lon2[ip] = atm2->lon[ip];
00182     lat2[ip] = atm2->lat[ip];
00183     p2[ip] = atm2->p[ip];
00184 }
00185
00186 /* Get indices of trajectories with maximum errors... */
00187 iph = (int) gsl_stats_max_index(dh, 1, (size_t) atm1->np);
00188 ipv = (int) gsl_stats_max_index(dv, 1, (size_t) atm1->np);
00189
00190 /* Sort distances to calculate percentiles... */
00191 gsl_sort(dh, 1, (size_t) atm1->np);
00192 gsl_sort(dv, 1, (size_t) atm1->np);
00193
00194 /* Get date from filename... */
00195 for (i = (int) strlen(argv[f]) - 1; argv[f][i] != '/' || i == 0; i--);
00196 name = strtok(&argv[f][i], "_");
00197 year = strtok(NULL, "-");
00198 mon = strtok(NULL, "-");
00199 day = strtok(NULL, "-");
00200 hour = strtok(NULL, "-");
00201 name = strtok(NULL, "-"); /* TODO: Why another "name" here? */
00202 min = strtok(name, ".");
00203 time2jsec(atoi(year), atoi(mon), atoi(day), atoi(hour), atoi(min), 0, 0,
00204           &t);
00205
00206 /* Write output... */
00207 fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g %g %g\n", t,
00208         " %g %g %g %g %g %g %g %g %g %g %g %g\n", t,
00209         ahtd / atm1->np,
00210         sqrt(ahtd2 / atm1->np - gsl_pow_2(ahtd / atm1->np)),
00211         dh[0], dh[atm1->np / 10], dh[atm1->np / 4], dh[atm1->np / 2],
00212         dv[atm1->np - atm1->np / 4], dv[atm1->np - atm1->np / 10],
00213         dh[atm1->np - 1], iph, rhtd / atm1->np,
00214         sqrt(rhtd2 / atm1->np - gsl_pow_2(rhtd / atm1->np)),
00215         avtd / atm1->np,
00216         sqrt(avtd2 / atm1->np - gsl_pow_2(avtd / atm1->np)),
00217         dv[0], dv[atm1->np / 10], dv[atm1->np / 4], dv[atm1->np / 2],
00218         dv[atm1->np - atm1->np / 4], dv[atm1->np - atm1->np / 10],
00219         dv[atm1->np - 1], ipv, rvtd / atm1->np,
00220         sqrt(rvtd2 / atm1->np - gsl_pow_2(rvtd / atm1->np)));
00221 }
00222
00223 /* Close file... */
00224 fclose(out);
00225
00226 /* Free... */
00227 free(atm1);
00228 free(atm2);
00229 free(lon1);
00230 free(lat1);
00231 free(p1);
00232 free(lh1);
00233 free(lv1);

```

```

00234     free(lon2);
00235     free(lat2);
00236     free(p2);
00237     free(lh2);
00238     free(lv2);
00239     free(dh);
00240     free(dv);
00241
00242     return EXIT_SUCCESS;
00243 }

```

## 5.5 extract.c File Reference

Extract single trajectory from atmospheric data files.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.5.1 Detailed Description

Extract single trajectory from atmospheric data files.

Definition in file [extract.c](#).

#### 5.5.2 Function Documentation

##### 5.5.2.1 int main ( int argc, char \* argv[] )

Definition at line 28 of file [extract.c](#).

```

00030     {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm;
00035
00036     FILE *in, *out;
00037
00038     int f, ip, iq;
00039
00040     /* Allocate... */
00041     ALLOC(atm, atm_t, 1);
00042
00043     /* Check arguments... */
00044     if (argc < 4)
00045         ERRMSG("Give parameters: <ctl> <outfile> <atml> [<atm2> ...]");
00046
00047     /* Read control parameters... */
00048     read_ctl(argv[1], argc, argv, &ctl);
00049     ip = (int) scan_ctl(argv[1], argc, argv, "EXTRACT_IP", -1, "0", NULL);
00050
00051     /* Write info... */
00052     printf("Write trajectory data: %s\n", argv[2]);
00053
00054     /* Create output file... */
00055     if (!(out = fopen(argv[2], "w")))
00056         ERRMSG("Cannot create file!");
00057
00058     /* Write header... */
00059     fprintf(out,
00060             "# $1 = time [s]\n"
00061             "# $2 = altitude [km]\n"
00062             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
00063     for (iq = 0; iq < ctl.nq; iq++)


```

```

00064     fprintf(out, "# $i = %s [%s]\n", iq + 5, ctl.qnt_name[iq],
00065             ctl.qnt_unit[iq]);
00066     fprintf(out, "\n");
00067
00068     /* Loop over files... */
00069     for (f = 3; f < argc; f++) {
00070
00071         /* Read atmospheric data... */
00072         if (!(in = fopen(argv[f], "r")))
00073             continue;
00074         else
00075             fclose(in);
00076         read_atm(argv[f], &ctl, atm);
00077
00078         /* Write data... */
00079         fprintf(out, "%.2f %g %g %g", atm->time[ip],
00080             Z(atm->p[ip]), atm->lon[ip], atm->lat[ip]);
00081         for (iq = 0; iq < ctl.nq; iq++) {
00082             fprintf(out, " ");
00083             fprintf(out, ctl.qnt_format[iq], atm->q[iq][ip]);
00084         }
00085         fprintf(out, "\n");
00086     }
00087
00088     /* Close file... */
00089     fclose(out);
00090
00091     /* Free... */
00092     free(atm);
00093
00094     return EXIT_SUCCESS;
00095 }

```

Here is the call graph for this function:



## 5.6 extract.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copyright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019

```

```

00025 #include "libtrac.h"
00026 #include <gsl/gsl_sort.h>
00027
00028 int main(
00029     int argc,
00030     char *argv[]) {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm;
00035
00036     FILE *in, *out;
00037
00038     int f, ip, iq;
00039
00040     /* Allocate... */
00041     ALLOC(atm, atm_t, 1);
00042
00043     /* Check arguments... */
00044     if (argc < 4)
00045         ERRMSG("Give parameters: <ctl> <outfile> <atm1> [<atm2> ...]");
00046
00047     /* Read control parameters... */
00048     read_ctl(argv[1], argc, argv, &ctl);
00049     ip = (int) scan_ctl(argv[1], argc, argv, "EXTRACT_IP", -1, "0", NULL);
00050
00051     /* Write info... */
00052     printf("Write trajectory data: %s\n", argv[2]);
00053
00054     /* Create output file... */
00055     if (!(out = fopen(argv[2], "w")))
00056         ERRMSG("Cannot create file!");
00057
00058     /* Write header... */
00059     fprintf(out,
00060         "# $1 = time [s]\n"
00061         "# $2 = altitude [km]\n"
00062         "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
00063     for (iq = 0; iq < ctl.nq; iq++)
00064         fprintf(out, "# $%i = %s [%s]\n", iq + 5, ctl.qnt_name[iq],
00065             ctl.qnt_unit[iq]);
00066     fprintf(out, "\n");
00067
00068     /* Loop over files... */
00069     for (f = 3; f < argc; f++) {
00070
00071         /* Read atmospheric data... */
00072         if (!(in = fopen(argv[f], "r")))
00073             continue;
00074         else
00075             fclose(in);
00076         read_atm(argv[f], &ctl, atm);
00077
00078         /* Write data... */
00079         fprintf(out, "%.2f %g %g %g", atm->time[ip],
00080             Z(atm->p[ip]), atm->lon[ip], atm->lat[ip]);
00081         for (iq = 0; iq < ctl.nq; iq++) {
00082             fprintf(out, " ");
00083             fprintf(out, ctl.qnt_format[iq], atm->q[iq][ip]);
00084         }
00085         fprintf(out, "\n");
00086     }
00087
00088     /* Close file... */
00089     fclose(out);
00090
00091     /* Free... */
00092     free(atm);
00093
00094     return EXIT_SUCCESS;
00095 }

```

## 5.7 init.c File Reference

Create atmospheric data file with initial air parcel positions.

### Functions

- int [main](#) (int argc, char \*argv[])

### 5.7.1 Detailed Description

Create atmospheric data file with initial air parcel positions.

Definition in file [init.c](#).

### 5.7.2 Function Documentation

#### 5.7.2.1 `int main ( int argc, char * argv[] )`

Definition at line 27 of file [init.c](#).

```

00029         {
00030
00031     atm_t *atm;
00032
00033     ctl_t ctl;
00034
00035     gsl_rng *rng;
00036
00037     double dt, dz, dlon, dlat, lat0, lat1, lon0, lon1, t0, t1, z0, z1,
00038         t, z, lon, lat, st, sz, slon, slat, sx, ut, uz, ulon, ulat, m;
00039
00040     int ip, irep, rep;
00041
00042     /* Allocate... */
00043     ALLOC(atm, atm_t, 1);
00044
00045     /* Check arguments... */
00046     if (argc < 3)
00047         ERRMSG("Give parameters: <ctl> <atm_out>");
00048
00049     /* Read control parameters... */
00050     read_ctl(argv[1], argc, argv, &ctl);
00051     t0 = scan_ctl(argv[1], argc, argv, "INIT_T0", -1, "0", NULL);
00052     t1 = scan_ctl(argv[1], argc, argv, "INIT_T1", -1, "0", NULL);
00053     dt = scan_ctl(argv[1], argc, argv, "INIT_DT", -1, "1", NULL);
00054     z0 = scan_ctl(argv[1], argc, argv, "INIT_Z0", -1, "0", NULL);
00055     z1 = scan_ctl(argv[1], argc, argv, "INIT_Z1", -1, "0", NULL);
00056     dz = scan_ctl(argv[1], argc, argv, "INIT_DZ", -1, "1", NULL);
00057     lon0 = scan_ctl(argv[1], argc, argv, "INIT_LON0", -1, "0", NULL);
00058     lon1 = scan_ctl(argv[1], argc, argv, "INIT_LON1", -1, "0", NULL);
00059     dlon = scan_ctl(argv[1], argc, argv, "INIT_DLON", -1, "1", NULL);
00060     lat0 = scan_ctl(argv[1], argc, argv, "INIT_LAT0", -1, "0", NULL);
00061     lat1 = scan_ctl(argv[1], argc, argv, "INIT_LAT1", -1, "0", NULL);
00062     dlat = scan_ctl(argv[1], argc, argv, "INIT_DLAT", -1, "1", NULL);
00063     st = scan_ctl(argv[1], argc, argv, "INIT_ST", -1, "0", NULL);
00064     sz = scan_ctl(argv[1], argc, argv, "INIT_SZ", -1, "0", NULL);
00065     slon = scan_ctl(argv[1], argc, argv, "INIT_SLON", -1, "0", NULL);
00066     slat = scan_ctl(argv[1], argc, argv, "INIT_SLAT", -1, "0", NULL);
00067     sx = scan_ctl(argv[1], argc, argv, "INIT_SX", -1, "0", NULL);
00068     ut = scan_ctl(argv[1], argc, argv, "INIT_UT", -1, "0", NULL);
00069     uz = scan_ctl(argv[1], argc, argv, "INIT_UZ", -1, "0", NULL);
00070     ulon = scan_ctl(argv[1], argc, argv, "INIT_ULON", -1, "0", NULL);
00071     ulat = scan_ctl(argv[1], argc, argv, "INIT_ULAT", -1, "0", NULL);
00072     rep = (int) scan_ctl(argv[1], argc, argv, "INIT_REP", -1, "1", NULL);
00073     m = scan_ctl(argv[1], argc, argv, "INIT_MASS", -1, "0", NULL);
00074
00075     /* Initialize random number generator... */
00076     gsl_rng_env_setup();
00077     rng = gsl_rng_alloc(gsl_rng_default);
00078
00079     /* Create grid... */
00080     for (t = t0; t <= t1; t += dt)
00081         for (z = z0; z <= z1; z += dz)
00082             for (lon = lon0; lon <= lon1; lon += dlon)
00083                 for (lat = lat0; lat <= lat1; lat += dlat)
00084                     for (irep = 0; irep < rep; irep++) {
00085
00086                         /* Set position... */
00087                         atm->time[atm->np]
00088                             = (t + gsl_ran_gaussian_ziggurat(rng, st / 2.3548)
00089                                + ut * (gsl_rng_uniform(rng) - 0.5));
00089                         atm->p[atm->np]
00090                             = P(z + gsl_ran_gaussian_ziggurat(rng, sz / 2.3548)
00091                                + uz * (gsl_rng_uniform(rng) - 0.5));
00092                         atm->lon[atm->np]


```

```

00094         = (lon + gsl_ran_gaussian_ziggurat(rng, slon / 2.3548)
00095           + gsl_ran_gaussian_ziggurat(rng, dx2deg(sx, lat) / 2.3548)
00096           + ulon * (gsl_rng_uniform(rng) - 0.5));
00097     atm->lat[atm->np]
00098     = (lat + gsl_ran_gaussian_ziggurat(rng, slat / 2.3548)
00099       + gsl_ran_gaussian_ziggurat(rng, dy2deg(sx) / 2.3548)
00100       + ulat * (gsl_rng_uniform(rng) - 0.5));
00101
00102     /* Set particle counter... */
00103     if ((++atm->np) >= NP)
00104         ERRMSG("Too many particles!");
00105 }
00106
00107 /* Check number of air parcels... */
00108 if (atm->np <= 0)
00109     ERRMSG("Did not create any air parcels!");
00110
00111 /* Initialize mass... */
00112 if (ctl.qnt_m >= 0)
00113     for (ip = 0; ip < atm->np; ip++)
00114         atm->q[ctl.qnt_m][ip] = m / atm->np;
00115
00116 /* Save data... */
00117 write_atm(argv[2], &ctl, atm, t0);
00118
00119 /* Free... */
00120 gsl_rng_free(rng);
00121 free(atm);
00122
00123 return EXIT_SUCCESS;
00124 }

```

Here is the call graph for this function:



## 5.8 init.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of

```



```

00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.  See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC.  If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018  */
00019
00025  #include "libtrac.h"
00026
00027  int main(
00028      int argc,
00029      char *argv[]) {
00030
00031      atm_t *atm;
00032
00033      ctl_t ctl;
00034
00035      gsl_rng *rng;
00036
00037      double dt, dz, dlon, dlat, lat0, lat1, lon0, lon1, t0, t1, z0, z1,
00038          t, z, lon, lat, st, sz, slon, slat, sx, ut, uz, ulon, ulat, m;
00039
00040      int ip, irep, rep;
00041
00042      /* Allocate... */
00043      ALLOC(atm, atm_t, 1);
00044
00045      /* Check arguments... */
00046      if (argc < 3)
00047          ERRMSG("Give parameters: <ctl> <atm_out>");
00048
00049      /* Read control parameters... */
00050      read_ctl(argv[1], argc, argv, &ctl);
00051      t0 = scan_ctl(argv[1], argc, argv, "INIT_T0", -1, "0", NULL);
00052      t1 = scan_ctl(argv[1], argc, argv, "INIT_T1", -1, "0", NULL);
00053      dt = scan_ctl(argv[1], argc, argv, "INIT_DT", -1, "1", NULL);
00054      z0 = scan_ctl(argv[1], argc, argv, "INIT_Z0", -1, "0", NULL);
00055      z1 = scan_ctl(argv[1], argc, argv, "INIT_Z1", -1, "0", NULL);
00056      dz = scan_ctl(argv[1], argc, argv, "INIT_DZ", -1, "1", NULL);
00057      lon0 = scan_ctl(argv[1], argc, argv, "INIT_LON0", -1, "0", NULL);
00058      lon1 = scan_ctl(argv[1], argc, argv, "INIT_LON1", -1, "0", NULL);
00059      dlon = scan_ctl(argv[1], argc, argv, "INIT_DLON", -1, "1", NULL);
00060      lat0 = scan_ctl(argv[1], argc, argv, "INIT_LAT0", -1, "0", NULL);
00061      lat1 = scan_ctl(argv[1], argc, argv, "INIT_LAT1", -1, "0", NULL);
00062      dlat = scan_ctl(argv[1], argc, argv, "INIT_DLAT", -1, "1", NULL);
00063      st = scan_ctl(argv[1], argc, argv, "INIT_ST", -1, "0", NULL);
00064      sz = scan_ctl(argv[1], argc, argv, "INIT_SZ", -1, "0", NULL);
00065      slon = scan_ctl(argv[1], argc, argv, "INIT_SLON", -1, "0", NULL);
00066      slat = scan_ctl(argv[1], argc, argv, "INIT_SLAT", -1, "0", NULL);
00067      sx = scan_ctl(argv[1], argc, argv, "INIT_SX", -1, "0", NULL);
00068      ut = scan_ctl(argv[1], argc, argv, "INIT_UT", -1, "0", NULL);
00069      uz = scan_ctl(argv[1], argc, argv, "INIT_UZ", -1, "0", NULL);
00070      ulon = scan_ctl(argv[1], argc, argv, "INIT_ULON", -1, "0", NULL);
00071      ulat = scan_ctl(argv[1], argc, argv, "INIT_ULAT", -1, "0", NULL);
00072      rep = (int) scan_ctl(argv[1], argc, argv, "INIT_REP", -1, "1", NULL);
00073      m = scan_ctl(argv[1], argc, argv, "INIT_MASS", -1, "0", NULL);
00074
00075      /* Initialize random number generator... */
00076      gsl_rng_env_setup();
00077      rng = gsl_rng_alloc(gsl_rng_default);
00078
00079      /* Create grid... */
00080      for (t = t0; t <= t1; t += dt)
00081          for (z = z0; z <= z1; z += dz)
00082              for (lon = lon0; lon <= lon1; lon += dlon)
00083                  for (lat = lat0; lat <= lat1; lat += dlat)
00084                      for (irep = 0; irep < rep; irep++) {
00085
00086                          /* Set position... */
00087                          atm->time[atm->np]
00088                              = (t + gsl_ran_gaussian_ziggurat(rng, st / 2.3548)
00089                                  + ut * (gsl_rng_uniform(rng) - 0.5));
00089                          atm->p[atm->np]
00090                              = P(z + gsl_ran_gaussian_ziggurat(rng, sz / 2.3548)
00091                                  + uz * (gsl_rng_uniform(rng) - 0.5));
00092                          atm->lon[atm->np]
00093                              = (lon + gsl_ran_gaussian_ziggurat(rng, slon / 2.3548)
00094                                  + gsl_ran_gaussian_ziggurat(rng, dx2deg(sx, lat) / 2.3548)
00095                                  + ulon * (gsl_rng_uniform(rng) - 0.5));
00096                          atm->lat[atm->np]
00097                              = (lat + gsl_ran_gaussian_ziggurat(rng, slat / 2.3548)
00098                                  + gsl_ran_gaussian_ziggurat(rng, dy2deg(sx) / 2.3548)
00099                                  + ulat * (gsl_rng_uniform(rng) - 0.5));
00100
00101                          /* Set particle counter... */

```

```

00103             if (++atm->np) >= NP)
00104                 ERRMSG("Too many particles!");
00105         }
00106
00107         /* Check number of air parcels... */
00108         if (atm->np <= 0)
00109             ERRMSG("Did not create any air parcels!");
00110
00111         /* Initialize mass... */
00112         if (ctl.qnt_m >= 0)
00113             for (ip = 0; ip < atm->np; ip++)
00114                 atm->q[ctl.qnt_m][ip] = m / atm->np;
00115
00116         /* Save data... */
00117         write_atm(argv[2], &ctl, atm, t0);
00118
00119         /* Free... */
00120         gsl_rng_free(rng);
00121         free(atm);
00122
00123         return EXIT_SUCCESS;
00124     }

```

## 5.9 jsec2time.c File Reference

Convert Julian seconds to date.

### Functions

- int [main](#) (int argc, char \*argv[])

### 5.9.1 Detailed Description

Convert Julian seconds to date.

Definition in file [jsec2time.c](#).

### 5.9.2 Function Documentation

#### 5.9.2.1 int main ( int argc, char \* argv[] )

Definition at line 27 of file [jsec2time.c](#).

```

00029         {
00030
00031         double jsec, remain;
00032
00033         int day, hour, min, mon, sec, year;
00034
00035         /* Check arguments... */
00036         if (argc < 2)
00037             ERRMSG("Give parameters: <jsec>");
00038
00039         /* Read arguments... */
00040         jsec = atof(argv[1]);
00041
00042         /* Convert time... */
00043         jsec2time(jsec, &year, &mon, &day, &hour, &min, &sec, &remain);
00044         printf("%d %d %d %d %d %d %g\n", year, mon, day, hour, min, sec, remain);
00045
00046         return EXIT_SUCCESS;
00047     }

```

Here is the call graph for this function:



## 5.10 jsec2time.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 int main(
00028     int argc,
00029     char *argv[]) {
00030
00031     double jsec, remain;
00032
00033     int day, hour, min, mon, sec, year;
00034
00035     /* Check arguments... */
00036     if (argc < 2)
00037         ERRMSG("Give parameters: <jsec>");
00038
00039     /* Read arguments... */
00040     jsec = atof(argv[1]);
00041
00042     /* Convert time... */
00043     jsec2time(jsec, &year, &mon, &day, &hour, &min, &sec, &remain);
00044     printf("%d %d %d %d %d %d %g\n", year, mon, day, hour, min, sec, remain);
00045
00046     return EXIT_SUCCESS;
00047 }
  
```

## 5.11 libtrac.c File Reference

MPTRAC library definitions.

### Functions

- void `cart2geo` (double \*x, double \*z, double \*lon, double \*lat)  
*Convert Cartesian coordinates to geolocation.*
- double `deg2dx` (double dlon, double lat)

- Convert degrees to horizontal distance.*

  - double [deg2dy](#) (double dlat)
- Convert degrees to horizontal distance.*

  - double [dp2dz](#) (double dp, double p)
- Convert pressure to vertical distance.*

  - double [dx2deg](#) (double dx, double lat)
- Convert horizontal distance to degrees.*

  - double [dy2deg](#) (double dy)
- Convert horizontal distance to degrees.*

  - double [dz2dp](#) (double dz, double p)
- Convert vertical distance to pressure.*

  - void [geo2cart](#) (double z, double lon, double lat, double \*x)
- Convert geolocation to Cartesian coordinates.*

  - void [get\\_met](#) (ctl\_t \*ctl, char \*metbase, double t, met\_t \*met0, met\_t \*met1)
- Get meteorological data for given timestep.*

  - void [get\\_met\\_help](#) (double t, int direct, char \*metbase, double dt\_met, char \*filename)
- Get meteorological data for timestep.*

  - void [intpol\\_met\\_2d](#) (double array[EX][EY], int ix, int iy, double wx, double wy, double \*var)
- Linear interpolation of 2-D meteorological data.*

  - void [intpol\\_met\\_3d](#) (float array[EX][EY][EP], int ip, int ix, int iy, double wp, double wx, double wy, double \*var)
- Linear interpolation of 3-D meteorological data.*

  - void [intpol\\_met\\_space](#) (met\_t \*met, double p, double lon, double lat, double \*ps, double \*t, double \*u, double \*v, double \*w, double \*h2o, double \*o3)
- Spatial interpolation of meteorological data.*

  - void [intpol\\_met\\_time](#) (met\_t \*met0, met\_t \*met1, double ts, double p, double lon, double lat, double \*ps, double \*t, double \*u, double \*v, double \*w, double \*h2o, double \*o3)
- Temporal interpolation of meteorological data.*

  - void [jsec2time](#) (double jsec, int \*year, int \*mon, int \*day, int \*hour, int \*min, int \*sec, double \*remain)
- Convert seconds to date.*

  - int [locate](#) (double \*xx, int n, double x)
- Find array index.*

  - void [read\\_atm](#) (const char \*filename, ctl\_t \*ctl, atm\_t \*atm)
- Read atmospheric data.*

  - void [read\\_ctl](#) (const char \*filename, int argc, char \*argv[], ctl\_t \*ctl)
- Read control parameters.*

  - void [read\\_met](#) (ctl\_t \*ctl, char \*filename, met\_t \*met)
- Read meteorological data file.*

  - void [read\\_met\\_extrapolate](#) (met\_t \*met)
- Extrapolate meteorological data at lower boundary.*

  - void [read\\_met\\_help](#) (int ncid, char \*varname, char \*varname2, met\_t \*met, float dest[EX][EY][EP], float scl)
- Read and convert variable from meteorological data file.*

  - void [read\\_met\\_ml2pl](#) (ctl\_t \*ctl, met\_t \*met, float var[EX][EY][EP])
- Convert meteorological data from model levels to pressure levels.*

  - void [read\\_met\\_periodic](#) (met\_t \*met)
- Create meteorological data with periodic boundary conditions.*

  - double [scan\\_ctl](#) (const char \*filename, int argc, char \*argv[], const char \*varname, int arridx, const char \*defvalue, char \*value)
- Read a control parameter from file or command line.*

  - void [time2jsec](#) (int year, int mon, int day, int hour, int min, int sec, double remain, double \*jsec)
- Convert date to seconds.*

  - void [timer](#) (const char \*name, int id, int mode)

*Measure wall-clock time.*

- double [tropopause](#) (double t, double lat)
- void [write\\_atm](#) (const char \*filename, [ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm, double t)

*Write atmospheric data.*

- void [write\\_csi](#) (const char \*filename, [ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm, double t)

*Write CSI data.*

- void [write\\_ens](#) (const char \*filename, [ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm, double t)

*Write ensemble data.*

- void [write\\_grid](#) (const char \*filename, [ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, double t)

*Write gridded data.*

- void [write\\_prof](#) (const char \*filename, [ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, double t)

*Write profile data.*

- void [write\\_station](#) (const char \*filename, [ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm, double t)

*Write station data.*

### 5.11.1 Detailed Description

MPTRAC library definitions.

Definition in file [libtrac.c](#).

### 5.11.2 Function Documentation

#### 5.11.2.1 void cart2geo ( double \* x, double \* z, double \* lon, double \* lat )

Convert Cartesian coordinates to geolocation.

Definition at line 29 of file [libtrac.c](#).

```
00033         {
00034
00035     double radius;
00036
00037     radius = NORM(x);
00038     *lat = asin(x[2] / radius) * 180 / M_PI;
00039     *lon = atan2(x[1], x[0]) * 180 / M_PI;
00040     *z = radius - RE;
00041 }
```

#### 5.11.2.2 double deg2dx ( double dlon, double lat )

Convert degrees to horizontal distance.

Definition at line 45 of file [libtrac.c](#).

```
00047         {
00048
00049     return dlon * M_PI * RE / 180. * cos(lat / 180. * M_PI);
00050 }
```

### 5.11.2.3 double deg2dy ( double *dlat* )

Convert degrees to horizontal distance.

Definition at line 54 of file [libtrac.c](#).

```
00055         {
00056
00057     return dlat * M_PI * RE / 180.;
00058 }
```

### 5.11.2.4 double dp2dz ( double *dp*, double *p* )

Convert pressure to vertical distance.

Definition at line 62 of file [libtrac.c](#).

```
00064         {
00065
00066     return -dp * H0 / p;
00067 }
```

### 5.11.2.5 double dx2deg ( double *dx*, double *lat* )

Convert horizontal distance to degrees.

Definition at line 71 of file [libtrac.c](#).

```
00073         {
00074
00075     /* Avoid singularity at poles... */
00076     if (lat < -89.999 || lat > 89.999)
00077         return 0;
00078     else
00079         return dx * 180. / (M_PI * RE * cos(lat / 180. * M_PI));
00080 }
```

### 5.11.2.6 double dy2deg ( double *dy* )

Convert horizontal distance to degrees.

Definition at line 84 of file [libtrac.c](#).

```
00085         {
00086
00087     return dy * 180. / (M_PI * RE);
00088 }
```

### 5.11.2.7 double dz2dp ( double *dz*, double *p* )

Convert vertical distance to pressure.

Definition at line 92 of file [libtrac.c](#).

```
00094         {
00095
00096     return -dz * p / H0;
00097 }
```

### 5.11.2.8 void geo2cart ( double z, double lon, double lat, double \* x )

Convert geolocation to Cartesian coordinates.

Definition at line 101 of file [libtrac.c](#).

```
00105     {
00106
00107     double radius;
00108
00109     radius = z + RE;
00110     x[0] = radius * cos(lat / 180 * M_PI) * cos(lon / 180 * M_PI);
00111     x[1] = radius * cos(lat / 180 * M_PI) * sin(lon / 180 * M_PI);
00112     x[2] = radius * sin(lat / 180 * M_PI);
00113 }
```


### 5.11.2.9 void get\_met ( ctl\_t \* ctl, char \* metbase, double t, met\_t \* met0, met\_t \* met1 )

Get meteorological data for given timestep.

Definition at line 117 of file [libtrac.c](#).

```
00122     {
00123
00124     char filename[LEN];
00125
00126     static int init;
00127
00128     /* Init... */
00129     if (!init) {
00130         init = 1;
00131
00132         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00133         read_met(ctl, filename, met0);
00134
00135         get_met_help(t + 1.0 * ctl->direction, 1, metbase, ctl->
dt_met, filename);
00136         read_met(ctl, filename, met1);
00137     }
00138
00139     /* Read new data for forward trajectories... */
00140     if (t > met1->time && ctl->direction == 1) {
00141         memcpy(met0, met1, sizeof(met_t));
00142         get_met_help(t, 1, metbase, ctl->dt_met, filename);
00143         read_met(ctl, filename, met1);
00144     }
00145
00146     /* Read new data for backward trajectories... */
00147     if (t < met0->time && ctl->direction == -1) {
00148         memcpy(met1, met0, sizeof(met_t));
00149         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00150         read_met(ctl, filename, met0);
00151     }
00152 }
```

Here is the call graph for this function:



#### 5.11.2.10 void get\_met\_help ( double *t*, int *direct*, char \* *metbase*, double *dt\_met*, char \* *filename* )

Get meteorological data for timestep.

Definition at line 156 of file [libtrac.c](#).

```

00161         {
00162
00163     double t6, r;
00164
00165     int year, mon, day, hour, min, sec;
00166
00167     /* Round time to fixed intervals... */
00168     if (direct == -1)
00169         t6 = floor(t / dt_met) * dt_met;
00170     else
00171         t6 = ceil(t / dt_met) * dt_met;
00172
00173     /* Decode time... */
00174     jsec2time(t6, &year, &mon, &day, &hour, &min, &sec, &r);
00175
00176     /* Set filename... */
00177     sprintf(filename, "%s_%d_%02d_%02d.nc", metbase, year, mon, day, hour);
00178 }
  
```

Here is the call graph for this function:





### 5.11.2.11 void intpol\_met\_2d ( double array[EX][EY], int ix, int iy, double wx, double wy, double \* var )

Linear interpolation of 2-D meteorological data.

Definition at line 182 of file [libtrac.c](#).

```
00188         {
00189
00190     double aux00, aux01, aux10, aux11;
00191
00192     /* Set variables... */
00193     aux00 = array[ix][iy];
00194     aux01 = array[ix][iy + 1];
00195     aux10 = array[ix + 1][iy];
00196     aux11 = array[ix + 1][iy + 1];
00197
00198     /* Interpolate horizontally... */
00199     aux00 = wy * (aux00 - aux01) + aux01;
00200     aux11 = wy * (aux10 - aux11) + aux11;
00201     *var = wx * (aux00 - aux11) + aux11;
00202 }
```

### 5.11.2.12 void intpol\_met\_3d ( float array[EX][EY][EP], int ip, int ix, int iy, double wp, double wx, double wy, double \* var )

Linear interpolation of 3-D meteorological data.

Definition at line 206 of file [libtrac.c](#).

```
00214         {
00215
00216     double aux00, aux01, aux10, aux11;
00217
00218     /* Interpolate vertically... */
00219     aux00 = wp * (array[ix][iy][ip] - array[ix][iy][ip + 1])
00220         + array[ix][iy][ip + 1];
00221     aux01 = wp * (array[ix][iy + 1][ip] - array[ix][iy + 1][ip + 1])
00222         + array[ix][iy + 1][ip + 1];
00223     aux10 = wp * (array[ix + 1][iy][ip] - array[ix + 1][iy][ip + 1])
00224         + array[ix + 1][iy][ip + 1];
00225     aux11 = wp * (array[ix + 1][iy + 1][ip] - array[ix + 1][iy + 1][ip + 1])
00226         + array[ix + 1][iy + 1][ip + 1];
00227
00228     /* Interpolate horizontally... */
00229     aux00 = wy * (aux00 - aux01) + aux01;
00230     aux11 = wy * (aux10 - aux11) + aux11;
00231     *var = wx * (aux00 - aux11) + aux11;
00232 }
```

### 5.11.2.13 void intpol\_met\_space ( met\_t \* met, double p, double lon, double lat, double \* ps, double \* t, double \* u, double \* v, double \* w, double \* h2o, double \* o3 )

Spatial interpolation of meteorological data.

Definition at line 236 of file [libtrac.c](#).


```
00247         {
00248
00249     double wp, wx, wy;
00250
00251     int ip, ix, iy;
00252
00253     /* Check longitude... */
00254     if (met->lon[met->nx - 1] > 180 && lon < 0)
00255         lon += 360;
00256
00257     /* Get indices... */
00258     ip = locate(met->p, met->np, p);
00259     ix = locate(met->lon, met->nx, lon);
00260     iy = locate(met->lat, met->ny, lat);
```

```

00261
00262  /* Get weights... */
00263  wp = (met->p[ip + 1] - p) / (met->p[ip + 1] - met->p[ip]);
00264  wx = (met->lon[ix + 1] - lon) / (met->lon[ix + 1] - met->lon[ix]);
00265  wy = (met->lat[iy + 1] - lat) / (met->lat[iy + 1] - met->lat[iy]);
00266
00267  /* Interpolate... */
00268  if (ps != NULL)
00269      intpol_met_2d(met->ps, ix, iy, wx, wy, ps);
00270  if (t != NULL)
00271      intpol_met_3d(met->t, ip, ix, iy, wp, wx, wy, t);
00272  if (u != NULL)
00273      intpol_met_3d(met->u, ip, ix, iy, wp, wx, wy, u);
00274  if (v != NULL)
00275      intpol_met_3d(met->v, ip, ix, iy, wp, wx, wy, v);
00276  if (w != NULL)
00277      intpol_met_3d(met->w, ip, ix, iy, wp, wx, wy, w);
00278  if (h2o != NULL)
00279      intpol_met_3d(met->h2o, ip, ix, iy, wp, wx, wy, h2o);
00280  if (o3 != NULL)
00281      intpol_met_3d(met->o3, ip, ix, iy, wp, wx, wy, o3);
00282 }

```

Here is the call graph for this function:



**5.11.2.14** void intpol\_met\_time ( met\_t \* met0, met\_t \* met1, double ts, double p, double lon, double lat, double \* ps, double \* t, double \* u, double \* v, double \* w, double \* h2o, double \* o3 )

Temporal interpolation of meteorological data.

Definition at line 286 of file libtrac.c.

```

00299      {
00300
00301      double h2o0, h2o1, o30, o31, ps0, ps1, t0, t1, u0, u1, v0, v1, w0, w1, wt;
00302
00303      /* Spatial interpolation... */
00304      intpol_met_space(met0, p, lon, lat,
00305                      ps == NULL ? NULL : &ps0,
00306                      t == NULL ? NULL : &t0,
00307                      u == NULL ? NULL : &u0,
00308                      v == NULL ? NULL : &v0,
00309                      w == NULL ? NULL : &w0,
00310                      h2o == NULL ? NULL : &h2o0, o3 == NULL ? NULL : &o30);
00311      intpol_met_space(met1, p, lon, lat,
00312                      ps == NULL ? NULL : &ps1,
00313                      t == NULL ? NULL : &t1,
00314                      u == NULL ? NULL : &u1,
00315                      v == NULL ? NULL : &v1,
00316                      w == NULL ? NULL : &w1,
00317                      h2o == NULL ? NULL : &h2o1, o3 == NULL ? NULL : &o31);
00318


```

```

00319  /* Get weighting factor... */
00320  wt = (met1->time - ts) / (met1->time - met0->time);
00321
00322  /* Interpolate... */
00323  if (ps != NULL)
00324      *ps = wt * (ps0 - ps1) + ps1;
00325  if (t != NULL)
00326      *t = wt * (t0 - t1) + t1;
00327  if (u != NULL)
00328      *u = wt * (u0 - u1) + u1;
00329  if (v != NULL)
00330      *v = wt * (v0 - v1) + v1;
00331  if (w != NULL)
00332      *w = wt * (w0 - w1) + w1;
00333  if (h2o != NULL)
00334      *h2o = wt * (h2o0 - h2o1) + h2o1;
00335  if (o3 != NULL)
00336      *o3 = wt * (o30 - o31) + o31;
00337  }

```

Here is the call graph for this function:



**5.11.2.15** void jsec2time ( double jsec, int \* year, int \* mon, int \* day, int \* hour, int \* min, int \* sec, double \* remain )

Convert seconds to date.

Definition at line 341 of file `libtrac.c`.

```

00349      {
00350
00351  struct tm t0, *t1;
00352
00353  time_t jsec0;
00354
00355  t0.tm_year = 100;
00356  t0.tm_mon = 0;
00357  t0.tm_mday = 1;
00358  t0.tm_hour = 0;
00359  t0.tm_min = 0;
00360  t0.tm_sec = 0;
00361
00362  jsec0 = (time_t) jsec + timegm(&t0);
00363  t1 = gmtime(&jsec0);
00364
00365  *year = t1->tm_year + 1900;
00366  *mon = t1->tm_mon + 1;
00367  *day = t1->tm_mday;
00368  *hour = t1->tm_hour;
00369  *min = t1->tm_min;
00370  *sec = t1->tm_sec;
00371  *remain = jsec - floor(jsec);
00372  }

```

## 5.11.2.16 int locate ( double \* xx, int n, double x )

Find array index.

Definition at line 376 of file libtrac.c.

```

00379         {
00380
00381     int i, ilo, ihi;
00382
00383     ilo = 0;
00384     ihi = n - 1;
00385     i = (ihi + ilo) >> 1;
00386
00387     if (xx[i] < xx[i + 1])
00388         while (ihi > ilo + 1) {
00389             i = (ihi + ilo) >> 1;
00390             if (xx[i] > x)
00391                 ihi = i;
00392             else
00393                 ilo = i;
00394         } else
00395             while (ihi > ilo + 1) {
00396                 i = (ihi + ilo) >> 1;
00397                 if (xx[i] <= x)
00398                     ihi = i;
00399                 else
00400                     ilo = i;
00401             }
00402     return ilo;
00403 }
00404 }
```

## 5.11.2.17 void read\_atm ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm )

Read atmospheric data.

Definition at line 408 of file libtrac.c.

```

00411         {
00412
00413     FILE *in;
00414
00415     char line[LEN], *tok;
00416
00417     int iq;
00418
00419     /* Init... */
00420     atm->np = 0;
00421
00422     /* Write info... */
00423     printf("Read atmospheric data: %s\n", filename);
00424
00425     /* Open file... */
00426     if (!(in = fopen(filename, "r")))
00427         ERRMSG("Cannot open file!");
00428
00429     /* Read line... */
00430     while (fgets(line, LEN, in)) {
00431
00432         /* Read data... */
00433         TOK(line, tok, "%lg", atm->time[atm->np]);
00434         TOK(NULL, tok, "%lg", atm->p[atm->np]);
00435         TOK(NULL, tok, "%lg", atm->lon[atm->np]);
00436         TOK(NULL, tok, "%lg", atm->lat[atm->np]);
00437         for (iq = 0; iq < ctl->nq; iq++)
00438             TOK(NULL, tok, "%lg", atm->q[iq][atm->np]);
00439
00440         /* Convert altitude to pressure... */
00441         atm->p[atm->np] = P(atm->p[atm->np]);
00442
00443         /* Increment data point counter... */
00444         if ((++atm->np) > NP)
00445             ERRMSG("Too many data points!");
00446     }
00447
00448     /* Close file... */
00449     fclose(in);
00450
00451     /* Check number of points... */
00452     if (atm->np < 1)
00453         ERRMSG("Can not read any data!");
00454 }
```

### 5.11.2.18 void read\_ctl( const char \* filename, int argc, char \* argv[], ctl\_t \* ctl )

Read control parameters.

Definition at line 458 of file [libtrac.c](#).

```

00462         {
00463
00464     int ip, iq;
00465
00466     /* Write info... */
00467     printf("\nMassive-Parallel Trajectory Calculations (MPTRAC)\n"
00468           "(executable: %s | compiled: %s, %s)\n\n",
00469           argv[0], __DATE__, __TIME__);
00470
00471     /* Initialize quantity indices... */
00472     ctl->qnt_ens = -1;
00473     ctl->qnt_m = -1;
00474     ctl->qnt_r = -1;
00475     ctl->qnt_rho = -1;
00476     ctl->qnt_ps = -1;
00477     ctl->qnt_p = -1;
00478     ctl->qnt_t = -1;
00479     ctl->qnt_u = -1;
00480     ctl->qnt_v = -1;
00481     ctl->qnt_w = -1;
00482     ctl->qnt_h2o = -1;
00483     ctl->qnt_o3 = -1;
00484     ctl->qnt_theta = -1;
00485     ctl->qnt_pv = -1;
00486     ctl->qnt_tice = -1;
00487     ctl->qnt_tsts = -1;
00488     ctl->qnt_tnat = -1;
00489     ctl->qnt_gw_var = -1;
00490     ctl->qnt_stat = -1;
00491
00492     /* Read quantities... */
00493     ctl->nq = (int) scan_ctl(filename, argc, argv, "NQ", -1, "0", NULL);
00494     if (ctl->nq > NQ)
00495         ERRMSG("Too many quantities!");
00496     for (iq = 0; iq < ctl->nq; iq++) {
00497
00498         /* Read quantity name and format... */
00499         scan_ctl(filename, argc, argv, "QNT_NAME", iq, "", ctl->qnt_name[iq]);
00500         scan_ctl(filename, argc, argv, "QNT_FORMAT", iq, "%g",
00501                 ctl->qnt_format[iq]);
00502
00503         /* Try to identify quantity... */
00504         if (strcmp(ctl->qnt_name[iq], "ens") == 0) {
00505             ctl->qnt_ens = iq;
00506             sprintf(ctl->qnt_unit[iq], "-");
00507         } else if (strcmp(ctl->qnt_name[iq], "m") == 0) {
00508             ctl->qnt_m = iq;
00509             sprintf(ctl->qnt_unit[iq], "kg");
00510         } else if (strcmp(ctl->qnt_name[iq], "r") == 0) {
00511             ctl->qnt_r = iq;
00512             sprintf(ctl->qnt_unit[iq], "m");
00513         } else if (strcmp(ctl->qnt_name[iq], "rho") == 0) {
00514             ctl->qnt_rho = iq;
00515             sprintf(ctl->qnt_unit[iq], "kg/m^3");
00516         } else if (strcmp(ctl->qnt_name[iq], "ps") == 0) {
00517             ctl->qnt_ps = iq;
00518             sprintf(ctl->qnt_unit[iq], "hPa");
00519         } else if (strcmp(ctl->qnt_name[iq], "p") == 0) {
00520             ctl->qnt_p = iq;
00521             sprintf(ctl->qnt_unit[iq], "hPa");
00522         } else if (strcmp(ctl->qnt_name[iq], "t") == 0) {
00523             ctl->qnt_t = iq;
00524             sprintf(ctl->qnt_unit[iq], "K");
00525         } else if (strcmp(ctl->qnt_name[iq], "u") == 0) {
00526             ctl->qnt_u = iq;
00527             sprintf(ctl->qnt_unit[iq], "m/s");
00528         } else if (strcmp(ctl->qnt_name[iq], "v") == 0) {
00529             ctl->qnt_v = iq;
00530             sprintf(ctl->qnt_unit[iq], "m/s");
00531         } else if (strcmp(ctl->qnt_name[iq], "w") == 0) {
00532             ctl->qnt_w = iq;
00533             sprintf(ctl->qnt_unit[iq], "hPa/s");
00534         } else if (strcmp(ctl->qnt_name[iq], "h2o") == 0) {
00535             ctl->qnt_h2o = iq;
00536             sprintf(ctl->qnt_unit[iq], "l");
00537         } else if (strcmp(ctl->qnt_name[iq], "o3") == 0) {
00538             ctl->qnt_o3 = iq;

```

```

00539     sprintf(ctl->qnt_unit[iq], "1");
00540 } else if (strcmp(ctl->qnt_name[iq], "theta") == 0) {
00541     ctl->qnt_theta = iq;
00542     sprintf(ctl->qnt_unit[iq], "K");
00543 } else if (strcmp(ctl->qnt_name[iq], "pv") == 0) {
00544     ctl->qnt_pv = iq;
00545     sprintf(ctl->qnt_unit[iq], "PVU");
00546 } else if (strcmp(ctl->qnt_name[iq], "tice") == 0) {
00547     ctl->qnt_tice = iq;
00548     sprintf(ctl->qnt_unit[iq], "K");
00549 } else if (strcmp(ctl->qnt_name[iq], "tsts") == 0) {
00550     ctl->qnt_tsts = iq;
00551     sprintf(ctl->qnt_unit[iq], "K");
00552 } else if (strcmp(ctl->qnt_name[iq], "tnat") == 0) {
00553     ctl->qnt_tnat = iq;
00554     sprintf(ctl->qnt_unit[iq], "K");
00555 } else if (strcmp(ctl->qnt_name[iq], "gw_var") == 0) {
00556     ctl->qnt_gw_var = iq;
00557     sprintf(ctl->qnt_unit[iq], "K^2");
00558 } else if (strcmp(ctl->qnt_name[iq], "stat") == 0) {
00559     ctl->qnt_stat = iq;
00560     sprintf(ctl->qnt_unit[iq], "-");
00561 } else
00562     scan_ctl(filename, argc, argv, "QNT_UNIT", iq, "", ctl->qnt_unit[iq]);
00563 }
00564
00565 /* Time steps of simulation... */
00566 ctl->direction =
00567     (int) scan_ctl(filename, argc, argv, "DIRECTION", -1, "1", NULL);
00568 if (ctl->direction != -1 && ctl->direction != 1)
00569     ERRMSG("Set DIRECTION to -1 or 1!");
00570 ctl->t_start =
00571     scan_ctl(filename, argc, argv, "T_START", -1, "-1e100", NULL);
00572 ctl->t_stop = scan_ctl(filename, argc, argv, "T_STOP", -1, "-1e100", NULL);
00573 ctl->dt_mod = scan_ctl(filename, argc, argv, "DT_MOD", -1, "600", NULL);
00574
00575 /* Meteorological data... */
00576 ctl->dt_met = scan_ctl(filename, argc, argv, "DT_MET", -1, "21600", NULL);
00577 ctl->met_np = (int) scan_ctl(filename, argc, argv, "MET_NP", -1, "0", NULL);
00578 if (ctl->met_np > EP)
00579     ERRMSG("Too many levels!");
00580 for (ip = 0; ip < ctl->met_np; ip++)
00581     ctl->met_p[ip] = scan_ctl(filename, argc, argv, "MET_P", ip, "", NULL);
00582
00583 /* Isosurface parameters... */
00584 ctl->isosurf
00585     = (int) scan_ctl(filename, argc, argv, "ISOSURF", -1, "0", NULL);
00586 scan_ctl(filename, argc, argv, "BALLOON", -1, "-", ctl->balloon);
00587
00588 /* Diffusion parameters... */
00589 ctl->turb_dx_trop
00590     = scan_ctl(filename, argc, argv, "TURB_DX_TROP", -1, "50.0", NULL);
00591 ctl->turb_dx_strat
00592     = scan_ctl(filename, argc, argv, "TURB_DX_STRAT", -1, "0.0", NULL);
00593 ctl->turb_dz_trop
00594     = scan_ctl(filename, argc, argv, "TURB_DZ_TROP", -1, "0.0", NULL);
00595 ctl->turb_dz_strat
00596     = scan_ctl(filename, argc, argv, "TURB_DZ_STRAT", -1, "0.1", NULL);
00597 ctl->turb_meso =
00598     scan_ctl(filename, argc, argv, "TURB_MESO", -1, "0.16", NULL);
00599
00600 /* Life time of particles... */
00601 ctl->tdec_trop = scan_ctl(filename, argc, argv, "TDEC_TROP", -1, "0", NULL);
00602 ctl->tdec_strat =
00603     scan_ctl(filename, argc, argv, "TDEC_STRAT", -1, "0", NULL);
00604
00605 /* PSC analysis... */
00606 ctl->psc_h2o = scan_ctl(filename, argc, argv, "PSC_H2O", -1, "4e-6", NULL);
00607 ctl->psc_hno3 =
00608     scan_ctl(filename, argc, argv, "PSC_HNO3", -1, "9e-9", NULL);
00609
00610 /* Gravity wave analysis... */
00611 scan_ctl(filename, argc, argv, "GW_BASENAME", -1, "-", ctl->
00612 gw_basename);
00613
00614 /* Output of atmospheric data... */
00615 scan_ctl(filename, argc, argv, "ATM_BASENAME", -1, "-", ctl->
00616 atm_basename);
00617 scan_ctl(filename, argc, argv, "ATM_GPFIL", -1, "-", ctl->atm_gpfile);
00618 ctl->atm_dt_out =
00619     scan_ctl(filename, argc, argv, "ATM_DT_OUT", -1, "86400", NULL);
00620 ctl->atm_filter =
00621     (int) scan_ctl(filename, argc, argv, "ATM_FILTER", -1, "0", NULL);
00622
00623 /* Output of CSI data... */
00624 scan_ctl(filename, argc, argv, "CSI_BASENAME", -1, "-", ctl->
00625 csi_basename);

```

```

00623 ctl->csi_dt_out =
00624     scan_ctl(filename, argc, argv, "CSI_DT_OUT", -1, "86400", NULL);
00625 scan_ctl(filename, argc, argv, "CSI_OBSFILE", -1, "obs.tab",
00626     ctl->csi_obsfile);
00627 ctl->csi_obsmin =
00628     scan_ctl(filename, argc, argv, "CSI_OBSMIN", -1, "0", NULL);
00629 ctl->csi_modmin =
00630     scan_ctl(filename, argc, argv, "CSI_MODMIN", -1, "0", NULL);
00631 ctl->csi_z0 = scan_ctl(filename, argc, argv, "CSI_Z0", -1, "0", NULL);
00632 ctl->csi_z1 = scan_ctl(filename, argc, argv, "CSI_Z1", -1, "100", NULL);
00633 ctl->csi_nz = (int) scan_ctl(filename, argc, argv, "CSI_NZ", -1, "1", NULL);
00634 ctl->csi_lon0 =
00635     scan_ctl(filename, argc, argv, "CSI_LON0", -1, "-180", NULL);
00636 ctl->csi_lon1 = scan_ctl(filename, argc, argv, "CSI_LON1", -1, "180", NULL);
00637 ctl->csi_nx =
00638     (int) scan_ctl(filename, argc, argv, "CSI_NX", -1, "360", NULL);
00639 ctl->csi_lat0 = scan_ctl(filename, argc, argv, "CSI_LAT0", -1, "-90", NULL);
00640 ctl->csi_lat1 = scan_ctl(filename, argc, argv, "CSI_LAT1", -1, "90", NULL);
00641 ctl->csi_ny =
00642     (int) scan_ctl(filename, argc, argv, "CSI_NY", -1, "180", NULL);
00643
00644 /* Output of ensemble data... */
00645 scan_ctl(filename, argc, argv, "ENS_BASENAME", -1, "-", ctl->
ens_basename);
00646
00647 /* Output of grid data... */
00648 scan_ctl(filename, argc, argv, "GRID_BASENAME", -1, "-",
00649     ctl->grid_basename);
00650 scan_ctl(filename, argc, argv, "GRID_GPFILE", -1, "-", ctl->
grid_gpfile);
00651 ctl->grid_dt_out =
00652     scan_ctl(filename, argc, argv, "GRID_DT_OUT", -1, "86400", NULL);
00653 ctl->grid_sparse =
00654     (int) scan_ctl(filename, argc, argv, "GRID_SPARSE", -1, "0", NULL);
00655 ctl->grid_z0 = scan_ctl(filename, argc, argv, "GRID_Z0", -1, "0", NULL);
00656 ctl->grid_z1 = scan_ctl(filename, argc, argv, "GRID_Z1", -1, "100", NULL);
00657 ctl->grid_nz =
00658     (int) scan_ctl(filename, argc, argv, "GRID_NZ", -1, "1", NULL);
00659 ctl->grid_lon0 =
00660     scan_ctl(filename, argc, argv, "GRID_LON0", -1, "-180", NULL);
00661 ctl->grid_lon1 =
00662     scan_ctl(filename, argc, argv, "GRID_LON1", -1, "180", NULL);
00663 ctl->grid_nx =
00664     (int) scan_ctl(filename, argc, argv, "GRID_NX", -1, "360", NULL);
00665 ctl->grid_lat0 =
00666     scan_ctl(filename, argc, argv, "GRID_LAT0", -1, "-90", NULL);
00667 ctl->grid_lat1 =
00668     scan_ctl(filename, argc, argv, "GRID_LAT1", -1, "90", NULL);
00669 ctl->grid_ny =
00670     (int) scan_ctl(filename, argc, argv, "GRID_NY", -1, "180", NULL);
00671
00672 /* Output of profile data... */
00673 scan_ctl(filename, argc, argv, "PROF_BASENAME", -1, "-",
00674     ctl->prof_basename);
00675 scan_ctl(filename, argc, argv, "PROF_OBSFILE", -1, "-", ctl->
prof_obsfile);
00676 ctl->prof_z0 = scan_ctl(filename, argc, argv, "PROF_Z0", -1, "0", NULL);
00677 ctl->prof_z1 = scan_ctl(filename, argc, argv, "PROF_Z1", -1, "60", NULL);
00678 ctl->prof_nz =
00679     (int) scan_ctl(filename, argc, argv, "PROF_NZ", -1, "60", NULL);
00680 ctl->prof_lon0 =
00681     scan_ctl(filename, argc, argv, "PROF_LON0", -1, "-180", NULL);
00682 ctl->prof_lon1 =
00683     scan_ctl(filename, argc, argv, "PROF_LON1", -1, "180", NULL);
00684 ctl->prof_nx =
00685     (int) scan_ctl(filename, argc, argv, "PROF_NX", -1, "360", NULL);
00686 ctl->prof_lat0 =
00687     scan_ctl(filename, argc, argv, "PROF_LAT0", -1, "-90", NULL);
00688 ctl->prof_lat1 =
00689     scan_ctl(filename, argc, argv, "PROF_LAT1", -1, "90", NULL);
00690 ctl->prof_ny =
00691     (int) scan_ctl(filename, argc, argv, "PROF_NY", -1, "180", NULL);
00692
00693 /* Output of station data... */
00694 scan_ctl(filename, argc, argv, "STAT_BASENAME", -1, "-",
00695     ctl->stat_basename);
00696 ctl->stat_lon = scan_ctl(filename, argc, argv, "STAT_LON", -1, "0", NULL);
00697 ctl->stat_lat = scan_ctl(filename, argc, argv, "STAT_LAT", -1, "0", NULL);
00698 ctl->stat_r = scan_ctl(filename, argc, argv, "STAT_R", -1, "50", NULL);
00699 }

```

Here is the call graph for this function:



#### 5.11.2.19 void read\_met ( ctl\_t \* *ctl*, char \* *filename*, met\_t \* *met* )

Read meteorological data file.

Definition at line 703 of file [libtrac.c](#).

```

00706         {
00707
00708     char tstr[10];
00709
00710     static float help[EX * EY];
00711
00712     int ix, iy, ip, dimid, ncid, varid, year, mon, day, hour;
00713
00714     size_t np, nx, ny;
00715
00716     /* Write info... */
00717     printf("Read meteorological data: %s\n", filename);
00718
00719     /* Get time from filename... */
00720     sprintf(tstr, "%.4s", &filename[strlen(filename) - 16]);
00721     year = atoi(tstr);
00722     sprintf(tstr, "%.2s", &filename[strlen(filename) - 11]);
00723     mon = atoi(tstr);
00724     sprintf(tstr, "%.2s", &filename[strlen(filename) - 8]);
00725     day = atoi(tstr);
00726     sprintf(tstr, "%.2s", &filename[strlen(filename) - 5]);
00727     hour = atoi(tstr);
00728     time2jsec(year, mon, day, hour, 0, 0, 0, &met->time);
00729
00730     /* Open netCDF file... */
00731     NC(nc_open(filename, NC_NOWRITE, &ncid));
00732
00733     /* Get dimensions... */
00734     NC(nc_inq_dimid(ncid, "lon", &dimid));
00735     NC(nc_inq_dimlen(ncid, dimid, &nx));
00736     if (nx > EX)
00737         ERRMSG("Too many longitudes!");
00738
00739     NC(nc_inq_dimid(ncid, "lat", &dimid));
00740     NC(nc_inq_dimlen(ncid, dimid, &ny));
00741     if (ny > EY)
00742         ERRMSG("Too many latitudes!");
00743
00744     NC(nc_inq_dimid(ncid, "lev", &dimid));
00745     NC(nc_inq_dimlen(ncid, dimid, &np));
00746     if (np > EP)
00747         ERRMSG("Too many levels!");
00748
00749     /* Store dimensions... */
00750     met->np = (int) np;
00751     met->nx = (int) nx;
00752     met->ny = (int) ny;
00753
00754     /* Get horizontal grid... */
00755     NC(nc_inq_varid(ncid, "lon", &varid));
00756     NC(nc_get_var_double(ncid, varid, met->lon));
00757     NC(nc_inq_varid(ncid, "lat", &varid));
00758     NC(nc_get_var_double(ncid, varid, met->lat));
00759
00760     /* Read meteorological data... */
00761     read_met_help(ncid, "t", "T", met, met->t, 1.0);
00762     read_met_help(ncid, "u", "U", met, met->u, 1.0);
  
```




```

00763 read_met_help(ncid, "v", "v", met, met->v, 1.0);
00764 read_met_help(ncid, "w", "w", met, met->w, 0.01f);
00765 read_met_help(ncid, "q", "Q", met, met->h2o, 1.608f);
00766 read_met_help(ncid, "o3", "O3", met, met->o3, 0.602f);
00767
00768 /* Meteo data on pressure levels... */
00769 if (ctl->met_np <= 0) {
00770
00771     /* Read pressure levels from file... */
00772     NC(nc_inq_varid(ncid, "lev", &varid));
00773     NC(nc_get_var_double(ncid, varid, met->p));
00774     for (ip = 0; ip < met->np; ip++)
00775         met->p[ip] /= 100.;
00776
00777     /* Extrapolate data for lower boundary... */
00778     read_met_extrapolate(met);
00779 }
00780
00781 /* Meteo data on model levels... */
00782 else {
00783
00784     /* Read pressure data from file... */
00785     read_met_help(ncid, "pl", "PL", met, met->p1, 0.01f);
00786
00787     /* Interpolate from model levels to pressure levels... */
00788     read_met_ml2pl(ctl, met, met->t);
00789     read_met_ml2pl(ctl, met, met->u);
00790     read_met_ml2pl(ctl, met, met->v);
00791     read_met_ml2pl(ctl, met, met->w);
00792     read_met_ml2pl(ctl, met, met->h2o);
00793     read_met_ml2pl(ctl, met, met->o3);
00794
00795     /* Set pressure levels... */
00796     met->np = ctl->met_np;
00797     for (ip = 0; ip < met->np; ip++)
00798         met->p[ip] = ctl->met_p[ip];
00799 }
00800
00801 /* Check ordering of pressure levels... */
00802 for (ip = 1; ip < met->np; ip++)
00803     if (met->p[ip - 1] < met->p[ip])
00804         ERRMSG("Pressure levels must be descending!");
00805
00806 /* Read surface pressure... */
00807 if (nc_inq_varid(ncid, "PS", &varid) == NC_NOERR) {
00808     NC(nc_get_var_float(ncid, varid, help));
00809     for (iy = 0; iy < met->ny; iy++)
00810         for (ix = 0; ix < met->nx; ix++)
00811             met->ps[ix][iy] = help[iy * met->nx + ix] / 100.;
00812 } else if (nc_inq_varid(ncid, "LNSP", &varid) == NC_NOERR) {
00813     NC(nc_get_var_float(ncid, varid, help));
00814     for (iy = 0; iy < met->ny; iy++)
00815         for (ix = 0; ix < met->nx; ix++)
00816             met->ps[ix][iy] = exp(help[iy * met->nx + ix]) / 100.;
00817 } else
00818     for (ix = 0; ix < met->nx; ix++)
00819         for (iy = 0; iy < met->ny; iy++)
00820             met->ps[ix][iy] = met->p[0];
00821
00822 /* Create periodic boundary conditions... */
00823 read_met_periodic(met);
00824
00825 /* Close file... */
00826 NC(nc_close(ncid));
00827 }

```

Here is the call graph for this function:



#### 5.11.2.20 void read\_met\_extrapolate ( met\_t \* met )

Extrapolate meteorological data at lower boundary.

Definition at line 831 of file [libtrac.c](#).

```

00832         {
00833
00834     int ip, ip0, ix, iy;
00835
00836     /* Loop over columns... */
00837     for (ix = 0; ix < met->nx; ix++)
00838         for (iy = 0; iy < met->ny; iy++) {
00839
00840             /* Find lowest valid data point... */
00841             for (ip0 = met->np - 1; ip0 >= 0; ip0--)
00842                 if (!gsl_finite(met->t[ix][iy][ip0])
00843                     || !gsl_finite(met->u[ix][iy][ip0])
00844                     || !gsl_finite(met->v[ix][iy][ip0])
00845                     || !gsl_finite(met->w[ix][iy][ip0]))
00846                 break;
00847
00848             /* Extrapolate... */
00849             for (ip = ip0; ip >= 0; ip--) {
00850                 met->t[ix][iy][ip] = met->t[ix][iy][ip + 1];
00851                 met->u[ix][iy][ip] = met->u[ix][iy][ip + 1];
00852                 met->v[ix][iy][ip] = met->v[ix][iy][ip + 1];
00853                 met->w[ix][iy][ip] = met->w[ix][iy][ip + 1];
00854                 met->h2o[ix][iy][ip] = met->h2o[ix][iy][ip + 1];
00855                 met->o3[ix][iy][ip] = met->o3[ix][iy][ip + 1];
00856             }
00857         }
00858     }

```

#### 5.11.2.21 void read\_met\_help ( int ncid, char \* varname, char \* varname2, met\_t \* met, float dest[EX][EY][EP], float scl )

Read and convert variable from meteorological data file.

Definition at line 862 of file [libtrac.c](#).

```

00868         {
00869
00870     static float help[EX * EY * EP];
00871
00872     int ip, ix, iy, n = 0, varid;
00873
00874     /* Check if variable exists... */
00875     if (nc_inq_varid(ncid, varname, &varid) != NC_NOERR)
00876         if (nc_inq_varid(ncid, varname2, &varid) != NC_NOERR)
00877             return;
00878
00879     /* Read data... */
00880     NC(nc_get_var_float(ncid, varid, help));
00881
00882     /* Copy and check data... */
00883     for (ip = 0; ip < met->np; ip++)
00884         for (iy = 0; iy < met->ny; iy++)
00885             for (ix = 0; ix < met->nx; ix++) {
00886                 dest[ix][iy][ip] = scl * help[n++];
00887                 if (fabs(dest[ix][iy][ip] / scl) > 1e14)
00888                     dest[ix][iy][ip] = GSL_NAN;
00889             }
00890 }

```

#### 5.11.2.22 void read\_met\_ml2pl ( ctl\_t \* ctl, met\_t \* met, float var[EX][EY][EP] )

Convert meteorological data from model levels to pressure levels.


Definition at line 894 of file libtrac.c.

```

00897         {
00898
00899     double aux[EP], p[EP], pt;
00900
00901     int ip, ip2, ix, iy;
00902
00903     /* Loop over columns... */
00904     for (ix = 0; ix < met->nx; ix++)
00905         for (iy = 0; iy < met->ny; iy++) {
00906
00907             /* Copy pressure profile... */
00908             for (ip = 0; ip < met->np; ip++)
00909                 p[ip] = met->p[ix][iy][ip];
00910
00911             /* Interpolate... */
00912             for (ip = 0; ip < ctl->met_np; ip++) {
00913                 pt = ctl->met_p[ip];
00914                 if ((pt > p[0] && p[0] > p[1]) || (pt < p[0] && p[0] < p[1]))
00915                     pt = p[0];
00916                 else if ((pt > p[met->np - 1] && p[1] > p[0])
00917                     || (pt < p[met->np - 1] && p[1] < p[0]))
00918                     pt = p[met->np - 1];
00919                 ip2 = locate(p, met->np, pt);
00920                 aux[ip] = LIN(p[ip2], var[ix][iy][ip2],
00921                     p[ip2 + 1], var[ix][iy][ip2 + 1], pt);
00922             }
00923
00924             /* Copy data... */
00925             for (ip = 0; ip < ctl->met_np; ip++)
00926                 var[ix][iy][ip] = (float) aux[ip];
00927         }
00928 }

```

Here is the call graph for this function:



## 5.11.2.23 void read\_met\_periodic ( met\_t \* met )

Create meteorological data with periodic boundary conditions.

Definition at line 932 of file [libtrac.c](#).

```

00933         {
00934
00935     int ip, iy;
00936
00937     /* Check longitudes... */
00938     if (!(fabs(met->lon[met->nx - 1] - met->lon[0]
00939             + met->lon[1] - met->lon[0] - 360) < 0.01))
00940         return;
00941
00942     /* Increase longitude counter... */
00943     if (++met->nx > EX)
00944         ERRMSG("Cannot create periodic boundary conditions!");
00945
00946     /* Set longitude... */
00947     met->lon[met->nx - 1] = met->lon[met->nx - 2] + met->lon[1] - met->
lon[0];
00948
00949     /* Loop over latitudes and pressure levels... */
00950     for (iy = 0; iy < met->ny; iy++)
00951         for (ip = 0; ip < met->np; ip++) {
00952             met->ps[met->nx - 1][iy] = met->ps[0][iy];
00953             met->u[met->nx - 1][iy][ip] = met->u[0][iy][ip];
00954             met->v[met->nx - 1][iy][ip] = met->v[0][iy][ip];
00955             met->w[met->nx - 1][iy][ip] = met->w[0][iy][ip];
00956             met->t[met->nx - 1][iy][ip] = met->t[0][iy][ip];
00957             met->h2o[met->nx - 1][iy][ip] = met->h2o[0][iy][ip];
00958             met->o3[met->nx - 1][iy][ip] = met->o3[0][iy][ip];
00959         }
00960 }

```

## 5.11.2.24 double scan\_ctl ( const char \* filename, int argc, char \* argv[], const char \* varname, int arridx, const char \* defvalue, char \* value )

Read a control parameter from file or command line.

Definition at line 964 of file [libtrac.c](#).

```

00971         {
00972
00973     FILE *in = NULL;
00974
00975     char dummy[LEN], fullname1[LEN], fullname2[LEN], line[LEN],
00976         msg[LEN], rvarname[LEN], rval[LEN];
00977
00978     int contain = 0, i;
00979
00980     /* Open file... */
00981     if (filename[strlen(filename) - 1] != '-')
00982         if (!(in = fopen(filename, "r")))
00983             ERRMSG("Cannot open file!");
00984
00985     /* Set full variable name... */
00986     if (arridx >= 0) {
00987         sprintf(fullname1, "%s[%d]", varname, arridx);
00988         sprintf(fullname2, "%s[*]", varname);
00989     } else {
00990         sprintf(fullname1, "%s", varname);
00991         sprintf(fullname2, "%s", varname);
00992     }
00993
00994     /* Read data... */
00995     if (in != NULL)
00996         while (fgets(line, LEN, in))
00997             if (sscanf(line, "%s %s %s", rvarname, dummy, rval) == 3)
00998                 if (strcasecmp(rvarname, fullname1) == 0 ||
00999                     strcasecmp(rvarname, fullname2) == 0) {
01000                     contain = 1;
01001                     break;
01002                 }
01003     for (i = 1; i < argc - 1; i++)

```

```

01004     if (strcasecmp(argv[i], fullname1) == 0 ||
01005         strcasecmp(argv[i], fullname2) == 0) {
01006         sprintf(rval, "%s", argv[i + 1]);
01007         contain = 1;
01008         break;
01009     }
01010
01011     /* Close file... */
01012     if (in != NULL)
01013         fclose(in);
01014
01015     /* Check for missing variables... */
01016     if (!contain) {
01017         if (strlen(defvalue) > 0)
01018             sprintf(rval, "%s", defvalue);
01019         else {
01020             sprintf(msg, "Missing variable %s!\n", fullname1);
01021             ERRMSG(msg);
01022         }
01023     }
01024
01025     /* Write info... */
01026     printf("%s = %s\n", fullname1, rval);
01027
01028     /* Return values... */
01029     if (value != NULL)
01030         sprintf(value, "%s", rval);
01031     return atof(rval);
01032 }

```

#### 5.11.2.25 void time2jsec ( int year, int mon, int day, int hour, int min, int sec, double remain, double \* jsec )

Convert date to seconds.

Definition at line 1036 of file libtrac.c.

```

01044     {
01045
01046     struct tm t0, t1;
01047
01048     t0.tm_year = 100;
01049     t0.tm_mon = 0;
01050     t0.tm_mday = 1;
01051     t0.tm_hour = 0;
01052     t0.tm_min = 0;
01053     t0.tm_sec = 0;
01054
01055     t1.tm_year = year - 1900;
01056     t1.tm_mon = mon - 1;
01057     t1.tm_mday = day;
01058     t1.tm_hour = hour;
01059     t1.tm_min = min;
01060     t1.tm_sec = sec;
01061
01062     *jsec = (double) timegm(&t1) - (double) timegm(&t0) + remain;
01063 }

```

#### 5.11.2.26 void timer ( const char \* name, int id, int mode )

Measure wall-clock time.

Definition at line 1067 of file libtrac.c.

```

01070     {
01071
01072     static double starttime[NTIMER], runtime[NTIMER];
01073
01074     /* Check id... */
01075     if (id < 0 || id >= NTIMER)
01076         ERRMSG("Too many timers!");
01077
01078     /* Start timer... */
01079     if (mode == 1) {
01080         if (starttime[id] <= 0)

```

```

01081     starttime[id] = omp_get_wtime();
01082     else
01083     ERRMSG("Timer already started!");
01084 }
01085
01086 /* Stop timer... */
01087 else if (mode == 2) {
01088     if (starttime[id] > 0) {
01089         runtime[id] = runtime[id] + omp_get_wtime() - starttime[id];
01090         starttime[id] = -1;
01091     } else
01092     ERRMSG("Timer not started!");
01093 }
01094
01095 /* Print timer... */
01096 else if (mode == 3)
01097     printf("%s = %g s\n", name, runtime[id]);
01098 }

```

### 5.11.2.27 double tropopause ( double t, double lat )

Definition at line 1102 of file libtrac.c.

```

01104     {
01105
01106     static double doys[12]
01107     = { 1, 32, 60, 91, 121, 152, 182, 213, 244, 274, 305, 335 };
01108
01109     static double lats[73]
01110     = { -90, -87.5, -85, -82.5, -80, -77.5, -75, -72.5, -70, -67.5,
01111         -65, -62.5, -60, -57.5, -55, -52.5, -50, -47.5, -45, -42.5,
01112         -40, -37.5, -35, -32.5, -30, -27.5, -25, -22.5, -20, -17.5,
01113         -15, -12.5, -10, -7.5, -5, -2.5, 0, 2.5, 5, 7.5, 10, 12.5,
01114         15, 17.5, 20, 22.5, 25, 27.5, 30, 32.5, 35, 37.5, 40, 42.5,
01115         45, 47.5, 50, 52.5, 55, 57.5, 60, 62.5, 65, 67.5, 70, 72.5,
01116         75, 77.5, 80, 82.5, 85, 87.5, 90
01117     };
01118
01119     static double tps[12][73]
01120     = { { 324.1, 325.6, 325, 324.3, 322.5, 319.7, 314, 307.2, 301.8, 299.6,
01121         297.1, 292.2, 285.6, 276.1, 264, 248.9, 231.9, 213.5, 194.4,
01122         175.3, 157, 140.4, 126.7, 116.3, 109.5, 105.4, 103, 101.4, 100.4,
01123         99.69, 99.19, 98.84, 98.56, 98.39, 98.39, 98.42, 98.44, 98.54,
01124         98.68, 98.81, 98.89, 98.96, 99.12, 99.65, 101.4, 105.4, 113.5, 128,
01125         152.1, 184.7, 214, 234.1, 247.3, 255.8, 262.6, 267.7, 271.7, 275,
01126         277.2, 279, 280.1, 280.4, 280.6, 280.1, 279.3, 278.3, 276.8, 275.8,
01127         275.3, 275.6, 275.4, 274.1, 273.5},
01128     { 337.3, 338.7, 337.8, 336.4, 333, 328.8, 321.1, 312.6, 306.6, 303.7,
01129     300.2, 293.8, 285.4, 273.8, 259.6, 242.7, 224.4, 205.2, 186, 167.5,
01130     150.3, 135, 122.8, 113.9, 108.2, 104.7, 102.5, 101.1, 100.2, 99.42,
01131     98.88, 98.52, 98.25, 98.09, 98.07, 98.1, 98.12, 98.2, 98.25, 98.27,
01132     98.26, 98.27, 98.36, 98.79, 100.2, 104.2, 113.7, 131.2, 159.5, 193,
01133     220.4, 238.1, 250.2, 258.1, 264.7, 269.7, 273.7, 277.3, 280.2, 282.8,
01134     284.9, 286.5, 288.1, 288.8, 289, 288.5, 287.2, 286.3, 286.1, 287.2,
01135     287.5, 286.2, 285.8},
01136     { 335, 336, 335.7, 335.1, 332.3, 328.1, 320.6, 311.8, 305.1, 301.9,
01137     297.6, 290, 280.4, 268.3, 254.6, 239.6, 223.9, 207.9, 192.2, 176.9,
01138     161.7, 146.4, 132.2, 120.6, 112.3, 107.2, 104.3, 102.4, 101.3,
01139     100.4, 99.86, 99.47, 99.16, 98.97, 98.94, 98.97, 99, 99.09, 99.2,
01140     99.31, 99.35, 99.41, 99.51, 99.86, 101.1, 104.9, 114.3, 131, 156.8,
01141     186.3, 209.3, 224.6, 236.8, 246.3, 254.9, 262.3, 268.8, 274.8,
01142     279.9, 284.6, 288.6, 291.6, 294.9, 297.5, 299.8, 301.8, 303.1,
01143     304.3, 304.9, 306, 306.6, 306.2, 306},
01144     { 306.2, 306.7, 305.7, 307.1, 307.3, 306.4, 301.8, 296.2, 292.4,
01145     290.3, 287.1, 280.9, 273.4, 264.3, 254.1, 242.8, 231, 219, 207.2,
01146     195.5, 183.3, 169.7, 154.7, 138.7, 124.1, 113.6, 107.8, 104.7,
01147     102.8, 101.7, 100.9, 100.4, 100, 99.79, 99.7, 99.66, 99.68, 99.79,
01148     99.94, 100.2, 100.5, 100.9, 101.4, 102.1, 103.4, 107, 115.2, 129.1,
01149     148.7, 171, 190.8, 205.6, 218.4, 229.4, 239.6, 248.6, 256.5,
01150     263.7, 270.3, 276.6, 282.6, 288.1, 294.5, 300.4, 306.3, 311.4,
01151     315.1, 318.3, 320.3, 322.2, 322.8, 321.5, 321.1},
01152     { 266.5, 264.9, 260.8, 261, 262, 263, 261.3, 259.7, 259.2, 259.8,
01153     260.1, 258.6, 256.7, 253.6, 249.5, 243.9, 237.4, 230, 222.1, 213.9,
01154     205, 194.4, 180.4, 161.8, 140.7, 122.9, 112.1, 106.7, 104.1, 102.7,
01155     101.8, 101.4, 101.1, 101, 101, 101, 101.1, 101.2, 101.5, 101.9,
01156     102.4, 103, 103.8, 104.9, 106.8, 110.1, 115.6, 124, 135.2, 148.9,
01157     165.2, 181.3, 198, 211.8, 223.5, 233.8, 242.9, 251.5, 259, 266.2,
01158     273.1, 279.2, 286.2, 292.8, 299.6, 306, 311.1, 315.5, 318.8, 322.6,
01159     325.3, 325.8, 325.8},
01160     { 220.1, 218.1, 210.8, 207.2, 207.6, 210.5, 211.4, 213.5, 217.3,
01161     222.4, 227.9, 232.8, 237.4, 240.8, 242.8, 243, 241.5, 238.6, 234.2,

```

```

01162 228.5, 221, 210.7, 195.1, 172.9, 147.8, 127.6, 115.6, 109.9, 107.1,
01163 105.7, 105, 104.8, 104.8, 104.9, 105, 105.1, 105.3, 105.5, 105.8,
01164 106.4, 107, 107.6, 108.1, 108.8, 110, 111.8, 114.2, 117.4, 121.6,
01165 127.9, 137.3, 151.2, 169.5, 189, 205.8, 218.9, 229.1, 237.8, 245,
01166 251.5, 257.1, 262.3, 268.2, 274, 280.4, 286.7, 292.4, 297.9, 302.9,
01167 308.5, 312.2, 313.1, 313.3},
01168 {187.4, 184.5, 173.3, 166.1, 165.4, 167.8, 169.6, 173.6, 179.6,
01169 187.9, 198.9, 210, 220.5, 229.2, 235.7, 239.9, 241.8, 241.6, 239.6,
01170 235.8, 229.4, 218.6, 200.9, 175.9, 149.4, 129.4, 118.3, 113.1,
01171 110.8, 109.7, 109.3, 109.4, 109.7, 110, 110.2, 110.4, 110.5, 110.7,
01172 111, 111.4, 111.8, 112.1, 112.3, 112.7, 113.2, 113.9, 115, 116.4,
01173 117.9, 120.4, 124.1, 130.9, 142.2, 159.6, 179.6, 198.5, 212.9,
01174 224.2, 232.7, 239.1, 243.8, 247.7, 252.4, 257.3, 263.2, 269.5,
01175 275.4, 281.1, 286.3, 292, 296.3, 298.2, 298.8},
01176 {166, 166.4, 155.7, 148.3, 147.1, 149, 152.1, 157, 163.6, 172.4,
01177 185.3, 199.2, 212.6, 224, 233.2, 239.6, 243.3, 244.6, 243.6, 240.3,
01178 233.9, 222.6, 203.7, 177, 149.5, 129.7, 119, 114, 111.7, 110.7,
01179 110.3, 110.3, 110.6, 110.9, 111.1, 111.3, 111.5, 111.6, 111.9,
01180 112.2, 112.5, 112.6, 112.8, 113, 113.4, 114, 115.1, 116.5, 118.3,
01181 120.9, 124.4, 130.2, 139.4, 154.6, 173.8, 193.1, 208.1, 220.4,
01182 230.1, 238.2, 244.7, 249.5, 254.5, 259.3, 264.5, 269.4, 273.7,
01183 278.2, 282.6, 287.4, 290.9, 292.5, 293},
01184 {171.9, 172.8, 166.2, 162.3, 161.4, 162.5, 165.2, 169.6, 175.3,
01185 183.1, 193.8, 205.9, 218.3, 229.6, 238.5, 244.3, 246.9, 246.7,
01186 243.8, 238.4, 230.2, 217.9, 199.6, 174.9, 148.9, 129.8, 119.5,
01187 114.8, 112.3, 110.9, 110.3, 110.1, 110.2, 110.3, 110.4, 110.5,
01188 110.6, 110.8, 111, 111.4, 111.8, 112, 112.2, 112.4, 112.9, 113.6,
01189 114.7, 116.3, 118.4, 121.9, 127.1, 136.1, 149.8, 168.4, 186.9,
01190 203.3, 217, 229.1, 238.7, 247, 254, 259.3, 264.3, 268.3, 272.5,
01191 276.6, 280.4, 284.4, 288.4, 293.3, 297.2, 298.7, 299.1},
01192 {191.6, 192.2, 189, 188.1, 190.2, 193.7, 197.8, 202.9, 208.5,
01193 215.6, 224.2, 233.1, 241.2, 247.3, 250.8, 251.3, 248.9, 244.2,
01194 237.3, 228.4, 217.2, 202.9, 184.5, 162.5, 140.7, 124.8, 116.2,
01195 111.8, 109.4, 107.9, 107, 106.7, 106.6, 106.6, 106.7, 106.7,
01196 106.8, 107, 107.4, 108, 108.7, 109.3, 109.8, 110.4, 111.2,
01197 112.4, 114.2, 116.9, 121.1, 127.9, 139.3, 155.2, 173.6, 190.7,
01198 206.1, 220.1, 232.3, 243, 251.8, 259.2, 265.7, 270.6, 275.3,
01199 279.3, 283.3, 286.9, 289.7, 292.8, 296.1, 300.5, 303.9, 304.8,
01200 305.1},
01201 {241.5, 239.6, 236.8, 237.4, 239.4, 242.3, 244.2, 246.4, 249.2,
01202 253.6, 258.6, 262.7, 264.8, 264.2, 260.6, 254.1, 245.5, 235.3,
01203 223.9, 211.7, 198.3, 183.1, 165.6, 147.1, 130.5, 118.7, 111.9,
01204 108.1, 105.8, 104.3, 103.4, 102.8, 102.5, 102.4, 102.5, 102.5,
01205 102.5, 102.7, 103.1, 103.8, 104.6, 105.4, 106.1, 107, 108.2,
01206 109.9, 112.8, 117.5, 126, 140.4, 161, 181.9, 201.2, 216.8, 230.4,
01207 241.8, 251.4, 259.9, 266.9, 272.8, 277.4, 280.4, 282.9, 284.6,
01208 286.1, 287.4, 288.3, 289.5, 290.9, 294.2, 296.9, 297.5, 297.6},
01209 {301.2, 300.3, 296.6, 295.4, 295, 294.3, 291.2, 287.4, 284.9, 284.7,
01210 284.1, 281.5, 277.1, 270.4, 261.7, 250.6, 237.6, 223.1, 207.9, 192,
01211 175.8, 158.8, 142.1, 127.6, 116.8, 109.9, 106, 103.6, 102.1, 101.1,
01212 100.4, 99.96, 99.6, 99.37, 99.32, 99.32, 99.31, 99.46, 99.77, 100.2,
01213 100.7, 101.3, 101.8, 102.7, 104.1, 106.8, 111.9, 121, 136.7, 160,
01214 186.9, 209.9, 228.1, 241.2, 251.5, 259.5, 265.7, 270.9, 274.8, 278,
01215 280.3, 281.8, 283, 283.3, 283.7, 283.8, 283, 282.2, 281.2, 281.4,
01216 281.7, 281.1, 281.2}
01217 };
01218
01219 double doy, p0, p1, pt;
01220
01221 int imon, ilat;
01222
01223 /* Get day of year... */
01224 doy = fmod(t / 86400., 365.25);
01225 while (doy < 0)
01226     doy += 365.25;
01227
01228 /* Get indices... */
01229 imon = locate(doy, 12, doy);
01230 ilat = locate(lats, 73, lat);
01231
01232 /* Get tropopause pressure... */
01233 p0 = LIN(lats[ilat], tps[imon][ilat],
01234          lats[ilat + 1], tps[imon][ilat + 1], lat);
01235 p1 = LIN(lats[ilat], tps[imon + 1][ilat],
01236          lats[ilat + 1], tps[imon + 1][ilat + 1], lat);
01237 pt = LIN(doy[imon], p0, doy[imon + 1], p1, doy);
01238
01239 /* Return tropopause pressure... */
01240 return pt;
01241 }

```

Here is the call graph for this function:



#### 5.11.2.28 void write\_atm ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write atmospheric data.

Definition at line 1245 of file libtrac.c.

```

01249     {
01250
01251     FILE *in, *out;
01252
01253     char line[LEN];
01254
01255     double r, t0, t1;
01256
01257     int ip, iq, year, mon, day, hour, min, sec;
01258
01259     /* Set time interval for output... */
01260     t0 = t - 0.5 * ctl->dt_mod;
01261     t1 = t + 0.5 * ctl->dt_mod;
01262
01263     /* Check if gnuplot output is requested... */
01264     if (ctl->atm_gpfile[0] != '-') {
01265
01266         /* Write info... */
01267         printf("Plot atmospheric data: %s.png\n", filename);
01268
01269         /* Create gnuplot pipe... */
01270         if (!(out = popen("gnuplot", "w")))
01271             ERRMSG("Cannot create pipe to gnuplot!");
01272
01273         /* Set plot filename... */
01274         fprintf(out, "set out \"%s.png\"\n", filename);
01275
01276         /* Set time string... */
01277         jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01278         fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\n",
01279                 year, mon, day, hour, min);
01280
01281         /* Dump gnuplot file to pipe... */
01282         if (!(in = fopen(ctl->atm_gpfile, "r")))
01283             ERRMSG("Cannot open file!");
01284         while (fgets(line, LEN, in))
01285             fprintf(out, "%s", line);
01286         fclose(in);
01287     }
01288
01289     else {
01290
01291         /* Write info... */
01292         printf("Write atmospheric data: %s\n", filename);
01293
01294         /* Create file... */
01295         if (!(out = fopen(filename, "w")))
01296             ERRMSG("Cannot create file!");
01297     }
01298
01299     /* Write header... */
01300     fprintf(out,
01301             "# $1 = time [s]\n"
01302             "# $2 = altitude [km]\n"
01303             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01304     for (iq = 0; iq < ctl->nq; iq++)
01305         fprintf(out, "# $%i = %s [%s]\n", iq + 5, ctl->qnt_name[iq],

```



```

01306         ctl->qnt_unit[iq]);
01307     fprintf(out, "\n");
01308
01309     /* Write data... */
01310     for (ip = 0; ip < atm->np; ip++) {
01311
01312         /* Check time... */
01313         if (ctl->atm_filter && (atm->time[ip] < t0 || atm->time[ip] > t1))
01314             continue;
01315
01316         /* Write output... */
01317         fprintf(out, "%.2f %g %g %g", atm->time[ip], Z(atm->p[ip]),
01318             atm->lon[ip], atm->lat[ip]);
01319         for (iq = 0; iq < ctl->nq; iq++) {
01320             fprintf(out, " ");
01321             fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
01322         }
01323         fprintf(out, "\n");
01324     }
01325
01326     /* Close file... */
01327     fclose(out);
01328 }

```

Here is the call graph for this function:



**5.11.2.29** void write\_csi ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write CSI data.

Definition at line 1332 of file libtrac.c.

```

01336     {
01337
01338     static FILE *in, *out;
01339
01340     static char line[LEN];
01341
01342     static double modmean[GX][GY][GZ], obsmean[GX][GY][GZ],
01343         rt, rz, rlon, rlat, robs, t0, t1, area, dlon, dlat, lat;
01344
01345     static int init, obscount[GX][GY][GZ], cx, cy, cz, ip, ix, iy, iz;
01346
01347     /* Init... */
01348     if (!init) {
01349         init = 1;
01350
01351         /* Check quantity index for mass... */
01352         if (ctl->qnt_m < 0)
01353             ERRMSG("Need quantity mass to analyze CSI!");
01354
01355         /* Open observation data file... */
01356         printf("Read CSI observation data: %s\n", ctl->csi_obsfile);
01357         if (!(in = fopen(ctl->csi_obsfile, "r")))
01358             ERRMSG("Cannot open file!");
01359
01360         /* Create new file... */
01361         printf("Write CSI data: %s\n", filename);
01362         if (!(out = fopen(filename, "w")))
01363             ERRMSG("Cannot create file!");
01364
01365         /* Write header... */

```

```

01366     fprintf(out,
01367             "# $1 = time [s]\n"
01368             "# $2 = number of hits (cx)\n"
01369             "# $3 = number of misses (cy)\n"
01370             "# $4 = number of false alarms (cz)\n"
01371             "# $5 = number of observations (cx + cy)\n"
01372             "# $6 = number of forecasts (cx + cz)\n"
01373             "# $7 = bias (forecasts/observations) [%%]\n"
01374             "# $8 = probability of detection (POD) [%%]\n"
01375             "# $9 = false alarm rate (FAR) [%%]\n"
01376             "# $10 = critical success index (CSI) [%%]\n\n");
01377 }
01378
01379 /* Set time interval... */
01380 t0 = t - 0.5 * ctl->dt_mod;
01381 t1 = t + 0.5 * ctl->dt_mod;
01382
01383 /* Initialize grid cells... */
01384 for (ix = 0; ix < ctl->csi_nx; ix++)
01385     for (iy = 0; iy < ctl->csi_ny; iy++)
01386         for (iz = 0; iz < ctl->csi_nz; iz++)
01387             modmean[ix][iy][iz] = obsmean[ix][iy][iz] = obscount[ix][iy][iz] = 0;
01388
01389 /* Read data... */
01390 while (fgets(line, LEN, in)) {
01391
01392     /* Read data... */
01393     if (sscanf(line, "%lg %lg %lg %lg %lg", &rt, &rz, &rln, &rln, &robs) !=
01394         5)
01395         continue;
01396
01397     /* Check time... */
01398     if (rt < t0)
01399         continue;
01400     if (rt > t1)
01401         break;
01402
01403     /* Calculate indices... */
01404     ix = (int) ((rln - ctl->csi_lon0)
01405                / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01406     iy = (int) ((rln - ctl->csi_lat0)
01407                / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01408     iz = (int) ((rz - ctl->csi_z0)
01409                / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01410
01411     /* Check indices... */
01412     if (ix < 0 || ix >= ctl->csi_nx ||
01413         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01414         continue;
01415
01416     /* Get mean observation index... */
01417     obsmean[ix][iy][iz] += robs;
01418     obscount[ix][iy][iz]++;
01419 }
01420
01421 /* Analyze model data... */
01422 for (ip = 0; ip < atm->np; ip++) {
01423
01424     /* Check time... */
01425     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01426         continue;
01427
01428     /* Get indices... */
01429     ix = (int) ((atm->lon[ip] - ctl->csi_lon0)
01430                / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01431     iy = (int) ((atm->lat[ip] - ctl->csi_lat0)
01432                / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01433     iz = (int) ((Z(atm->p[ip]) - ctl->csi_z0)
01434                / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01435
01436     /* Check indices... */
01437     if (ix < 0 || ix >= ctl->csi_nx ||
01438         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01439         continue;
01440
01441     /* Get total mass in grid cell... */
01442     modmean[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01443 }
01444
01445 /* Analyze all grid cells... */
01446 for (ix = 0; ix < ctl->csi_nx; ix++)
01447     for (iy = 0; iy < ctl->csi_ny; iy++)
01448         for (iz = 0; iz < ctl->csi_nz; iz++) {
01449
01450             /* Calculate mean observation index... */
01451             if (obscount[ix][iy][iz] > 0)
01452                 obsmean[ix][iy][iz] /= obscount[ix][iy][iz];

```

```

01453
01454     /* Calculate column density... */
01455     if (modmean[ix][iy][iz] > 0) {
01456         dlon = (ctl->csi_lon1 - ctl->csi_lon0) / ctl->csi_nx;
01457         dlat = (ctl->csi_lat1 - ctl->csi_lat0) / ctl->csi_ny;
01458         lat = ctl->csi_lat0 + dlat * (iy + 0.5);
01459         area = dlat * M_PI * RE / 180. * dlon * M_PI * RE / 180.
01460               * cos(lat * M_PI / 180.);
01461         modmean[ix][iy][iz] /= (1e6 * area);
01462     }
01463
01464     /* Calculate CSI... */
01465     if (obscount[ix][iy][iz] > 0) {
01466         if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01467             modmean[ix][iy][iz] >= ctl->csi_modmin)
01468             cx++;
01469         else if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01470             modmean[ix][iy][iz] < ctl->csi_modmin)
01471             cy++;
01472         else if (obsmean[ix][iy][iz] < ctl->csi_obsmin &&
01473             modmean[ix][iy][iz] >= ctl->csi_modmin)
01474             cz++;
01475     }
01476 }
01477
01478 /* Write output... */
01479 if (fmod(t, ctl->csi_dt_out) == 0) {
01480
01481     /* Write... */
01482     fprintf(out, "%.2f %d %d %d %d %d %g %g %g\n",
01483         t, cx, cy, cz, cx + cy, cx + cz,
01484         (cx + cy > 0) ? 100. * (cx + cz) / (cx + cy) : GSL_NAN,
01485         (cx + cy > 0) ? (100. * cx) / (cx + cy) : GSL_NAN,
01486         (cx + cz > 0) ? (100. * cz) / (cx + cz) : GSL_NAN,
01487         (cx + cy + cz > 0) ? (100. * cx) / (cx + cy + cz) : GSL_NAN);
01488
01489     /* Set counters to zero... */
01490     cx = cy = cz = 0;
01491 }
01492
01493 /* Close file... */
01494 if (t == ctl->t_stop)
01495     fclose(out);
01496 }

```

**5.11.2.30 void write\_ens ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )**

Write ensemble data.

Definition at line 1500 of file libtrac.c.

```

01504     {
01505
01506         static FILE *out;
01507
01508         static double dummy, ens, lat, lon, p[NENS], q[NQ][NENS],
01509             t0, t1, x[NENS][3], xm[3];
01510
01511         static int init, ip, iq;
01512
01513         static size_t i, n;
01514
01515         /* Init... */
01516         if (!init) {
01517             init = 1;
01518
01519             /* Check quantities... */
01520             if (ctl->qnt_ens < 0)
01521                 ERRMSG("Missing ensemble IDs!");
01522
01523             /* Create new file... */
01524             printf("Write ensemble data: %s\n", filename);
01525             if (!(out = fopen(filename, "w")))
01526                 ERRMSG("Cannot create file!");
01527
01528             /* Write header... */
01529             fprintf(out,
01530                 "# $1 = time [s]\n"
01531                 "# $2 = altitude [km]\n"
01532                 "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");

```

```

01533     for (iq = 0; iq < ctl->nq; iq++)
01534         fprintf(out, "# %d = %s (mean) [%s]\n", 5 + iq,
01535             ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01536     for (iq = 0; iq < ctl->nq; iq++)
01537         fprintf(out, "# %d = %s (sigma) [%s]\n", 5 + ctl->nq + iq,
01538             ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01539     fprintf(out, "# %d = number of members\n\n", 5 + 2 * ctl->nq);
01540 }
01541
01542 /* Set time interval... */
01543 t0 = t - 0.5 * ctl->dt_mod;
01544 t1 = t + 0.5 * ctl->dt_mod;
01545
01546 /* Init... */
01547 ens = GSL_NAN;
01548 n = 0;
01549
01550 /* Loop over air parcels... */
01551 for (ip = 0; ip < atm->np; ip++) {
01552
01553     /* Check time... */
01554     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01555         continue;
01556
01557     /* Check ensemble id... */
01558     if (atm->q[ctl->qnt_ens][ip] != ens) {
01559
01560         /* Write results... */
01561         if (n > 0) {
01562
01563             /* Get mean position... */
01564             xm[0] = xm[1] = xm[2] = 0;
01565             for (i = 0; i < n; i++) {
01566                 xm[0] += x[i][0] / (double) n;
01567                 xm[1] += x[i][1] / (double) n;
01568                 xm[2] += x[i][2] / (double) n;
01569             }
01570             cart2geo(xm, &dummy, &lon, &lat);
01571             fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon,
01572                 lat);
01573
01574             /* Get quantity statistics... */
01575             for (iq = 0; iq < ctl->nq; iq++) {
01576                 fprintf(out, " ");
01577                 fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01578             }
01579             for (iq = 0; iq < ctl->nq; iq++) {
01580                 fprintf(out, " ");
01581                 fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01582             }
01583             fprintf(out, " %lu\n", n);
01584         }
01585
01586         /* Init new ensemble... */
01587         ens = atm->q[ctl->qnt_ens][ip];
01588         n = 0;
01589     }
01590
01591     /* Save data... */
01592     p[n] = atm->p[ip];
01593     geo2cart(0, atm->lon[ip], atm->lat[ip], x[n]);
01594     for (iq = 0; iq < ctl->nq; iq++)
01595         q[iq][n] = atm->q[iq][ip];
01596     if ((++n) >= NENS)
01597         ERRMSG("Too many data points!");
01598 }
01599
01600 /* Write results... */
01601 if (n > 0) {
01602
01603     /* Get mean position... */
01604     xm[0] = xm[1] = xm[2] = 0;
01605     for (i = 0; i < n; i++) {
01606         xm[0] += x[i][0] / (double) n;
01607         xm[1] += x[i][1] / (double) n;
01608         xm[2] += x[i][2] / (double) n;
01609     }
01610     cart2geo(xm, &dummy, &lon, &lat);
01611     fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon, lat);
01612
01613     /* Get quantity statistics... */
01614     for (iq = 0; iq < ctl->nq; iq++) {
01615         fprintf(out, " ");
01616         fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01617     }
01618     for (iq = 0; iq < ctl->nq; iq++) {
01619         fprintf(out, " ");


```

```

01620     fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01621 }
01622 fprintf(out, " %lu\n", n);
01623 }
01624
01625 /* Close file... */
01626 if (t == ctl->t_stop)
01627     fclose(out);
01628 }

```

Here is the call graph for this function:



**5.11.2.31** void `write_grid` ( const char \* *filename*, ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, double *t* )

Write gridded data.

Definition at line 1632 of file `libtrac.c`.

```

01638     {
01639
01640     FILE *in, *out;
01641
01642     char line[LEN];
01643
01644     static double grid_m[GX][GY][GZ], z, dz, lon, dlon, lat, dlat,
01645         area, rho_air, press, temp, cd, mmr, t0, t1, r;
01646
01647     static int ip, ix, iy, iz, year, mon, day, hour, min, sec;
01648
01649     /* Check dimensions... */
01650     if (ctl->grid_nx > GX || ctl->grid_ny > GY || ctl->grid_nz > GZ)
01651         ERRMSG("Grid dimensions too large!");
01652
01653     /* Check quantity index for mass... */
01654     if (ctl->qnt_m < 0)
01655         ERRMSG("Need quantity mass to write grid data!");
01656
01657     /* Set time interval for output... */
01658     t0 = t - 0.5 * ctl->dt_mod;
01659     t1 = t + 0.5 * ctl->dt_mod;
01660
01661     /* Set grid box size... */
01662     dz = (ctl->grid_z1 - ctl->grid_z0) / ctl->grid_nz;
01663     dlon = (ctl->grid_lon1 - ctl->grid_lon0) / ctl->grid_nx;
01664     dlat = (ctl->grid_lat1 - ctl->grid_lat0) / ctl->grid_ny;
01665
01666     /* Initialize grid... */
01667     for (ix = 0; ix < ctl->grid_nx; ix++)
01668         for (iy = 0; iy < ctl->grid_ny; iy++)
01669             for (iz = 0; iz < ctl->grid_nz; iz++)
01670                 grid_m[ix][iy][iz] = 0;
01671
01672     /* Average data... */
01673     for (ip = 0; ip < atm->np; ip++)
01674         if (atm->time[ip] >= t0 && atm->time[ip] <= t1) {
01675
01676             /* Get index... */
01677             ix = (int) ((atm->lon[ip] - ctl->grid_lon0) / dlon);

```

```

01678     iy = (int) ((atm->lat[ip] - ctl->grid_lat0) / dlat);
01679     iz = (int) ((Z(atm->p[ip]) - ctl->grid_z0) / dz);
01680
01681     /* Check indices... */
01682     if (ix < 0 || ix >= ctl->grid_nx ||
01683         iy < 0 || iy >= ctl->grid_ny || iz < 0 || iz >= ctl->grid_nz)
01684         continue;
01685
01686     /* Add mass... */
01687     grid_m[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01688 }
01689
01690 /* Check if gnuplot output is requested... */
01691 if (ctl->grid_gpfile[0] != '-') {
01692
01693     /* Write info... */
01694     printf("Plot grid data: %s.png\n", filename);
01695
01696     /* Create gnuplot pipe... */
01697     if (!(out = popen("gnuplot", "w")))
01698         ERRMSG("Cannot create pipe to gnuplot!");
01699
01700     /* Set plot filename... */
01701     fprintf(out, "set out \"%s.png\"\n", filename);
01702
01703     /* Set time string... */
01704     jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01705     fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\n",
01706             year, mon, day, hour, min);
01707
01708     /* Dump gnuplot file to pipe... */
01709     if (!(in = fopen(ctl->grid_gpfile, "r")))
01710         ERRMSG("Cannot open file!");
01711     while (fgets(line, LEN, in))
01712         fprintf(out, "%s", line);
01713     fclose(in);
01714 }
01715
01716 else {
01717
01718     /* Write info... */
01719     printf("Write grid data: %s\n", filename);
01720
01721     /* Create file... */
01722     if (!(out = fopen(filename, "w")))
01723         ERRMSG("Cannot create file!");
01724 }
01725
01726 /* Write header... */
01727 fprintf(out,
01728         "# $1 = time [s]\n"
01729         "# $2 = altitude [km]\n"
01730         "# $3 = longitude [deg]\n"
01731         "# $4 = latitude [deg]\n"
01732         "# $5 = surface area [km^2]\n"
01733         "# $6 = layer width [km]\n"
01734         "# $7 = temperature [K]\n"
01735         "# $8 = column density [kg/m^2]\n"
01736         "# $9 = mass mixing ratio [1]\n\n");
01737
01738 /* Write data... */
01739 for (ix = 0; ix < ctl->grid_nx; ix++) {
01740     if (ix > 0 && ctl->grid_ny > 1 && !ctl->grid_sparse)
01741         fprintf(out, "\n");
01742     for (iy = 0; iy < ctl->grid_ny; iy++) {
01743         if (iy > 0 && ctl->grid_nz > 1 && !ctl->grid_sparse)
01744             fprintf(out, "\n");
01745         for (iz = 0; iz < ctl->grid_nz; iz++)
01746             if (!ctl->grid_sparse
01747                 || ix == 0 || iy == 0 || iz == 0 || grid_m[ix][iy][iz] > 0) {
01749
01750                 /* Set coordinates... */
01751                 z = ctl->grid_z0 + dz * (iz + 0.5);
01752                 lon = ctl->grid_lon0 + dlon * (ix + 0.5);
01753                 lat = ctl->grid_lat0 + dlat * (iy + 0.5);
01754
01755                 /* Get pressure and temperature... */
01756                 press = P(z);
01757                 intpol_met_time(met0, met1, t, press, lon, lat,
01758                                NULL, &temp, NULL, NULL, NULL, NULL, NULL);
01759
01760                 /* Calculate surface area... */
01761                 area = dlat * dlon * gsl_pow_2(RE * M_PI / 180.)
01762                      * cos(lat * M_PI / 180.);
01763
01764                 /* Calculate column density... */
01765                 cd = grid_m[ix][iy][iz] / (1e6 * area);


```

```

01765
01766      /* Calculate mass mixing ratio... */
01767      rho_air = 100. * press / (287.058 * temp);
01768      mmr = grid_m[ix][iy][iz] / (rho_air * 1e6 * area * 1e3 * dz);
01769
01770      /* Write output... */
01771      fprintf(out, "%.2f %g %g %g %g %g %g %g %g\n",
01772             t, z, lon, lat, area, dz, temp, cd, mmr);
01773    }
01774  }
01775 }
01776
01777 /* Close file... */
01778 fclose(out);
01779 }

```

Here is the call graph for this function:



**5.11.232** void write\_prof ( const char \* filename, ctl\_t \* ctl, met\_t \* met0, met\_t \* met1, atm\_t \* atm, double t )

Write profile data.

Definition at line 1783 of file libtrac.c.

```

01789      {
01790
01791      static FILE *in, *out;
01792
01793      static char line[LEN];
01794
01795      static double mass[GX][GY][GZ], obsmean[GX][GY], tmean[GX][GY],
01796      rt, rlon, rlat, robs, t0, t1, area, dz, dlon, dlat, lon, lat, z,
01797      press, temp, rho_air, mmr, h2o, o3;
01798
01799      static int init, obscount[GX][GY], ip, ix, iy, iz;
01800
01801      /* Init... */
01802      if (!init) {
01803          init = 1;
01804
01805          /* Check quantity index for mass... */
01806          if (ctl->qnt_m < 0)
01807              ERRMSG("Need quantity mass!");
01808
01809          /* Check dimensions... */
01810          if (ctl->prof_nx > GX || ctl->prof_ny > GY || ctl->prof_nz > GZ)
01811              ERRMSG("Grid dimensions too large!");
01812
01813          /* Open observation data file... */
01814          printf("Read profile observation data: %s\n", ctl->prof_obsfile);
01815          if (!(in = fopen(ctl->prof_obsfile, "r")))
01816              ERRMSG("Cannot open file!");
01817
01818          /* Create new file... */
01819          printf("Write profile data: %s\n", filename);
01820          if (!(out = fopen(filename, "w")))
01821              ERRMSG("Cannot create file!");
01822
01823          /* Write header... */
01824          fprintf(out,

```

```

01825         "# $1 = time [s]\n"
01826         "# $2 = altitude [km]\n"
01827         "# $3 = longitude [deg]\n"
01828         "# $4 = latitude [deg]\n"
01829         "# $5 = pressure [hPa]\n"
01830         "# $6 = temperature [K]\n"
01831         "# $7 = mass mixing ratio [1]\n"
01832         "# $8 = H2O volume mixing ratio [1]\n"
01833         "# $9 = O3 volume mixing ratio [1]\n"
01834         "# $10 = mean BT index [K]\n");
01835
01836     /* Set grid box size... */
01837     dz = (ctl->prof_z1 - ctl->prof_z0) / ctl->prof_nz;
01838     dlon = (ctl->prof_lon1 - ctl->prof_lon0) / ctl->prof_nx;
01839     dlat = (ctl->prof_lat1 - ctl->prof_lat0) / ctl->prof_ny;
01840 }
01841
01842 /* Set time interval... */
01843 t0 = t - 0.5 * ctl->dt_mod;
01844 t1 = t + 0.5 * ctl->dt_mod;
01845
01846 /* Initialize... */
01847 for (ix = 0; ix < ctl->prof_nx; ix++)
01848     for (iy = 0; iy < ctl->prof_ny; iy++) {
01849         obsmean[ix][iy] = 0;
01850         obscount[ix][iy] = 0;
01851         tmean[ix][iy] = 0;
01852         for (iz = 0; iz < ctl->prof_nz; iz++)
01853             mass[ix][iy][iz] = 0;
01854     }
01855
01856 /* Read data... */
01857 while (fgets(line, LEN, in)) {
01858
01859     /* Read data... */
01860     if (sscanf(line, "%lg %lg %lg %lg", &rt, &rln, &rlat, &robs) != 4)
01861         continue;
01862
01863     /* Check time... */
01864     if (rt < t0)
01865         continue;
01866     if (rt > t1)
01867         break;
01868
01869     /* Calculate indices... */
01870     ix = (int) ((rln - ctl->prof_lon0) / dlon);
01871     iy = (int) ((rlat - ctl->prof_lat0) / dlat);
01872
01873     /* Check indices... */
01874     if (ix < 0 || ix >= ctl->prof_nx || iy < 0 || iy >= ctl->prof_ny)
01875         continue;
01876
01877     /* Get mean observation index... */
01878     obsmean[ix][iy] += robs;
01879     tmean[ix][iy] += rt;
01880     obscount[ix][iy]++;
01881 }
01882
01883 /* Analyze model data... */
01884 for (ip = 0; ip < atm->np; ip++) {
01885
01886     /* Check time... */
01887     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01888         continue;
01889
01890     /* Get indices... */
01891     ix = (int) ((atm->lon[ip] - ctl->prof_lon0) / dlon);
01892     iy = (int) ((atm->lat[ip] - ctl->prof_lat0) / dlat);
01893     iz = (int) ((Z(atm->p[ip]) - ctl->prof_z0) / dz);
01894
01895     /* Check indices... */
01896     if (ix < 0 || ix >= ctl->prof_nx ||
01897         iy < 0 || iy >= ctl->prof_ny || iz < 0 || iz >= ctl->prof_nz)
01898         continue;
01899
01900     /* Get total mass in grid cell... */
01901     mass[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01902 }
01903
01904 /* Extract profiles... */
01905 for (ix = 0; ix < ctl->prof_nx; ix++)
01906     for (iy = 0; iy < ctl->prof_ny; iy++)
01907         if (obscount[ix][iy] > 0) {
01908
01909             /* Write output... */
01910             fprintf(out, "\n");
01911

```




```

01912      /* Loop over altitudes... */
01913      for (iz = 0; iz < ctl->prof_nz; iz++) {
01914
01915          /* Set coordinates... */
01916          z = ctl->prof_z0 + dz * (iz + 0.5);
01917          lon = ctl->prof_lon0 + dlon * (ix + 0.5);
01918          lat = ctl->prof_lat0 + dlat * (iy + 0.5);
01919
01920          /* Get meteorological data... */
01921          press = P(z);
01922          intpol_met_time(met0, met1, t, press, lon, lat,
01923                        NULL, &temp, NULL, NULL, NULL, &h2o, &o3);
01924
01925          /* Calculate mass mixing ratio... */
01926          rho_air = 100. * press / (287.058 * temp);
01927          area = dlat * dlon * gsl_pow_2(M_PI * RE / 180.)
01928                * cos(lat * M_PI / 180.);
01929          mmr = mass[ix][iy][iz] / (rho_air * area * dz * 1e9);
01930
01931          /* Write output... */
01932          fprintf(out, "%.2f %g %g %g %g %g %g %g %g\n",
01933                tmean[ix][iy] / obscount[ix][iy],
01934                z, lon, lat, press, temp, mmr, h2o, o3,
01935                obsmean[ix][iy] / obscount[ix][iy]);
01936      }
01937  }
01938
01939  /* Close file... */
01940  if (t == ctl->t_stop)
01941      fclose(out);
01942 }

```

Here is the call graph for this function:



#### 5.11.2.33 void write\_station ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write station data.

Definition at line 1946 of file libtrac.c.

```

01950      {
01951
01952          static FILE *out;
01953
01954          static double rmax2, t0, t1, x0[3], x1[3];
01955
01956          static int init, ip, iq;
01957
01958          /* Init... */
01959          if (!init) {
01960              init = 1;
01961
01962              /* Write info... */
01963              printf("Write station data: %s\n", filename);
01964
01965              /* Create new file... */
01966              if (!(out = fopen(filename, "w")))
01967                  ERRMSG("Cannot create file!");
01968
01969              /* Write header... */

```

```

01970     fprintf(out,
01971             "# $1 = time [s]\n"
01972             "# $2 = altitude [km]\n"
01973             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01974     for (iq = 0; iq < ctl->nq; iq++)
01975         fprintf(out, "# $i = %s [%s]\n", (iq + 5),
01976                 ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01977     fprintf(out, "\n");
01978
01979     /* Set geolocation and search radius... */
01980     geo2cart(0, ctl->stat_lon, ctl->stat_lat, x0);
01981     rmax2 = gsl_pow_2(ctl->stat_r);
01982 }
01983
01984 /* Set time interval for output... */
01985 t0 = t - 0.5 * ctl->dt_mod;
01986 t1 = t + 0.5 * ctl->dt_mod;
01987
01988 /* Loop over air parcels... */
01989 for (ip = 0; ip < atm->np; ip++) {
01990
01991     /* Check time... */
01992     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01993         continue;
01994
01995     /* Check station flag... */
01996     if (ctl->qnt_stat >= 0)
01997         if (atm->q[ctl->qnt_stat][ip])
01998             continue;
01999
02000     /* Get Cartesian coordinates... */
02001     geo2cart(0, atm->lon[ip], atm->lat[ip], x1);
02002
02003     /* Check horizontal distance... */
02004     if (DIST2(x0, x1) > rmax2)
02005         continue;
02006
02007     /* Set station flag... */
02008     if (ctl->qnt_stat >= 0)
02009         atm->q[ctl->qnt_stat][ip] = 1;
02010
02011     /* Write data... */
02012     fprintf(out, "%.2f %g %g %g",
02013             atm->time[ip], Z(atm->p[ip]), atm->lon[ip], atm->lat[ip]);
02014     for (iq = 0; iq < ctl->nq; iq++) {
02015         fprintf(out, " ");
02016         fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
02017     }
02018     fprintf(out, "\n");
02019 }
02020
02021 /* Close file... */
02022 if (t == ctl->t_stop)
02023     fclose(out);
02024 }

```

Here is the call graph for this function:



## 5.12 libtrac.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by

```

```

00006 the Free Software Foundation, either version 3 of the License, or
00007 (at your option) any later version.
00008
00009 MPTRAC is distributed in the hope that it will be useful,
00010 but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 GNU General Public License for more details.
00013
00014 You should have received a copy of the GNU General Public License
00015 along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017 Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 /*****
00028
00029 void cart2geo(
00030     double *x,
00031     double *z,
00032     double *lon,
00033     double *lat) {
00034
00035     double radius;
00036
00037     radius = NORM(x);
00038     *lat = asin(x[2] / radius) * 180 / M_PI;
00039     *lon = atan2(x[1], x[0]) * 180 / M_PI;
00040     *z = radius - RE;
00041 }
00042
00043 /*****
00044
00045 double deg2dx(
00046     double dlon,
00047     double lat) {
00048
00049     return dlon * M_PI * RE / 180. * cos(lat / 180. * M_PI);
00050 }
00051
00052 /*****
00053
00054 double deg2dy(
00055     double dlat) {
00056
00057     return dlat * M_PI * RE / 180.;
00058 }
00059
00060 /*****
00061
00062 double dp2dz(
00063     double dp,
00064     double p) {
00065
00066     return -dp * H0 / p;
00067 }
00068
00069 /*****
00070
00071 double dx2deg(
00072     double dx,
00073     double lat) {
00074
00075     /* Avoid singularity at poles... */
00076     if (lat < -89.999 || lat > 89.999)
00077         return 0;
00078     else
00079         return dx * 180. / (M_PI * RE * cos(lat / 180. * M_PI));
00080 }
00081
00082 /*****
00083
00084 double dy2deg(
00085     double dy) {
00086
00087     return dy * 180. / (M_PI * RE);
00088 }
00089
00090 /*****
00091
00092 double dz2dp(
00093     double dz,
00094     double p) {
00095
00096     return -dz * p / H0;
00097 }

```

```

00098
00099 /*****
00100
00101 void geo2cart(
00102     double z,
00103     double lon,
00104     double lat,
00105     double *x) {
00106
00107     double radius;
00108
00109     radius = z + RE;
00110     x[0] = radius * cos(lat / 180 * M_PI) * cos(lon / 180 * M_PI);
00111     x[1] = radius * cos(lat / 180 * M_PI) * sin(lon / 180 * M_PI);
00112     x[2] = radius * sin(lat / 180 * M_PI);
00113 }
00114
00115 /*****
00116
00117 void get_met(
00118     ctl_t * ctl,
00119     char *metbase,
00120     double t,
00121     met_t * met0,
00122     met_t * met1) {
00123
00124     char filename[LEN];
00125
00126     static int init;
00127
00128     /* Init... */
00129     if (!init) {
00130         init = 1;
00131
00132         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00133         read_met(ctl, filename, met0);
00134
00135         get_met_help(t + 1.0 * ctl->direction, 1, metbase, ctl->
dt_met, filename);
00136         read_met(ctl, filename, met1);
00137     }
00138
00139     /* Read new data for forward trajectories... */
00140     if (t > met1->time && ctl->direction == 1) {
00141         memcpy(met0, met1, sizeof(met_t));
00142         get_met_help(t, 1, metbase, ctl->dt_met, filename);
00143         read_met(ctl, filename, met1);
00144     }
00145
00146     /* Read new data for backward trajectories... */
00147     if (t < met0->time && ctl->direction == -1) {
00148         memcpy(met1, met0, sizeof(met_t));
00149         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00150         read_met(ctl, filename, met0);
00151     }
00152 }
00153
00154 /*****
00155
00156 void get_met_help(
00157     double t,
00158     int direct,
00159     char *metbase,
00160     double dt_met,
00161     char *filename) {
00162
00163     double t6, r;
00164
00165     int year, mon, day, hour, min, sec;
00166
00167     /* Round time to fixed intervals... */
00168     if (direct == -1)
00169         t6 = floor(t / dt_met) * dt_met;
00170     else
00171         t6 = ceil(t / dt_met) * dt_met;
00172
00173     /* Decode time... */
00174     jsec2time(t6, &year, &mon, &day, &hour, &min, &sec, &r);
00175
00176     /* Set filename... */
00177     sprintf(filename, "%s_%d_%02d_%02d.nc", metbase, year, mon, day, hour);
00178 }
00179
00180 /*****
00181
00182 void intpol_met_2d(
00183     double array[EX][EY],

```

```

00184     int ix,
00185     int iy,
00186     double wx,
00187     double wy,
00188     double *var) {
00189
00190     double aux00, aux01, aux10, aux11;
00191
00192     /* Set variables... */
00193     aux00 = array[ix][iy];
00194     aux01 = array[ix][iy + 1];
00195     aux10 = array[ix + 1][iy];
00196     aux11 = array[ix + 1][iy + 1];
00197
00198     /* Interpolate horizontally... */
00199     aux00 = wy * (aux00 - aux01) + aux01;
00200     aux11 = wy * (aux10 - aux11) + aux11;
00201     *var = wx * (aux00 - aux11) + aux11;
00202 }
00203
00204 /*****
00205
00206 void intpol_met_3d(
00207     float array[EX][EY][EP],
00208     int ip,
00209     int ix,
00210     int iy,
00211     double wp,
00212     double wx,
00213     double wy,
00214     double *var) {
00215
00216     double aux00, aux01, aux10, aux11;
00217
00218     /* Interpolate vertically... */
00219     aux00 = wp * (array[ix][iy][ip] - array[ix][iy][ip + 1])
00220         + array[ix][iy][ip + 1];
00221     aux01 = wp * (array[ix][iy + 1][ip] - array[ix][iy + 1][ip + 1])
00222         + array[ix][iy + 1][ip + 1];
00223     aux10 = wp * (array[ix + 1][iy][ip] - array[ix + 1][iy][ip + 1])
00224         + array[ix + 1][iy][ip + 1];
00225     aux11 = wp * (array[ix + 1][iy + 1][ip] - array[ix + 1][iy + 1][ip + 1])
00226         + array[ix + 1][iy + 1][ip + 1];
00227
00228     /* Interpolate horizontally... */
00229     aux00 = wy * (aux00 - aux01) + aux01;
00230     aux11 = wy * (aux10 - aux11) + aux11;
00231     *var = wx * (aux00 - aux11) + aux11;
00232 }
00233
00234 /*****
00235
00236 void intpol_met_space(
00237     met_t * met,
00238     double p,
00239     double lon,
00240     double lat,
00241     double *ps,
00242     double *t,
00243     double *u,
00244     double *v,
00245     double *w,
00246     double *h2o,
00247     double *o3) {
00248
00249     double wp, wx, wy;
00250
00251     int ip, ix, iy;
00252
00253     /* Check longitude... */
00254     if (met->lon[met->nx - 1] > 180 && lon < 0)
00255         lon += 360;
00256
00257     /* Get indices... */
00258     ip = locate(met->p, met->np, p);
00259     ix = locate(met->lon, met->nx, lon);
00260     iy = locate(met->lat, met->ny, lat);
00261
00262     /* Get weights... */
00263     wp = (met->p[ip + 1] - p) / (met->p[ip + 1] - met->p[ip]);
00264     wx = (met->lon[ix + 1] - lon) / (met->lon[ix + 1] - met->lon[ix]);
00265     wy = (met->lat[iy + 1] - lat) / (met->lat[iy + 1] - met->lat[iy]);
00266
00267     /* Interpolate... */
00268     if (ps != NULL)
00269         intpol_met_2d(met->ps, ix, iy, wx, wy, ps);
00270     if (t != NULL)

```

```

00271     intpol_met_3d(met->t, ip, ix, iy, wp, wx, wy, t);
00272     if (u != NULL)
00273         intpol_met_3d(met->u, ip, ix, iy, wp, wx, wy, u);
00274     if (v != NULL)
00275         intpol_met_3d(met->v, ip, ix, iy, wp, wx, wy, v);
00276     if (w != NULL)
00277         intpol_met_3d(met->w, ip, ix, iy, wp, wx, wy, w);
00278     if (h2o != NULL)
00279         intpol_met_3d(met->h2o, ip, ix, iy, wp, wx, wy, h2o);
00280     if (o3 != NULL)
00281         intpol_met_3d(met->o3, ip, ix, iy, wp, wx, wy, o3);
00282 }
00283
00284 /*****
00285
00286 void intpol_met_time(
00287     met_t * met0,
00288     met_t * met1,
00289     double ts,
00290     double p,
00291     double lon,
00292     double lat,
00293     double *ps,
00294     double *t,
00295     double *u,
00296     double *v,
00297     double *w,
00298     double *h2o,
00299     double *o3) {
00300
00301     double h2o0, h2o1, o30, o31, ps0, ps1, t0, t1, u0, u1, v0, v1, w0, w1, wt;
00302
00303     /* Spatial interpolation... */
00304     intpol_met_space(met0, p, lon, lat,
00305                     ps == NULL ? NULL : &ps0,
00306                     t == NULL ? NULL : &t0,
00307                     u == NULL ? NULL : &u0,
00308                     v == NULL ? NULL : &v0,
00309                     w == NULL ? NULL : &w0,
00310                     h2o == NULL ? NULL : &h2o0, o3 == NULL ? NULL : &o30);
00311     intpol_met_space(met1, p, lon, lat,
00312                     ps == NULL ? NULL : &ps1,
00313                     t == NULL ? NULL : &t1,
00314                     u == NULL ? NULL : &u1,
00315                     v == NULL ? NULL : &v1,
00316                     w == NULL ? NULL : &w1,
00317                     h2o == NULL ? NULL : &h2o1, o3 == NULL ? NULL : &o31);
00318
00319     /* Get weighting factor... */
00320     wt = (met1->time - ts) / (met1->time - met0->time);
00321
00322     /* Interpolate... */
00323     if (ps != NULL)
00324         *ps = wt * (ps0 - ps1) + ps1;
00325     if (t != NULL)
00326         *t = wt * (t0 - t1) + t1;
00327     if (u != NULL)
00328         *u = wt * (u0 - u1) + u1;
00329     if (v != NULL)
00330         *v = wt * (v0 - v1) + v1;
00331     if (w != NULL)
00332         *w = wt * (w0 - w1) + w1;
00333     if (h2o != NULL)
00334         *h2o = wt * (h2o0 - h2o1) + h2o1;
00335     if (o3 != NULL)
00336         *o3 = wt * (o30 - o31) + o31;
00337 }
00338
00339 /*****
00340
00341 void jsec2time(
00342     double jsec,
00343     int *year,
00344     int *mon,
00345     int *day,
00346     int *hour,
00347     int *min,
00348     int *sec,
00349     double *remain) {
00350
00351     struct tm t0, *t1;
00352
00353     time_t jsec0;
00354
00355     t0.tm_year = 100;
00356     t0.tm_mon = 0;
00357     t0.tm_mday = 1;

```

```

00358     t0.tm_hour = 0;
00359     t0.tm_min = 0;
00360     t0.tm_sec = 0;
00361
00362     jsec0 = (time_t) jsec + timegm(&t0);
00363     t1 = gmtime(&jsec0);
00364
00365     *year = t1->tm_year + 1900;
00366     *mon = t1->tm_mon + 1;
00367     *day = t1->tm_mday;
00368     *hour = t1->tm_hour;
00369     *min = t1->tm_min;
00370     *sec = t1->tm_sec;
00371     *remain = jsec - floor(jsec);
00372 }
00373
00374 /*****
00375
00376 int locate(
00377     double **xx,
00378     int n,
00379     double x) {
00380
00381     int i, ilo, ihi;
00382
00383     ilo = 0;
00384     ihi = n - 1;
00385     i = (ihi + ilo) >> 1;
00386
00387     if (xx[i] < xx[i + 1])
00388         while (ihi > ilo + 1) {
00389             i = (ihi + ilo) >> 1;
00390             if (xx[i] > x)
00391                 ihi = i;
00392             else
00393                 ilo = i;
00394         } else
00395         while (ihi > ilo + 1) {
00396             i = (ihi + ilo) >> 1;
00397             if (xx[i] <= x)
00398                 ihi = i;
00399             else
00400                 ilo = i;
00401         }
00402
00403     return ilo;
00404 }
00405
00406 /*****
00407
00408 void read_atm(
00409     const char *filename,
00410     ctl_t *ctl,
00411     atm_t *atm) {
00412
00413     FILE *in;
00414
00415     char line[LEN], *tok;
00416
00417     int iq;
00418
00419     /* Init... */
00420     atm->np = 0;
00421
00422     /* Write info... */
00423     printf("Read atmospheric data: %s\n", filename);
00424
00425     /* Open file... */
00426     if (!(in = fopen(filename, "r")))
00427         ERRMSG("Cannot open file!");
00428
00429     /* Read line... */
00430     while (fgets(line, LEN, in)) {
00431
00432         /* Read data... */
00433         TOK(line, tok, "%lg", atm->time[atm->np]);
00434         TOK(NULL, tok, "%lg", atm->p[atm->np]);
00435         TOK(NULL, tok, "%lg", atm->lon[atm->np]);
00436         TOK(NULL, tok, "%lg", atm->lat[atm->np]);
00437         for (iq = 0; iq < ctl->nq; iq++)
00438             TOK(NULL, tok, "%lg", atm->q[iq][atm->np]);
00439
00440         /* Convert altitude to pressure... */
00441         atm->p[atm->np] = P(atm->p[atm->np]);
00442
00443         /* Increment data point counter... */
00444         if ((++atm->np) > NP)

```

```

00445     ERRMSG("Too many data points!");
00446 }
00447
00448 /* Close file... */
00449 fclose(in);
00450
00451 /* Check number of points... */
00452 if (atm->np < 1)
00453     ERRMSG("Can not read any data!");
00454 }
00455
00456 /*****
00457 void read_ctl(
00458     const char *filename,
00459     int argc,
00460     char *argv[],
00461     ctl_t * ctl) {
00462
00463     int ip, iq;
00464
00465     /* Write info... */
00466     printf("\nMassive-Parallel Trajectory Calculations (MPTRAC)\n"
00467           "(executable: %s | compiled: %s, %s)\n\n",
00468           argv[0], __DATE__, __TIME__);
00469
00470     /* Initialize quantity indices... */
00471     ctl->qnt_ens = -1;
00472     ctl->qnt_m = -1;
00473     ctl->qnt_r = -1;
00474     ctl->qnt_rho = -1;
00475     ctl->qnt_ps = -1;
00476     ctl->qnt_p = -1;
00477     ctl->qnt_t = -1;
00478     ctl->qnt_u = -1;
00479     ctl->qnt_v = -1;
00480     ctl->qnt_w = -1;
00481     ctl->qnt_h2o = -1;
00482     ctl->qnt_o3 = -1;
00483     ctl->qnt_theta = -1;
00484     ctl->qnt_pv = -1;
00485     ctl->qnt_tice = -1;
00486     ctl->qnt_tsts = -1;
00487     ctl->qnt_tnat = -1;
00488     ctl->qnt_gw_var = -1;
00489     ctl->qnt_stat = -1;
00490
00491     /* Read quantities... */
00492     ctl->nq = (int) scan_ctl(filename, argc, argv, "NQ", -1, "0", NULL);
00493     if (ctl->nq > NQ)
00494         ERRMSG("Too many quantities!");
00495     for (iq = 0; iq < ctl->nq; iq++) {
00496
00497         /* Read quantity name and format... */
00498         scan_ctl(filename, argc, argv, "QNT_NAME", iq, "", ctl->qnt_name[iq]);
00499         scan_ctl(filename, argc, argv, "QNT_FORMAT", iq, "%g",
00500             ctl->qnt_format[iq]);
00501
00502         /* Try to identify quantity... */
00503         if (strcmp(ctl->qnt_name[iq], "ens") == 0) {
00504             ctl->qnt_ens = iq;
00505             sprintf(ctl->qnt_unit[iq], "-");
00506         } else if (strcmp(ctl->qnt_name[iq], "m") == 0) {
00507             ctl->qnt_m = iq;
00508             sprintf(ctl->qnt_unit[iq], "kg");
00509         } else if (strcmp(ctl->qnt_name[iq], "r") == 0) {
00510             ctl->qnt_r = iq;
00511             sprintf(ctl->qnt_unit[iq], "m");
00512         } else if (strcmp(ctl->qnt_name[iq], "rho") == 0) {
00513             ctl->qnt_rho = iq;
00514             sprintf(ctl->qnt_unit[iq], "kg/m^3");
00515         } else if (strcmp(ctl->qnt_name[iq], "ps") == 0) {
00516             ctl->qnt_ps = iq;
00517             sprintf(ctl->qnt_unit[iq], "hPa");
00518         } else if (strcmp(ctl->qnt_name[iq], "p") == 0) {
00519             ctl->qnt_p = iq;
00520             sprintf(ctl->qnt_unit[iq], "hPa");
00521         } else if (strcmp(ctl->qnt_name[iq], "t") == 0) {
00522             ctl->qnt_t = iq;
00523             sprintf(ctl->qnt_unit[iq], "K");
00524         } else if (strcmp(ctl->qnt_name[iq], "u") == 0) {
00525             ctl->qnt_u = iq;
00526             sprintf(ctl->qnt_unit[iq], "m/s");
00527         } else if (strcmp(ctl->qnt_name[iq], "v") == 0) {
00528             ctl->qnt_v = iq;
00529             sprintf(ctl->qnt_unit[iq], "m/s");
00530         } else if (strcmp(ctl->qnt_name[iq], "w") == 0) {
00531

```



```

00532     ctl->qnt_w = iq;
00533     sprintf(ctl->qnt_unit[iq], "hPa/s");
00534 } else if (strcmp(ctl->qnt_name[iq], "h2o") == 0) {
00535     ctl->qnt_h2o = iq;
00536     sprintf(ctl->qnt_unit[iq], "1");
00537 } else if (strcmp(ctl->qnt_name[iq], "o3") == 0) {
00538     ctl->qnt_o3 = iq;
00539     sprintf(ctl->qnt_unit[iq], "1");
00540 } else if (strcmp(ctl->qnt_name[iq], "theta") == 0) {
00541     ctl->qnt_theta = iq;
00542     sprintf(ctl->qnt_unit[iq], "K");
00543 } else if (strcmp(ctl->qnt_name[iq], "pv") == 0) {
00544     ctl->qnt_pv = iq;
00545     sprintf(ctl->qnt_unit[iq], "PVU");
00546 } else if (strcmp(ctl->qnt_name[iq], "tice") == 0) {
00547     ctl->qnt_tice = iq;
00548     sprintf(ctl->qnt_unit[iq], "K");
00549 } else if (strcmp(ctl->qnt_name[iq], "tsts") == 0) {
00550     ctl->qnt_tsts = iq;
00551     sprintf(ctl->qnt_unit[iq], "K");
00552 } else if (strcmp(ctl->qnt_name[iq], "tnat") == 0) {
00553     ctl->qnt_tnat = iq;
00554     sprintf(ctl->qnt_unit[iq], "K");
00555 } else if (strcmp(ctl->qnt_name[iq], "gw_var") == 0) {
00556     ctl->qnt_gw_var = iq;
00557     sprintf(ctl->qnt_unit[iq], "K^2");
00558 } else if (strcmp(ctl->qnt_name[iq], "stat") == 0) {
00559     ctl->qnt_stat = iq;
00560     sprintf(ctl->qnt_unit[iq], "-");
00561 } else
00562     scan_ctl(filename, argc, argv, "QNT_UNIT", iq, "", ctl->qnt_unit[iq]);
00563 }
00564
00565 /* Time steps of simulation... */
00566 ctl->direction =
00567     (int) scan_ctl(filename, argc, argv, "DIRECTION", -1, "1", NULL);
00568 if (ctl->direction != -1 && ctl->direction != 1)
00569     ERRMSG("Set DIRECTION to -1 or 1!");
00570 ctl->t_start =
00571     scan_ctl(filename, argc, argv, "T_START", -1, "-1e100", NULL);
00572 ctl->t_stop = scan_ctl(filename, argc, argv, "T_STOP", -1, "-1e100", NULL);
00573 ctl->dt_mod = scan_ctl(filename, argc, argv, "DT_MOD", -1, "600", NULL);
00574
00575 /* Meteorological data... */
00576 ctl->dt_met = scan_ctl(filename, argc, argv, "DT_MET", -1, "21600", NULL);
00577 ctl->met_np = (int) scan_ctl(filename, argc, argv, "MET_NP", -1, "0", NULL);
00578 if (ctl->met_np > EP)
00579     ERRMSG("Too many levels!");
00580 for (ip = 0; ip < ctl->met_np; ip++)
00581     ctl->met_p[ip] = scan_ctl(filename, argc, argv, "MET_P", ip, "", NULL);
00582
00583 /* Isosurface parameters... */
00584 ctl->isosurf =
00585     (int) scan_ctl(filename, argc, argv, "ISOSURF", -1, "0", NULL);
00586 scan_ctl(filename, argc, argv, "BALLOON", -1, "-", ctl->balloon);
00587
00588 /* Diffusion parameters... */
00589 ctl->turb_dx_trop =
00590     scan_ctl(filename, argc, argv, "TURB_DX_TROP", -1, "50.0", NULL);
00591 ctl->turb_dx_strat =
00592     scan_ctl(filename, argc, argv, "TURB_DX_STRAT", -1, "0.0", NULL);
00593 ctl->turb_dz_trop =
00594     scan_ctl(filename, argc, argv, "TURB_DZ_TROP", -1, "0.0", NULL);
00595 ctl->turb_dz_strat =
00596     scan_ctl(filename, argc, argv, "TURB_DZ_STRAT", -1, "0.1", NULL);
00597 ctl->turb_meso =
00598     scan_ctl(filename, argc, argv, "TURB_MESO", -1, "0.16", NULL);
00599
00600 /* Life time of particles... */
00601 ctl->tdec_trop = scan_ctl(filename, argc, argv, "TDEC_TROP", -1, "0", NULL);
00602 ctl->tdec_strat =
00603     scan_ctl(filename, argc, argv, "TDEC_STRAT", -1, "0", NULL);
00604
00605 /* PSC analysis... */
00606 ctl->psc_h2o = scan_ctl(filename, argc, argv, "PSC_H2O", -1, "4e-6", NULL);
00607 ctl->psc_hno3 =
00608     scan_ctl(filename, argc, argv, "PSC_HNO3", -1, "9e-9", NULL);
00609
00610 /* Gravity wave analysis... */
00611 scan_ctl(filename, argc, argv, "GW_BASENAME", -1, "-", ctl->
gw_basename);
00612
00613 /* Output of atmospheric data... */
00614 scan_ctl(filename, argc, argv, "ATM_BASENAME", -1, "-", ctl->
atm_basename);
00615 scan_ctl(filename, argc, argv, "ATM_GPFIL", -1, "-", ctl->atm_gpfile);
00616 ctl->atm_dt_out =

```

```

00617     scan_ctl(filename, argc, argv, "ATM_DT_OUT", -1, "86400", NULL);
00618     ctl->atm_filter =
00619         (int) scan_ctl(filename, argc, argv, "ATM_FILTER", -1, "0", NULL);
00620
00621     /* Output of CSI data... */
00622     scan_ctl(filename, argc, argv, "CSI_BASENAME", -1, "-", ctl->
csi_basename);
00623     ctl->csi_dt_out =
00624         scan_ctl(filename, argc, argv, "CSI_DT_OUT", -1, "86400", NULL);
00625     scan_ctl(filename, argc, argv, "CSI_OBSFILE", -1, "obs.tab",
00626         ctl->csi_obsfile);
00627     ctl->csi_obsmin =
00628         scan_ctl(filename, argc, argv, "CSI_OBSMIN", -1, "0", NULL);
00629     ctl->csi_modmin =
00630         scan_ctl(filename, argc, argv, "CSI_MODMIN", -1, "0", NULL);
00631     ctl->csi_z0 = scan_ctl(filename, argc, argv, "CSI_Z0", -1, "0", NULL);
00632     ctl->csi_z1 = scan_ctl(filename, argc, argv, "CSI_Z1", -1, "100", NULL);
00633     ctl->csi_nz = (int) scan_ctl(filename, argc, argv, "CSI_NZ", -1, "1", NULL);
00634     ctl->csi_lon0 =
00635         scan_ctl(filename, argc, argv, "CSI_LON0", -1, "-180", NULL);
00636     ctl->csi_lon1 = scan_ctl(filename, argc, argv, "CSI_LON1", -1, "180", NULL);
00637     ctl->csi_nx =
00638         (int) scan_ctl(filename, argc, argv, "CSI_NX", -1, "360", NULL);
00639     ctl->csi_lat0 = scan_ctl(filename, argc, argv, "CSI_LAT0", -1, "-90", NULL);
00640     ctl->csi_lat1 = scan_ctl(filename, argc, argv, "CSI_LAT1", -1, "90", NULL);
00641     ctl->csi_ny =
00642         (int) scan_ctl(filename, argc, argv, "CSI_NY", -1, "180", NULL);
00643
00644     /* Output of ensemble data... */
00645     scan_ctl(filename, argc, argv, "ENS_BASENAME", -1, "-", ctl->
ens_basename);
00646
00647     /* Output of grid data... */
00648     scan_ctl(filename, argc, argv, "GRID_BASENAME", -1, "-",
00649         ctl->grid_basename);
00650     scan_ctl(filename, argc, argv, "GRID_GPFILE", -1, "-", ctl->
grid_gpfile);
00651     ctl->grid_dt_out =
00652         scan_ctl(filename, argc, argv, "GRID_DT_OUT", -1, "86400", NULL);
00653     ctl->grid_sparse =
00654         (int) scan_ctl(filename, argc, argv, "GRID_SPARSE", -1, "0", NULL);
00655     ctl->grid_z0 = scan_ctl(filename, argc, argv, "GRID_Z0", -1, "0", NULL);
00656     ctl->grid_z1 = scan_ctl(filename, argc, argv, "GRID_Z1", -1, "100", NULL);
00657     ctl->grid_nz =
00658         (int) scan_ctl(filename, argc, argv, "GRID_NZ", -1, "1", NULL);
00659     ctl->grid_lon0 =
00660         scan_ctl(filename, argc, argv, "GRID_LON0", -1, "-180", NULL);
00661     ctl->grid_lon1 =
00662         scan_ctl(filename, argc, argv, "GRID_LON1", -1, "180", NULL);
00663     ctl->grid_nx =
00664         (int) scan_ctl(filename, argc, argv, "GRID_NX", -1, "360", NULL);
00665     ctl->grid_lat0 =
00666         scan_ctl(filename, argc, argv, "GRID_LAT0", -1, "-90", NULL);
00667     ctl->grid_lat1 =
00668         scan_ctl(filename, argc, argv, "GRID_LAT1", -1, "90", NULL);
00669     ctl->grid_ny =
00670         (int) scan_ctl(filename, argc, argv, "GRID_NY", -1, "180", NULL);
00671
00672     /* Output of profile data... */
00673     scan_ctl(filename, argc, argv, "PROF_BASENAME", -1, "-",
00674         ctl->prof_basename);
00675     scan_ctl(filename, argc, argv, "PROF_OBSFILE", -1, "-", ctl->
prof_obsfile);
00676     ctl->prof_z0 = scan_ctl(filename, argc, argv, "PROF_Z0", -1, "0", NULL);
00677     ctl->prof_z1 = scan_ctl(filename, argc, argv, "PROF_Z1", -1, "60", NULL);
00678     ctl->prof_nz =
00679         (int) scan_ctl(filename, argc, argv, "PROF_NZ", -1, "60", NULL);
00680     ctl->prof_lon0 =
00681         scan_ctl(filename, argc, argv, "PROF_LON0", -1, "-180", NULL);
00682     ctl->prof_lon1 =
00683         scan_ctl(filename, argc, argv, "PROF_LON1", -1, "180", NULL);
00684     ctl->prof_nx =
00685         (int) scan_ctl(filename, argc, argv, "PROF_NX", -1, "360", NULL);
00686     ctl->prof_lat0 =
00687         scan_ctl(filename, argc, argv, "PROF_LAT0", -1, "-90", NULL);
00688     ctl->prof_lat1 =
00689         scan_ctl(filename, argc, argv, "PROF_LAT1", -1, "90", NULL);
00690     ctl->prof_ny =
00691         (int) scan_ctl(filename, argc, argv, "PROF_NY", -1, "180", NULL);
00692
00693     /* Output of station data... */
00694     scan_ctl(filename, argc, argv, "STAT_BASENAME", -1, "-",
00695         ctl->stat_basename);
00696     ctl->stat_lon = scan_ctl(filename, argc, argv, "STAT_LON", -1, "0", NULL);
00697     ctl->stat_lat = scan_ctl(filename, argc, argv, "STAT_LAT", -1, "0", NULL);
00698     ctl->stat_r = scan_ctl(filename, argc, argv, "STAT_R", -1, "50", NULL);
00699 }

```

```

00700
00701 /*****
00702
00703 void read_met(
00704     ctl_t * ctl,
00705     char *filename,
00706     met_t * met) {
00707
00708     char tstr[10];
00709
00710     static float help[EX * EY];
00711
00712     int ix, iy, ip, dimid, ncid, varid, year, mon, day, hour;
00713
00714     size_t np, nx, ny;
00715
00716     /* Write info... */
00717     printf("Read meteorological data: %s\n", filename);
00718
00719     /* Get time from filename... */
00720     sprintf(tstr, "%.4s", &filename[strlen(filename) - 16]);
00721     year = atoi(tstr);
00722     sprintf(tstr, "%.2s", &filename[strlen(filename) - 11]);
00723     mon = atoi(tstr);
00724     sprintf(tstr, "%.2s", &filename[strlen(filename) - 8]);
00725     day = atoi(tstr);
00726     sprintf(tstr, "%.2s", &filename[strlen(filename) - 5]);
00727     hour = atoi(tstr);
00728     time2jsec(year, mon, day, hour, 0, 0, 0, &met->time);
00729
00730     /* Open netCDF file... */
00731     NC(nc_open(filename, NC_NOWRITE, &ncid));
00732
00733     /* Get dimensions... */
00734     NC(nc_inq_dimid(ncid, "lon", &dimid));
00735     NC(nc_inq_dimlen(ncid, dimid, &nx));
00736     if (nx > EX)
00737         ERRMSG("Too many longitudes!");
00738
00739     NC(nc_inq_dimid(ncid, "lat", &dimid));
00740     NC(nc_inq_dimlen(ncid, dimid, &ny));
00741     if (ny > EY)
00742         ERRMSG("Too many latitudes!");
00743
00744     NC(nc_inq_dimid(ncid, "lev", &dimid));
00745     NC(nc_inq_dimlen(ncid, dimid, &np));
00746     if (np > EP)
00747         ERRMSG("Too many levels!");
00748
00749     /* Store dimensions... */
00750     met->np = (int) np;
00751     met->nx = (int) nx;
00752     met->ny = (int) ny;
00753
00754     /* Get horizontal grid... */
00755     NC(nc_inq_varid(ncid, "lon", &varid));
00756     NC(nc_get_var_double(ncid, varid, met->lon));
00757     NC(nc_inq_varid(ncid, "lat", &varid));
00758     NC(nc_get_var_double(ncid, varid, met->lat));
00759
00760     /* Read meteorological data... */
00761     read_met_help(ncid, "t", "T", met, met->t, 1.0);
00762     read_met_help(ncid, "u", "U", met, met->u, 1.0);
00763     read_met_help(ncid, "v", "V", met, met->v, 1.0);
00764     read_met_help(ncid, "w", "W", met, met->w, 0.01f);
00765     read_met_help(ncid, "q", "Q", met, met->h2o, 1.608f);
00766     read_met_help(ncid, "o3", "O3", met, met->o3, 0.602f);
00767
00768     /* Meteo data on pressure levels... */
00769     if (ctl->met_np <= 0) {
00770
00771         /* Read pressure levels from file... */
00772         NC(nc_inq_varid(ncid, "lev", &varid));
00773         NC(nc_get_var_double(ncid, varid, met->p));
00774         for (ip = 0; ip < met->np; ip++)
00775             met->p[ip] /= 100.;
00776
00777         /* Extrapolate data for lower boundary... */
00778         read_met_extrapolate(met);
00779     }
00780
00781     /* Meteo data on model levels... */
00782     else {
00783
00784         /* Read pressure data from file... */
00785         read_met_help(ncid, "pl", "PL", met, met->pl, 0.01f);
00786

```

```

00787      /* Interpolate from model levels to pressure levels... */
00788      read_met_ml2pl(ctl, met, met->t);
00789      read_met_ml2pl(ctl, met, met->u);
00790      read_met_ml2pl(ctl, met, met->v);
00791      read_met_ml2pl(ctl, met, met->w);
00792      read_met_ml2pl(ctl, met, met->h2o);
00793      read_met_ml2pl(ctl, met, met->o3);
00794
00795      /* Set pressure levels... */
00796      met->np = ctl->met_np;
00797      for (ip = 0; ip < met->np; ip++)
00798          met->p[ip] = ctl->met_p[ip];
00799  }
00800
00801      /* Check ordering of pressure levels... */
00802      for (ip = 1; ip < met->np; ip++)
00803          if (met->p[ip - 1] < met->p[ip])
00804              ERRMSG("Pressure levels must be descending!");
00805
00806      /* Read surface pressure... */
00807      if (nc_inq_varid(ncid, "PS", &varid) == NC_NOERR) {
00808          NC(nc_get_var_float(ncid, varid, help));
00809          for (iy = 0; iy < met->ny; iy++)
00810              for (ix = 0; ix < met->nx; ix++)
00811                  met->ps[ix][iy] = help[iy * met->nx + ix] / 100.;
00812      } else if (nc_inq_varid(ncid, "LNSP", &varid) == NC_NOERR) {
00813          NC(nc_get_var_float(ncid, varid, help));
00814          for (iy = 0; iy < met->ny; iy++)
00815              for (ix = 0; ix < met->nx; ix++)
00816                  met->ps[ix][iy] = exp(help[iy * met->nx + ix]) / 100.;
00817      } else
00818          for (ix = 0; ix < met->nx; ix++)
00819              for (iy = 0; iy < met->ny; iy++)
00820                  met->ps[ix][iy] = met->p[0];
00821
00822      /* Create periodic boundary conditions... */
00823      read_met_periodic(met);
00824
00825      /* Close file... */
00826      NC(nc_close(ncid));
00827  }
00828
00829  /*****
00830
00831  void read_met_extrapolate(
00832      met_t * met) {
00833
00834      int ip, ip0, ix, iy;
00835
00836      /* Loop over columns... */
00837      for (ix = 0; ix < met->nx; ix++)
00838          for (iy = 0; iy < met->ny; iy++) {
00839
00840              /* Find lowest valid data point... */
00841              for (ip0 = met->np - 1; ip0 >= 0; ip0--)
00842                  if (!gsl_finite(met->t[ix][iy][ip0])
00843                      || !gsl_finite(met->u[ix][iy][ip0])
00844                      || !gsl_finite(met->v[ix][iy][ip0])
00845                      || !gsl_finite(met->w[ix][iy][ip0]))
00846                      break;
00847
00848              /* Extrapolate... */
00849              for (ip = ip0; ip >= 0; ip--) {
00850                  met->t[ix][iy][ip] = met->t[ix][iy][ip + 1];
00851                  met->u[ix][iy][ip] = met->u[ix][iy][ip + 1];
00852                  met->v[ix][iy][ip] = met->v[ix][iy][ip + 1];
00853                  met->w[ix][iy][ip] = met->w[ix][iy][ip + 1];
00854                  met->h2o[ix][iy][ip] = met->h2o[ix][iy][ip + 1];
00855                  met->o3[ix][iy][ip] = met->o3[ix][iy][ip + 1];
00856              }
00857          }
00858  }
00859
00860  /*****
00861
00862  void read_met_help(
00863      int ncid,
00864      char *varname,
00865      char *varname2,
00866      met_t * met,
00867      float dest[EX][EY][EP],
00868      float scl) {
00869
00870      static float help[EX * EY * EP];
00871
00872      int ip, ix, iy, n = 0, varid;
00873

```

```

00874  /* Check if variable exists... */
00875  if (nc_inq_varid(ncid, varname, &varid) != NC_NOERR)
00876      if (nc_inq_varid(ncid, varname2, &varid) != NC_NOERR)
00877          return;
00878
00879  /* Read data... */
00880  NC(nc_get_var_float(ncid, varid, help));
00881
00882  /* Copy and check data... */
00883  for (ip = 0; ip < met->np; ip++)
00884      for (iy = 0; iy < met->ny; iy++)
00885          for (ix = 0; ix < met->nx; ix++) {
00886              dest[ix][iy][ip] = scl * help[n++];
00887              if (fabs(dest[ix][iy][ip] / scl) > 1e14)
00888                  dest[ix][iy][ip] = GSL_NAN;
00889          }
00890 }
00891
00892 /*****
00893
00894 void read_met_ml2pl(
00895     ctl_t * ctl,
00896     met_t * met,
00897     float var[EX][EY][EP]) {
00898
00899     double aux[EP], p[EP], pt;
00900
00901     int ip, ip2, ix, iy;
00902
00903     /* Loop over columns... */
00904     for (ix = 0; ix < met->nx; ix++)
00905         for (iy = 0; iy < met->ny; iy++) {
00906
00907             /* Copy pressure profile... */
00908             for (ip = 0; ip < met->np; ip++)
00909                 p[ip] = met->p[ix][iy][ip];
00910
00911             /* Interpolate... */
00912             for (ip = 0; ip < ctl->met_np; ip++) {
00913                 pt = ctl->met_p[ip];
00914                 if ((pt > p[0] && p[0] > p[1]) || (pt < p[0] && p[0] < p[1]))
00915                     pt = p[0];
00916                 else if ((pt > p[met->np - 1] && p[1] > p[0])
00917                     || (pt < p[met->np - 1] && p[1] < p[0]))
00918                     pt = p[met->np - 1];
00919                 ip2 = locate(p, met->np, pt);
00920                 aux[ip] = LIN(p[ip2], var[ix][iy][ip2],
00921                     p[ip2 + 1], var[ix][iy][ip2 + 1], pt);
00922             }
00923
00924             /* Copy data... */
00925             for (ip = 0; ip < ctl->met_np; ip++)
00926                 var[ix][iy][ip] = (float) aux[ip];
00927         }
00928     }
00929
00930 /*****
00931
00932 void read_met_periodic(
00933     met_t * met) {
00934
00935     int ip, iy;
00936
00937     /* Check longitudes... */
00938     if (!(fabs(met->lon[met->nx - 1] - met->lon[0]
00939         + met->lon[1] - met->lon[0] - 360) < 0.01))
00940         return;
00941
00942     /* Increase longitude counter... */
00943     if ((++met->nx) > EX)
00944         ERRMSG("Cannot create periodic boundary conditions!");
00945
00946     /* Set longitude... */
00947     met->lon[met->nx - 1] = met->lon[met->nx - 2] + met->lon[1] - met->
lon[0];
00948
00949     /* Loop over latitudes and pressure levels... */
00950     for (iy = 0; iy < met->ny; iy++)
00951         for (ip = 0; ip < met->np; ip++) {
00952             met->ps[met->nx - 1][iy] = met->ps[0][iy];
00953             met->u[met->nx - 1][iy][ip] = met->u[0][iy][ip];
00954             met->v[met->nx - 1][iy][ip] = met->v[0][iy][ip];
00955             met->w[met->nx - 1][iy][ip] = met->w[0][iy][ip];
00956             met->t[met->nx - 1][iy][ip] = met->t[0][iy][ip];
00957             met->h2o[met->nx - 1][iy][ip] = met->h2o[0][iy][ip];
00958             met->o3[met->nx - 1][iy][ip] = met->o3[0][iy][ip];
00959         }

```

```

00960 }
00961
00962 /*****
00963
00964 double scan_ctl(
00965     const char *filename,
00966     int argc,
00967     char *argv[],
00968     const char *varname,
00969     int arridx,
00970     const char *defvalue,
00971     char *value) {
00972
00973     FILE *in = NULL;
00974
00975     char dummy[LEN], fullname1[LEN], fullname2[LEN], line[LEN],
00976         msg[LEN], rvarname[LEN], rval[LEN];
00977
00978     int contain = 0, i;
00979
00980     /* Open file... */
00981     if (filename[strlen(filename) - 1] != '-')
00982         if (!(in = fopen(filename, "r")))
00983             ERRMSG("Cannot open file!");
00984
00985     /* Set full variable name... */
00986     if (arridx >= 0) {
00987         sprintf(fullname1, "%s[%d]", varname, arridx);
00988         sprintf(fullname2, "%s[*]", varname);
00989     } else {
00990         sprintf(fullname1, "%s", varname);
00991         sprintf(fullname2, "%s", varname);
00992     }
00993
00994     /* Read data... */
00995     if (in != NULL)
00996         while (fgets(line, LEN, in))
00997             if (sscanf(line, "%s %s %s", rvarname, dummy, rval) == 3)
00998                 if (strcasecmp(rvarname, fullname1) == 0 ||
00999                     strcasecmp(rvarname, fullname2) == 0) {
01000                     contain = 1;
01001                     break;
01002                 }
01003     for (i = 1; i < argc - 1; i++)
01004         if (strcasecmp(argv[i], fullname1) == 0 ||
01005             strcasecmp(argv[i], fullname2) == 0) {
01006             sprintf(rval, "%s", argv[i + 1]);
01007             contain = 1;
01008             break;
01009         }
01010
01011     /* Close file... */
01012     if (in != NULL)
01013         fclose(in);
01014
01015     /* Check for missing variables... */
01016     if (!contain) {
01017         if (strlen(defvalue) > 0)
01018             sprintf(rval, "%s", defvalue);
01019         else {
01020             sprintf(msg, "Missing variable %s!\n", fullname1);
01021             ERRMSG(msg);
01022         }
01023     }
01024
01025     /* Write info... */
01026     printf("%s = %s\n", fullname1, rval);
01027
01028     /* Return values... */
01029     if (value != NULL)
01030         sprintf(value, "%s", rval);
01031     return atof(rval);
01032 }
01033
01034 /*****
01035
01036 void time2jsec(
01037     int year,
01038     int mon,
01039     int day,
01040     int hour,
01041     int min,
01042     int sec,
01043     double remain,
01044     double *jsec) {
01045
01046     struct tm t0, t1;

```

```

01047
01048     t0.tm_year = 100;
01049     t0.tm_mon = 0;
01050     t0.tm_mday = 1;
01051     t0.tm_hour = 0;
01052     t0.tm_min = 0;
01053     t0.tm_sec = 0;
01054
01055     t1.tm_year = year - 1900;
01056     t1.tm_mon = mon - 1;
01057     t1.tm_mday = day;
01058     t1.tm_hour = hour;
01059     t1.tm_min = min;
01060     t1.tm_sec = sec;
01061
01062     *jsec = (double) timegm(&t1) - (double) timegm(&t0) + remain;
01063 }
01064
01065 /*****
01066
01067 void timer(
01068     const char *name,
01069     int id,
01070     int mode) {
01071
01072     static double starttime[NTIMER], runtime[NTIMER];
01073
01074     /* Check id... */
01075     if (id < 0 || id >= NTIMER)
01076         ERRMSG("Too many timers!");
01077
01078     /* Start timer... */
01079     if (mode == 1) {
01080         if (starttime[id] <= 0)
01081             starttime[id] = omp_get_wtime();
01082         else
01083             ERRMSG("Timer already started!");
01084     }
01085
01086     /* Stop timer... */
01087     else if (mode == 2) {
01088         if (starttime[id] > 0) {
01089             runtime[id] = runtime[id] + omp_get_wtime() - starttime[id];
01090             starttime[id] = -1;
01091         } else
01092             ERRMSG("Timer not started!");
01093     }
01094
01095     /* Print timer... */
01096     else if (mode == 3)
01097         printf("%s = %g s\n", name, runtime[id]);
01098 }
01099
01100 /*****
01101
01102 double tropopause(
01103     double t,
01104     double lat) {
01105
01106     static double doys[12]
01107     = { 1, 32, 60, 91, 121, 152, 182, 213, 244, 274, 305, 335 };
01108
01109     static double lats[73]
01110     = { -90, -87.5, -85, -82.5, -80, -77.5, -75, -72.5, -70, -67.5,
01111         -65, -62.5, -60, -57.5, -55, -52.5, -50, -47.5, -45, -42.5,
01112         -40, -37.5, -35, -32.5, -30, -27.5, -25, -22.5, -20, -17.5,
01113         -15, -12.5, -10, -7.5, -5, -2.5, 0, 2.5, 5, 7.5, 10, 12.5,
01114         15, 17.5, 20, 22.5, 25, 27.5, 30, 32.5, 35, 37.5, 40, 42.5,
01115         45, 47.5, 50, 52.5, 55, 57.5, 60, 62.5, 65, 67.5, 70, 72.5,
01116         75, 77.5, 80, 82.5, 85, 87.5, 90
01117     };
01118
01119     static double tps[12][73]
01120     = { {324.1, 325.6, 325, 324.3, 322.5, 319.7, 314, 307.2, 301.8, 299.6,
01121         297.1, 292.2, 285.6, 276.1, 264, 248.9, 231.9, 213.5, 194.4,
01122         175.3, 157, 140.4, 126.7, 116.3, 109.5, 105.4, 103, 101.4, 100.4,
01123         99.69, 99.19, 98.84, 98.56, 98.39, 98.39, 98.42, 98.44, 98.54,
01124         98.68, 98.81, 98.89, 98.96, 99.12, 99.65, 101.4, 105.4, 113.5, 128,
01125         152.1, 184.7, 214, 234.1, 247.3, 255.8, 262.6, 267.7, 271.7, 275,
01126         277.2, 279, 280.1, 280.4, 280.6, 280.1, 279.3, 278.3, 276.8, 275.8,
01127         275.3, 275.6, 275.4, 274.1, 273.5},
01128     {337.3, 338.7, 337.8, 336.4, 333, 328.8, 321.1, 312.6, 306.6, 303.7,
01129     300.2, 293.8, 285.4, 273.8, 259.6, 242.7, 224.4, 205.2, 186, 167.5,
01130     150.3, 135, 122.8, 113.9, 108.2, 104.7, 102.5, 101.1, 100.2, 99.42,
01131     98.88, 98.52, 98.25, 98.09, 98.07, 98.1, 98.12, 98.2, 98.25, 98.27,
01132     98.26, 98.27, 98.36, 98.79, 100.2, 104.2, 113.7, 131.2, 159.5, 193,
01133     220.4, 238.1, 250.2, 258.1, 264.7, 269.7, 273.7, 277.3, 280.2, 282.8,

```

```

01134     284.9, 286.5, 288.1, 288.8, 289, 288.5, 287.2, 286.3, 286.1, 287.2,
01135     287.5, 286.2, 285.8),
01136     {335, 336, 335.7, 335.1, 332.3, 328.1, 320.6, 311.8, 305.1, 301.9,
01137     297.6, 290, 280.4, 268.3, 254.6, 239.6, 223.9, 207.9, 192.2, 176.9,
01138     161.7, 146.4, 132.2, 120.6, 112.3, 107.2, 104.3, 102.4, 101.3,
01139     100.4, 99.86, 99.47, 99.16, 98.97, 98.94, 98.97, 99, 99.09, 99.2,
01140     99.31, 99.35, 99.41, 99.51, 99.86, 101.1, 104.9, 114.3, 131, 156.8,
01141     186.3, 209.3, 224.6, 236.8, 246.3, 254.9, 262.3, 268.8, 274.8,
01142     279.9, 284.6, 288.6, 291.6, 294.9, 297.5, 299.8, 301.8, 303.1,
01143     304.3, 304.9, 306, 306.6, 306.2, 306},
01144     {306.2, 306.7, 305.7, 307.1, 307.3, 306.4, 301.8, 296.2, 292.4,
01145     290.3, 287.1, 280.9, 273.4, 264.3, 254.1, 242.8, 231, 219, 207.2,
01146     195.5, 183.3, 169.7, 154.7, 138.7, 124.1, 113.6, 107.8, 104.7,
01147     102.8, 101.7, 100.9, 100.4, 100, 99.79, 99.7, 99.66, 99.68, 99.79,
01148     99.94, 100.2, 100.5, 100.9, 101.4, 102.1, 103.4, 107, 115.2, 129.1,
01149     148.7, 171, 190.8, 205.6, 218.4, 229.4, 239.6, 248.6, 256.5,
01150     263.7, 270.3, 276.6, 282.6, 288.1, 294.5, 300.4, 306.3, 311.4,
01151     315.1, 318.3, 320.3, 322.2, 322.8, 321.5, 321.1},
01152     {266.5, 264.9, 260.8, 261, 262, 263, 261.3, 259.7, 259.2, 259.8,
01153     260.1, 258.6, 256.7, 253.6, 249.5, 243.9, 237.4, 230, 222.1, 213.9,
01154     205, 194.4, 180.4, 161.8, 140.7, 122.9, 112.1, 106.7, 104.1, 102.7,
01155     101.8, 101.4, 101.1, 101, 101, 101, 101.1, 101.2, 101.5, 101.9,
01156     102.4, 103, 103.8, 104.9, 106.8, 110.1, 115.6, 124, 135.2, 148.9,
01157     165.2, 181.3, 198, 211.8, 223.5, 233.8, 242.9, 251.5, 259, 266.2,
01158     273.1, 279.2, 286.2, 292.8, 299.6, 306, 311.1, 315.5, 318.8, 322.6,
01159     325.3, 325.8, 325.8},
01160     {220.1, 218.1, 210.8, 207.2, 207.6, 210.5, 211.4, 213.5, 217.3,
01161     222.4, 227.9, 232.8, 237.4, 240.8, 242.8, 243, 241.5, 238.6, 234.2,
01162     228.5, 221, 210.7, 195.1, 172.9, 147.8, 127.6, 115.6, 109.9, 107.1,
01163     105.7, 105, 104.8, 104.8, 104.9, 105, 105.1, 105.3, 105.5, 105.8,
01164     106.4, 107, 107.6, 108.1, 108.8, 110, 111.8, 114.2, 117.4, 121.6,
01165     127.9, 137.3, 151.2, 169.5, 189, 205.8, 218.9, 229.1, 237.8, 245,
01166     251.5, 257.1, 262.3, 268.2, 274, 280.4, 286.7, 292.4, 297.9, 302.9,
01167     308.5, 312.2, 313.1, 313.3},
01168     {187.4, 184.5, 173.3, 166.1, 165.4, 167.8, 169.6, 173.6, 179.6,
01169     187.9, 198.9, 210, 220.5, 229.2, 235.7, 239.9, 241.8, 241.6, 239.6,
01170     235.8, 229.4, 218.6, 200.9, 175.9, 149.4, 129.4, 118.3, 113.1,
01171     110.8, 109.7, 109.3, 109.4, 109.7, 110, 110.2, 110.4, 110.5, 110.7,
01172     111, 111.4, 111.8, 112.1, 112.3, 112.7, 113.2, 113.9, 115, 116.4,
01173     117.9, 120.4, 124.1, 130.9, 142.2, 159.6, 179.6, 198.5, 212.9,
01174     224.2, 232.7, 239.1, 243.8, 247.7, 252.4, 257.3, 263.2, 269.5,
01175     275.4, 281.1, 286.3, 292, 296.3, 298.2, 298.8},
01176     {166, 166.4, 155.7, 148.3, 147.1, 149, 152.1, 157, 163.6, 172.4,
01177     185.3, 199.2, 212.6, 224, 233.2, 239.6, 243.3, 244.6, 243.6, 240.3,
01178     233.9, 222.6, 203.7, 177, 149.5, 129.7, 119, 114, 111.7, 110.7,
01179     110.3, 110.3, 110.6, 110.9, 111.1, 111.3, 111.5, 111.6, 111.9,
01180     112.2, 112.5, 112.6, 112.8, 113, 113.4, 114, 115.1, 116.5, 118.3,
01181     120.9, 124.4, 130.2, 139.4, 154.6, 173.8, 193.1, 208.1, 220.4,
01182     230.1, 238.2, 244.7, 249.5, 254.5, 259.3, 264.5, 269.4, 273.7,
01183     278.2, 282.6, 287.4, 290.9, 292.5, 293},
01184     {171.9, 172.8, 166.2, 162.3, 161.4, 162.5, 165.2, 169.6, 175.3,
01185     183.1, 193.8, 205.9, 218.3, 229.6, 238.5, 244.3, 246.9, 246.7,
01186     243.8, 238.4, 230.2, 217.9, 199.6, 174.9, 148.9, 129.8, 119.5,
01187     114.8, 112.3, 110.9, 110.3, 110.1, 110.2, 110.3, 110.4, 110.5,
01188     110.6, 110.8, 111, 111.4, 111.8, 112, 112.2, 112.4, 112.9, 113.6,
01189     114.7, 116.3, 118.4, 121.9, 127.1, 136.1, 149.8, 168.4, 186.9,
01190     203.3, 217, 229.1, 238.7, 247, 254, 259.3, 264.3, 268.3, 272.5,
01191     276.6, 280.4, 284.4, 288.4, 293.3, 297.2, 298.7, 299.1},
01192     {191.6, 192.2, 189, 188.1, 190.2, 193.7, 197.8, 202.9, 208.5,
01193     215.6, 224.2, 233.1, 241.2, 247.3, 250.8, 251.3, 248.9, 244.2,
01194     237.3, 228.4, 217.2, 202.9, 184.5, 162.5, 140.7, 124.8, 116.2,
01195     111.8, 109.4, 107.9, 107, 106.7, 106.6, 106.6, 106.7, 106.7,
01196     106.8, 107, 107.4, 108, 108.7, 109.3, 109.8, 110.4, 111.2,
01197     112.4, 114.2, 116.9, 121.1, 127.9, 139.3, 155.2, 173.6, 190.7,
01198     206.1, 220.1, 232.3, 243, 251.8, 259.2, 265.7, 270.6, 275.3,
01199     279.3, 283.3, 286.9, 289.7, 292.8, 296.1, 300.5, 303.9, 304.8,
01200     305.1},
01201     {241.5, 239.6, 236.8, 237.4, 239.4, 242.3, 244.2, 246.4, 249.2,
01202     253.6, 258.6, 262.7, 264.8, 264.2, 260.6, 254.1, 245.5, 235.3,
01203     223.9, 211.7, 198.3, 183.1, 165.6, 147.1, 130.5, 118.7, 111.9,
01204     108.1, 105.8, 104.3, 103.4, 102.8, 102.5, 102.4, 102.5, 102.5,
01205     102.5, 102.7, 103.1, 103.8, 104.6, 105.4, 106.1, 107, 108.2,
01206     109.9, 112.8, 117.5, 126, 140.4, 161, 181.9, 201.2, 216.8, 230.4,
01207     241.8, 251.4, 259.9, 266.9, 272.8, 277.4, 280.4, 282.9, 284.6,
01208     286.1, 287.4, 288.3, 289.5, 290.9, 294.2, 296.9, 297.5, 297.6},
01209     {301.2, 300.3, 296.6, 295.4, 295, 294.3, 291.2, 287.4, 284.9, 284.7,
01210     284.1, 281.5, 277.1, 270.4, 261.7, 250.6, 237.6, 223.1, 207.9, 192,
01211     175.8, 158.8, 142.1, 127.6, 116.8, 109.9, 106, 103.6, 102.1, 101.1,
01212     100.4, 99.96, 99.6, 99.37, 99.32, 99.32, 99.31, 99.46, 99.77, 100.2,
01213     100.7, 101.3, 101.8, 102.7, 104.1, 106.8, 111.9, 121, 136.7, 160,
01214     186.9, 209.9, 228.1, 241.2, 251.5, 259.5, 265.7, 270.9, 274.8, 278,
01215     280.3, 281.8, 283, 283.3, 283.7, 283.8, 283, 282.2, 281.2, 281.4,
01216     281.7, 281.1, 281.2}
01217 };
01218
01219 double doy, p0, p1, pt;
01220

```



```

01221 int imon, ilat;
01222
01223 /* Get day of year... */
01224 doy = fmod(t / 86400., 365.25);
01225 while (doy < 0)
01226     doy += 365.25;
01227
01228 /* Get indices... */
01229 imon = locate(doy, 12, doy);
01230 ilat = locate(lats, 73, lat);
01231
01232 /* Get tropopause pressure... */
01233 p0 = LIN(lats[ilat], tps[imon][ilat],
01234         lats[ilat + 1], tps[imon][ilat + 1], lat);
01235 p1 = LIN(lats[ilat], tps[imon + 1][ilat],
01236         lats[ilat + 1], tps[imon + 1][ilat + 1], lat);
01237 pt = LIN(doy[imon], p0, doy[imon + 1], p1, doy);
01238
01239 /* Return tropopause pressure... */
01240 return pt;
01241 }
01242
01243 /*****
01244
01245 void write_atm(
01246     const char *filename,
01247     ctl_t *ctl,
01248     atm_t *atm,
01249     double t) {
01250
01251     FILE *in, *out;
01252
01253     char line[LEN];
01254
01255     double r, t0, t1;
01256
01257     int ip, iq, year, mon, day, hour, min, sec;
01258
01259     /* Set time interval for output... */
01260     t0 = t - 0.5 * ctl->dt_mod;
01261     t1 = t + 0.5 * ctl->dt_mod;
01262
01263     /* Check if gnuplot output is requested... */
01264     if (ctl->atm_gpfile[0] != '-') {
01265
01266         /* Write info... */
01267         printf("Plot atmospheric data: %s.png\n", filename);
01268
01269         /* Create gnuplot pipe... */
01270         if (!(out = popen("gnuplot", "w")))
01271             ERRMSG("Cannot create pipe to gnuplot!");
01272
01273         /* Set plot filename... */
01274         fprintf(out, "set out \"%s.png\"\n", filename);
01275
01276         /* Set time string... */
01277         jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01278         fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\n",
01279                 year, mon, day, hour, min);
01280
01281         /* Dump gnuplot file to pipe... */
01282         if (!(in = fopen(ctl->atm_gpfile, "r")))
01283             ERRMSG("Cannot open file!");
01284         while (fgets(line, LEN, in))
01285             fprintf(out, "%s", line);
01286         fclose(in);
01287     }
01288
01289     else {
01290
01291         /* Write info... */
01292         printf("Write atmospheric data: %s\n", filename);
01293
01294         /* Create file... */
01295         if (!(out = fopen(filename, "w")))
01296             ERRMSG("Cannot create file!");
01297     }
01298
01299     /* Write header... */
01300     fprintf(out,
01301            "# $1 = time [s]\n"
01302            "# $2 = altitude [km]\n"
01303            "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01304     for (iq = 0; iq < ctl->nq; iq++)
01305         fprintf(out, "# $%i = %s [%s]\n", iq + 5, ctl->qnt_name[iq],
01306                ctl->qnt_unit[iq]);
01307     fprintf(out, "\n");

```

```

01308
01309 /* Write data... */
01310 for (ip = 0; ip < atm->np; ip++) {
01311
01312     /* Check time... */
01313     if (ctl->atm_filter && (atm->time[ip] < t0 || atm->time[ip] > t1))
01314         continue;
01315
01316     /* Write output... */
01317     fprintf(out, "%.2f %g %g %g", atm->time[ip], Z(atm->p[ip]),
01318             atm->lon[ip], atm->lat[ip]);
01319     for (iq = 0; iq < ctl->nq; iq++) {
01320         fprintf(out, " ");
01321         fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
01322     }
01323     fprintf(out, "\n");
01324 }
01325
01326 /* Close file... */
01327 fclose(out);
01328 }
01329
01330 /*****
01331
01332 void write_csi(
01333     const char *filename,
01334     ctl_t *ctl,
01335     atm_t *atm,
01336     double t) {
01337
01338     static FILE *in, *out;
01339
01340     static char line[LEN];
01341
01342     static double modmean[GX][GY][GZ], obsmean[GX][GY][GZ],
01343         rt, rz, rlon, rlat, robs, t0, t1, area, dlon, dlat, lat;
01344
01345     static int init, obscount[GX][GY][GZ], cx, cy, cz, ip, ix, iy, iz;
01346
01347     /* Init... */
01348     if (!init) {
01349         init = 1;
01350
01351         /* Check quantity index for mass... */
01352         if (ctl->qnt_m < 0)
01353             ERRMSG("Need quantity mass to analyze CSI!");
01354
01355         /* Open observation data file... */
01356         printf("Read CSI observation data: %s\n", ctl->csi_obsfile);
01357         if (!(in = fopen(ctl->csi_obsfile, "r")))
01358             ERRMSG("Cannot open file!");
01359
01360         /* Create new file... */
01361         printf("Write CSI data: %s\n", filename);
01362         if (!(out = fopen(filename, "w")))
01363             ERRMSG("Cannot create file!");
01364
01365         /* Write header... */
01366         fprintf(out,
01367             "# $1 = time [s]\n"
01368             "# $2 = number of hits (cx)\n"
01369             "# $3 = number of misses (cy)\n"
01370             "# $4 = number of false alarms (cz)\n"
01371             "# $5 = number of observations (cx + cy)\n"
01372             "# $6 = number of forecasts (cx + cz)\n"
01373             "# $7 = bias (forecasts/observations) [%%]\n"
01374             "# $8 = probability of detection (POD) [%%]\n"
01375             "# $9 = false alarm rate (FAR) [%%]\n"
01376             "# $10 = critical success index (CSI) [%%]\n\n");
01377     }
01378
01379     /* Set time interval... */
01380     t0 = t - 0.5 * ctl->dt_mod;
01381     t1 = t + 0.5 * ctl->dt_mod;
01382
01383     /* Initialize grid cells... */
01384     for (ix = 0; ix < ctl->csi_nx; ix++)
01385         for (iy = 0; iy < ctl->csi_ny; iy++)
01386             for (iz = 0; iz < ctl->csi_nz; iz++)
01387                 modmean[ix][iy][iz] = obsmean[ix][iy][iz] = obscount[ix][iy][iz] = 0;
01388
01389     /* Read data... */
01390     while (fgets(line, LEN, in)) {
01391
01392         /* Read data... */
01393         if (sscanf(line, "%lg %lg %lg %lg %lg", &rt, &rz, &rlon, &rlat, &robs) !=
01394             5)

```

```

01395         continue;
01396
01397     /* Check time... */
01398     if (rt < t0)
01399         continue;
01400     if (rt > t1)
01401         break;
01402
01403     /* Calculate indices... */
01404     ix = (int) ((rlon - ctl->csi_lon0)
01405                / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01406     iy = (int) ((rlat - ctl->csi_lat0)
01407                / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01408     iz = (int) ((rz - ctl->csi_z0)
01409                / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01410
01411     /* Check indices... */
01412     if (ix < 0 || ix >= ctl->csi_nx ||
01413         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01414         continue;
01415
01416     /* Get mean observation index... */
01417     obsmean[ix][iy][iz] += robs;
01418     obscount[ix][iy][iz]++;
01419 }
01420
01421 /* Analyze model data... */
01422 for (ip = 0; ip < atm->np; ip++) {
01423
01424     /* Check time... */
01425     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01426         continue;
01427
01428     /* Get indices... */
01429     ix = (int) ((atm->lon[ip] - ctl->csi_lon0)
01430                / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01431     iy = (int) ((atm->lat[ip] - ctl->csi_lat0)
01432                / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01433     iz = (int) ((Z(atm->p[ip]) - ctl->csi_z0)
01434                / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01435
01436     /* Check indices... */
01437     if (ix < 0 || ix >= ctl->csi_nx ||
01438         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01439         continue;
01440
01441     /* Get total mass in grid cell... */
01442     modmean[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01443 }
01444
01445 /* Analyze all grid cells... */
01446 for (ix = 0; ix < ctl->csi_nx; ix++)
01447     for (iy = 0; iy < ctl->csi_ny; iy++)
01448         for (iz = 0; iz < ctl->csi_nz; iz++) {
01449
01450             /* Calculate mean observation index... */
01451             if (obscount[ix][iy][iz] > 0)
01452                 obsmean[ix][iy][iz] /= obscount[ix][iy][iz];
01453
01454             /* Calculate column density... */
01455             if (modmean[ix][iy][iz] > 0) {
01456                 dlon = (ctl->csi_lon1 - ctl->csi_lon0) / ctl->csi_nx;
01457                 dlat = (ctl->csi_lat1 - ctl->csi_lat0) / ctl->csi_ny;
01458                 lat = ctl->csi_lat0 + dlat * (iy + 0.5);
01459                 area = dlat * M_PI * RE / 180. * dlon * M_PI * RE / 180.
01460                      * cos(lat * M_PI / 180.);
01461                 modmean[ix][iy][iz] /= (1e6 * area);
01462             }
01463
01464             /* Calculate CSI... */
01465             if (obscount[ix][iy][iz] > 0) {
01466                 if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01467                     modmean[ix][iy][iz] >= ctl->csi_modmin)
01468                     cx++;
01469                 else if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01470                     modmean[ix][iy][iz] < ctl->csi_modmin)
01471                     cy++;
01472                 else if (obsmean[ix][iy][iz] < ctl->csi_obsmin &&
01473                     modmean[ix][iy][iz] >= ctl->csi_modmin)
01474                     cz++;
01475             }
01476         }
01477
01478     /* Write output... */
01479     if (fmod(t, ctl->csi_dt_out) == 0) {
01480
01481         /* Write... */

```

```

01482     fprintf(out, "%.2f %d %d %d %d %d %g %g %g %g\n",
01483             t, cx, cy, cz, cx + cy, cx + cz,
01484             (cx + cy > 0) ? 100. * (cx + cz) / (cx + cy) : GSL_NAN,
01485             (cx + cy > 0) ? (100. * cx) / (cx + cy) : GSL_NAN,
01486             (cx + cz > 0) ? (100. * cz) / (cx + cz) : GSL_NAN,
01487             (cx + cy + cz > 0) ? (100. * cx) / (cx + cy + cz) : GSL_NAN);
01488
01489     /* Set counters to zero... */
01490     cx = cy = cz = 0;
01491 }
01492
01493 /* Close file... */
01494 if (t == ctl->t_stop)
01495     fclose(out);
01496 }
01497
01498 /*****
01499
01500 void write_ens(
01501     const char *filename,
01502     ctl_t * ctl,
01503     atm_t * atm,
01504     double t) {
01505
01506     static FILE *out;
01507
01508     static double dummy, ens, lat, lon, p[NENS], q[NQ][NENS],
01509         t0, t1, x[NENS][3], xm[3];
01510
01511     static int init, ip, iq;
01512
01513     static size_t i, n;
01514
01515     /* Init... */
01516     if (!init) {
01517         init = 1;
01518
01519         /* Check quantities... */
01520         if (ctl->qnt_ens < 0)
01521             ERRMSG("Missing ensemble IDs!");
01522
01523         /* Create new file... */
01524         printf("Write ensemble data: %s\n", filename);
01525         if (!(out = fopen(filename, "w")))
01526             ERRMSG("Cannot create file!");
01527
01528         /* Write header... */
01529         fprintf(out,
01530             "# $1 = time [s]\n"
01531             "# $2 = altitude [km]\n"
01532             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01533         for (iq = 0; iq < ctl->nq; iq++)
01534             fprintf(out, "# $d = %s (mean) [%s]\n", 5 + iq,
01535                 ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01536         for (iq = 0; iq < ctl->nq; iq++)
01537             fprintf(out, "# $d = %s (sigma) [%s]\n", 5 + ctl->nq + iq,
01538                 ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01539         fprintf(out, "# $d = number of members\n", 5 + 2 * ctl->nq);
01540     }
01541
01542     /* Set time interval... */
01543     t0 = t - 0.5 * ctl->dt_mod;
01544     t1 = t + 0.5 * ctl->dt_mod;
01545
01546     /* Init... */
01547     ens = GSL_NAN;
01548     n = 0;
01549
01550     /* Loop over air parcels... */
01551     for (ip = 0; ip < atm->np; ip++) {
01552
01553         /* Check time... */
01554         if (atm->time[ip] < t0 || atm->time[ip] > t1)
01555             continue;
01556
01557         /* Check ensemble id... */
01558         if (atm->q[ctl->qnt_ens][ip] != ens) {
01559
01560             /* Write results... */
01561             if (n > 0) {
01562
01563                 /* Get mean position... */
01564                 xm[0] = xm[1] = xm[2] = 0;
01565                 for (i = 0; i < n; i++) {
01566                     xm[0] += x[i][0] / (double) n;
01567                     xm[1] += x[i][1] / (double) n;
01568                     xm[2] += x[i][2] / (double) n;

```

```

01569     }
01570     cart2geo(xm, &dummy, &lon, &lat);
01571     fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon,
01572         lat);
01573
01574     /* Get quantity statistics... */
01575     for (iq = 0; iq < ctl->nq; iq++) {
01576         fprintf(out, " ");
01577         fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01578     }
01579     for (iq = 0; iq < ctl->nq; iq++) {
01580         fprintf(out, " ");
01581         fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01582     }
01583     fprintf(out, " %lu\n", n);
01584 }
01585
01586 /* Init new ensemble... */
01587 ens = atm->q[ctl->qnt_ens][ip];
01588 n = 0;
01589 }
01590
01591 /* Save data... */
01592 p[n] = atm->p[ip];
01593 geo2cart(0, atm->lon[ip], atm->lat[ip], x[n]);
01594 for (iq = 0; iq < ctl->nq; iq++)
01595     q[iq][n] = atm->q[iq][ip];
01596 if ((++n) >= NENS)
01597     ERRMSG("Too many data points!");
01598 }
01599
01600 /* Write results... */
01601 if (n > 0) {
01602
01603     /* Get mean position... */
01604     xm[0] = xm[1] = xm[2] = 0;
01605     for (i = 0; i < n; i++) {
01606         xm[0] += x[i][0] / (double) n;
01607         xm[1] += x[i][1] / (double) n;
01608         xm[2] += x[i][2] / (double) n;
01609     }
01610     cart2geo(xm, &dummy, &lon, &lat);
01611     fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon, lat);
01612
01613     /* Get quantity statistics... */
01614     for (iq = 0; iq < ctl->nq; iq++) {
01615         fprintf(out, " ");
01616         fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01617     }
01618     for (iq = 0; iq < ctl->nq; iq++) {
01619         fprintf(out, " ");
01620         fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01621     }
01622     fprintf(out, " %lu\n", n);
01623 }
01624
01625 /* Close file... */
01626 if (t == ctl->t_stop)
01627     fclose(out);
01628 }
01629
01630 /*****
01631
01632 void write_grid(
01633     const char *filename,
01634     ctl_t * ctl,
01635     met_t * met0,
01636     met_t * met1,
01637     atm_t * atm,
01638     double t) {
01639
01640     FILE *in, *out;
01641
01642     char line[LEN];
01643
01644     static double grid_m[GX][GY][GZ], z, dz, lon, dlon, lat, dlat,
01645         area, rho_air, press, temp, cd, mmr, t0, t1, r;
01646
01647     static int ip, ix, iy, iz, year, mon, day, hour, min, sec;
01648
01649     /* Check dimensions... */
01650     if (ctl->grid_nx > GX || ctl->grid_ny > GY || ctl->grid_nz > GZ)
01651         ERRMSG("Grid dimensions too large!");
01652
01653     /* Check quantity index for mass... */
01654     if (ctl->qnt_m < 0)
01655         ERRMSG("Need quantity mass to write grid data!");

```

```

01656
01657 /* Set time interval for output... */
01658 t0 = t - 0.5 * ctl->dt_mod;
01659 t1 = t + 0.5 * ctl->dt_mod;
01660
01661 /* Set grid box size... */
01662 dz = (ctl->grid_z1 - ctl->grid_z0) / ctl->grid_nz;
01663 dlon = (ctl->grid_lon1 - ctl->grid_lon0) / ctl->grid_nx;
01664 dlat = (ctl->grid_lat1 - ctl->grid_lat0) / ctl->grid_ny;
01665
01666 /* Initialize grid... */
01667 for (ix = 0; ix < ctl->grid_nx; ix++)
01668     for (iy = 0; iy < ctl->grid_ny; iy++)
01669         for (iz = 0; iz < ctl->grid_nz; iz++)
01670             grid_m[ix][iy][iz] = 0;
01671
01672 /* Average data... */
01673 for (ip = 0; ip < atm->np; ip++)
01674     if (atm->time[ip] >= t0 && atm->time[ip] <= t1) {
01675
01676         /* Get index... */
01677         ix = (int) ((atm->lon[ip] - ctl->grid_lon0) / dlon);
01678         iy = (int) ((atm->lat[ip] - ctl->grid_lat0) / dlat);
01679         iz = (int) ((Z(atm->p[ip]) - ctl->grid_z0) / dz);
01680
01681         /* Check indices... */
01682         if (ix < 0 || ix >= ctl->grid_nx ||
01683             iy < 0 || iy >= ctl->grid_ny || iz < 0 || iz >= ctl->grid_nz)
01684             continue;
01685
01686         /* Add mass... */
01687         grid_m[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01688     }
01689
01690 /* Check if gnuplot output is requested... */
01691 if (ctl->grid_gpfile[0] != '-') {
01692
01693     /* Write info... */
01694     printf("Plot grid data: %s.png\n", filename);
01695
01696     /* Create gnuplot pipe... */
01697     if (!(out = popen("gnuplot", "w")))
01698         ERRMSG("Cannot create pipe to gnuplot!");
01699
01700     /* Set plot filename... */
01701     fprintf(out, "set out \"%s.png\"\n", filename);
01702
01703     /* Set time string... */
01704     jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01705     fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\n",
01706             year, mon, day, hour, min);
01707
01708     /* Dump gnuplot file to pipe... */
01709     if (!(in = fopen(ctl->grid_gpfile, "r")))
01710         ERRMSG("Cannot open file!");
01711     while (fgets(line, LEN, in))
01712         fprintf(out, "%s", line);
01713     fclose(in);
01714 }
01715
01716 else {
01717
01718     /* Write info... */
01719     printf("Write grid data: %s\n", filename);
01720
01721     /* Create file... */
01722     if (!(out = fopen(filename, "w")))
01723         ERRMSG("Cannot create file!");
01724 }
01725
01726 /* Write header... */
01727 fprintf(out,
01728         "# $1 = time [s]\n"
01729         "# $2 = altitude [km]\n"
01730         "# $3 = longitude [deg]\n"
01731         "# $4 = latitude [deg]\n"
01732         "# $5 = surface area [km^2]\n"
01733         "# $6 = layer width [km]\n"
01734         "# $7 = temperature [K]\n"
01735         "# $8 = column density [kg/m^2]\n"
01736         "# $9 = mass mixing ratio [1]\n\n");
01737
01738 /* Write data... */
01739 for (ix = 0; ix < ctl->grid_nx; ix++) {
01740     if (ix > 0 && ctl->grid_ny > 1 && !ctl->grid_sparse)
01741         fprintf(out, "\n");
01742     for (iy = 0; iy < ctl->grid_ny; iy++) {

```

```

01743     if (iy > 0 && ctl->grid_nz > 1 && !ctl->grid_sparse)
01744         fprintf(out, "\n");
01745     for (iz = 0; iz < ctl->grid_nz; iz++)
01746         if (!ctl->grid_sparse
01747             || ix == 0 || iy == 0 || iz == 0 || grid_m[ix][iy][iz] > 0) {
01748
01749         /* Set coordinates... */
01750         z = ctl->grid_z0 + dz * (iz + 0.5);
01751         lon = ctl->grid_lon0 + dlon * (ix + 0.5);
01752         lat = ctl->grid_lat0 + dlat * (iy + 0.5);
01753
01754         /* Get pressure and temperature... */
01755         press = P(z);
01756         intpol_met_time(met0, met1, t, press, lon, lat,
01757             NULL, &temp, NULL, NULL, NULL, NULL, NULL);
01758
01759         /* Calculate surface area... */
01760         area = dlat * dlon * gsl_pow_2(RE * M_PI / 180.)
01761             * cos(lat * M_PI / 180.);
01762
01763         /* Calculate column density... */
01764         cd = grid_m[ix][iy][iz] / (1e6 * area);
01765
01766         /* Calculate mass mixing ratio... */
01767         rho_air = 100. * press / (287.058 * temp);
01768         mmr = grid_m[ix][iy][iz] / (rho_air * 1e6 * area * 1e3 * dz);
01769
01770         /* Write output... */
01771         fprintf(out, "%.2f %g %g %g %g %g %g %g\n",
01772             t, z, lon, lat, area, dz, temp, cd, mmr);
01773     }
01774 }
01775 }
01776
01777 /* Close file... */
01778 fclose(out);
01779 }
01780
01781 /*****
01782
01783 void write_prof(
01784     const char *filename,
01785     ctl_t * ctl,
01786     met_t * met0,
01787     met_t * met1,
01788     atm_t * atm,
01789     double t) {
01790
01791     static FILE *in, *out;
01792
01793     static char line[LEN];
01794
01795     static double mass[GX][GY][GZ], obsmean[GX][GY], tmean[GX][GY],
01796         rt, rlon, rlat, robs, t0, t1, area, dz, dlon, dlat, lon, lat, z,
01797         press, temp, rho_air, mmr, h2o, o3;
01798
01799     static int init, obscount[GX][GY], ip, ix, iy, iz;
01800
01801     /* Init... */
01802     if (!init) {
01803         init = 1;
01804
01805         /* Check quantity index for mass... */
01806         if (ctl->qnt_m < 0)
01807             ERRMSG("Need quantity mass!");
01808
01809         /* Check dimensions... */
01810         if (ctl->prof_nx > GX || ctl->prof_ny > GY || ctl->prof_nz > GZ)
01811             ERRMSG("Grid dimensions too large!");
01812
01813         /* Open observation data file... */
01814         printf("Read profile observation data: %s\n", ctl->prof_obsfile);
01815         if (!(in = fopen(ctl->prof_obsfile, "r")))
01816             ERRMSG("Cannot open file!");
01817
01818         /* Create new file... */
01819         printf("Write profile data: %s\n", filename);
01820         if (!(out = fopen(filename, "w")))
01821             ERRMSG("Cannot create file!");
01822
01823         /* Write header... */
01824         fprintf(out,
01825             "# $1 = time [s]\n"
01826             "# $2 = altitude [km]\n"
01827             "# $3 = longitude [deg]\n"
01828             "# $4 = latitude [deg]\n"
01829             "# $5 = pressure [hPa]\n"

```

```

01830         "# $6 = temperature [K]\n"
01831         "# $7 = mass mixing ratio [1]\n"
01832         "# $8 = H2O volume mixing ratio [1]\n"
01833         "# $9 = O3 volume mixing ratio [1]\n"
01834         "# $10 = mean BT index [K]\n");
01835
01836     /* Set grid box size... */
01837     dz = (ctl->prof_z1 - ctl->prof_z0) / ctl->prof_nz;
01838     dlon = (ctl->prof_lon1 - ctl->prof_lon0) / ctl->prof_nx;
01839     dlat = (ctl->prof_lat1 - ctl->prof_lat0) / ctl->prof_ny;
01840 }
01841
01842 /* Set time interval... */
01843 t0 = t - 0.5 * ctl->dt_mod;
01844 t1 = t + 0.5 * ctl->dt_mod;
01845
01846 /* Initialize... */
01847 for (ix = 0; ix < ctl->prof_nx; ix++)
01848     for (iy = 0; iy < ctl->prof_ny; iy++) {
01849         obsmean[ix][iy] = 0;
01850         obscount[ix][iy] = 0;
01851         tmean[ix][iy] = 0;
01852         for (iz = 0; iz < ctl->prof_nz; iz++)
01853             mass[ix][iy][iz] = 0;
01854     }
01855
01856 /* Read data... */
01857 while (fgets(line, LEN, in)) {
01858
01859     /* Read data... */
01860     if (sscanf(line, "%lg %lg %lg %lg", &rt, &rln, &rlat, &robs) != 4)
01861         continue;
01862
01863     /* Check time... */
01864     if (rt < t0)
01865         continue;
01866     if (rt > t1)
01867         break;
01868
01869     /* Calculate indices... */
01870     ix = (int) ((rln - ctl->prof_lon0) / dlon);
01871     iy = (int) ((rlat - ctl->prof_lat0) / dlat);
01872
01873     /* Check indices... */
01874     if (ix < 0 || ix >= ctl->prof_nx || iy < 0 || iy >= ctl->prof_ny)
01875         continue;
01876
01877     /* Get mean observation index... */
01878     obsmean[ix][iy] += robs;
01879     tmean[ix][iy] += rt;
01880     obscount[ix][iy]++;
01881 }
01882
01883 /* Analyze model data... */
01884 for (ip = 0; ip < atm->np; ip++) {
01885
01886     /* Check time... */
01887     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01888         continue;
01889
01890     /* Get indices... */
01891     ix = (int) ((atm->lon[ip] - ctl->prof_lon0) / dlon);
01892     iy = (int) ((atm->lat[ip] - ctl->prof_lat0) / dlat);
01893     iz = (int) ((Z(atm->p[ip]) - ctl->prof_z0) / dz);
01894
01895     /* Check indices... */
01896     if (ix < 0 || ix >= ctl->prof_nx ||
01897         iy < 0 || iy >= ctl->prof_ny || iz < 0 || iz >= ctl->prof_nz)
01898         continue;
01899
01900     /* Get total mass in grid cell... */
01901     mass[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01902 }
01903
01904 /* Extract profiles... */
01905 for (ix = 0; ix < ctl->prof_nx; ix++)
01906     for (iy = 0; iy < ctl->prof_ny; iy++)
01907         if (obscount[ix][iy] > 0) {
01908
01909             /* Write output... */
01910             fprintf(out, "\n");
01911
01912             /* Loop over altitudes... */
01913             for (iz = 0; iz < ctl->prof_nz; iz++) {
01914
01915                 /* Set coordinates... */
01916                 z = ctl->prof_z0 + dz * (iz + 0.5);

```



```

01917         lon = ctl->prof_lon0 + dlon * (ix + 0.5);
01918         lat = ctl->prof_lat0 + dlat * (iy + 0.5);
01919
01920         /* Get meteorological data... */
01921         press = P(z);
01922         intpol_met_time(met0, met1, t, press, lon, lat,
01923             NULL, &temp, NULL, NULL, NULL, &h2o, &o3);
01924
01925         /* Calculate mass mixing ratio... */
01926         rho_air = 100. * press / (287.058 * temp);
01927         area = dlat * dlon * gsl_pow_2(M_PI * RE / 180.)
01928             * cos(lat * M_PI / 180.);
01929         mmr = mass[ix][iy][iz] / (rho_air * area * dz * 1e9);
01930
01931         /* Write output... */
01932         fprintf(out, "%.2f %g %g %g %g %g %g %g %g\n",
01933             tmean[ix][iy] / obscount[ix][iy],
01934             z, lon, lat, press, temp, mmr, h2o, o3,
01935             obsmean[ix][iy] / obscount[ix][iy]);
01936     }
01937 }
01938
01939 /* Close file... */
01940 if (t == ctl->t_stop)
01941     fclose(out);
01942 }
01943
01944 /*****
01945
01946 void write_station(
01947     const char *filename,
01948     ctl_t * ctl,
01949     atm_t * atm,
01950     double t) {
01951
01952     static FILE *out;
01953
01954     static double rmax2, t0, t1, x0[3], x1[3];
01955
01956     static int init, ip, iq;
01957
01958     /* Init... */
01959     if (!init) {
01960         init = 1;
01961
01962         /* Write info... */
01963         printf("Write station data: %s\n", filename);
01964
01965         /* Create new file... */
01966         if (!(out = fopen(filename, "w")))
01967             ERRMSG("Cannot create file!");
01968
01969         /* Write header... */
01970         fprintf(out,
01971             "# $1 = time [s]\n"
01972             "# $2 = altitude [km]\n"
01973             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01974         for (iq = 0; iq < ctl->nq; iq++)
01975             fprintf(out, "# $%i = %s [%s]\n", (iq + 5),
01976                 ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01977         fprintf(out, "\n");
01978
01979         /* Set geolocation and search radius... */
01980         geo2cart(0, ctl->stat_lon, ctl->stat_lat, x0);
01981         rmax2 = gsl_pow_2(ctl->stat_r);
01982     }
01983
01984     /* Set time interval for output... */
01985     t0 = t - 0.5 * ctl->dt_mod;
01986     t1 = t + 0.5 * ctl->dt_mod;
01987
01988     /* Loop over air parcels... */
01989     for (ip = 0; ip < atm->np; ip++) {
01990
01991         /* Check time... */
01992         if (atm->time[ip] < t0 || atm->time[ip] > t1)
01993             continue;
01994
01995         /* Check station flag... */
01996         if (ctl->qnt_stat >= 0)
01997             if (atm->q[ctl->qnt_stat][ip])
01998                 continue;
01999
02000         /* Get Cartesian coordinates... */
02001         geo2cart(0, atm->lon[ip], atm->lat[ip], x1);
02002
02003         /* Check horizontal distance... */

```

```

02004     if (DIST2(x0, x1) > rmax2)
02005         continue;
02006
02007     /* Set station flag... */
02008     if (ctl->qnt_stat >= 0)
02009         atm->q[ctl->qnt_stat][ip] = 1;
02010
02011     /* Write data... */
02012     fprintf(out, "%.2f %g %g %g",
02013            atm->time[ip], Z(atm->p[ip]), atm->lon[ip], atm->lat[ip]);
02014     for (iq = 0; iq < ctl->nq; iq++) {
02015         fprintf(out, " ");
02016         fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
02017     }
02018     fprintf(out, "\n");
02019 }
02020
02021 /* Close file... */
02022 if (t == ctl->t_stop)
02023     fclose(out);
02024 }

```

## 5.13 libtrac.h File Reference

MPTRAC library declarations.

### Data Structures

- struct [ctl\\_t](#)  
*Control parameters.*
- struct [atm\\_t](#)  
*Atmospheric data.*
- struct [met\\_t](#)  
*Meteorological data.*

### Functions

- void [cart2geo](#) (double \*x, double \*z, double \*lon, double \*lat)  
*Convert Cartesian coordinates to geolocation.*
- double [deg2dx](#) (double dlon, double lat)  
*Convert degrees to horizontal distance.*
- double [deg2dy](#) (double dlat)  
*Convert degrees to horizontal distance.*
- double [dp2dz](#) (double dp, double p)  
*Convert pressure to vertical distance.*
- double [dx2deg](#) (double dx, double lat)  
*Convert horizontal distance to degrees.*
- double [dy2deg](#) (double dy)  
*Convert horizontal distance to degrees.*
- double [dz2dp](#) (double dz, double p)  
*Convert vertical distance to pressure.*
- void [geo2cart](#) (double z, double lon, double lat, double \*x)  
*Convert geolocation to Cartesian coordinates.*
- void [get\\_met](#) ([ctl\\_t](#) \*ctl, char \*metbase, double t, [met\\_t](#) \*met0, [met\\_t](#) \*met1)  
*Get meteorological data for given timestep.*
- void [get\\_met\\_help](#) (double t, int direct, char \*metbase, double dt\_met, char \*filename)  
*Get meteorological data for timestep.*

- void `intpol_met_2d` (double array[EX][EY], int ix, int iy, double wx, double wy, double \*var)  
*Linear interpolation of 2-D meteorological data.*
- void `intpol_met_3d` (float array[EX][EY][EP], int ip, int ix, int iy, double wp, double wx, double wy, double \*var)  
*Linear interpolation of 3-D meteorological data.*
- void `intpol_met_space` (`met_t` \*met, double p, double lon, double lat, double \*ps, double \*t, double \*u, double \*v, double \*w, double \*h2o, double \*o3)  
*Spatial interpolation of meteorological data.*
- void `intpol_met_time` (`met_t` \*met0, `met_t` \*met1, double ts, double p, double lon, double lat, double \*ps, double \*t, double \*u, double \*v, double \*w, double \*h2o, double \*o3)  
*Temporal interpolation of meteorological data.*
- void `jsec2time` (double jsec, int \*year, int \*mon, int \*day, int \*hour, int \*min, int \*sec, double \*remain)  
*Convert seconds to date.*
- int `locate` (double \*xx, int n, double x)  
*Find array index.*
- void `read_atm` (const char \*filename, `ctl_t` \*ctl, `atm_t` \*atm)  
*Read atmospheric data.*
- void `read_ctl` (const char \*filename, int argc, char \*argv[], `ctl_t` \*ctl)  
*Read control parameters.*
- void `read_met` (`ctl_t` \*ctl, char \*filename, `met_t` \*met)  
*Read meteorological data file.*
- void `read_met_extrapolate` (`met_t` \*met)  
*Extrapolate meteorological data at lower boundary.*
- void `read_met_help` (int ncid, char \*varname, char \*varname2, `met_t` \*met, float dest[EX][EY][EP], float scl)  
*Read and convert variable from meteorological data file.*
- void `read_met_ml2pl` (`ctl_t` \*ctl, `met_t` \*met, float var[EX][EY][EP])  
*Convert meteorological data from model levels to pressure levels.*
- void `read_met_periodic` (`met_t` \*met)  
*Create meteorological data with periodic boundary conditions.*
- double `scan_ctl` (const char \*filename, int argc, char \*argv[], const char \*varname, int arridx, const char \*defvalue, char \*value)  
*Read a control parameter from file or command line.*
- void `time2jsec` (int year, int mon, int day, int hour, int min, int sec, double remain, double \*jsec)  
*Convert date to seconds.*
- void `timer` (const char \*name, int id, int mode)  
*Measure wall-clock time.*
- double `tropopause` (double t, double lat)
- void `write_atm` (const char \*filename, `ctl_t` \*ctl, `atm_t` \*atm, double t)  
*Write atmospheric data.*
- void `write_csi` (const char \*filename, `ctl_t` \*ctl, `atm_t` \*atm, double t)  
*Write CSI data.*
- void `write_ens` (const char \*filename, `ctl_t` \*ctl, `atm_t` \*atm, double t)  
*Write ensemble data.*
- void `write_grid` (const char \*filename, `ctl_t` \*ctl, `met_t` \*met0, `met_t` \*met1, `atm_t` \*atm, double t)  
*Write gridded data.*
- void `write_prof` (const char \*filename, `ctl_t` \*ctl, `met_t` \*met0, `met_t` \*met1, `atm_t` \*atm, double t)  
*Write profile data.*
- void `write_station` (const char \*filename, `ctl_t` \*ctl, `atm_t` \*atm, double t)  
*Write station data.*

### 5.13.1 Detailed Description

MPTRAC library declarations.

Definition in file [libtrac.h](#).

### 5.13.2 Function Documentation

#### 5.13.2.1 void cart2geo ( double \* x, double \* z, double \* lon, double \* lat )

Convert Cartesian coordinates to geolocation.

Definition at line 29 of file [libtrac.c](#).

```
00033         {
00034
00035     double radius;
00036
00037     radius = NORM(x);
00038     *lat = asin(x[2] / radius) * 180 / M_PI;
00039     *lon = atan2(x[1], x[0]) * 180 / M_PI;
00040     *z = radius - RE;
00041 }
```

#### 5.13.2.2 double deg2dx ( double dlon, double lat )

Convert degrees to horizontal distance.

Definition at line 45 of file [libtrac.c](#).

```
00047         {
00048
00049     return dlon * M_PI * RE / 180. * cos(lat / 180. * M_PI);
00050 }
```

#### 5.13.2.3 double deg2dy ( double dlat )

Convert degrees to horizontal distance.

Definition at line 54 of file [libtrac.c](#).

```
00055         {
00056
00057     return dlat * M_PI * RE / 180.;
00058 }
```

#### 5.13.2.4 double dp2dz ( double dp, double p )

Convert pressure to vertical distance.

Definition at line 62 of file [libtrac.c](#).

```
00064         {
00065
00066     return -dp * H0 / p;
00067 }
```

### 5.13.2.5 double dx2deg ( double *dx*, double *lat* )

Convert horizontal distance to degrees.

Definition at line 71 of file [libtrac.c](#).

```
00073         {
00074
00075     /* Avoid singularity at poles... */
00076     if (lat < -89.999 || lat > 89.999)
00077         return 0;
00078     else
00079         return dx * 180. / (M_PI * RE * cos(lat / 180. * M_PI));
00080 }
```

### 5.13.2.6 double dy2deg ( double *dy* )

Convert horizontal distance to degrees.

Definition at line 84 of file [libtrac.c](#).

```
00085         {
00086
00087     return dy * 180. / (M_PI * RE);
00088 }
```

### 5.13.2.7 double dz2dp ( double *dz*, double *p* )

Convert vertical distance to pressure.

Definition at line 92 of file [libtrac.c](#).

```
00094         {
00095
00096     return -dz * p / H0;
00097 }
```

### 5.13.2.8 void geo2cart ( double *z*, double *lon*, double *lat*, double \* *x* )

Convert geolocation to Cartesian coordinates.

Definition at line 101 of file [libtrac.c](#).

```
00105         {
00106
00107     double radius;
00108
00109     radius = z + RE;
00110     x[0] = radius * cos(lat / 180 * M_PI) * cos(lon / 180 * M_PI);
00111     x[1] = radius * cos(lat / 180 * M_PI) * sin(lon / 180 * M_PI);
00112     x[2] = radius * sin(lat / 180 * M_PI);
00113 }
```

### 5.13.2.9 void get\_met ( ctl\_t \* *ctl*, char \* *metbase*, double *t*, met\_t \* *met0*, met\_t \* *met1* )

Get meteorological data for given timestep.


Definition at line 117 of file [libtrac.c](#).

```

00122         {
00123
00124     char filename[LEN];
00125
00126     static int init;
00127
00128     /* Init... */
00129     if (!init) {
00130         init = 1;
00131
00132         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00133         read_met(ctl, filename, met0);
00134
00135         get_met_help(t + 1.0 * ctl->direction, 1, metbase, ctl->
dt_met, filename);
00136         read_met(ctl, filename, met1);
00137     }
00138
00139     /* Read new data for forward trajectories... */
00140     if (t > met1->time && ctl->direction == 1) {
00141         memcpy(met0, met1, sizeof(met_t));
00142         get_met_help(t, 1, metbase, ctl->dt_met, filename);
00143         read_met(ctl, filename, met1);
00144     }
00145
00146     /* Read new data for backward trajectories... */
00147     if (t < met0->time && ctl->direction == -1) {
00148         memcpy(met1, met0, sizeof(met_t));
00149         get_met_help(t, -1, metbase, ctl->dt_met, filename);
00150         read_met(ctl, filename, met0);
00151     }
00152 }

```

Here is the call graph for this function:



### 5.13.2.10 void get\_met\_help ( double *t*, int *direct*, char \* *metbase*, double *dt\_met*, char \* *filename* )

Get meteorological data for timestep.

Definition at line 156 of file [libtrac.c](#).

```

00161         {
00162
00163     double t6, r;
00164
00165     int year, mon, day, hour, min, sec;
00166
00167     /* Round time to fixed intervals... */
00168     if (direct == -1)
00169         t6 = floor(t / dt_met) * dt_met;
00170     else
00171         t6 = ceil(t / dt_met) * dt_met;
00172
00173     /* Decode time... */
00174     jsec2time(t6, &year, &mon, &day, &hour, &min, &sec, &r);
00175
00176     /* Set filename... */
00177     sprintf(filename, "%s_%d_%02d_%02d_%02d.nc", metbase, year, mon, day, hour);
00178 }

```

Here is the call graph for this function:



**5.13.2.11** void `intpol_met_2d` ( double *array*[*EX*][*EY*], int *ix*, int *iy*, double *wx*, double *wy*, double \* *var* )

Linear interpolation of 2-D meteorological data.

Definition at line 182 of file `libtrac.c`.

```

00188         {
00189
00190     double aux00, aux01, aux10, aux11;
00191
00192     /* Set variables... */
00193     aux00 = array[ix][iy];
00194     aux01 = array[ix][iy + 1];
00195     aux10 = array[ix + 1][iy];
00196     aux11 = array[ix + 1][iy + 1];
00197
00198     /* Interpolate horizontally... */
00199     aux00 = wy * (aux00 - aux01) + aux01;
00200     aux11 = wy * (aux10 - aux11) + aux11;
00201     *var = wx * (aux00 - aux11) + aux11;
00202 }

```

**5.13.2.12** void `intpol_met_3d` ( float *array*[*EX*][*EY*][*EP*], int *ip*, int *ix*, int *iy*, double *wp*, double *wx*, double *wy*, double \* *var* )

Linear interpolation of 3-D meteorological data.

Definition at line 206 of file `libtrac.c`.

```

00214         {
00215
00216     double aux00, aux01, aux10, aux11;
00217
00218     /* Interpolate vertically... */
00219     aux00 = wp * (array[ix][iy][ip] - array[ix][iy][ip + 1])
00220         + array[ix][iy][ip + 1];
00221     aux01 = wp * (array[ix][iy + 1][ip] - array[ix][iy + 1][ip + 1])
00222         + array[ix][iy + 1][ip + 1];
00223     aux10 = wp * (array[ix + 1][iy][ip] - array[ix + 1][iy][ip + 1])
00224         + array[ix + 1][iy][ip + 1];
00225     aux11 = wp * (array[ix + 1][iy + 1][ip] - array[ix + 1][iy + 1][ip + 1])
00226         + array[ix + 1][iy + 1][ip + 1];
00227
00228     /* Interpolate horizontally... */
00229     aux00 = wy * (aux00 - aux01) + aux01;
00230     aux11 = wy * (aux10 - aux11) + aux11;
00231     *var = wx * (aux00 - aux11) + aux11;
00232 }

```

**5.13.2.13** void `intpol_met_space` ( `met_t * met`, double `p`, double `lon`, double `lat`, double \* `ps`, double \* `t`, double \* `u`, double \* `v`, double \* `w`, double \* `h2o`, double \* `o3` )

Spatial interpolation of meteorological data.

Definition at line 236 of file `libtrac.c`.


```

00247         {
00248
00249     double wp, wx, wy;
00250
00251     int ip, ix, iy;
00252
00253     /* Check longitude... */
00254     if (met->lon[met->nx - 1] > 180 && lon < 0)
00255         lon += 360;
00256
00257     /* Get indices... */
00258     ip = locate(met->p, met->np, p);
00259     ix = locate(met->lon, met->nx, lon);
00260     iy = locate(met->lat, met->ny, lat);
00261
00262     /* Get weights... */
00263     wp = (met->p[ip + 1] - p) / (met->p[ip + 1] - met->p[ip]);
00264     wx = (met->lon[ix + 1] - lon) / (met->lon[ix + 1] - met->lon[ix]);
00265     wy = (met->lat[iy + 1] - lat) / (met->lat[iy + 1] - met->lat[iy]);
00266
00267     /* Interpolate... */
00268     if (ps != NULL)
00269         intpol_met_2d(met->ps, ix, iy, wx, wy, ps);
00270     if (t != NULL)
00271         intpol_met_3d(met->t, ip, ix, iy, wp, wx, wy, t);
00272     if (u != NULL)
00273         intpol_met_3d(met->u, ip, ix, iy, wp, wx, wy, u);
00274     if (v != NULL)
00275         intpol_met_3d(met->v, ip, ix, iy, wp, wx, wy, v);
00276     if (w != NULL)
00277         intpol_met_3d(met->w, ip, ix, iy, wp, wx, wy, w);
00278     if (h2o != NULL)
00279         intpol_met_3d(met->h2o, ip, ix, iy, wp, wx, wy, h2o);
00280     if (o3 != NULL)
00281         intpol_met_3d(met->o3, ip, ix, iy, wp, wx, wy, o3);
00282 }

```



Here is the call graph for this function:



**5.13.2.14** void intpol\_met\_time ( met\_t \* met0, met\_t \* met1, double ts, double p, double lon, double lat, double \* ps, double \* t, double \* u, double \* v, double \* w, double \* h2o, double \* o3 )

Temporal interpolation of meteorological data.


Definition at line 286 of file [libtrac.c](#).

```

00299         {
00300
00301     double h2o0, h2o1, o30, o31, ps0, ps1, t0, t1, u0, u1, v0, v1, w0, w1, wt;
00302
00303     /* Spatial interpolation... */
00304     intpol_met_space(met0, p, lon, lat,
00305                     ps == NULL ? NULL : &ps0,
00306                     t == NULL ? NULL : &t0,
00307                     u == NULL ? NULL : &u0,
00308                     v == NULL ? NULL : &v0,
00309                     w == NULL ? NULL : &w0,
00310                     h2o == NULL ? NULL : &h2o0, o3 == NULL ? NULL : &o30);
00311     intpol_met_space(met1, p, lon, lat,
00312                     ps == NULL ? NULL : &ps1,
00313                     t == NULL ? NULL : &t1,
00314                     u == NULL ? NULL : &u1,
00315                     v == NULL ? NULL : &v1,
00316                     w == NULL ? NULL : &w1,
00317                     h2o == NULL ? NULL : &h2o1, o3 == NULL ? NULL : &o31);
00318
00319     /* Get weighting factor... */
00320     wt = (met1->time - ts) / (met1->time - met0->time);
00321
00322     /* Interpolate... */
00323     if (ps != NULL)
00324         *ps = wt * (ps0 - ps1) + ps1;
00325     if (t != NULL)
00326         *t = wt * (t0 - t1) + t1;
00327     if (u != NULL)
00328         *u = wt * (u0 - u1) + u1;
00329     if (v != NULL)
00330         *v = wt * (v0 - v1) + v1;
00331     if (w != NULL)
00332         *w = wt * (w0 - w1) + w1;
00333     if (h2o != NULL)
00334         *h2o = wt * (h2o0 - h2o1) + h2o1;
00335     if (o3 != NULL)
00336         *o3 = wt * (o30 - o31) + o31;
00337 }

```

Here is the call graph for this function:



#### 5.13.2.15 void jsec2time ( double jsec, int \* year, int \* mon, int \* day, int \* hour, int \* min, int \* sec, double \* remain )

Convert seconds to date.

Definition at line 341 of file [libtrac.c](#).

```

00349         {
00350
00351     struct tm t0, *t1;
00352
00353     time_t jsec0;
00354
00355     t0.tm_year = 100;
00356     t0.tm_mon = 0;
00357     t0.tm_mday = 1;
00358     t0.tm_hour = 0;
00359     t0.tm_min = 0;
00360     t0.tm_sec = 0;
00361
00362     jsec0 = (time_t) jsec + timegm(&t0);
00363     t1 = gmtime(&jsec0);
00364
00365     *year = t1->tm_year + 1900;
00366     *mon = t1->tm_mon + 1;
00367     *day = t1->tm_mday;
00368     *hour = t1->tm_hour;
00369     *min = t1->tm_min;
00370     *sec = t1->tm_sec;
00371     *remain = jsec - floor(jsec);
00372 }
  
```

#### 5.13.2.16 int locate ( double \* xx, int n, double x )

Find array index.

Definition at line 376 of file [libtrac.c](#).

```

00379         {
00380
00381     int i, ilo, ihi;
00382
00383     ilo = 0;
00384     ihi = n - 1;
00385     i = (ihi + ilo) >> 1;
00386
00387     if (xx[i] < xx[i + 1])
00388         while (ihi > ilo + 1) {
00389             i = (ihi + ilo) >> 1;
00390             if (xx[i] > x)
  
```

```

00391         ihi = i;
00392     else
00393         ilo = i;
00394 } else
00395     while (ihi > ilo + 1) {
00396         i = (ihi + ilo) >> 1;
00397         if (xx[i] <= x)
00398             ihi = i;
00399         else
00400             ilo = i;
00401     }
00402
00403     return ilo;
00404 }

```

### 5.13.2.17 void read\_atm ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm )

Read atmospheric data.

Definition at line 408 of file [libtrac.c](#).

```

00411         {
00412
00413     FILE *in;
00414
00415     char line[LEN], *tok;
00416
00417     int iq;
00418
00419     /* Init... */
00420     atm->np = 0;
00421
00422     /* Write info... */
00423     printf("Read atmospheric data: %s\n", filename);
00424
00425     /* Open file... */
00426     if (!(in = fopen(filename, "r")))
00427         ERRMSG("Cannot open file!");
00428
00429     /* Read line... */
00430     while (fgets(line, LEN, in)) {
00431
00432         /* Read data... */
00433         TOK(line, tok, "%lg", atm->time[atm->np]);
00434         TOK(NULL, tok, "%lg", atm->p[atm->np]);
00435         TOK(NULL, tok, "%lg", atm->lon[atm->np]);
00436         TOK(NULL, tok, "%lg", atm->lat[atm->np]);
00437         for (iq = 0; iq < ctl->nq; iq++)
00438             TOK(NULL, tok, "%lg", atm->q[iq][atm->np]);
00439
00440         /* Convert altitude to pressure... */
00441         atm->p[atm->np] = P(atm->p[atm->np]);
00442
00443         /* Increment data point counter... */
00444         if ((++atm->np) > NP)
00445             ERRMSG("Too many data points!");
00446     }
00447
00448     /* Close file... */
00449     fclose(in);
00450
00451     /* Check number of points... */
00452     if (atm->np < 1)
00453         ERRMSG("Can not read any data!");
00454 }

```

### 5.13.2.18 void read\_ctl ( const char \* filename, int argc, char \* argv[], ctl\_t \* ctl )

Read control parameters.

Definition at line 458 of file [libtrac.c](#).

```

00462         {
00463
00464     int ip, iq;
00465
00466     /* Write info... */
00467     printf("\nMassive-Parallel Trajectory Calculations (MPTRAC)\n"
00468           "(executable: %s | compiled: %s, %s)\n\n",
00469           argv[0], __DATE__, __TIME__);
00470
00471     /* Initialize quantity indices... */
00472     ctl->qnt_ens = -1;
00473     ctl->qnt_m = -1;
00474     ctl->qnt_r = -1;
00475     ctl->qnt_rho = -1;
00476     ctl->qnt_ps = -1;
00477     ctl->qnt_p = -1;
00478     ctl->qnt_t = -1;
00479     ctl->qnt_u = -1;
00480     ctl->qnt_v = -1;
00481     ctl->qnt_w = -1;
00482     ctl->qnt_h2o = -1;
00483     ctl->qnt_o3 = -1;
00484     ctl->qnt_theta = -1;
00485     ctl->qnt_pv = -1;
00486     ctl->qnt_tice = -1;
00487     ctl->qnt_tsts = -1;
00488     ctl->qnt_tnat = -1;
00489     ctl->qnt_gw_var = -1;
00490     ctl->qnt_stat = -1;
00491
00492     /* Read quantities... */
00493     ctl->nq = (int) scan_ctl(filename, argc, argv, "NQ", -1, "0", NULL);
00494     if (ctl->nq > NQ)
00495         ERRMSG("Too many quantities!");
00496     for (iq = 0; iq < ctl->nq; iq++) {
00497
00498         /* Read quantity name and format... */
00499         scan_ctl(filename, argc, argv, "QNT_NAME", iq, "", ctl->qnt_name[iq]);
00500         scan_ctl(filename, argc, argv, "QNT_FORMAT", iq, "%g",
00501                 ctl->qnt_format[iq]);
00502
00503         /* Try to identify quantity... */
00504         if (strcmp(ctl->qnt_name[iq], "ens") == 0) {
00505             ctl->qnt_ens = iq;
00506             sprintf(ctl->qnt_unit[iq], "-");
00507         } else if (strcmp(ctl->qnt_name[iq], "m") == 0) {
00508             ctl->qnt_m = iq;
00509             sprintf(ctl->qnt_unit[iq], "kg");
00510         } else if (strcmp(ctl->qnt_name[iq], "r") == 0) {
00511             ctl->qnt_r = iq;
00512             sprintf(ctl->qnt_unit[iq], "m");
00513         } else if (strcmp(ctl->qnt_name[iq], "rho") == 0) {
00514             ctl->qnt_rho = iq;
00515             sprintf(ctl->qnt_unit[iq], "kg/m^3");
00516         } else if (strcmp(ctl->qnt_name[iq], "ps") == 0) {
00517             ctl->qnt_ps = iq;
00518             sprintf(ctl->qnt_unit[iq], "hPa");
00519         } else if (strcmp(ctl->qnt_name[iq], "p") == 0) {
00520             ctl->qnt_p = iq;
00521             sprintf(ctl->qnt_unit[iq], "hPa");
00522         } else if (strcmp(ctl->qnt_name[iq], "t") == 0) {
00523             ctl->qnt_t = iq;
00524             sprintf(ctl->qnt_unit[iq], "K");
00525         } else if (strcmp(ctl->qnt_name[iq], "u") == 0) {
00526             ctl->qnt_u = iq;
00527             sprintf(ctl->qnt_unit[iq], "m/s");
00528         } else if (strcmp(ctl->qnt_name[iq], "v") == 0) {
00529             ctl->qnt_v = iq;
00530             sprintf(ctl->qnt_unit[iq], "m/s");
00531         } else if (strcmp(ctl->qnt_name[iq], "w") == 0) {
00532             ctl->qnt_w = iq;
00533             sprintf(ctl->qnt_unit[iq], "hPa/s");
00534         } else if (strcmp(ctl->qnt_name[iq], "h2o") == 0) {
00535             ctl->qnt_h2o = iq;
00536             sprintf(ctl->qnt_unit[iq], "l");
00537         } else if (strcmp(ctl->qnt_name[iq], "o3") == 0) {
00538             ctl->qnt_o3 = iq;
00539             sprintf(ctl->qnt_unit[iq], "l");
00540         } else if (strcmp(ctl->qnt_name[iq], "theta") == 0) {
00541             ctl->qnt_theta = iq;
00542             sprintf(ctl->qnt_unit[iq], "K");
00543         } else if (strcmp(ctl->qnt_name[iq], "pv") == 0) {
00544             ctl->qnt_pv = iq;
00545             sprintf(ctl->qnt_unit[iq], "PVU");
00546         } else if (strcmp(ctl->qnt_name[iq], "tice") == 0) {
00547             ctl->qnt_tice = iq;
00548             sprintf(ctl->qnt_unit[iq], "K");

```

```

00549     } else if (strcmp(ctl->qnt_name[iq], "tsts") == 0) {
00550         ctl->qnt_tsts = iq;
00551         sprintf(ctl->qnt_unit[iq], "K");
00552     } else if (strcmp(ctl->qnt_name[iq], "tnat") == 0) {
00553         ctl->qnt_tnat = iq;
00554         sprintf(ctl->qnt_unit[iq], "K");
00555     } else if (strcmp(ctl->qnt_name[iq], "gw_var") == 0) {
00556         ctl->qnt_gw_var = iq;
00557         sprintf(ctl->qnt_unit[iq], "K^2");
00558     } else if (strcmp(ctl->qnt_name[iq], "stat") == 0) {
00559         ctl->qnt_stat = iq;
00560         sprintf(ctl->qnt_unit[iq], "-");
00561     } else
00562         scan_ctl(filename, argc, argv, "QNT_UNIT", iq, "", ctl->qnt_unit[iq]);
00563 }
00564
00565 /* Time steps of simulation... */
00566 ctl->direction =
00567     (int) scan_ctl(filename, argc, argv, "DIRECTION", -1, "1", NULL);
00568 if (ctl->direction != -1 && ctl->direction != 1)
00569     ERRMSG("Set DIRECTION to -1 or 1!");
00570 ctl->t_start =
00571     scan_ctl(filename, argc, argv, "T_START", -1, "-1e100", NULL);
00572 ctl->t_stop = scan_ctl(filename, argc, argv, "T_STOP", -1, "-1e100", NULL);
00573 ctl->dt_mod = scan_ctl(filename, argc, argv, "DT_MOD", -1, "600", NULL);
00574
00575 /* Meteorological data... */
00576 ctl->dt_met = scan_ctl(filename, argc, argv, "DT_MET", -1, "21600", NULL);
00577 ctl->met_np = (int) scan_ctl(filename, argc, argv, "MET_NP", -1, "0", NULL);
00578 if (ctl->met_np > EP)
00579     ERRMSG("Too many levels!");
00580 for (ip = 0; ip < ctl->met_np; ip++)
00581     ctl->met_p[ip] = scan_ctl(filename, argc, argv, "MET_P", ip, "", NULL);
00582
00583 /* Isosurface parameters... */
00584 ctl->isosurf
00585     = (int) scan_ctl(filename, argc, argv, "ISOSURF", -1, "0", NULL);
00586 scan_ctl(filename, argc, argv, "BALLOON", -1, "-", ctl->balloon);
00587
00588 /* Diffusion parameters... */
00589 ctl->turb_dx_trop
00590     = scan_ctl(filename, argc, argv, "TURB_DX_TROP", -1, "50.0", NULL);
00591 ctl->turb_dx_strat
00592     = scan_ctl(filename, argc, argv, "TURB_DX_STRAT", -1, "0.0", NULL);
00593 ctl->turb_dz_trop
00594     = scan_ctl(filename, argc, argv, "TURB_DZ_TROP", -1, "0.0", NULL);
00595 ctl->turb_dz_strat
00596     = scan_ctl(filename, argc, argv, "TURB_DZ_STRAT", -1, "0.1", NULL);
00597 ctl->turb_meso =
00598     scan_ctl(filename, argc, argv, "TURB_MESO", -1, "0.16", NULL);
00599
00600 /* Life time of particles... */
00601 ctl->tdec_trop = scan_ctl(filename, argc, argv, "TDEC_TROP", -1, "0", NULL);
00602 ctl->tdec_strat =
00603     scan_ctl(filename, argc, argv, "TDEC_STRAT", -1, "0", NULL);
00604
00605 /* PSC analysis... */
00606 ctl->psc_h2o = scan_ctl(filename, argc, argv, "PSC_H2O", -1, "4e-6", NULL);
00607 ctl->psc_hno3 =
00608     scan_ctl(filename, argc, argv, "PSC_HNO3", -1, "9e-9", NULL);
00609
00610 /* Gravity wave analysis... */
00611 scan_ctl(filename, argc, argv, "GW_BASENAME", -1, "-", ctl->
gw_basename);
00612
00613 /* Output of atmospheric data... */
00614 scan_ctl(filename, argc, argv, "ATM_BASENAME", -1, "-", ctl->
atm_basename);
00615 scan_ctl(filename, argc, argv, "ATM_GPFILE", -1, "-", ctl->atm_gpfile);
00616 ctl->atm_dt_out =
00617     scan_ctl(filename, argc, argv, "ATM_DT_OUT", -1, "86400", NULL);
00618 ctl->atm_filter =
00619     (int) scan_ctl(filename, argc, argv, "ATM_FILTER", -1, "0", NULL);
00620
00621 /* Output of CSI data... */
00622 scan_ctl(filename, argc, argv, "CSI_BASENAME", -1, "-", ctl->
csi_basename);
00623 ctl->csi_dt_out =
00624     scan_ctl(filename, argc, argv, "CSI_DT_OUT", -1, "86400", NULL);
00625 scan_ctl(filename, argc, argv, "CSI_OBSFILE", -1, "obs.tab",
00626     ctl->csi_obsfile);
00627 ctl->csi_obsmin =
00628     scan_ctl(filename, argc, argv, "CSI_OBSMIN", -1, "0", NULL);
00629 ctl->csi_modmin =
00630     scan_ctl(filename, argc, argv, "CSI_MODMIN", -1, "0", NULL);
00631 ctl->csi_z0 = scan_ctl(filename, argc, argv, "CSI_Z0", -1, "0", NULL);
00632 ctl->csi_z1 = scan_ctl(filename, argc, argv, "CSI_Z1", -1, "100", NULL);

```

```

00633     ctl->csi_nz = (int) scan_ctl(filename, argc, argv, "CSI_NZ", -1, "1", NULL);
00634     ctl->csi_lon0 =
00635         scan_ctl(filename, argc, argv, "CSI_LON0", -1, "-180", NULL);
00636     ctl->csi_lon1 = scan_ctl(filename, argc, argv, "CSI_LON1", -1, "180", NULL);
00637     ctl->csi_nx =
00638         (int) scan_ctl(filename, argc, argv, "CSI_NX", -1, "360", NULL);
00639     ctl->csi_lat0 = scan_ctl(filename, argc, argv, "CSI_LAT0", -1, "-90", NULL);
00640     ctl->csi_lat1 = scan_ctl(filename, argc, argv, "CSI_LAT1", -1, "90", NULL);
00641     ctl->csi_ny =
00642         (int) scan_ctl(filename, argc, argv, "CSI_NY", -1, "180", NULL);
00643
00644     /* Output of ensemble data... */
00645     scan_ctl(filename, argc, argv, "ENS_BASENAME", -1, "-", ctl->
ens_basename);
00646
00647     /* Output of grid data... */
00648     scan_ctl(filename, argc, argv, "GRID_BASENAME", -1, "-",
00649         ctl->grid_basename);
00650     scan_ctl(filename, argc, argv, "GRID_GPFILE", -1, "-", ctl->
grid_gpfile);
00651     ctl->grid_dt_out =
00652         scan_ctl(filename, argc, argv, "GRID_DT_OUT", -1, "86400", NULL);
00653     ctl->grid_sparse =
00654         (int) scan_ctl(filename, argc, argv, "GRID_SPARSE", -1, "0", NULL);
00655     ctl->grid_z0 = scan_ctl(filename, argc, argv, "GRID_Z0", -1, "0", NULL);
00656     ctl->grid_z1 = scan_ctl(filename, argc, argv, "GRID_Z1", -1, "100", NULL);
00657     ctl->grid_nz =
00658         (int) scan_ctl(filename, argc, argv, "GRID_NZ", -1, "1", NULL);
00659     ctl->grid_lon0 =
00660         scan_ctl(filename, argc, argv, "GRID_LON0", -1, "-180", NULL);
00661     ctl->grid_lon1 =
00662         scan_ctl(filename, argc, argv, "GRID_LON1", -1, "180", NULL);
00663     ctl->grid_nx =
00664         (int) scan_ctl(filename, argc, argv, "GRID_NX", -1, "360", NULL);
00665     ctl->grid_lat0 =
00666         scan_ctl(filename, argc, argv, "GRID_LAT0", -1, "-90", NULL);
00667     ctl->grid_lat1 =
00668         scan_ctl(filename, argc, argv, "GRID_LAT1", -1, "90", NULL);
00669     ctl->grid_ny =
00670         (int) scan_ctl(filename, argc, argv, "GRID_NY", -1, "180", NULL);
00671
00672     /* Output of profile data... */
00673     scan_ctl(filename, argc, argv, "PROF_BASENAME", -1, "-",
00674         ctl->prof_basename);
00675     scan_ctl(filename, argc, argv, "PROF_OBSFILE", -1, "-", ctl->
prof_obsfile);
00676     ctl->prof_z0 = scan_ctl(filename, argc, argv, "PROF_Z0", -1, "0", NULL);
00677     ctl->prof_z1 = scan_ctl(filename, argc, argv, "PROF_Z1", -1, "60", NULL);
00678     ctl->prof_nz =
00679         (int) scan_ctl(filename, argc, argv, "PROF_NZ", -1, "60", NULL);
00680     ctl->prof_lon0 =
00681         scan_ctl(filename, argc, argv, "PROF_LON0", -1, "-180", NULL);
00682     ctl->prof_lon1 =
00683         scan_ctl(filename, argc, argv, "PROF_LON1", -1, "180", NULL);
00684     ctl->prof_nx =
00685         (int) scan_ctl(filename, argc, argv, "PROF_NX", -1, "360", NULL);
00686     ctl->prof_lat0 =
00687         scan_ctl(filename, argc, argv, "PROF_LAT0", -1, "-90", NULL);
00688     ctl->prof_lat1 =
00689         scan_ctl(filename, argc, argv, "PROF_LAT1", -1, "90", NULL);
00690     ctl->prof_ny =
00691         (int) scan_ctl(filename, argc, argv, "PROF_NY", -1, "180", NULL);
00692
00693     /* Output of station data... */
00694     scan_ctl(filename, argc, argv, "STAT_BASENAME", -1, "-",
00695         ctl->stat_basename);
00696     ctl->stat_lon = scan_ctl(filename, argc, argv, "STAT_LON", -1, "0", NULL);
00697     ctl->stat_lat = scan_ctl(filename, argc, argv, "STAT_LAT", -1, "0", NULL);
00698     ctl->stat_r = scan_ctl(filename, argc, argv, "STAT_R", -1, "50", NULL);
00699 }

```

Here is the call graph for this function:



#### 5.13.2.19 void read\_met ( ctl\_t \* ctl, char \* filename, met\_t \* met )

Read meteorological data file.

Definition at line 703 of file [libtrac.c](#).

```

00706         {
00707
00708     char tstr[10];
00709
00710     static float help[EX * EY];
00711
00712     int ix, iy, ip, dimid, ncid, varid, year, mon, day, hour;
00713
00714     size_t np, nx, ny;
00715
00716     /* Write info... */
00717     printf("Read meteorological data: %s\n", filename);
00718
00719     /* Get time from filename... */
00720     sprintf(tstr, "%.4s", &filename[strlen(filename) - 16]);
00721     year = atoi(tstr);
00722     sprintf(tstr, "%.2s", &filename[strlen(filename) - 11]);
00723     mon = atoi(tstr);
00724     sprintf(tstr, "%.2s", &filename[strlen(filename) - 8]);
00725     day = atoi(tstr);
00726     sprintf(tstr, "%.2s", &filename[strlen(filename) - 5]);
00727     hour = atoi(tstr);
00728     time2jsec(year, mon, day, hour, 0, 0, 0, &met->time);
00729
00730     /* Open netCDF file... */
00731     NC(nc_open(filename, NC_NOWRITE, &ncid));
00732
00733     /* Get dimensions... */
00734     NC(nc_inq_dimid(ncid, "lon", &dimid));
00735     NC(nc_inq_dimlen(ncid, dimid, &nx));
00736     if (nx > EX)
00737         ERRMSG("Too many longitudes!");
00738
00739     NC(nc_inq_dimid(ncid, "lat", &dimid));
00740     NC(nc_inq_dimlen(ncid, dimid, &ny));
00741     if (ny > EY)
00742         ERRMSG("Too many latitudes!");
00743
00744     NC(nc_inq_dimid(ncid, "lev", &dimid));
00745     NC(nc_inq_dimlen(ncid, dimid, &np));
00746     if (np > EP)
00747         ERRMSG("Too many levels!");
00748
00749     /* Store dimensions... */
00750     met->np = (int) np;
00751     met->nx = (int) nx;
00752     met->ny = (int) ny;
00753
00754     /* Get horizontal grid... */
00755     NC(nc_inq_varid(ncid, "lon", &varid));
00756     NC(nc_get_var_double(ncid, varid, met->lon));
00757     NC(nc_inq_varid(ncid, "lat", &varid));
00758     NC(nc_get_var_double(ncid, varid, met->lat));
00759
00760     /* Read meteorological data... */
00761     read_met_help(ncid, "t", "T", met, met->t, 1.0);
00762     read_met_help(ncid, "u", "U", met, met->u, 1.0);
  
```


```

00763 read_met_help(ncid, "v", "v", met, met->v, 1.0);
00764 read_met_help(ncid, "w", "w", met, met->w, 0.01f);
00765 read_met_help(ncid, "q", "Q", met, met->h2o, 1.608f);
00766 read_met_help(ncid, "o3", "O3", met, met->o3, 0.602f);
00767
00768 /* Meteo data on pressure levels... */
00769 if (ctl->met_np <= 0) {
00770
00771     /* Read pressure levels from file... */
00772     NC(nc_inq_varid(ncid, "lev", &varid));
00773     NC(nc_get_var_double(ncid, varid, met->p));
00774     for (ip = 0; ip < met->np; ip++)
00775         met->p[ip] /= 100.;
00776
00777     /* Extrapolate data for lower boundary... */
00778     read_met_extrapolate(met);
00779 }
00780
00781 /* Meteo data on model levels... */
00782 else {
00783
00784     /* Read pressure data from file... */
00785     read_met_help(ncid, "pl", "PL", met, met->pl, 0.01f);
00786
00787     /* Interpolate from model levels to pressure levels... */
00788     read_met_ml2pl(ctl, met, met->t);
00789     read_met_ml2pl(ctl, met, met->u);
00790     read_met_ml2pl(ctl, met, met->v);
00791     read_met_ml2pl(ctl, met, met->w);
00792     read_met_ml2pl(ctl, met, met->h2o);
00793     read_met_ml2pl(ctl, met, met->o3);
00794
00795     /* Set pressure levels... */
00796     met->np = ctl->met_np;
00797     for (ip = 0; ip < met->np; ip++)
00798         met->p[ip] = ctl->met_p[ip];
00799 }
00800
00801 /* Check ordering of pressure levels... */
00802 for (ip = 1; ip < met->np; ip++)
00803     if (met->p[ip - 1] < met->p[ip])
00804         ERRMSG("Pressure levels must be descending!");
00805
00806 /* Read surface pressure... */
00807 if (nc_inq_varid(ncid, "PS", &varid) == NC_NOERR) {
00808     NC(nc_get_var_float(ncid, varid, help));
00809     for (iy = 0; iy < met->ny; iy++)
00810         for (ix = 0; ix < met->nx; ix++)
00811             met->ps[ix][iy] = help[iy * met->nx + ix] / 100.;
00812 } else if (nc_inq_varid(ncid, "LNSP", &varid) == NC_NOERR) {
00813     NC(nc_get_var_float(ncid, varid, help));
00814     for (iy = 0; iy < met->ny; iy++)
00815         for (ix = 0; ix < met->nx; ix++)
00816             met->ps[ix][iy] = exp(help[iy * met->nx + ix]) / 100.;
00817 } else
00818     for (ix = 0; ix < met->nx; ix++)
00819         for (iy = 0; iy < met->ny; iy++)
00820             met->ps[ix][iy] = met->p[0];
00821
00822 /* Create periodic boundary conditions... */
00823 read_met_periodic(met);
00824
00825 /* Close file... */
00826 NC(nc_close(ncid));
00827 }

```



Here is the call graph for this function:



#### 5.13.2.20 void read\_met\_extrapolate ( met\_t \* met )

Extrapolate meteorological data at lower boundary.

Definition at line 831 of file [libtrac.c](#).

```

00832         {
00833
00834     int ip, ip0, ix, iy;
00835
00836     /* Loop over columns... */
00837     for (ix = 0; ix < met->nx; ix++)
00838         for (iy = 0; iy < met->ny; iy++) {
00839
00840             /* Find lowest valid data point... */
00841             for (ip0 = met->np - 1; ip0 >= 0; ip0--)
00842                 if (!gsl_finite(met->t[ix][iy][ip0])
00843                     || !gsl_finite(met->u[ix][iy][ip0])
00844                     || !gsl_finite(met->v[ix][iy][ip0])
00845                     || !gsl_finite(met->w[ix][iy][ip0]))
00846                 break;
00847
00848             /* Extrapolate... */
00849             for (ip = ip0; ip >= 0; ip--) {
00850                 met->t[ix][iy][ip] = met->t[ix][iy][ip + 1];
00851                 met->u[ix][iy][ip] = met->u[ix][iy][ip + 1];
00852                 met->v[ix][iy][ip] = met->v[ix][iy][ip + 1];
00853                 met->w[ix][iy][ip] = met->w[ix][iy][ip + 1];
00854                 met->h2o[ix][iy][ip] = met->h2o[ix][iy][ip + 1];
00855                 met->o3[ix][iy][ip] = met->o3[ix][iy][ip + 1];
00856             }
00857         }
00858     }
  
```

#### 5.13.2.21 void read\_met\_help ( int ncid, char \* varname, char \* varname2, met\_t \* met, float dest[EX][EY][EP], float scl )

Read and convert variable from meteorological data file.

Definition at line 862 of file [libtrac.c](#).

```

00868         {
00869
00870     static float help[EX * EY * EP];
00871
00872     int ip, ix, iy, n = 0, varid;
00873
00874     /* Check if variable exists... */
00875     if (nc_inq_varid(ncid, varname, &varid) != NC_NOERR)
00876         if (nc_inq_varid(ncid, varname2, &varid) != NC_NOERR)
00877             return;
00878
00879     /* Read data... */
00880     NC(nc_get_var_float(ncid, varid, help));
00881
00882     /* Copy and check data... */
00883     for (ip = 0; ip < met->np; ip++)
00884         for (iy = 0; iy < met->ny; iy++)
00885             for (ix = 0; ix < met->nx; ix++) {
00886                 dest[ix][iy][ip] = scl * help[n++];
00887                 if (fabs(dest[ix][iy][ip] / scl) > 1e14)
00888                     dest[ix][iy][ip] = GSL_NAN;
00889             }
00890 }

```

#### 5.13.2.22 void read\_met\_ml2pl ( ctl\_t \* ctl, met\_t \* met, float var[EX][EY][EP] )

Convert meteorological data from model levels to pressure levels.


Definition at line 894 of file libtrac.c.

```

00897         {
00898
00899     double aux[EP], p[EP], pt;
00900
00901     int ip, ip2, ix, iy;
00902
00903     /* Loop over columns... */
00904     for (ix = 0; ix < met->nx; ix++)
00905         for (iy = 0; iy < met->ny; iy++) {
00906
00907             /* Copy pressure profile... */
00908             for (ip = 0; ip < met->np; ip++)
00909                 p[ip] = met->pl[ix][iy][ip];
00910
00911             /* Interpolate... */
00912             for (ip = 0; ip < ctl->met_np; ip++) {
00913                 pt = ctl->met_p[ip];
00914                 if ((pt > p[0] && p[0] > p[1]) || (pt < p[0] && p[0] < p[1]))
00915                     pt = p[0];
00916                 else if ((pt > p[met->np - 1] && p[1] > p[0])
00917                     || (pt < p[met->np - 1] && p[1] < p[0]))
00918                     pt = p[met->np - 1];
00919                 ip2 = locate(p, met->np, pt);
00920                 aux[ip] = LIN(p[ip2], var[ix][iy][ip2],
00921                     p[ip2 + 1], var[ix][iy][ip2 + 1], pt);
00922             }
00923
00924             /* Copy data... */
00925             for (ip = 0; ip < ctl->met_np; ip++)
00926                 var[ix][iy][ip] = (float) aux[ip];
00927         }
00928 }

```

Here is the call graph for this function:



### 5.13.2.23 void read\_met\_periodic ( met\_t \* met )

Create meteorological data with periodic boundary conditions.

Definition at line 932 of file [libtrac.c](#).

```

00933         {
00934
00935     int ip, iy;
00936
00937     /* Check longitudes... */
00938     if (!(fabs(met->lon[met->nx - 1] - met->lon[0]
00939             + met->lon[1] - met->lon[0] - 360) < 0.01))
00940         return;
00941
00942     /* Increase longitude counter... */
00943     if (++met->nx > EX)
00944         ERRMSG("Cannot create periodic boundary conditions!");
00945
00946     /* Set longitude... */
00947     met->lon[met->nx - 1] = met->lon[met->nx - 2] + met->lon[1] - met->
lon[0];
00948
00949     /* Loop over latitudes and pressure levels... */
00950     for (iy = 0; iy < met->ny; iy++)
00951         for (ip = 0; ip < met->np; ip++) {
00952             met->ps[met->nx - 1][iy] = met->ps[0][iy];
00953             met->u[met->nx - 1][iy][ip] = met->u[0][iy][ip];
00954             met->v[met->nx - 1][iy][ip] = met->v[0][iy][ip];
00955             met->w[met->nx - 1][iy][ip] = met->w[0][iy][ip];
00956             met->t[met->nx - 1][iy][ip] = met->t[0][iy][ip];
00957             met->h2o[met->nx - 1][iy][ip] = met->h2o[0][iy][ip];
00958             met->o3[met->nx - 1][iy][ip] = met->o3[0][iy][ip];
00959         }
00960 }

```

### 5.13.2.24 double scan\_ctl ( const char \* filename, int argc, char \* argv[], const char \* varname, int arridx, const char \* defvalue, char \* value )

Read a control parameter from file or command line.

Definition at line 964 of file [libtrac.c](#).

```

00971     {
00972
00973     FILE *in = NULL;
00974
00975     char dummy[LEN], fullname1[LEN], fullname2[LEN], line[LEN],
00976         msg[LEN], rvarname[LEN], rval[LEN];
00977
00978     int contain = 0, i;
00979
00980     /* Open file... */
00981     if (filename[strlen(filename) - 1] != '-')
00982         if (!(in = fopen(filename, "r")))
00983             ERRMSG("Cannot open file!");
00984
00985     /* Set full variable name... */
00986     if (arridx >= 0) {
00987         sprintf(fullname1, "%s[%d]", varname, arridx);
00988         sprintf(fullname2, "%s[*]", varname);
00989     } else {
00990         sprintf(fullname1, "%s", varname);
00991         sprintf(fullname2, "%s", varname);
00992     }
00993
00994     /* Read data... */
00995     if (in != NULL)
00996         while (fgets(line, LEN, in))
00997             if (sscanf(line, "%s %s %s", rvarname, dummy, rval) == 3)
00998                 if (strcasecmp(rvarname, fullname1) == 0 ||
00999                     strcasecmp(rvarname, fullname2) == 0) {
01000                     contain = 1;
01001                     break;
01002                 }
01003     for (i = 1; i < argc - 1; i++)

```

```

01004     if (strcasecmp(argv[i], fullname1) == 0 ||
01005         strcasecmp(argv[i], fullname2) == 0) {
01006         sprintf(rval, "%s", argv[i + 1]);
01007         contain = 1;
01008         break;
01009     }
01010
01011     /* Close file... */
01012     if (in != NULL)
01013         fclose(in);
01014
01015     /* Check for missing variables... */
01016     if (!contain) {
01017         if (strlen(defvalue) > 0)
01018             sprintf(rval, "%s", defvalue);
01019         else {
01020             sprintf(msg, "Missing variable %s!\n", fullname1);
01021             ERRMSG(msg);
01022         }
01023     }
01024
01025     /* Write info... */
01026     printf("%s = %s\n", fullname1, rval);
01027
01028     /* Return values... */
01029     if (value != NULL)
01030         sprintf(value, "%s", rval);
01031     return atof(rval);
01032 }

```

#### 5.13.2.25 void time2jsec ( int year, int mon, int day, int hour, int min, int sec, double remain, double \* jsec )

Convert date to seconds.

Definition at line 1036 of file libtrac.c.

```

01044     {
01045
01046     struct tm t0, t1;
01047
01048     t0.tm_year = 100;
01049     t0.tm_mon = 0;
01050     t0.tm_mday = 1;
01051     t0.tm_hour = 0;
01052     t0.tm_min = 0;
01053     t0.tm_sec = 0;
01054
01055     t1.tm_year = year - 1900;
01056     t1.tm_mon = mon - 1;
01057     t1.tm_mday = day;
01058     t1.tm_hour = hour;
01059     t1.tm_min = min;
01060     t1.tm_sec = sec;
01061
01062     *jsec = (double) timegm(&t1) - (double) timegm(&t0) + remain;
01063 }

```

#### 5.13.2.26 void timer ( const char \* name, int id, int mode )

Measure wall-clock time.

Definition at line 1067 of file libtrac.c.

```

01070     {
01071
01072     static double starttime[NTIMER], runtime[NTIMER];
01073
01074     /* Check id... */
01075     if (id < 0 || id >= NTIMER)
01076         ERRMSG("Too many timers!");
01077
01078     /* Start timer... */
01079     if (mode == 1) {
01080         if (starttime[id] <= 0)

```

```

01081     starttime[id] = omp_get_wtime();
01082     else
01083     ERRMSG("Timer already started!");
01084 }
01085
01086 /* Stop timer... */
01087 else if (mode == 2) {
01088     if (starttime[id] > 0) {
01089         runtime[id] = runtime[id] + omp_get_wtime() - starttime[id];
01090         starttime[id] = -1;
01091     } else
01092     ERRMSG("Timer not started!");
01093 }
01094
01095 /* Print timer... */
01096 else if (mode == 3)
01097     printf("%s = %g s\n", name, runtime[id]);
01098 }

```

### 5.13.2.27 double tropopause ( double t, double lat )

Definition at line 1102 of file libtrac.c.

```

01104     {
01105
01106     static double doys[12]
01107     = { 1, 32, 60, 91, 121, 152, 182, 213, 244, 274, 305, 335 };
01108
01109     static double lats[73]
01110     = { -90, -87.5, -85, -82.5, -80, -77.5, -75, -72.5, -70, -67.5,
01111         -65, -62.5, -60, -57.5, -55, -52.5, -50, -47.5, -45, -42.5,
01112         -40, -37.5, -35, -32.5, -30, -27.5, -25, -22.5, -20, -17.5,
01113         -15, -12.5, -10, -7.5, -5, -2.5, 0, 2.5, 5, 7.5, 10, 12.5,
01114         15, 17.5, 20, 22.5, 25, 27.5, 30, 32.5, 35, 37.5, 40, 42.5,
01115         45, 47.5, 50, 52.5, 55, 57.5, 60, 62.5, 65, 67.5, 70, 72.5,
01116         75, 77.5, 80, 82.5, 85, 87.5, 90
01117     };
01118
01119     static double tps[12][73]
01120     = { { 324.1, 325.6, 325, 324.3, 322.5, 319.7, 314, 307.2, 301.8, 299.6,
01121         297.1, 292.2, 285.6, 276.1, 264, 248.9, 231.9, 213.5, 194.4,
01122         175.3, 157, 140.4, 126.7, 116.3, 109.5, 105.4, 103, 101.4, 100.4,
01123         99.69, 99.19, 98.84, 98.56, 98.39, 98.39, 98.42, 98.44, 98.54,
01124         98.68, 98.81, 98.89, 98.96, 99.12, 99.65, 101.4, 105.4, 113.5, 128,
01125         152.1, 184.7, 214, 234.1, 247.3, 255.8, 262.6, 267.7, 271.7, 275,
01126         277.2, 279, 280.1, 280.4, 280.6, 280.1, 279.3, 278.3, 276.8, 275.8,
01127         275.3, 275.6, 275.4, 274.1, 273.5 },
01128     { 337.3, 338.7, 337.8, 336.4, 333, 328.8, 321.1, 312.6, 306.6, 303.7,
01129     300.2, 293.8, 285.4, 273.8, 259.6, 242.7, 224.4, 205.2, 186, 167.5,
01130     150.3, 135, 122.8, 113.9, 108.2, 104.7, 102.5, 101.1, 100.2, 99.42,
01131     98.88, 98.52, 98.25, 98.09, 98.07, 98.1, 98.12, 98.2, 98.25, 98.27,
01132     98.26, 98.27, 98.36, 98.79, 100.2, 104.2, 113.7, 131.2, 159.5, 193,
01133     220.4, 238.1, 250.2, 258.1, 264.7, 269.7, 273.7, 277.3, 280.2, 282.8,
01134     284.9, 286.5, 288.1, 288.8, 289, 288.5, 287.2, 286.3, 286.1, 287.2,
01135     287.5, 286.2, 285.8 },
01136     { 335, 336, 335.7, 335.1, 332.3, 328.1, 320.6, 311.8, 305.1, 301.9,
01137     297.6, 290, 280.4, 268.3, 254.6, 239.6, 223.9, 207.9, 192.2, 176.9,
01138     161.7, 146.4, 132.2, 120.6, 112.3, 107.2, 104.3, 102.4, 101.3,
01139     100.4, 99.86, 99.47, 99.16, 98.97, 98.94, 98.97, 99, 99.09, 99.2,
01140     99.31, 99.35, 99.41, 99.51, 99.86, 101.1, 104.9, 114.3, 131, 156.8,
01141     186.3, 209.3, 224.6, 236.8, 246.3, 254.9, 262.3, 268.8, 274.8,
01142     279.9, 284.6, 288.6, 291.6, 294.9, 297.5, 299.8, 301.8, 303.1,
01143     304.3, 304.9, 306, 306.6, 306.2, 306 },
01144     { 306.2, 306.7, 305.7, 307.1, 307.3, 306.4, 301.8, 296.2, 292.4,
01145     290.3, 287.1, 280.9, 273.4, 264.3, 254.1, 242.8, 231, 219, 207.2,
01146     195.5, 183.3, 169.7, 154.7, 138.7, 124.1, 113.6, 107.8, 104.7,
01147     102.8, 101.7, 100.9, 100.4, 100, 99.79, 99.7, 99.66, 99.68, 99.79,
01148     99.94, 100.2, 100.5, 100.9, 101.4, 102.1, 103.4, 107, 115.2, 129.1,
01149     148.7, 171, 190.8, 205.6, 218.4, 229.4, 239.6, 248.6, 256.5,
01150     263.7, 270.3, 276.6, 282.6, 288.1, 294.5, 300.4, 306.3, 311.4,
01151     315.1, 318.3, 320.3, 322.2, 322.8, 321.5, 321.1 },
01152     { 266.5, 264.9, 260.8, 261, 262, 263, 261.3, 259.7, 259.2, 259.8,
01153     260.1, 258.6, 256.7, 253.6, 249.5, 243.9, 237.4, 230, 222.1, 213.9,
01154     205, 194.4, 180.4, 161.8, 140.7, 122.9, 112.1, 106.7, 104.1, 102.7,
01155     101.8, 101.4, 101.1, 101, 101, 101, 101.1, 101.2, 101.5, 101.9,
01156     102.4, 103, 103.8, 104.9, 106.8, 110.1, 115.6, 124, 135.2, 148.9,
01157     165.2, 181.3, 198, 211.8, 223.5, 233.8, 242.9, 251.5, 259, 266.2,
01158     273.1, 279.2, 286.2, 292.8, 299.6, 306, 311.1, 315.5, 318.8, 322.6,
01159     325.3, 325.8, 325.8 },
01160     { 220.1, 218.1, 210.8, 207.2, 207.6, 210.5, 211.4, 213.5, 217.3,
01161     222.4, 227.9, 232.8, 237.4, 240.8, 242.8, 243, 241.5, 238.6, 234.2,

```

```

01162     228.5, 221, 210.7, 195.1, 172.9, 147.8, 127.6, 115.6, 109.9, 107.1,
01163     105.7, 105, 104.8, 104.8, 104.9, 105, 105.1, 105.3, 105.5, 105.8,
01164     106.4, 107, 107.6, 108.1, 108.8, 110, 111.8, 114.2, 117.4, 121.6,
01165     127.9, 137.3, 151.2, 169.5, 189, 205.8, 218.9, 229.1, 237.8, 245,
01166     251.5, 257.1, 262.3, 268.2, 274, 280.4, 286.7, 292.4, 297.9, 302.9,
01167     308.5, 312.2, 313.1, 313.3},
01168     {187.4, 184.5, 173.3, 166.1, 165.4, 167.8, 169.6, 173.6, 179.6,
01169     187.9, 198.9, 210, 220.5, 229.2, 235.7, 239.9, 241.8, 241.6, 239.6,
01170     235.8, 229.4, 218.6, 200.9, 175.9, 149.4, 129.4, 118.3, 113.1,
01171     110.8, 109.7, 109.3, 109.4, 109.7, 110, 110.2, 110.4, 110.5, 110.7,
01172     111, 111.4, 111.8, 112.1, 112.3, 112.7, 113.2, 113.9, 115, 116.4,
01173     117.9, 120.4, 124.1, 130.9, 142.2, 159.6, 179.6, 198.5, 212.9,
01174     224.2, 232.7, 239.1, 243.8, 247.7, 252.4, 257.3, 263.2, 269.5,
01175     275.4, 281.1, 286.3, 292, 296.3, 298.2, 298.8},
01176     {166, 166.4, 155.7, 148.3, 147.1, 149, 152.1, 157, 163.6, 172.4,
01177     185.3, 199.2, 212.6, 224, 233.2, 239.6, 243.3, 244.6, 243.6, 240.3,
01178     233.9, 222.6, 203.7, 177, 149.5, 129.7, 119, 114, 111.7, 110.7,
01179     110.3, 110.3, 110.6, 110.9, 111.1, 111.3, 111.5, 111.6, 111.9,
01180     112.2, 112.5, 112.6, 112.8, 113, 113.4, 114, 115.1, 116.5, 118.3,
01181     120.9, 124.4, 130.2, 139.4, 154.6, 173.8, 193.1, 208.1, 220.4,
01182     230.1, 238.2, 244.7, 249.5, 254.5, 259.3, 264.5, 269.4, 273.7,
01183     278.2, 282.6, 287.4, 290.9, 292.5, 293},
01184     {171.9, 172.8, 166.2, 162.3, 161.4, 162.5, 165.2, 169.6, 175.3,
01185     183.1, 193.8, 205.9, 218.3, 229.6, 238.5, 244.3, 246.9, 246.7,
01186     243.8, 238.4, 230.2, 217.9, 199.6, 174.9, 148.9, 129.8, 119.5,
01187     114.8, 112.3, 110.9, 110.3, 110.1, 110.2, 110.3, 110.4, 110.5,
01188     110.6, 110.8, 111, 111.4, 111.8, 112, 112.2, 112.4, 112.9, 113.6,
01189     114.7, 116.3, 118.4, 121.9, 127.1, 136.1, 149.8, 168.4, 186.9,
01190     203.3, 217, 229.1, 238.7, 247, 254, 259.3, 264.3, 268.3, 272.5,
01191     276.6, 280.4, 284.4, 288.4, 293.3, 297.2, 298.7, 299.1},
01192     {191.6, 192.2, 189, 188.1, 190.2, 193.7, 197.8, 202.9, 208.5,
01193     215.6, 224.2, 233.1, 241.2, 247.3, 250.8, 251.3, 248.9, 244.2,
01194     237.3, 228.4, 217.2, 202.9, 184.5, 162.5, 140.7, 124.8, 116.2,
01195     111.8, 109.4, 107.9, 107, 106.7, 106.6, 106.6, 106.7, 106.7,
01196     106.8, 107, 107.4, 108, 108.7, 109.3, 109.8, 110.4, 111.2,
01197     112.4, 114.2, 116.9, 121.1, 127.9, 139.3, 155.2, 173.6, 190.7,
01198     206.1, 220.1, 232.3, 243, 251.8, 259.2, 265.7, 270.6, 275.3,
01199     279.3, 283.3, 286.9, 289.7, 292.8, 296.1, 300.5, 303.9, 304.8,
01200     305.1},
01201     {241.5, 239.6, 236.8, 237.4, 239.4, 242.3, 244.2, 246.4, 249.2,
01202     253.6, 258.6, 262.7, 264.8, 264.2, 260.6, 254.1, 245.5, 235.3,
01203     223.9, 211.7, 198.3, 183.1, 165.6, 147.1, 130.5, 118.7, 111.9,
01204     108.1, 105.8, 104.3, 103.4, 102.8, 102.5, 102.4, 102.5, 102.5,
01205     102.5, 102.7, 103.1, 103.8, 104.6, 105.4, 106.1, 107, 108.2,
01206     109.9, 112.8, 117.5, 126, 140.4, 161, 181.9, 201.2, 216.8, 230.4,
01207     241.8, 251.4, 259.9, 266.9, 272.8, 277.4, 280.4, 282.9, 284.6,
01208     286.1, 287.4, 288.3, 289.5, 290.9, 294.2, 296.9, 297.5, 297.6},
01209     {301.2, 300.3, 296.6, 295.4, 295, 294.3, 291.2, 287.4, 284.9, 284.7,
01210     284.1, 281.5, 277.1, 270.4, 261.7, 250.6, 237.6, 223.1, 207.9, 192,
01211     175.8, 158.8, 142.1, 127.6, 116.8, 109.9, 106, 103.6, 102.1, 101.1,
01212     100.4, 99.96, 99.6, 99.37, 99.32, 99.32, 99.31, 99.46, 99.77, 100.2,
01213     100.7, 101.3, 101.8, 102.7, 104.1, 106.8, 111.9, 121, 136.7, 160,
01214     186.9, 209.9, 228.1, 241.2, 251.5, 259.5, 265.7, 270.9, 274.8, 278,
01215     280.3, 281.8, 283, 283.3, 283.7, 283.8, 283, 282.2, 281.2, 281.4,
01216     281.7, 281.1, 281.2}
01217 };
01218
01219 double doy, p0, p1, pt;
01220
01221 int imon, ilat;
01222
01223 /* Get day of year... */
01224 doy = fmod(t / 86400., 365.25);
01225 while (doy < 0)
01226     doy += 365.25;
01227
01228 /* Get indices... */
01229 imon = locate(doy, 12, doy);
01230 ilat = locate(lats, 73, lat);
01231
01232 /* Get tropopause pressure... */
01233 p0 = LIN(lats[ilat], tps[imon][ilat],
01234          lats[ilat + 1], tps[imon][ilat + 1], lat);
01235 p1 = LIN(lats[ilat], tps[imon + 1][ilat],
01236          lats[ilat + 1], tps[imon + 1][ilat + 1], lat);
01237 pt = LIN(doy[imon], p0, doy[imon + 1], p1, doy);
01238
01239 /* Return tropopause pressure... */
01240 return pt;
01241 }

```

Here is the call graph for this function:



**5.13.2.28** void write\_atm ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write atmospheric data.

Definition at line 1245 of file libtrac.c.

```

01249         {
01250
01251     FILE *in, *out;
01252
01253     char line[LEN];
01254
01255     double r, t0, t1;
01256
01257     int ip, iq, year, mon, day, hour, min, sec;
01258
01259     /* Set time interval for output... */
01260     t0 = t - 0.5 * ctl->dt_mod;
01261     t1 = t + 0.5 * ctl->dt_mod;
01262
01263     /* Check if gnuplot output is requested... */
01264     if (ctl->atm_gpfile[0] != '-') {
01265
01266         /* Write info... */
01267         printf("Plot atmospheric data: %s.png\n", filename);
01268
01269         /* Create gnuplot pipe... */
01270         if (!(out = popen("gnuplot", "w")))
01271             ERRMSG("Cannot create pipe to gnuplot!");
01272
01273         /* Set plot filename... */
01274         fprintf(out, "set out \"%s.png\"\n", filename);
01275
01276         /* Set time string... */
01277         jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01278         fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\n",
01279             year, mon, day, hour, min);
01280
01281         /* Dump gnuplot file to pipe... */
01282         if (!(in = fopen(ctl->atm_gpfile, "r")))
01283             ERRMSG("Cannot open file!");
01284         while (fgets(line, LEN, in))
01285             fprintf(out, "%s", line);
01286         fclose(in);
01287     }
01288
01289     else {
01290
01291         /* Write info... */
01292         printf("Write atmospheric data: %s\n", filename);
01293
01294         /* Create file... */
01295         if (!(out = fopen(filename, "w")))
01296             ERRMSG("Cannot create file!");
01297     }
01298
01299     /* Write header... */
01300     fprintf(out,
01301         "# $1 = time [s]\n"
01302         "# $2 = altitude [km]\n"
01303         "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01304     for (iq = 0; iq < ctl->nq; iq++)
01305         fprintf(out, "# $%i = %s [%s]\n", iq + 5, ctl->qnt_name[iq],

```

```

01306         ctl->qnt_unit[iq]);
01307     fprintf(out, "\n");
01308
01309     /* Write data... */
01310     for (ip = 0; ip < atm->np; ip++) {
01311
01312         /* Check time... */
01313         if (ctl->atm_filter && (atm->time[ip] < t0 || atm->time[ip] > t1))
01314             continue;
01315
01316         /* Write output... */
01317         fprintf(out, "%.2f %g %g %g", atm->time[ip], Z(atm->p[ip]),
01318             atm->lon[ip], atm->lat[ip]);
01319         for (iq = 0; iq < ctl->nq; iq++) {
01320             fprintf(out, " ");
01321             fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
01322         }
01323         fprintf(out, "\n");
01324     }
01325
01326     /* Close file... */
01327     fclose(out);
01328 }

```

Here is the call graph for this function:



**5.13.2.29** void write\_csi ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write CSI data.

Definition at line 1332 of file libtrac.c.

```

01336     {
01337
01338     static FILE *in, *out;
01339
01340     static char line[LEN];
01341
01342     static double modmean[GX][GY][GZ], obsmean[GX][GY][GZ],
01343         rt, rz, rlon, rlat, robs, t0, t1, area, dlon, dlat, lat;
01344
01345     static int init, obscount[GX][GY][GZ], cx, cy, cz, ip, ix, iy, iz;
01346
01347     /* Init... */
01348     if (!init) {
01349         init = 1;
01350
01351         /* Check quantity index for mass... */
01352         if (ctl->qnt_m < 0)
01353             ERRMSG("Need quantity mass to analyze CSI!");
01354
01355         /* Open observation data file... */
01356         printf("Read CSI observation data: %s\n", ctl->csi_obsfile);
01357         if (!(in = fopen(ctl->csi_obsfile, "r")))
01358             ERRMSG("Cannot open file!");
01359
01360         /* Create new file... */
01361         printf("Write CSI data: %s\n", filename);
01362         if (!(out = fopen(filename, "w")))
01363             ERRMSG("Cannot create file!");
01364
01365         /* Write header... */

```



```

01366     fprintf(out,
01367         "# $1 = time [s]\n"
01368         "# $2 = number of hits (cx)\n"
01369         "# $3 = number of misses (cy)\n"
01370         "# $4 = number of false alarms (cz)\n"
01371         "# $5 = number of observations (cx + cy)\n"
01372         "# $6 = number of forecasts (cx + cz)\n"
01373         "# $7 = bias (forecasts/observations) [%%]\n"
01374         "# $8 = probability of detection (POD) [%%]\n"
01375         "# $9 = false alarm rate (FAR) [%%]\n"
01376         "# $10 = critical success index (CSI) [%%]\n\n");
01377 }
01378
01379 /* Set time interval... */
01380 t0 = t - 0.5 * ctl->dt_mod;
01381 t1 = t + 0.5 * ctl->dt_mod;
01382
01383 /* Initialize grid cells... */
01384 for (ix = 0; ix < ctl->csi_nx; ix++)
01385     for (iy = 0; iy < ctl->csi_ny; iy++)
01386         for (iz = 0; iz < ctl->csi_nz; iz++)
01387             modmean[ix][iy][iz] = obsmean[ix][iy][iz] = obscount[ix][iy][iz] = 0;
01388
01389 /* Read data... */
01390 while (fgets(line, LEN, in)) {
01391
01392     /* Read data... */
01393     if (sscanf(line, "%lg %lg %lg %lg %lg", &rt, &rz, &rln, &rln, &robs) !=
01394         5)
01395         continue;
01396
01397     /* Check time... */
01398     if (rt < t0)
01399         continue;
01400     if (rt > t1)
01401         break;
01402
01403     /* Calculate indices... */
01404     ix = (int) ((rln - ctl->csi_lon0)
01405         / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01406     iy = (int) ((rln - ctl->csi_lat0)
01407         / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01408     iz = (int) ((rz - ctl->csi_z0)
01409         / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01410
01411     /* Check indices... */
01412     if (ix < 0 || ix >= ctl->csi_nx ||
01413         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01414         continue;
01415
01416     /* Get mean observation index... */
01417     obsmean[ix][iy][iz] += robs;
01418     obscount[ix][iy][iz]++;
01419 }
01420
01421 /* Analyze model data... */
01422 for (ip = 0; ip < atm->np; ip++) {
01423
01424     /* Check time... */
01425     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01426         continue;
01427
01428     /* Get indices... */
01429     ix = (int) ((atm->lon[ip] - ctl->csi_lon0)
01430         / (ctl->csi_lon1 - ctl->csi_lon0) * ctl->csi_nx);
01431     iy = (int) ((atm->lat[ip] - ctl->csi_lat0)
01432         / (ctl->csi_lat1 - ctl->csi_lat0) * ctl->csi_ny);
01433     iz = (int) ((Z(atm->p[ip]) - ctl->csi_z0)
01434         / (ctl->csi_z1 - ctl->csi_z0) * ctl->csi_nz);
01435
01436     /* Check indices... */
01437     if (ix < 0 || ix >= ctl->csi_nx ||
01438         iy < 0 || iy >= ctl->csi_ny || iz < 0 || iz >= ctl->csi_nz)
01439         continue;
01440
01441     /* Get total mass in grid cell... */
01442     modmean[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01443 }
01444
01445 /* Analyze all grid cells... */
01446 for (ix = 0; ix < ctl->csi_nx; ix++)
01447     for (iy = 0; iy < ctl->csi_ny; iy++)
01448         for (iz = 0; iz < ctl->csi_nz; iz++) {
01449
01450             /* Calculate mean observation index... */
01451             if (obscount[ix][iy][iz] > 0)
01452                 obsmean[ix][iy][iz] /= obscount[ix][iy][iz];

```

```

01453
01454     /* Calculate column density... */
01455     if (modmean[ix][iy][iz] > 0) {
01456         dlon = (ctl->csi_lon1 - ctl->csi_lon0) / ctl->csi_nx;
01457         dlat = (ctl->csi_lat1 - ctl->csi_lat0) / ctl->csi_ny;
01458         lat = ctl->csi_lat0 + dlat * (iy + 0.5);
01459         area = dlat * M_PI * RE / 180. * dlon * M_PI * RE / 180.
01460               * cos(lat * M_PI / 180.);
01461         modmean[ix][iy][iz] /= (1e6 * area);
01462     }
01463
01464     /* Calculate CSI... */
01465     if (obscount[ix][iy][iz] > 0) {
01466         if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01467             modmean[ix][iy][iz] >= ctl->csi_modmin)
01468             cx++;
01469         else if (obsmean[ix][iy][iz] >= ctl->csi_obsmin &&
01470             modmean[ix][iy][iz] < ctl->csi_modmin)
01471             cy++;
01472         else if (obsmean[ix][iy][iz] < ctl->csi_obsmin &&
01473             modmean[ix][iy][iz] >= ctl->csi_modmin)
01474             cz++;
01475     }
01476 }
01477
01478 /* Write output... */
01479 if (fmod(t, ctl->csi_dt_out) == 0) {
01480
01481     /* Write... */
01482     fprintf(out, "%.2f %d %d %d %d %d %g %g %g %g\n",
01483         t, cx, cy, cz, cx + cy, cx + cz,
01484         (cx + cy > 0) ? 100. * (cx + cz) / (cx + cy) : GSL_NAN,
01485         (cx + cy > 0) ? (100. * cx) / (cx + cy) : GSL_NAN,
01486         (cx + cz > 0) ? (100. * cz) / (cx + cz) : GSL_NAN,
01487         (cx + cy + cz > 0) ? (100. * cx) / (cx + cy + cz) : GSL_NAN);
01488
01489     /* Set counters to zero... */
01490     cx = cy = cz = 0;
01491 }
01492
01493 /* Close file... */
01494 if (t == ctl->t_stop)
01495     fclose(out);
01496 }

```

#### 5.13.2.30 void write\_ens ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write ensemble data.

Definition at line 1500 of file libtrac.c.

```

01504     {
01505
01506         static FILE *out;
01507
01508         static double dummy, ens, lat, lon, p[NENS], q[NQ][NENS],
01509             t0, t1, x[NENS][3], xm[3];
01510
01511         static int init, ip, iq;
01512
01513         static size_t i, n;
01514
01515         /* Init... */
01516         if (!init) {
01517             init = 1;
01518
01519             /* Check quantities... */
01520             if (ctl->qnt_ens < 0)
01521                 ERRMSG("Missing ensemble IDs!");
01522
01523             /* Create new file... */
01524             printf("Write ensemble data: %s\n", filename);
01525             if (!(out = fopen(filename, "w")))
01526                 ERRMSG("Cannot create file!");
01527
01528             /* Write header... */
01529             fprintf(out,
01530                 "# $1 = time [s]\n"
01531                 "# $2 = altitude [km]\n"
01532                 "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");

```

```

01533     for (iq = 0; iq < ctl->nq; iq++)
01534         fprintf(out, "# %d = %s (mean) [%s]\n", 5 + iq,
01535             ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01536     for (iq = 0; iq < ctl->nq; iq++)
01537         fprintf(out, "# %d = %s (sigma) [%s]\n", 5 + ctl->nq + iq,
01538             ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01539     fprintf(out, "# %d = number of members\n\n", 5 + 2 * ctl->nq);
01540 }
01541
01542 /* Set time interval... */
01543 t0 = t - 0.5 * ctl->dt_mod;
01544 t1 = t + 0.5 * ctl->dt_mod;
01545
01546 /* Init... */
01547 ens = GSL_NAN;
01548 n = 0;
01549
01550 /* Loop over air parcels... */
01551 for (ip = 0; ip < atm->np; ip++) {
01552
01553     /* Check time... */
01554     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01555         continue;
01556
01557     /* Check ensemble id... */
01558     if (atm->q[ctl->qnt_ens][ip] != ens) {
01559
01560         /* Write results... */
01561         if (n > 0) {
01562
01563             /* Get mean position... */
01564             xm[0] = xm[1] = xm[2] = 0;
01565             for (i = 0; i < n; i++) {
01566                 xm[0] += x[i][0] / (double) n;
01567                 xm[1] += x[i][1] / (double) n;
01568                 xm[2] += x[i][2] / (double) n;
01569             }
01570             cart2geo(xm, &dummy, &lon, &lat);
01571             fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon,
01572                 lat);
01573
01574             /* Get quantity statistics... */
01575             for (iq = 0; iq < ctl->nq; iq++) {
01576                 fprintf(out, " ");
01577                 fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01578             }
01579             for (iq = 0; iq < ctl->nq; iq++) {
01580                 fprintf(out, " ");
01581                 fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01582             }
01583             fprintf(out, " %lu\n", n);
01584         }
01585
01586         /* Init new ensemble... */
01587         ens = atm->q[ctl->qnt_ens][ip];
01588         n = 0;
01589     }
01590
01591     /* Save data... */
01592     p[n] = atm->p[ip];
01593     geo2cart(0, atm->lon[ip], atm->lat[ip], x[n]);
01594     for (iq = 0; iq < ctl->nq; iq++)
01595         q[iq][n] = atm->q[iq][ip];
01596     if ((++n) >= NENS)
01597         ERRMSG("Too many data points!");
01598 }
01599
01600 /* Write results... */
01601 if (n > 0) {
01602
01603     /* Get mean position... */
01604     xm[0] = xm[1] = xm[2] = 0;
01605     for (i = 0; i < n; i++) {
01606         xm[0] += x[i][0] / (double) n;
01607         xm[1] += x[i][1] / (double) n;
01608         xm[2] += x[i][2] / (double) n;
01609     }
01610     cart2geo(xm, &dummy, &lon, &lat);
01611     fprintf(out, "%.2f %g %g %g", t, Z(gsl_stats_mean(p, 1, n)), lon, lat);
01612
01613     /* Get quantity statistics... */
01614     for (iq = 0; iq < ctl->nq; iq++) {
01615         fprintf(out, " ");
01616         fprintf(out, ctl->qnt_format[iq], gsl_stats_mean(q[iq], 1, n));
01617     }
01618     for (iq = 0; iq < ctl->nq; iq++) {
01619         fprintf(out, " ");


```

```

01620     fprintf(out, ctl->qnt_format[iq], gsl_stats_sd(q[iq], 1, n));
01621 }
01622 fprintf(out, " %lu\n", n);
01623 }
01624
01625 /* Close file... */
01626 if (t == ctl->t_stop)
01627     fclose(out);
01628 }

```

Here is the call graph for this function:



**5.13.2.31** void `write_grid` ( const char \* *filename*, `ctl_t` \* *ctl*, `met_t` \* *met0*, `met_t` \* *met1*, `atm_t` \* *atm*, double *t* )

Write gridded data.

Definition at line 1632 of file `libtrac.c`.

```

01638     {
01639
01640     FILE *in, *out;
01641
01642     char line[LEN];
01643
01644     static double grid_m[GX][GY][GZ], z, dz, lon, dlon, lat, dlat,
01645         area, rho_air, press, temp, cd, mmr, t0, t1, r;
01646
01647     static int ip, ix, iy, iz, year, mon, day, hour, min, sec;
01648
01649     /* Check dimensions... */
01650     if (ctl->grid_nx > GX || ctl->grid_ny > GY || ctl->grid_nz > GZ)
01651         ERRMSG("Grid dimensions too large!");
01652
01653     /* Check quantity index for mass... */
01654     if (ctl->qnt_m < 0)
01655         ERRMSG("Need quantity mass to write grid data!");
01656
01657     /* Set time interval for output... */
01658     t0 = t - 0.5 * ctl->dt_mod;
01659     t1 = t + 0.5 * ctl->dt_mod;
01660
01661     /* Set grid box size... */
01662     dz = (ctl->grid_z1 - ctl->grid_z0) / ctl->grid_nz;
01663     dlon = (ctl->grid_lon1 - ctl->grid_lon0) / ctl->grid_nx;
01664     dlat = (ctl->grid_lat1 - ctl->grid_lat0) / ctl->grid_ny;
01665
01666     /* Initialize grid... */
01667     for (ix = 0; ix < ctl->grid_nx; ix++)
01668         for (iy = 0; iy < ctl->grid_ny; iy++)
01669             for (iz = 0; iz < ctl->grid_nz; iz++)
01670                 grid_m[ix][iy][iz] = 0;
01671
01672     /* Average data... */
01673     for (ip = 0; ip < atm->np; ip++)
01674         if (atm->time[ip] >= t0 && atm->time[ip] <= t1) {
01675
01676             /* Get index... */
01677             ix = (int) ((atm->lon[ip] - ctl->grid_lon0) / dlon);

```

```

01678     iy = (int) ((atm->lat[ip] - ctl->grid_lat0) / dlat);
01679     iz = (int) ((Z(atm->p[ip]) - ctl->grid_z0) / dz);
01680
01681     /* Check indices... */
01682     if (ix < 0 || ix >= ctl->grid_nx ||
01683         iy < 0 || iy >= ctl->grid_ny || iz < 0 || iz >= ctl->grid_nz)
01684         continue;
01685
01686     /* Add mass... */
01687     grid_m[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01688 }
01689
01690 /* Check if gnuplot output is requested... */
01691 if (ctl->grid_gpfile[0] != '-') {
01692
01693     /* Write info... */
01694     printf("Plot grid data: %s.png\n", filename);
01695
01696     /* Create gnuplot pipe... */
01697     if (!(out = popen("gnuplot", "w")))
01698         ERRMSG("Cannot create pipe to gnuplot!");
01699
01700     /* Set plot filename... */
01701     fprintf(out, "set out \"%s.png\"\\n", filename);
01702
01703     /* Set time string... */
01704     jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01705     fprintf(out, "timestr=\"%d-%02d-%02d, %02d:%02d UTC\"\\n",
01706             year, mon, day, hour, min);
01707
01708     /* Dump gnuplot file to pipe... */
01709     if (!(in = fopen(ctl->grid_gpfile, "r")))
01710         ERRMSG("Cannot open file!");
01711     while (fgets(line, LEN, in))
01712         fprintf(out, "%s", line);
01713     fclose(in);
01714 }
01715
01716 else {
01717
01718     /* Write info... */
01719     printf("Write grid data: %s\\n", filename);
01720
01721     /* Create file... */
01722     if (!(out = fopen(filename, "w")))
01723         ERRMSG("Cannot create file!");
01724 }
01725
01726 /* Write header... */
01727 fprintf(out,
01728         "# $1 = time [s]\\n"
01729         "# $2 = altitude [km]\\n"
01730         "# $3 = longitude [deg]\\n"
01731         "# $4 = latitude [deg]\\n"
01732         "# $5 = surface area [km^2]\\n"
01733         "# $6 = layer width [km]\\n"
01734         "# $7 = temperature [K]\\n"
01735         "# $8 = column density [kg/m^2]\\n"
01736         "# $9 = mass mixing ratio [1]\\n\\n");
01737
01738 /* Write data... */
01739 for (ix = 0; ix < ctl->grid_nx; ix++) {
01740     if (ix > 0 && ctl->grid_ny > 1 && !ctl->grid_sparse)
01741         fprintf(out, "\\n");
01742     for (iy = 0; iy < ctl->grid_ny; iy++) {
01743         if (iy > 0 && ctl->grid_nz > 1 && !ctl->grid_sparse)
01744             fprintf(out, "\\n");
01745         for (iz = 0; iz < ctl->grid_nz; iz++)
01746             if (!ctl->grid_sparse
01747                 || ix == 0 || iy == 0 || iz == 0 || grid_m[ix][iy][iz] > 0) {
01748
01749                 /* Set coordinates... */
01750                 z = ctl->grid_z0 + dz * (iz + 0.5);
01751                 lon = ctl->grid_lon0 + dlon * (ix + 0.5);
01752                 lat = ctl->grid_lat0 + dlat * (iy + 0.5);
01753
01754                 /* Get pressure and temperature... */
01755                 press = P(z);
01756                 intpol_met_time(met0, met1, t, press, lon, lat,
01757                                NULL, &temp, NULL, NULL, NULL, NULL, NULL);
01758
01759                 /* Calculate surface area... */
01760                 area = dlat * dlon * gsl_pow_2(RE * M_PI / 180.)
01761                     * cos(lat * M_PI / 180.);
01762
01763                 /* Calculate column density... */
01764                 cd = grid_m[ix][iy][iz] / (1e6 * area);


```

```

01765
01766     /* Calculate mass mixing ratio... */
01767     rho_air = 100. * press / (287.058 * temp);
01768     mmr = grid_m[ix][iy][iz] / (rho_air * 1e6 * area * 1e3 * dz);
01769
01770     /* Write output... */
01771     fprintf(out, "%.2f %g %g %g %g %g %g %g %g\n",
01772            t, z, lon, lat, area, dz, temp, cd, mmr);
01773 }
01774 }
01775 }
01776
01777 /* Close file... */
01778 fclose(out);
01779 }

```

Here is the call graph for this function:



**5.13.2.32** void write\_prof ( const char \* filename, ctl\_t \* ctl, met\_t \* met0, met\_t \* met1, atm\_t \* atm, double t )

Write profile data.

Definition at line 1783 of file libtrac.c.

```

01789     {
01790
01791     static FILE *in, *out;
01792
01793     static char line[LEN];
01794
01795     static double mass[GX][GY][GZ], obsmean[GX][GY], tmean[GX][GY],
01796            rt, rlon, rlat, robs, t0, t1, area, dz, dlon, dlat, lon, lat, z,
01797            press, temp, rho_air, mmr, h2o, o3;
01798
01799     static int init, obscount[GX][GY], ip, ix, iy, iz;
01800
01801     /* Init... */
01802     if (!init) {
01803         init = 1;
01804
01805         /* Check quantity index for mass... */
01806         if (ctl->qnt_m < 0)
01807             ERRMSG("Need quantity mass!");
01808
01809         /* Check dimensions... */
01810         if (ctl->prof_nx > GX || ctl->prof_ny > GY || ctl->prof_nz > GZ)
01811             ERRMSG("Grid dimensions too large!");
01812
01813         /* Open observation data file... */
01814         printf("Read profile observation data: %s\n", ctl->prof_obsfile);
01815         if (!(in = fopen(ctl->prof_obsfile, "r")))
01816             ERRMSG("Cannot open file!");
01817
01818         /* Create new file... */
01819         printf("Write profile data: %s\n", filename);
01820         if (!(out = fopen(filename, "w")))
01821             ERRMSG("Cannot create file!");
01822
01823         /* Write header... */
01824         fprintf(out,

```

```

01825         "# $1 = time [s]\n"
01826         "# $2 = altitude [km]\n"
01827         "# $3 = longitude [deg]\n"
01828         "# $4 = latitude [deg]\n"
01829         "# $5 = pressure [hPa]\n"
01830         "# $6 = temperature [K]\n"
01831         "# $7 = mass mixing ratio [1]\n"
01832         "# $8 = H2O volume mixing ratio [1]\n"
01833         "# $9 = O3 volume mixing ratio [1]\n"
01834         "# $10 = mean BT index [K]\n");
01835
01836     /* Set grid box size... */
01837     dz = (ctl->prof_z1 - ctl->prof_z0) / ctl->prof_nz;
01838     dlon = (ctl->prof_lon1 - ctl->prof_lon0) / ctl->prof_nx;
01839     dlat = (ctl->prof_lat1 - ctl->prof_lat0) / ctl->prof_ny;
01840 }
01841
01842 /* Set time interval... */
01843 t0 = t - 0.5 * ctl->dt_mod;
01844 t1 = t + 0.5 * ctl->dt_mod;
01845
01846 /* Initialize... */
01847 for (ix = 0; ix < ctl->prof_nx; ix++)
01848     for (iy = 0; iy < ctl->prof_ny; iy++) {
01849         obsmean[ix][iy] = 0;
01850         obscount[ix][iy] = 0;
01851         tmean[ix][iy] = 0;
01852         for (iz = 0; iz < ctl->prof_nz; iz++)
01853             mass[ix][iy][iz] = 0;
01854     }
01855
01856 /* Read data... */
01857 while (fgets(line, LEN, in)) {
01858
01859     /* Read data... */
01860     if (sscanf(line, "%lg %lg %lg %lg", &rt, &rln, &rlat, &robs) != 4)
01861         continue;
01862
01863     /* Check time... */
01864     if (rt < t0)
01865         continue;
01866     if (rt > t1)
01867         break;
01868
01869     /* Calculate indices... */
01870     ix = (int) ((rln - ctl->prof_lon0) / dlon);
01871     iy = (int) ((rlat - ctl->prof_lat0) / dlat);
01872
01873     /* Check indices... */
01874     if (ix < 0 || ix >= ctl->prof_nx || iy < 0 || iy >= ctl->prof_ny)
01875         continue;
01876
01877     /* Get mean observation index... */
01878     obsmean[ix][iy] += robs;
01879     tmean[ix][iy] += rt;
01880     obscount[ix][iy]++;
01881 }
01882
01883 /* Analyze model data... */
01884 for (ip = 0; ip < atm->np; ip++) {
01885
01886     /* Check time... */
01887     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01888         continue;
01889
01890     /* Get indices... */
01891     ix = (int) ((atm->lon[ip] - ctl->prof_lon0) / dlon);
01892     iy = (int) ((atm->lat[ip] - ctl->prof_lat0) / dlat);
01893     iz = (int) ((Z(atm->p[ip]) - ctl->prof_z0) / dz);
01894
01895     /* Check indices... */
01896     if (ix < 0 || ix >= ctl->prof_nx ||
01897         iy < 0 || iy >= ctl->prof_ny || iz < 0 || iz >= ctl->prof_nz)
01898         continue;
01899
01900     /* Get total mass in grid cell... */
01901     mass[ix][iy][iz] += atm->q[ctl->qnt_m][ip];
01902 }
01903
01904 /* Extract profiles... */
01905 for (ix = 0; ix < ctl->prof_nx; ix++)
01906     for (iy = 0; iy < ctl->prof_ny; iy++)
01907         if (obscount[ix][iy] > 0) {
01908
01909             /* Write output... */
01910             fprintf(out, "\n");
01911


```

```

01912      /* Loop over altitudes... */
01913      for (iz = 0; iz < ctl->prof_nz; iz++) {
01914
01915          /* Set coordinates... */
01916          z = ctl->prof_z0 + dz * (iz + 0.5);
01917          lon = ctl->prof_lon0 + dlon * (ix + 0.5);
01918          lat = ctl->prof_lat0 + dlat * (iy + 0.5);
01919
01920          /* Get meteorological data... */
01921          press = P(z);
01922          intpol_met_time(met0, met1, t, press, lon, lat,
01923                        NULL, &temp, NULL, NULL, NULL, &h2o, &o3);
01924
01925          /* Calculate mass mixing ratio... */
01926          rho_air = 100. * press / (287.058 * temp);
01927          area = dlat * dlon * gsl_pow_2(M_PI * RE / 180.)
01928              * cos(lat * M_PI / 180.);
01929          mmr = mass[ix][iy][iz] / (rho_air * area * dz * 1e9);
01930
01931          /* Write output... */
01932          fprintf(out, "%.2f %g %g %g %g %g %g %g %g\n",
01933                tmean[ix][iy] / obscount[ix][iy],
01934                z, lon, lat, press, temp, mmr, h2o, o3,
01935                obsmean[ix][iy] / obscount[ix][iy]);
01936      }
01937  }
01938
01939  /* Close file... */
01940  if (t == ctl->t_stop)
01941      fclose(out);
01942  }

```

Here is the call graph for this function:



#### 5.13.2.33 void write\_station ( const char \* filename, ctl\_t \* ctl, atm\_t \* atm, double t )

Write station data.

Definition at line 1946 of file libtrac.c.

```

01950      {
01951
01952          static FILE *out;
01953
01954          static double rmax2, t0, t1, x0[3], x1[3];
01955
01956          static int init, ip, iq;
01957
01958          /* Init... */
01959          if (!init) {
01960              init = 1;
01961
01962              /* Write info... */
01963              printf("Write station data: %s\n", filename);
01964
01965              /* Create new file... */
01966              if (!(out = fopen(filename, "w")))
01967                  ERRMSG("Cannot create file!");
01968
01969              /* Write header... */

```



```

01970     fprintf(out,
01971             "# $1 = time [s]\n"
01972             "# $2 = altitude [km]\n"
01973             "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
01974     for (iq = 0; iq < ctl->nq; iq++)
01975         fprintf(out, "# $i = %s [%s]\n", (iq + 5),
01976                 ctl->qnt_name[iq], ctl->qnt_unit[iq]);
01977     fprintf(out, "\n");
01978
01979     /* Set geolocation and search radius... */
01980     geo2cart(0, ctl->stat_lon, ctl->stat_lat, x0);
01981     rmax2 = gsl_pow_2(ctl->stat_r);
01982 }
01983
01984 /* Set time interval for output... */
01985 t0 = t - 0.5 * ctl->dt_mod;
01986 t1 = t + 0.5 * ctl->dt_mod;
01987
01988 /* Loop over air parcels... */
01989 for (ip = 0; ip < atm->np; ip++) {
01990
01991     /* Check time... */
01992     if (atm->time[ip] < t0 || atm->time[ip] > t1)
01993         continue;
01994
01995     /* Check station flag... */
01996     if (ctl->qnt_stat >= 0)
01997         if (atm->q[ctl->qnt_stat][ip])
01998             continue;
01999
02000     /* Get Cartesian coordinates... */
02001     geo2cart(0, atm->lon[ip], atm->lat[ip], x1);
02002
02003     /* Check horizontal distance... */
02004     if (DIST2(x0, x1) > rmax2)
02005         continue;
02006
02007     /* Set station flag... */
02008     if (ctl->qnt_stat >= 0)
02009         atm->q[ctl->qnt_stat][ip] = 1;
02010
02011     /* Write data... */
02012     fprintf(out, "%.2f %g %g %g",
02013             atm->time[ip], Z(atm->p[ip]), atm->lon[ip], atm->lat[ip]);
02014     for (iq = 0; iq < ctl->nq; iq++) {
02015         fprintf(out, " ");
02016         fprintf(out, ctl->qnt_format[iq], atm->q[iq][ip]);
02017     }
02018     fprintf(out, "\n");
02019 }
02020
02021 /* Close file... */
02022 if (t == ctl->t_stop)
02023     fclose(out);
02024 }

```

Here is the call graph for this function:



## 5.14 libtrac.h

```

00001 /*
00002     This file is part of MPTRAC.
00003
00004     MPTRAC is free software: you can redistribute it and/or modify
00005     it under the terms of the GNU General Public License as published by

```

```

00006 the Free Software Foundation, either version 3 of the License, or
00007 (at your option) any later version.
00008
00009 MPTRAC is distributed in the hope that it will be useful,
00010 but WITHOUT ANY WARRANTY; without even the implied warranty of
00011 MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012 GNU General Public License for more details.
00013
00014 You should have received a copy of the GNU General Public License
00015 along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017 Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00034 #include <ctype.h>
00035 #include <gsl/gsl_const_mksa.h>
00036 #include <gsl/gsl_math.h>
00037 #include <gsl/gsl_randist.h>
00038 #include <gsl/gsl_rng.h>
00039 #include <gsl/gsl_sort.h>
00040 #include <gsl/gsl_statistics.h>
00041 #include <math.h>
00042 #include <netcdf.h>
00043 #include <omp.h>
00044 #include <stdio.h>
00045 #include <stdlib.h>
00046 #include <string.h>
00047 #include <time.h>
00048 #include <sys/time.h>
00049
00050 /* -----
00051 Macros...
00052 ----- */
00053
00055 #define ALLOC(ptr, type, n) \
00056 if((ptr=calloc((size_t)(n), sizeof(type)))==NULL) \
00057     ERRMSG("Out of memory!");
00058
00060 #define DIST(a, b) sqrt(DIST2(a, b))
00061
00063 #define DIST2(a, b) \
00064 ((a[0]-b[0])*(a[0]-b[0])+(a[1]-b[1])*(a[1]-b[1])+(a[2]-b[2])*(a[2]-b[2]))
00065
00067 #define DOTP(a, b) (a[0]*b[0]+a[1]*b[1]+a[2]*b[2])
00068
00070 #define ERRMSG(msg) { \
00071     printf("\nError (%s, %s, %d): %s\n", \
00072         __FILE__, __func__, __LINE__, msg); \
00073     exit(EXIT_FAILURE); \
00074 }
00075
00077 #define LIN(x0, y0, x1, y1, x) \
00078 ((y0)+((y1)-(y0))/((x1)-(x0))*(x)-(x0))
00079
00081 #define NC(cmd) { \
00082     if((cmd)!=NC_NOERR) \
00083         ERRMSG(nc_strerror(cmd)); \
00084 }
00085
00087 #define NORM(a) sqrt(DOTP(a, a))
00088
00090 #define PRINT(format, var) \
00091 printf("Print (%s, %s, %d): %s= "format"\n", \
00092     __FILE__, __func__, __LINE__, #var, var);
00093
00095 #define P(z) (P0*exp(-(z)/H0))
00096
00098 #define TOK(line, tok, format, var) { \
00099     if((tok)=strtok((line), " \t")) { \
00100         if(sscanf(tok, format, &(var))!=1) continue; \
00101     } else ERRMSG("Error while reading!"); \
00102 }
00103
00105 #define Z(p) (H0*log(P0/(p)))
00106
00108 #define START_TIMER(id) timer(&id, id, 1)
00109
00111 #define STOP_TIMER(id) timer(&id, id, 2)
00112
00114 #define PRINT_TIMER(id) timer(&id, id, 3)
00115
00116 /* -----
00117 Constants...
00118 ----- */
00119
00121 #define G0 9.80665
00122

```

```
00124 #define H0 7.0
00125
00127 #define P0 1013.25
00128
00130 #define RE 6367.421
00131
00132 /* -----
00133     Dimensions...
00134     ----- */
00135
00137 #define LEN 5000
00138
00140 #define NP 10000000
00141
00143 #define NQ 12
00144
00146 #define EP 73
00147
00149 #define EX 721
00150
00152 #define EY 361
00153
00155 #define GX 720
00156
00158 #define GY 360
00159
00161 #define GZ 100
00162
00164 #define NENS 2000
00165
00167 #define NTHREADS 128
00168
00170 #define NTIMER 20
00171
00172 /* -----
00173     Structs...
00174     ----- */
00175
00177 typedef struct {
00178
00180     int nq;
00181
00183     char qnt_name[NQ][LEN];
00184
00186     char qnt_unit[NQ][LEN];
00187
00189     char qnt_format[NQ][LEN];
00190
00192     int qnt_ens;
00193
00195     int qnt_m;
00196
00198     int qnt_rho;
00199
00201     int qnt_r;
00202
00204     int qnt_ps;
00205
00207     int qnt_p;
00208
00210     int qnt_t;
00211
00213     int qnt_u;
00214
00216     int qnt_v;
00217
00219     int qnt_w;
00220
00222     int qnt_h2o;
00223
00225     int qnt_o3;
00226
00228     int qnt_theta;
00229
00231     int qnt_pv;
00232
00234     int qnt_tice;
00235
00237     int qnt_tsts;
00238
00240     int qnt_tnat;
00241
00243     int qnt_stat;
00244
00246     int qnt_gw_u750;
00247
00249     int qnt_gw_v750;
```

```
00250
00252     int qnt_gw_sso;
00253
00255     int qnt_gw_var;
00256
00258     int direction;
00259
00261     double t_start;
00262
00264     double t_stop;
00265
00267     double dt_mod;
00268
00270     double dt_met;
00271
00273     int met_np;
00274
00276     double met_p[EP];
00277
00280     int isosurf;
00281
00283     char balloon[LEN];
00284
00286     double turb_dx_trop;
00287
00289     double turb_dx_strat;
00290
00292     double turb_dz_trop;
00293
00295     double turb_dz_strat;
00296
00298     double turb_meso;
00299
00301     double tdec_trop;
00302
00304     double tdec_strat;
00305
00307     double psc_h2o;
00308
00310     double psc_hno3;
00311
00313     char gw_basename[LEN];
00314
00316     char atm_basename[LEN];
00317
00319     char atm_gpfile[LEN];
00320
00322     double atm_dt_out;
00323
00325     int atm_filter;
00326
00328     char csi_basename[LEN];
00329
00331     double csi_dt_out;
00332
00334     char csi_obsfile[LEN];
00335
00337     double csi_obsmin;
00338
00340     double csi_modmin;
00341
00343     int csi_nz;
00344
00346     double csi_z0;
00347
00349     double csi_z1;
00350
00352     int csi_nx;
00353
00355     double csi_lon0;
00356
00358     double csi_lon1;
00359
00361     int csi_ny;
00362
00364     double csi_lat0;
00365
00367     double csi_lat1;
00368
00370     char grid_basename[LEN];
00371
00373     char grid_gpfile[LEN];
00374
00376     double grid_dt_out;
00377
00379     int grid_sparse;
00380
```

```
00382 int grid_nz;
00383
00385 double grid_z0;
00386
00388 double grid_z1;
00389
00391 int grid_nx;
00392
00394 double grid_lon0;
00395
00397 double grid_lon1;
00398
00400 int grid_ny;
00401
00403 double grid_lat0;
00404
00406 double grid_lat1;
00407
00409 char prof_basename[LEN];
00410
00412 char prof_obsfile[LEN];
00413
00415 int prof_nz;
00416
00418 double prof_z0;
00419
00421 double prof_z1;
00422
00424 int prof_nx;
00425
00427 double prof_lon0;
00428
00430 double prof_lon1;
00431
00433 int prof_ny;
00434
00436 double prof_lat0;
00437
00439 double prof_lat1;
00440
00442 char ens_basename[LEN];
00443
00445 char stat_basename[LEN];
00446
00448 double stat_lon;
00449
00451 double stat_lat;
00452
00454 double stat_r;
00455
00456 } ctl_t;
00457
00459 typedef struct {
00460
00462 int np;
00463
00465 double time[NP];
00466
00468 double p[NP];
00469
00471 double lon[NP];
00472
00474 double lat[NP];
00475
00477 double q[NQ][NP];
00478
00480 double up[NP];
00481
00483 double vp[NP];
00484
00486 double wp[NP];
00487
00488 } atm_t;
00489
00491 typedef struct {
00492
00494 double time;
00495
00497 int nx;
00498
00500 int ny;
00501
00503 int np;
00504
00506 double lon[EX];
00507
00509 double lat[EY];
```

```

00510
00512 double p[EP];
00513
00515 double ps[EX][EY];
00516
00518 float pl[EX][EY][EP];
00519
00521 float t[EX][EY][EP];
00522
00524 float u[EX][EY][EP];
00525
00527 float v[EX][EY][EP];
00528
00530 float w[EX][EY][EP];
00531
00533 float h2o[EX][EY][EP];
00534
00536 float o3[EX][EY][EP];
00537
00538 } met_t;
00539
00540 /* -----
00541     Functions...
00542     ----- */
00543
00545 void cart2geo(
00546     double *x,
00547     double *z,
00548     double *lon,
00549     double *lat);
00550
00552 double deg2dx(
00553     double dlon,
00554     double lat);
00555
00557 double deg2dy(
00558     double dlat);
00559
00561 double dp2dz(
00562     double dp,
00563     double p);
00564
00566 double dx2deg(
00567     double dx,
00568     double lat);
00569
00571 double dy2deg(
00572     double dy);
00573
00575 double dz2dp(
00576     double dz,
00577     double p);
00578
00580 void geo2cart(
00581     double z,
00582     double lon,
00583     double lat,
00584     double *x);
00585
00587 void get_met(
00588     ctl_t * ctl,
00589     char *metbase,
00590     double t,
00591     met_t * met0,
00592     met_t * met1);
00593
00595 void get_met_help(
00596     double t,
00597     int direct,
00598     char *metbase,
00599     double dt_met,
00600     char *filename);
00601
00603 void intpol_met_2d(
00604     double array[EX][EY],
00605     int ix,
00606     int iy,
00607     double wx,
00608     double wy,
00609     double *var);
00610
00612 void intpol_met_3d(
00613     float array[EX][EY][EP],
00614     int ip,
00615     int ix,
00616     int iy,
00617     double wp,

```

```
00618     double wx,
00619     double wy,
00620     double *var);
00621
00623 void intpol_met_space(
00624     met_t * met,
00625     double p,
00626     double lon,
00627     double lat,
00628     double *ps,
00629     double *t,
00630     double *u,
00631     double *v,
00632     double *w,
00633     double *h2o,
00634     double *o3);
00635
00637 void intpol_met_time(
00638     met_t * met0,
00639     met_t * met1,
00640     double ts,
00641     double p,
00642     double lon,
00643     double lat,
00644     double *ps,
00645     double *t,
00646     double *u,
00647     double *v,
00648     double *w,
00649     double *h2o,
00650     double *o3);
00651
00653 void jsec2time(
00654     double jsec,
00655     int *year,
00656     int *mon,
00657     int *day,
00658     int *hour,
00659     int *min,
00660     int *sec,
00661     double *remain);
00662
00664 int locate(
00665     double *xx,
00666     int n,
00667     double x);
00668
00670 void read_atm(
00671     const char *filename,
00672     ctl_t * ctl,
00673     atm_t * atm);
00674
00676 void read_ctl(
00677     const char *filename,
00678     int argc,
00679     char *argv[],
00680     ctl_t * ctl);
00681
00683 void read_met(
00684     ctl_t * ctl,
00685     char *filename,
00686     met_t * met);
00687
00689 void read_met_extrapolate(
00690     met_t * met);
00691
00693 void read_met_help(
00694     int ncid,
00695     char *varname,
00696     char *varname2,
00697     met_t * met,
00698     float dest[EX][EY][EP],
00699     float scl);
00700
00702 void read_met_ml2pl(
00703     ctl_t * ctl,
00704     met_t * met,
00705     float var[EX][EY][EP]);
00706
00708 void read_met_periodic(
00709     met_t * met);
00710
00712 double scan_ctl(
00713     const char *filename,
00714     int argc,
00715     char *argv[],
00716     const char *varname,
```

```

00717     int arridx,
00718     const char *defvalue,
00719     char *value);
00720
00722 void time2jsec(
00723     int year,
00724     int mon,
00725     int day,
00726     int hour,
00727     int min,
00728     int sec,
00729     double remain,
00730     double *jsec);
00731
00733 void timer(
00734     const char *name,
00735     int id,
00736     int mode);
00737
00738 /* Get tropopause pressure... */
00739 double tropopause(
00740     double t,
00741     double lat);
00742
00744 void write_atm(
00745     const char *filename,
00746     ctl_t * ctl,
00747     atm_t * atm,
00748     double t);
00749
00751 void write_csi(
00752     const char *filename,
00753     ctl_t * ctl,
00754     atm_t * atm,
00755     double t);
00756
00758 void write_ens(
00759     const char *filename,
00760     ctl_t * ctl,
00761     atm_t * atm,
00762     double t);
00763
00765 void write_grid(
00766     const char *filename,
00767     ctl_t * ctl,
00768     met_t * met0,
00769     met_t * met1,
00770     atm_t * atm,
00771     double t);
00772
00774 void write_prof(
00775     const char *filename,
00776     ctl_t * ctl,
00777     met_t * met0,
00778     met_t * met1,
00779     atm_t * atm,
00780     double t);
00781
00783 void write_station(
00784     const char *filename,
00785     ctl_t * ctl,
00786     atm_t * atm,
00787     double t);

```

## 5.15 match.c File Reference

Calculate deviations between two trajectories.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.15.1 Detailed Description

Calculate deviations between two trajectories.

Definition in file [match.c](#).



## 5.15.2 Function Documentation

### 5.15.2.1 `int main ( int argc, char * argv[] )`

Definition at line 28 of file [match.c](#).

```

00030         {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm1, *atm2, *atm3;
00035
00036     FILE *out;
00037
00038     char filename[LEN];
00039
00040     double filter_dt, x1[3], x2[3], dh, dq[NQ], dv, lh = 0, lt = 0, lv = 0;
00041
00042     int filter, ip1, ip2, iq, n;
00043
00044     /* Allocate... */
00045     ALLOC(atm1, atm_t, 1);
00046     ALLOC(atm2, atm_t, 1);
00047     ALLOC(atm3, atm_t, 1);
00048
00049     /* Check arguments... */
00050     if (argc < 5)
00051         ERRMSG("Give parameters: <ctl> <atm_test> <atm_ref> <outfile>");
00052
00053     /* Read control parameters... */
00054     read_ctl(argv[1], argc, argv, &ctl);
00055     filter = (int) scan_ctl(argv[1], argc, argv, "FILTER", -1, "0", NULL);
00056     filter_dt = scan_ctl(argv[1], argc, argv, "FILTER_DT", -1, "0", NULL);
00057
00058     /* Read atmospheric data... */
00059     read_atm(argv[2], &ctl, atm1);
00060     read_atm(argv[3], &ctl, atm2);
00061
00062     /* Write info... */
00063     printf("Write transport deviations: %s\n", argv[4]);
00064
00065     /* Create output file... */
00066     if (!(out = fopen(argv[4], "w")))
00067         ERRMSG("Cannot create file!");
00068
00069     /* Write header... */
00070     fprintf(out,
00071         "# $1 = time [s]\n"
00072         "# $2 = altitude [km]\n"
00073         "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
00074     for (iq = 0; iq < ctl.nq; iq++)
00075         fprintf(out, "# $i = %s [%s]\n", iq + 5, ctl.qnt_name[iq],
00076             ctl.qnt_unit[iq]);
00077     fprintf(out,
00078         "# $d = trajectory time [s]\n"
00079         "# $d = vertical length of trajectory [km]\n"
00080         "# $d = horizontal length of trajectory [km]\n"
00081         "# $d = vertical deviation [km]\n"
00082         "# $d = horizontal deviation [km]\n",
00083         5 + ctl.nq, 6 + ctl.nq, 7 + ctl.nq, 8 + ctl.nq, 9 + ctl.nq);
00084     for (iq = 0; iq < ctl.nq; iq++)
00085         fprintf(out, "# $d = %s deviation [%s]\n", ctl.nq + iq + 10,
00086             ctl.qnt_name[iq], ctl.qnt_unit[iq]);
00087     fprintf(out, "\n");
00088
00089     /* Filtering of reference time series... */
00090     if (filter) {
00091
00092         /* Copy data... */
00093         memcpy(atm3, atm2, sizeof(atm_t));
00094
00095         /* Loop over data points... */
00096         for (ip1 = 0; ip1 < atm2->np; ip1++) {
00097             n = 0;
00098             atm2->p[ip1] = 0;
00099             for (iq = 0; iq < ctl.nq; iq++)
00100                 atm2->q[iq][ip1] = 0;
00101             for (ip2 = 0; ip2 < atm2->np; ip2++)
00102                 if (fabs(atm2->time[ip1] - atm2->time[ip2]) < filter_dt) {
00103                     atm2->p[ip1] += atm3->p[ip2];
00104                     for (iq = 0; iq < ctl.nq; iq++)
00105                         atm2->q[iq][ip1] += atm3->q[iq][ip2];


```

```

00106         n++;
00107     }
00108     atm2->p[ip1] /= n;
00109     for (iq = 0; iq < ctl.nq; iq++)
00110         atm2->q[iq][ip1] /= n;
00111 }
00112
00113 /* Write filtered data... */
00114 sprintf(filename, "%s.filt", argv[3]);
00115 write_atm(filename, &ctl, atm2, 0);
00116 }
00117
00118 /* Loop over air parcels (reference data)... */
00119 for (ip2 = 0; ip2 < atm2->np; ip2++) {
00120
00121     /* Get trajectory length... */
00122     if (ip2 > 0) {
00123         geo2cart(0, atm2->lon[ip2 - 1], atm2->lat[ip2 - 1], x1);
00124         geo2cart(0, atm2->lon[ip2], atm2->lat[ip2], x2);
00125         lh += DIST(x1, x2);
00126         lv += fabs(Z(atm2->p[ip2 - 1]) - Z(atm2->p[ip2]));
00127         lt = fabs(atm2->time[ip2] - atm2->time[0]);
00128     }
00129
00130     /* Init... */
00131     n = 0;
00132     dh = 0;
00133     dv = 0;
00134     for (iq = 0; iq < ctl.nq; iq++)
00135         dq[iq] = 0;
00136     geo2cart(0, atm2->lon[ip2], atm2->lat[ip2], x2);
00137
00138     /* Find corresponding time step (test data)... */
00139     for (ip1 = 0; ip1 < atm1->np; ip1++)
00140         if (fabs(atm1->time[ip1] - atm2->time[ip2])
00141             < (filter ? filter_dt : 0.1)) {
00142
00143             /* Calculate deviations... */
00144             geo2cart(0, atm1->lon[ip1], atm1->lat[ip1], x1);
00145             dh += DIST(x1, x2);
00146             dv += Z(atm1->p[ip1]) - Z(atm2->p[ip2]);
00147             for (iq = 0; iq < ctl.nq; iq++)
00148                 dq[iq] += atm1->q[iq][ip1] - atm2->q[iq][ip2];
00149             n++;
00150         }
00151
00152     /* Write output... */
00153     if (n > 0) {
00154         fprintf(out, "%.2f %.4f %.4f %.4f",
00155             atm2->time[ip2], Z(atm2->p[ip2]),
00156             atm2->lon[ip2], atm2->lat[ip2]);
00157         for (iq = 0; iq < ctl.nq; iq++) {
00158             fprintf(out, " ");
00159             fprintf(out, ctl.qnt_format[iq], atm2->q[iq][ip2]);
00160         }
00161         fprintf(out, " %.2f %g %g %g %g", lt, lv, lh, dv / n, dh / n);
00162         for (iq = 0; iq < ctl.nq; iq++) {
00163             fprintf(out, " ");
00164             fprintf(out, ctl.qnt_format[iq], dq[iq] / n);
00165         }
00166         fprintf(out, "\n");
00167     }
00168 }
00169
00170 /* Close file... */
00171 fclose(out);
00172
00173 /* Free... */
00174 free(atm1);
00175 free(atm2);
00176 free(atm3);
00177
00178 return EXIT_SUCCESS;
00179 }

```

Here is the call graph for this function:



## 5.16 match.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copyright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026 #include <gsl/gsl_sort.h>
00027
00028 int main(
00029     int argc,
00030     char *argv[]) {
00031
00032     ctl_t ctl;
00033
00034     atm_t *atm1, *atm2, *atm3;
00035
00036     FILE *out;
00037
00038     char filename[LEN];
00039
00040     double filter_dt, x1[3], x2[3], dh, dq[NQ], dv, lh = 0, lt = 0, lv = 0;
00041
00042     int filter, ip1, ip2, iq, n;
00043
00044     /* Allocate... */
00045     ALLOC(atm1, atm_t, 1);
00046     ALLOC(atm2, atm_t, 1);
00047     ALLOC(atm3, atm_t, 1);
00048
00049     /* Check arguments... */
  
```

```

00050     if (argc < 5)
00051         ERRMSG("Give parameters: <ctl> <atm_test> <atm_ref> <outfile>");
00052
00053     /* Read control parameters... */
00054     read_ctl(argv[1], argc, argv, &ctl);
00055     filter = (int) scan_ctl(argv[1], argc, argv, "FILTER", -1, "0", NULL);
00056     filter_dt = scan_ctl(argv[1], argc, argv, "FILTER_DT", -1, "0", NULL);
00057
00058     /* Read atmospheric data... */
00059     read_atm(argv[2], &ctl, atm1);
00060     read_atm(argv[3], &ctl, atm2);
00061
00062     /* Write info... */
00063     printf("Write transport deviations: %s\n", argv[4]);
00064
00065     /* Create output file... */
00066     if (!(out = fopen(argv[4], "w")))
00067         ERRMSG("Cannot create file!");
00068
00069     /* Write header... */
00070     fprintf(out,
00071         "# $1 = time [s]\n"
00072         "# $2 = altitude [km]\n"
00073         "# $3 = longitude [deg]\n" "# $4 = latitude [deg]\n");
00074     for (iq = 0; iq < ctl.nq; iq++)
00075         fprintf(out, "# $i = %s [%s]\n", iq + 5, ctl.qnt_name[iq],
00076             ctl.qnt_unit[iq]);
00077     fprintf(out,
00078         "# $d = trajectory time [s]\n"
00079         "# $d = vertical length of trajectory [km]\n"
00080         "# $d = horizontal length of trajectory [km]\n"
00081         "# $d = vertical deviation [km]\n"
00082         "# $d = horizontal deviation [km]\n",
00083         5 + ctl.nq, 6 + ctl.nq, 7 + ctl.nq, 8 + ctl.nq, 9 + ctl.nq);
00084     for (iq = 0; iq < ctl.nq; iq++)
00085         fprintf(out, "# $d = %s deviation [%s]\n", ctl.nq + iq + 10,
00086             ctl.qnt_name[iq], ctl.qnt_unit[iq]);
00087     fprintf(out, "\n");
00088
00089     /* Filtering of reference time series... */
00090     if (filter) {
00091
00092         /* Copy data... */
00093         memcpy(atm3, atm2, sizeof(atm_t));
00094
00095         /* Loop over data points... */
00096         for (ip1 = 0; ip1 < atm2->np; ip1++) {
00097             n = 0;
00098             atm2->p[ip1] = 0;
00099             for (iq = 0; iq < ctl.nq; iq++)
00100                 atm2->q[iq][ip1] = 0;
00101             for (ip2 = 0; ip2 < atm2->np; ip2++)
00102                 if (fabs(atm2->time[ip1] - atm2->time[ip2]) < filter_dt) {
00103                     atm2->p[ip1] += atm3->p[ip2];
00104                     for (iq = 0; iq < ctl.nq; iq++)
00105                         atm2->q[iq][ip1] += atm3->q[iq][ip2];
00106                     n++;
00107                 }
00108             atm2->p[ip1] /= n;
00109             for (iq = 0; iq < ctl.nq; iq++)
00110                 atm2->q[iq][ip1] /= n;
00111         }
00112
00113         /* Write filtered data... */
00114         sprintf(filename, "%s.filt", argv[3]);
00115         write_atm(filename, &ctl, atm2, 0);
00116     }
00117
00118     /* Loop over air parcels (reference data)... */
00119     for (ip2 = 0; ip2 < atm2->np; ip2++) {
00120
00121         /* Get trajectory length... */
00122         if (ip2 > 0) {
00123             geo2cart(0, atm2->lon[ip2 - 1], atm2->lat[ip2 - 1], x1);
00124             geo2cart(0, atm2->lon[ip2], atm2->lat[ip2], x2);
00125             lh += DIST(x1, x2);
00126             lv += fabs(Z(atm2->p[ip2 - 1]) - Z(atm2->p[ip2]));
00127             lt = fabs(atm2->time[ip2] - atm2->time[0]);
00128         }
00129
00130         /* Init... */
00131         n = 0;
00132         dh = 0;
00133         dv = 0;
00134         for (iq = 0; iq < ctl.nq; iq++)
00135             dq[iq] = 0;
00136         geo2cart(0, atm2->lon[ip2], atm2->lat[ip2], x2);

```

```

00137
00138     /* Find corresponding time step (test data)... */
00139     for (ip1 = 0; ip1 < atm1->np; ip1++)
00140         if (fabs(atm1->time[ip1] - atm2->time[ip2])
00141             < (filter ? filter_dt : 0.1)) {
00142
00143         /* Calculate deviations... */
00144         geo2cart(0, atm1->lon[ip1], atm1->lat[ip1], x1);
00145         dh += DIST(x1, x2);
00146         dv += Z(atm1->p[ip1]) - Z(atm2->p[ip2]);
00147         for (iq = 0; iq < ctl.nq; iq++)
00148             dq[iq] += atm1->q[iq][ip1] - atm2->q[iq][ip2];
00149         n++;
00150     }
00151
00152     /* Write output... */
00153     if (n > 0) {
00154         fprintf(out, "%.2f %.4f %.4f %.4f",
00155             atm2->time[ip2], Z(atm2->p[ip2]),
00156             atm2->lon[ip2], atm2->lat[ip2]);
00157         for (iq = 0; iq < ctl.nq; iq++) {
00158             fprintf(out, " ");
00159             fprintf(out, ctl.qnt_format[iq], atm2->q[iq][ip2]);
00160         }
00161         fprintf(out, " %.2f %g %g %g %g", lt, lv, lh, dv / n, dh / n);
00162         for (iq = 0; iq < ctl.nq; iq++) {
00163             fprintf(out, " ");
00164             fprintf(out, ctl.qnt_format[iq], dq[iq] / n);
00165         }
00166         fprintf(out, "\n");
00167     }
00168 }
00169
00170 /* Close file... */
00171 fclose(out);
00172
00173 /* Free... */
00174 free(atm1);
00175 free(atm2);
00176 free(atm3);
00177
00178 return EXIT_SUCCESS;
00179 }

```

## 5.17 met\_map.c File Reference

Extract global map from meteorological data.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.17.1 Detailed Description

Extract global map from meteorological data.

Definition in file [met\\_map.c](#).

#### 5.17.2 Function Documentation

##### 5.17.2.1 int main ( int argc, char \* argv[] )

Definition at line 27 of file [met\\_map.c](#).

```

00029         {
00030
00031     ctl_t ctl;
00032
00033     met_t *met;
00034
00035     FILE *in, *out;
00036
00037     static double dz, dzmin = 1e10, z, timem[EX][EY], psm[EX][EY], tm[EX][EY],
00038         um[EX][EY], vm[EX][EY], wm[EX][EY], h2om[EX][EY], o3m[EX][EY];
00039
00040     static int i, ip, ip2, ix, iy, np[EX][EY];
00041
00042     /* Allocate... */
00043     ALLOC(met, met_t, 1);
00044
00045     /* Check arguments... */
00046     if (argc < 4)
00047         ERRMSG("Give parameters: <ctl> <map.tab> <met0> [ <met1> ... ]");
00048
00049     /* Read control parameters... */
00050     read_ctl(argv[1], argc, argv, &ctl);
00051     z = scan_ctl(argv[1], argc, argv, "Z", -1, "", NULL);
00052
00053     /* Loop over files... */
00054     for (i = 3; i < argc; i++) {
00055
00056         /* Read meteorological data... */
00057         if (!(in = fopen(argv[i], "r")))
00058             continue;
00059         else
00060             fclose(in);
00061         read_met(&ctl, argv[i], met);
00062
00063         /* Find nearest pressure level... */
00064         for (ip2 = 0; ip2 < met->np; ip2++) {
00065             dz = fabs(Z(met->p[ip2]) - z);
00066             if (dz < dzmin) {
00067                 dzmin = dz;
00068                 ip = ip2;
00069             }
00070         }
00071
00072         /* Average data... */
00073         for (ix = 0; ix < met->nx; ix++)
00074             for (iy = 0; iy < met->ny; iy++) {
00075                 timem[ix][iy] += met->time;
00076                 tm[ix][iy] += met->t[ix][iy][ip];
00077                 um[ix][iy] += met->u[ix][iy][ip];
00078                 vm[ix][iy] += met->v[ix][iy][ip];
00079                 wm[ix][iy] += met->w[ix][iy][ip];
00080                 h2om[ix][iy] += met->h2o[ix][iy][ip];
00081                 o3m[ix][iy] += met->o3[ix][iy][ip];
00082                 psm[ix][iy] += met->ps[ix][iy];
00083                 np[ix][iy]++;
00084             }
00085     }
00086
00087     /* Create output file... */
00088     printf("Write meteorological data file: %s\n", argv[2]);
00089     if (!(out = fopen(argv[2], "w")))
00090         ERRMSG("Cannot create file!");
00091
00092     /* Write header... */
00093     fprintf(out,
00094         "# $1 = time [s]\n"
00095         "# $2 = altitude [km]\n"
00096         "# $3 = longitude [deg]\n"
00097         "# $4 = latitude [deg]\n"
00098         "# $5 = pressure [hPa]\n"
00099         "# $6 = temperature [K]\n"
00100         "# $7 = zonal wind [m/s]\n"
00101         "# $8 = meridional wind [m/s]\n"
00102         "# $9 = vertical wind [hPa/s]\n"
00103         "# $10 = H2O volume mixing ratio [1]\n"
00104         "# $11 = O3 volume mixing ratio [1]\n"
00105         "# $12 = surface pressure [hPa]\n");
00106
00107     /* Write data... */
00108     for (iy = 0; iy < met->ny; iy++) {
00109         fprintf(out, "\n");
00110         for (ix = 0; ix < met->nx; ix++)
00111             if (met->lon[ix] >= 180)
00112                 fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00113                     timem[ix][iy] / np[ix][iy], Z(met->p[ip]),
00114                     met->lon[ix] - 360.0, met->lat[iy], met->p[ip],
00115                     tm[ix][iy] / np[ix][iy], um[ix][iy] / np[ix][iy],


```

```

00116         vm[ix][iy] / np[ix][iy], wm[ix][iy] / np[ix][iy],
00117         h2om[ix][iy] / np[ix][iy], o3m[ix][iy] / np[ix][iy],
00118         psm[ix][iy] / np[ix][iy]);
00119     for (ix = 0; ix < met->nx; ix++)
00120     if (met->lon[ix] <= 180)
00121         fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00122             timem[ix][iy] / np[ix][iy], Z(met->p[ip]),
00123             met->lon[ix], met->lat[iy], met->p[ip],
00124             tm[ix][iy] / np[ix][iy], um[ix][iy] / np[ix][iy],
00125             vm[ix][iy] / np[ix][iy], wm[ix][iy] / np[ix][iy],
00126             h2om[ix][iy] / np[ix][iy], o3m[ix][iy] / np[ix][iy],
00127             psm[ix][iy] / np[ix][iy]);
00128     }
00129
00130     /* Close file... */
00131     fclose(out);
00132
00133     /* Free... */
00134     free(met);
00135
00136     return EXIT_SUCCESS;
00137 }

```

Here is the call graph for this function:



## 5.18 met\_map.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026

```

```

00027 int main(
00028     int argc,
00029     char *argv[] ) {
00030
00031     ctl_t ctl;
00032
00033     met_t *met;
00034
00035     FILE *in, *out;
00036
00037     static double dz, dzmin = 1e10, z, timem[EX][EY], psm[EX][EY], tm[EX][EY],
00038         um[EX][EY], vm[EX][EY], wm[EX][EY], h2om[EX][EY], o3m[EX][EY];
00039
00040     static int i, ip, ip2, ix, iy, np[EX][EY];
00041
00042     /* Allocate... */
00043     ALLOC(met, met_t, 1);
00044
00045     /* Check arguments... */
00046     if (argc < 4)
00047         ERRMSG("Give parameters: <ctl> <map.tab> <met0> [ <met1> ... ]");
00048
00049     /* Read control parameters... */
00050     read_ctl(argv[1], argc, argv, &ctl);
00051     z = scan_ctl(argv[1], argc, argv, "Z", -1, "", NULL);
00052
00053     /* Loop over files... */
00054     for (i = 3; i < argc; i++) {
00055
00056         /* Read meteorological data... */
00057         if (!(in = fopen(argv[i], "r")))
00058             continue;
00059         else
00060             fclose(in);
00061         read_met(&ctl, argv[i], met);
00062
00063         /* Find nearest pressure level... */
00064         for (ip2 = 0; ip2 < met->np; ip2++) {
00065             dz = fabs(Z(met->p[ip2]) - z);
00066             if (dz < dzmin) {
00067                 dzmin = dz;
00068                 ip = ip2;
00069             }
00070         }
00071
00072         /* Average data... */
00073         for (ix = 0; ix < met->nx; ix++)
00074             for (iy = 0; iy < met->ny; iy++) {
00075                 timem[ix][iy] += met->t[ix][iy][ip];
00076                 tm[ix][iy] += met->t[ix][iy][ip];
00077                 um[ix][iy] += met->u[ix][iy][ip];
00078                 vm[ix][iy] += met->v[ix][iy][ip];
00079                 wm[ix][iy] += met->w[ix][iy][ip];
00080                 h2om[ix][iy] += met->h2o[ix][iy][ip];
00081                 o3m[ix][iy] += met->o3[ix][iy][ip];
00082                 psm[ix][iy] += met->p[ix][iy];
00083                 np[ix][iy]++;
00084             }
00085     }
00086
00087     /* Create output file... */
00088     printf("Write meteorological data file: %s\n", argv[2]);
00089     if (!(out = fopen(argv[2], "w")))
00090         ERRMSG("Cannot create file!");
00091
00092     /* Write header... */
00093     fprintf(out,
00094         "# $1 = time [s]\n"
00095         "# $2 = altitude [km]\n"
00096         "# $3 = longitude [deg]\n"
00097         "# $4 = latitude [deg]\n"
00098         "# $5 = pressure [hPa]\n"
00099         "# $6 = temperature [K]\n"
00100         "# $7 = zonal wind [m/s]\n"
00101         "# $8 = meridional wind [m/s]\n"
00102         "# $9 = vertical wind [hPa/s]\n"
00103         "# $10 = H2O volume mixing ratio [l]\n"
00104         "# $11 = O3 volume mixing ratio [l]\n"
00105         "# $12 = surface pressure [hPa]\n");
00106
00107     /* Write data... */
00108     for (iy = 0; iy < met->ny; iy++) {
00109         fprintf(out, "\n");
00110         for (ix = 0; ix < met->nx; ix++)
00111             if (met->lon[ix] >= 180)
00112                 fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00113                     timem[ix][iy] / np[ix][iy], Z(met->p[ip]),

```



```

00114         met->lon[ix] - 360.0, met->lat[iy], met->p[ip],
00115         tm[ix][iy] / np[ix][iy], um[ix][iy] / np[ix][iy],
00116         vm[ix][iy] / np[ix][iy], wm[ix][iy] / np[ix][iy],
00117         h2om[ix][iy] / np[ix][iy], o3m[ix][iy] / np[ix][iy],
00118         psm[ix][iy] / np[ix][iy]);
00119     for (ix = 0; ix < met->nx; ix++)
00120     if (met->lon[ix] <= 180)
00121         fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00122             timem[ix][iy] / np[ix][iy], Z(met->p[ip]),
00123             met->lon[ix], met->lat[iy], met->p[ip],
00124             tm[ix][iy] / np[ix][iy], um[ix][iy] / np[ix][iy],
00125             vm[ix][iy] / np[ix][iy], wm[ix][iy] / np[ix][iy],
00126             h2om[ix][iy] / np[ix][iy], o3m[ix][iy] / np[ix][iy],
00127             psm[ix][iy] / np[ix][iy]);
00128     }
00129
00130     /* Close file... */
00131     fclose(out);
00132
00133     /* Free... */
00134     free(met);
00135
00136     return EXIT_SUCCESS;
00137 }

```

## 5.19 met\_prof.c File Reference

Extract vertical profile from meteorological data.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.19.1 Detailed Description

Extract vertical profile from meteorological data.

Definition in file [met\\_prof.c](#).

#### 5.19.2 Function Documentation

##### 5.19.2.1 int main ( int argc, char \* argv[] )

Definition at line 38 of file [met\\_prof.c](#).

```

00040         {
00041
00042         ctl_t ctl;
00043
00044         met_t *met;
00045
00046         FILE *in, *out;
00047
00048         static double timem[NZ], z, z0, z1, dz, lon, lon0, lon1, dlon, lonm[NZ],
00049             lat, lat0, lat1, dlat, latm[NZ], t, tm[NZ], u, um[NZ], v, vm[NZ],
00050             w, wm[NZ], h2o, h2om[NZ], o3, o3m[NZ], ps, psm[NZ];
00051
00052         static int i, iz, np[NZ];
00053
00054         /* Allocate... */
00055         ALLOC(met, met_t, 1);
00056
00057         /* Check arguments... */
00058         if (argc < 4)
00059             ERRMSG("Give parameters: <ctl> <prof.tab> <met0> [ <met1> ... ]");

```

```

00060
00061 /* Read control parameters... */
00062 read_ctl(argv[1], argc, argv, &ctl);
00063 z0 = scan_ctl(argv[1], argc, argv, "Z0", -1, "0", NULL);
00064 z1 = scan_ctl(argv[1], argc, argv, "Z1", -1, "60", NULL);
00065 dz = scan_ctl(argv[1], argc, argv, "DZ", -1, "1", NULL);
00066 lon0 = scan_ctl(argv[1], argc, argv, "LON0", -1, "0", NULL);
00067 lon1 = scan_ctl(argv[1], argc, argv, "LON1", -1, "0", NULL);
00068 dlon = scan_ctl(argv[1], argc, argv, "DLON", -1, "1", NULL);
00069 lat0 = scan_ctl(argv[1], argc, argv, "LAT0", -1, "0", NULL);
00070 lat1 = scan_ctl(argv[1], argc, argv, "LAT1", -1, "0", NULL);
00071 dlat = scan_ctl(argv[1], argc, argv, "DLAT", -1, "1", NULL);
00072
00073 /* Loop over input files... */
00074 for (i = 3; i < argc; i++) {
00075
00076     /* Read meteorological data... */
00077     if (!(in = fopen(argv[i], "r")))
00078         continue;
00079     else
00080         fclose(in);
00081     read_met(&ctl, argv[i], met);
00082
00083     /* Average... */
00084     for (z = z0; z <= z1; z += dz) {
00085         iz = (int) ((z - z0) / dz);
00086         if (iz < 0 || iz > NZ)
00087             ERRMSG("Too many altitudes!");
00088         for (lon = lon0; lon <= lon1; lon += dlon)
00089             for (lat = lat0; lat <= lat1; lat += dlat) {
00090                 intpol_met_space(met, P(z), lon, lat, &ps,
00091                                 &t, &u, &v, &w, &h2o, &o3);
00092                 if (gsl_finite(t) && gsl_finite(u)
00093                     && gsl_finite(v) && gsl_finite(w)) {
00094                     timem[iz] += met->time;
00095                     lonm[iz] += lon;
00096                     latm[iz] += lat;
00097                     tm[iz] += t;
00098                     um[iz] += u;
00099                     vm[iz] += v;
00100                     wm[iz] += w;
00101                     h2om[iz] += h2o;
00102                     o3m[iz] += o3;
00103                     psm[iz] += ps;
00104                     np[iz]++;
00105                 }
00106             }
00107     }
00108 }
00109
00110 /* Normalize... */
00111 for (z = z0; z <= z1; z += dz) {
00112     iz = (int) ((z - z0) / dz);
00113     if (np[iz] > 0) {
00114         timem[iz] /= np[iz];
00115         lonm[iz] /= np[iz];
00116         latm[iz] /= np[iz];
00117         tm[iz] /= np[iz];
00118         um[iz] /= np[iz];
00119         vm[iz] /= np[iz];
00120         wm[iz] /= np[iz];
00121         h2om[iz] /= np[iz];
00122         o3m[iz] /= np[iz];
00123         psm[iz] /= np[iz];
00124     } else {
00125         timem[iz] = GSL_NAN;
00126         lonm[iz] = GSL_NAN;
00127         latm[iz] = GSL_NAN;
00128         tm[iz] = GSL_NAN;
00129         um[iz] = GSL_NAN;
00130         vm[iz] = GSL_NAN;
00131         wm[iz] = GSL_NAN;
00132         h2om[iz] = GSL_NAN;
00133         o3m[iz] = GSL_NAN;
00134         psm[iz] = GSL_NAN;
00135     }
00136 }
00137
00138 /* Create output file... */
00139 printf("Write meteorological data file: %s\n", argv[2]);
00140 if (!(out = fopen(argv[2], "w")))
00141     ERRMSG("Cannot create file!");
00142
00143 /* Write header... */
00144 fprintf(out,
00145         "# $1 = time [s]\n"
00146         "# $2 = altitude [km]\n"


```

```

00147     "# $3 = longitude [deg]\n"
00148     "# $4 = latitude [deg]\n"
00149     "# $5 = pressure [hPa]\n"
00150     "# $6 = temperature [K]\n"
00151     "# $7 = zonal wind [m/s]\n"
00152     "# $8 = meridional wind [m/s]\n"
00153     "# $9 = vertical wind [hPa/s]\n"
00154     "# $10 = H2O volume mixing ratio [1]\n"
00155     "# $11 = O3 volume mixing ratio [1]\n"
00156     "# $12 = surface pressure [hPa]\n\n");
00157
00158 /* Write data... */
00159 for (z = z0; z <= z1; z += dz) {
00160     iz = (int) ((z - z0) / dz);
00161     fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00162             timem[iz], z, lonm[iz], latm[iz], P(z), tm[iz],
00163             um[iz], vm[iz], wm[iz], h2om[iz], o3m[iz], psm[iz]);
00164 }
00165
00166 /* Close file... */
00167 fclose(out);
00168
00169 /* Free... */
00170 free(met);
00171
00172 return EXIT_SUCCESS;
00173 }

```

Here is the call graph for this function:



## 5.20 met\_prof.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008

```

```

00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 /* -----
00028    Dimensions...
00029    ----- */
00030
00031 /* Maximum number of altitudes. */
00032 #define NZ 1000
00033
00034 /* -----
00035    Main...
00036    ----- */
00037
00038 int main(
00039     int argc,
00040     char *argv[]) {
00041
00042     ctl_t ctl;
00043
00044     met_t *met;
00045
00046     FILE *in, *out;
00047
00048     static double timem[NZ], z, z0, z1, dz, lon, lon0, lon1, dlon, lonm[NZ],
00049         lat, lat0, lat1, dlat, latm[NZ], t, tm[NZ], u, um[NZ], v, vm[NZ],
00050         w, wm[NZ], h2o, h2om[NZ], o3, o3m[NZ], ps, psm[NZ];
00051
00052     static int i, iz, np[NZ];
00053
00054     /* Allocate... */
00055     ALLOC(met, met_t, 1);
00056
00057     /* Check arguments... */
00058     if (argc < 4)
00059         ERRMSG("Give parameters: <ctl> <prof.tab> <met0> [ <met1> ... ]");
00060
00061     /* Read control parameters... */
00062     read_ctl(argv[1], argc, argv, &ctl);
00063     z0 = scan_ctl(argv[1], argc, argv, "Z0", -1, "0", NULL);
00064     z1 = scan_ctl(argv[1], argc, argv, "Z1", -1, "60", NULL);
00065     dz = scan_ctl(argv[1], argc, argv, "DZ", -1, "1", NULL);
00066     lon0 = scan_ctl(argv[1], argc, argv, "LON0", -1, "0", NULL);
00067     lon1 = scan_ctl(argv[1], argc, argv, "LON1", -1, "0", NULL);
00068     dlon = scan_ctl(argv[1], argc, argv, "DLON", -1, "1", NULL);
00069     lat0 = scan_ctl(argv[1], argc, argv, "LAT0", -1, "0", NULL);
00070     lat1 = scan_ctl(argv[1], argc, argv, "LAT1", -1, "0", NULL);
00071     dlat = scan_ctl(argv[1], argc, argv, "DLAT", -1, "1", NULL);
00072
00073     /* Loop over input files... */
00074     for (i = 3; i < argc; i++) {
00075
00076         /* Read meteorological data... */
00077         if (!(in = fopen(argv[i], "r")))
00078             continue;
00079         else
00080             fclose(in);
00081         read_met(&ctl, argv[i], met);
00082
00083         /* Average... */
00084         for (z = z0; z <= z1; z += dz) {
00085             iz = (int) ((z - z0) / dz);
00086             if (iz < 0 || iz > NZ)
00087                 ERRMSG("Too many altitudes!");
00088             for (lon = lon0; lon <= lon1; lon += dlon)
00089                 for (lat = lat0; lat <= lat1; lat += dlat) {
00090                     intpol_met_space(met, P(z), lon, lat, &ps,
00091                                     &t, &u, &v, &w, &h2o, &o3);
00092                     if (gsl_finite(t) && gsl_finite(u)
00093                         && gsl_finite(v) && gsl_finite(w)) {
00094                         timem[iz] += met->time;
00095                         lonm[iz] += lon;
00096                         latm[iz] += lat;
00097                         tm[iz] += t;
00098                         um[iz] += u;
00099                         vm[iz] += v;
00100                         wm[iz] += w;

```

```

00101         h2om[iz] += h2o;
00102         o3m[iz] += o3;
00103         psm[iz] += ps;
00104         np[iz]++;
00105     }
00106 }
00107 }
00108 }
00109
00110 /* Normalize... */
00111 for (z = z0; z <= z1; z += dz) {
00112     iz = (int) ((z - z0) / dz);
00113     if (np[iz] > 0) {
00114         timem[iz] /= np[iz];
00115         lonm[iz] /= np[iz];
00116         latm[iz] /= np[iz];
00117         tm[iz] /= np[iz];
00118         um[iz] /= np[iz];
00119         vm[iz] /= np[iz];
00120         wm[iz] /= np[iz];
00121         h2om[iz] /= np[iz];
00122         o3m[iz] /= np[iz];
00123         psm[iz] /= np[iz];
00124     } else {
00125         timem[iz] = GSL_NAN;
00126         lonm[iz] = GSL_NAN;
00127         latm[iz] = GSL_NAN;
00128         tm[iz] = GSL_NAN;
00129         um[iz] = GSL_NAN;
00130         vm[iz] = GSL_NAN;
00131         wm[iz] = GSL_NAN;
00132         h2om[iz] = GSL_NAN;
00133         o3m[iz] = GSL_NAN;
00134         psm[iz] = GSL_NAN;
00135     }
00136 }
00137
00138 /* Create output file... */
00139 printf("Write meteorological data file: %s\n", argv[2]);
00140 if (!(out = fopen(argv[2], "w")))
00141     ERRMSG("Cannot create file!");
00142
00143 /* Write header... */
00144 fprintf(out,
00145     "# $1 = time [s]\n"
00146     "# $2 = altitude [km]\n"
00147     "# $3 = longitude [deg]\n"
00148     "# $4 = latitude [deg]\n"
00149     "# $5 = pressure [hPa]\n"
00150     "# $6 = temperature [K]\n"
00151     "# $7 = zonal wind [m/s]\n"
00152     "# $8 = meridional wind [m/s]\n"
00153     "# $9 = vertical wind [hPa/s]\n"
00154     "# $10 = H2O volume mixing ratio [1]\n"
00155     "# $11 = O3 volume mixing ratio [1]\n"
00156     "# $12 = surface pressure [hPa]\n\n");
00157
00158 /* Write data... */
00159 for (z = z0; z <= z1; z += dz) {
00160     iz = (int) ((z - z0) / dz);
00161     fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g %g\n",
00162         timem[iz], z, lonm[iz], latm[iz], P(z), tm[iz],
00163         um[iz], vm[iz], wm[iz], h2om[iz], o3m[iz], psm[iz]);
00164 }
00165
00166 /* Close file... */
00167 fclose(out);
00168
00169 /* Free... */
00170 free(met);
00171
00172 return EXIT_SUCCESS;
00173 }

```

## 5.21 met\_sample.c File Reference

Sample meteorological data at given geolocations.

### Functions

- `int main (int argc, char *argv[ ])`

## 5.21.1 Detailed Description

Sample meteorological data at given geolocations.

Definition in file [met\\_sample.c](#).

## 5.21.2 Function Documentation

## 5.21.2.1 int main ( int argc, char \* argv[] )

Definition at line 31 of file [met\\_sample.c](#).

```

00033         {
00034
00035     ctl_t ctl;
00036
00037     atm_t *atm;
00038
00039     met_t *met0, *met1;
00040
00041     FILE *out;
00042
00043     double t, u, v, w, h2o, o3;
00044
00045     int ip;
00046
00047     /* Check arguments... */
00048     if (argc < 4)
00049         ERRMSG("Give parameters: <ctl> <metbase> <atm_in> <sample.tab>");
00050
00051     /* Allocate... */
00052     ALLOC(atm, atm_t, 1);
00053     ALLOC(met0, met_t, 1);
00054     ALLOC(met1, met_t, 1);
00055
00056     /* Read control parameters... */
00057     read_ctl(argv[1], argc, argv, &ctl);
00058
00059     /* Read atmospheric data... */
00060     read_atm(argv[3], &ctl, atm);
00061
00062     /* Create output file... */
00063     printf("Write meteorological data file: %s\n", argv[4]);
00064     if (!(out = fopen(argv[4], "w")))
00065         ERRMSG("Cannot create file!");
00066
00067     /* Write header... */
00068     fprintf(out,
00069         "# $1 = time [s]\n"
00070         "# $2 = altitude [km]\n"
00071         "# $3 = longitude [deg]\n"
00072         "# $4 = latitude [deg]\n"
00073         "# $5 = pressure [hPa]\n"
00074         "# $6 = temperature [K]\n"
00075         "# $7 = zonal wind [m/s]\n"
00076         "# $8 = meridional wind [m/s]\n"
00077         "# $9 = vertical wind [hPa/s]\n"
00078         "# $10 = H2O volume mixing ratio [1]\n"
00079         "# $11 = O3 volume mixing ratio [1]\n\n");
00080
00081     /* Loop over air parcels... */
00082     for (ip = 0; ip < atm->np; ip++) {
00083
00084         /* Get meteorological data... */
00085         get_met(&ctl, argv[2], atm->time[ip], met0, met1);
00086
00087         /* Interpolate meteorological data... */
00088         interpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00089             atm->lat[ip], NULL, &t, &u, &v, &w, &h2o, &o3);
00090
00091         /* Write data... */
00092         fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00093             atm->time[ip], Z(atm->p[ip]), atm->lon[ip], atm->lat[ip],
00094             atm->p[ip], t, u, v, w, h2o, o3);
00095     }
00096


```

```

00097  /* Close file... */
00098  fclose(out);
00099
00100  /* Free... */
00101  free(atm);
00102  free(met0);
00103  free(met1);
00104
00105  return EXIT_SUCCESS;
00106 }

```

Here is the call graph for this function:



## 5.22 met\_sample.c

```

00001  /*
00002   This file is part of MPTRAC.
00003
00004   MPTRAC is free software: you can redistribute it and/or modify
00005   it under the terms of the GNU General Public License as published by
00006   the Free Software Foundation, either version 3 of the License, or
00007   (at your option) any later version.
00008
00009   MPTRAC is distributed in the hope that it will be useful,
00010   but WITHOUT ANY WARRANTY; without even the implied warranty of
00011   MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012   GNU General Public License for more details.
00013
00014   You should have received a copy of the GNU General Public License
00015   along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017   Copyright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018  */
00019
00025  #include "libtrac.h"
00026
00027  /* -----
00028   Main...
00029   ----- */
00030
00031  int main(
00032      int argc,
00033      char *argv[]) {
00034
00035      ctl_t ctl;
00036
00037      atm_t *atm;
00038

```

```

00039  met_t *met0, *met1;
00040
00041  FILE *out;
00042
00043  double t, u, v, w, h2o, o3;
00044
00045  int ip;
00046
00047  /* Check arguments... */
00048  if (argc < 4)
00049      ERRMSG("Give parameters: <ctl> <metbase> <atm_in> <sample.tab>");
00050
00051  /* Allocate... */
00052  ALLOC(atm, atm_t, 1);
00053  ALLOC(met0, met_t, 1);
00054  ALLOC(met1, met_t, 1);
00055
00056  /* Read control parameters... */
00057  read_ctl(argv[1], argc, argv, &ctl);
00058
00059  /* Read atmospheric data... */
00060  read_atm(argv[3], &ctl, atm);
00061
00062  /* Create output file... */
00063  printf("Write meteorological data file: %s\n", argv[4]);
00064  if (!(out = fopen(argv[4], "w")))
00065      ERRMSG("Cannot create file!");
00066
00067  /* Write header... */
00068  fprintf(out,
00069          "# $1 = time [s]\n"
00070          "# $2 = altitude [km]\n"
00071          "# $3 = longitude [deg]\n"
00072          "# $4 = latitude [deg]\n"
00073          "# $5 = pressure [hPa]\n"
00074          "# $6 = temperature [K]\n"
00075          "# $7 = zonal wind [m/s]\n"
00076          "# $8 = meridional wind [m/s]\n"
00077          "# $9 = vertical wind [hPa/s]\n"
00078          "# $10 = H2O volume mixing ratio [1]\n"
00079          "# $11 = O3 volume mixing ratio [1]\n\n");
00080
00081  /* Loop over air parcels... */
00082  for (ip = 0; ip < atm->np; ip++) {
00083
00084      /* Get meteorological data... */
00085      get_met(&ctl, argv[2], atm->time[ip], met0, met1);
00086
00087      /* Interpolate meteorological data... */
00088      intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00089                    atm->lat[ip], NULL, &t, &u, &v, &w, &h2o, &o3);
00090
00091      /* Write data... */
00092      fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00093              atm->time[ip], Z(atm->p[ip]), atm->lon[ip], atm->lat[ip],
00094              atm->p[ip], t, u, v, w, h2o, o3);
00095  }
00096
00097  /* Close file... */
00098  fclose(out);
00099
00100  /* Free... */
00101  free(atm);
00102  free(met0);
00103  free(met1);
00104
00105  return EXIT_SUCCESS;
00106 }

```

## 5.23 met\_zm.c File Reference

Extract zonal mean from meteorological data.

### Functions

- int [main](#) (int argc, char \*argv[])



### 5.23.1 Detailed Description

Extract zonal mean from meteorological data.

Definition in file [met\\_zm.c](#).

### 5.23.2 Function Documentation

#### 5.23.2.1 int main ( int argc, char \* argv[] )

Definition at line 27 of file [met\\_zm.c](#).

```

00029         {
00030
00031     ctl_t ctl;
00032
00033     met_t *met;
00034
00035     FILE *in, *out;
00036
00037     static double timem[EP][EY], psm[EP][EY], tm[EP][EY], um[EP][EY],
00038         vm[EP][EY], vhm[EP][EY], wm[EP][EY], h2om[EP][EY], o3m[EP][EY],
00039         psm2[EP][EY], tm2[EP][EY], um2[EP][EY], vm2[EP][EY], vhm2[EP][EY],
00040         wm2[EP][EY], h2om2[EP][EY], o3m2[EP][EY];
00041
00042     static int i, ip, ix, iy, np[EP][EY];
00043
00044     /* Allocate... */
00045     ALLOC(met, met_t, 1);
00046
00047     /* Check arguments... */
00048     if (argc < 4)
00049         ERRMSG("Give parameters: <ctl> <zm.tab> <met0> [ <met1> ... ]");
00050
00051     /* Read control parameters... */
00052     read_ctl(argv[1], argc, argv, &ctl);
00053
00054     /* Loop over files... */
00055     for (i = 3; i < argc; i++) {
00056
00057         /* Read meteorological data... */
00058         if (!(in = fopen(argv[i], "r")))
00059             continue;
00060         else
00061             fclose(in);
00062         read_met(&ctl, argv[i], met);
00063
00064         /* Average data... */
00065         for (ix = 0; ix < met->nx; ix++)
00066             for (iy = 0; iy < met->ny; iy++)
00067                 for (ip = 0; ip < met->np; ip++) {
00068                     timem[ip][iy] += met->time;
00069                     tm[ip][iy] += met->t[ix][iy][ip];
00070                     um[ip][iy] += met->u[ix][iy][ip];
00071                     vm[ip][iy] += met->v[ix][iy][ip];
00072                     vhm[ip][iy] += sqrt(gsl_pow_2(met->u[ix][iy][ip])
00073                         + gsl_pow_2(met->v[ix][iy][ip]));
00074                     wm[ip][iy] += met->w[ix][iy][ip];
00075                     h2om[ip][iy] += met->h2o[ix][iy][ip];
00076                     o3m[ip][iy] += met->o3[ix][iy][ip];
00077                     psm[ip][iy] += met->ps[ix][iy];
00078                     tm2[ip][iy] += gsl_pow_2(met->t[ix][iy][ip]);
00079                     um2[ip][iy] += gsl_pow_2(met->u[ix][iy][ip]);
00080                     vm2[ip][iy] += gsl_pow_2(met->v[ix][iy][ip]);
00081                     vhm2[ip][iy] += gsl_pow_2(met->u[ix][iy][ip]
00082                         + gsl_pow_2(met->v[ix][iy][ip]));
00083                     wm2[ip][iy] += gsl_pow_2(met->w[ix][iy][ip]);
00084                     h2om2[ip][iy] += gsl_pow_2(met->h2o[ix][iy][ip]);
00085                     o3m2[ip][iy] += gsl_pow_2(met->o3[ix][iy][ip]);
00086                     psm2[ip][iy] += gsl_pow_2(met->ps[ix][iy]);
00087                     np[ip][iy]++;
00088                 }
00089     }
00090
00091     /* Create output file... */
00092     printf("Write meteorological data file: %s\n", argv[2]);
00093     if (!(out = fopen(argv[2], "w")))


```

```

00094     ERRMSG("Cannot create file!");
00095
00096     /* Write header... */
00097     fprintf(out,
00098         "# $1 = time [s]\n"
00099         "# $2 = altitude [km]\n"
00100         "# $3 = latitude [deg]\n"
00101         "# $4 = temperature mean [K]\n"
00102         "# $5 = temperature standard deviation [K]\n"
00103         "# $6 = zonal wind mean [m/s]\n"
00104         "# $7 = zonal wind standard deviation [m/s]\n"
00105         "# $8 = meridional wind mean [m/s]\n"
00106         "# $9 = meridional wind standard deviation [m/s]\n"
00107         "# $10 = horizontal wind mean [m/s]\n"
00108         "# $11 = horizontal wind standard deviation [m/s]\n"
00109         "# $12 = vertical wind mean [hPa/s]\n"
00110         "# $13 = vertical wind standard deviation [hPa/s]\n"
00111         "# $14 = H2O vmr mean [1]\n"
00112         "# $15 = H2O vmr standard deviation [1]\n"
00113         "# $16 = O3 vmr mean [1]\n"
00114         "# $17 = O3 vmr standard deviation [1]\n"
00115         "# $18 = surface pressure mean [hPa]\n"
00116         "# $19 = surface pressure standard deviation [hPa]\n");
00117
00118     /* Write data... */
00119     for (iy = 0; iy < met->ny; iy++) {
00120         fprintf(out, "\n");
00121         for (ip = 0; ip < met->np; ip++)
00122             fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00123                 " %g %g %g %g %g %g %g %g %g\n",
00124                 timem[ip][iy] / np[ip][iy], 2(met->p[ip]), met->lat[iy],
00125                 tm[ip][iy] / np[ip][iy],
00126                 sqrt(tm2[ip][iy] / np[ip][iy] -
00127                     gsl_pow_2(tm[ip][iy] / np[ip][iy])),
00128                 um[ip][iy] / np[ip][iy],
00129                 sqrt(um2[ip][iy] / np[ip][iy] -
00130                     gsl_pow_2(um[ip][iy] / np[ip][iy])),
00131                 vm[ip][iy] / np[ip][iy],
00132                 sqrt(v2[ip][iy] / np[ip][iy] -
00133                     gsl_pow_2(vm[ip][iy] / np[ip][iy])),
00134                 vhm[ip][iy] / np[ip][iy],
00135                 sqrt(vhm2[ip][iy] / np[ip][iy] -
00136                     gsl_pow_2(vhm[ip][iy] / np[ip][iy])),
00137                 wm[ip][iy] / np[ip][iy],
00138                 sqrt(wm2[ip][iy] / np[ip][iy] -
00139                     gsl_pow_2(wm[ip][iy] / np[ip][iy])),
00140                 h2om[ip][iy] / np[ip][iy],
00141                 sqrt(h2om2[ip][iy] / np[ip][iy] -
00142                     gsl_pow_2(h2om[ip][iy] / np[ip][iy])),
00143                 o3m[ip][iy] / np[ip][iy],
00144                 sqrt(o3m2[ip][iy] / np[ip][iy] -
00145                     gsl_pow_2(o3m[ip][iy] / np[ip][iy])),
00146                 psm[ip][iy] / np[ip][iy],
00147                 sqrt(psm2[ip][iy] / np[ip][iy] -
00148                     gsl_pow_2(psm[ip][iy] / np[ip][iy])));
00149     }
00150
00151     /* Close file... */
00152     fclose(out);
00153
00154     /* Free... */
00155     free(met);
00156
00157     return EXIT_SUCCESS;
00158 }

```

Here is the call graph for this function:



## 5.24 met\_zm.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copyright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00020 #include "libtrac.h"
00021
00022 int main(
00023     int argc,
00024     char *argv[]) {
00025
00026     ctl_t ctl;
00027
00028     met_t *met;
00029
00030     FILE *in, *out;
00031
00032     static double timem[EP][EY], psm[EP][EY], tm[EP][EY], um[EP][EY],
00033                 vm[EP][EY], vhm[EP][EY], wm[EP][EY], h2om[EP][EY], o3m[EP][EY],
00034                 psm2[EP][EY], tm2[EP][EY], um2[EP][EY], vm2[EP][EY], vhm2[EP][EY],
00035                 wm2[EP][EY], h2om2[EP][EY], o3m2[EP][EY];
00036
00037     static int i, ip, ix, iy, np[EP][EY];
00038
00039     /* Allocate... */
00040     ALLOC(met, met_t, 1);
00041
00042     /* Check arguments... */
00043     if (argc < 4)
00044         ERRMSG("Give parameters: <ctl> <zm.tab> <met0> [ <met1> ... ]");
00045
00046     /* Read control parameters... */
00047     read_ctl(argv[1], argc, argv, &ctl);

```

```

00053
00054 /* Loop over files... */
00055 for (i = 3; i < argc; i++) {
00056
00057     /* Read meteorological data... */
00058     if (! (in = fopen(argv[i], "r")))
00059         continue;
00060     else
00061         fclose(in);
00062     read_met(&ctl, argv[i], met);
00063
00064     /* Average data... */
00065     for (ix = 0; ix < met->nx; ix++)
00066         for (iy = 0; iy < met->ny; iy++)
00067             for (ip = 0; ip < met->np; ip++) {
00068                 timem[ip][iy] += met->time;
00069                 tm[ip][iy] += met->t[ix][iy][ip];
00070                 um[ip][iy] += met->u[ix][iy][ip];
00071                 vm[ip][iy] += met->v[ix][iy][ip];
00072                 vhm[ip][iy] += sqrt(gsl_pow_2(met->u[ix][iy][ip])
00073                                     + gsl_pow_2(met->v[ix][iy][ip]));
00074                 wm[ip][iy] += met->w[ix][iy][ip];
00075                 h2om[ip][iy] += met->h2o[ix][iy][ip];
00076                 o3m[ip][iy] += met->o3[ix][iy][ip];
00077                 psm[ip][iy] += met->ps[ix][iy];
00078                 tm2[ip][iy] += gsl_pow_2(met->t[ix][iy][ip]);
00079                 um2[ip][iy] += gsl_pow_2(met->u[ix][iy][ip]);
00080                 vm2[ip][iy] += gsl_pow_2(met->v[ix][iy][ip]);
00081                 vhm2[ip][iy] += gsl_pow_2(met->u[ix][iy][ip])
00082                                     + gsl_pow_2(met->v[ix][iy][ip]);
00083                 wm2[ip][iy] += gsl_pow_2(met->w[ix][iy][ip]);
00084                 h2om2[ip][iy] += gsl_pow_2(met->h2o[ix][iy][ip]);
00085                 o3m2[ip][iy] += gsl_pow_2(met->o3[ix][iy][ip]);
00086                 psm2[ip][iy] += gsl_pow_2(met->ps[ix][iy]);
00087                 np[ip][iy]++;
00088             }
00089     }
00090
00091     /* Create output file... */
00092     printf("Write meteorological data file: %s\n", argv[2]);
00093     if (! (out = fopen(argv[2], "w")))
00094         ERRMSG("Cannot create file!");
00095
00096     /* Write header... */
00097     fprintf(out,
00098         "# $1 = time [s]\n"
00099         "# $2 = altitude [km]\n"
00100         "# $3 = latitude [deg]\n"
00101         "# $4 = temperature mean [K]\n"
00102         "# $5 = temperature standard deviation [K]\n"
00103         "# $6 = zonal wind mean [m/s]\n"
00104         "# $7 = zonal wind standard deviation [m/s]\n"
00105         "# $8 = meridional wind mean [m/s]\n"
00106         "# $9 = meridional wind standard deviation [m/s]\n"
00107         "# $10 = horizontal wind mean [m/s]\n"
00108         "# $11 = horizontal wind standard deviation [m/s]\n"
00109         "# $12 = vertical wind mean [hPa/s]\n"
00110         "# $13 = vertical wind standard deviation [hPa/s]\n"
00111         "# $14 = H2O vmr mean [1]\n"
00112         "# $15 = H2O vmr standard deviation [1]\n"
00113         "# $16 = O3 vmr mean [1]\n"
00114         "# $17 = O3 vmr standard deviation [1]\n"
00115         "# $18 = surface pressure mean [hPa]\n"
00116         "# $19 = surface pressure standard deviation [hPa]\n");
00117
00118     /* Write data... */
00119     for (iy = 0; iy < met->ny; iy++) {
00120         fprintf(out, "\n");
00121         for (ip = 0; ip < met->np; ip++)
00122             fprintf(out, "%.2f %g %g %g %g %g %g %g %g %g\n",
00123                 " %g %g %g %g %g %g %g %g",
00124                 timem[ip][iy] / np[ip][iy], Z(met->p[ip]), met->lat[iy],
00125                 tm[ip][iy] / np[ip][iy],
00126                 sqrt(tm2[ip][iy] / np[ip][iy] -
00127                     gsl_pow_2(tm[ip][iy] / np[ip][iy])),
00128                 um[ip][iy] / np[ip][iy],
00129                 sqrt(um2[ip][iy] / np[ip][iy] -
00130                     gsl_pow_2(um[ip][iy] / np[ip][iy])),
00131                 vm[ip][iy] / np[ip][iy],
00132                 sqrt(vm2[ip][iy] / np[ip][iy] -
00133                     gsl_pow_2(vm[ip][iy] / np[ip][iy])),
00134                 vhm[ip][iy] / np[ip][iy],
00135                 sqrt(vhm2[ip][iy] / np[ip][iy] -
00136                     gsl_pow_2(vhm[ip][iy] / np[ip][iy])),
00137                 wm[ip][iy] / np[ip][iy],
00138                 sqrt(wm2[ip][iy] / np[ip][iy] -
00139                     gsl_pow_2(wm[ip][iy] / np[ip][iy])),

```

```

00140             h2om[ip][iy] / np[ip][iy],
00141             sqrt(h2om2[ip][iy] / np[ip][iy] -
00142                 gsl_pow_2(h2om[ip][iy] / np[ip][iy])),
00143             o3m[ip][iy] / np[ip][iy],
00144             sqrt(o3m2[ip][iy] / np[ip][iy] -
00145                 gsl_pow_2(o3m[ip][iy] / np[ip][iy])),
00146             psm[ip][iy] / np[ip][iy],
00147             sqrt(psm2[ip][iy] / np[ip][iy] -
00148                 gsl_pow_2(psm[ip][iy] / np[ip][iy])));
00149     }
00150
00151     /* Close file... */
00152     fclose(out);
00153
00154     /* Free... */
00155     free(met);
00156
00157     return EXIT_SUCCESS;
00158 }

```

## 5.25 smago.c File Reference

Estimate horizontal diffusivity based on Smagorinsky theory.

### Functions

- `int main (int argc, char *argv[])`

#### 5.25.1 Detailed Description

Estimate horizontal diffusivity based on Smagorinsky theory.

Definition in file [smago.c](#).

#### 5.25.2 Function Documentation

##### 5.25.2.1 `int main ( int argc, char * argv[] )`

Definition at line 8 of file [smago.c](#).

```

00010     {
00011
00012     ctl_t ctl;
00013
00014     met_t *met;
00015
00016     FILE *out;
00017
00018     static double dz, dzmin = 1e10, z, t, s, ls2, k[EX][EY], c = 0.15;
00019
00020     static int ip, ip2, ix, iy;
00021
00022     /* Allocate... */
00023     ALLOC(met, met_t, 1);
00024
00025     /* Check arguments... */
00026     if (argc < 4)
00027         ERRMSG("Give parameters: <ctl> <map.tab> <met>");
00028
00029     /* Read control parameters... */
00030     read_ctl(argv[1], argc, argv, &ctl);
00031     z = scan_ctl(argv[1], argc, argv, "Z", -1, "", NULL);
00032
00033     /* Read meteorological data... */
00034     read_met(&ctl, argv[3], met);


```

```

00035
00036 /* Find nearest pressure level... */
00037 for (ip2 = 0; ip2 < met->np; ip2++) {
00038     dz = fabs(Z(met->p[ip2]) - z);
00039     if (dz < dzmin) {
00040         dzmin = dz;
00041         ip = ip2;
00042     }
00043 }
00044
00045 /* Write info... */
00046 printf("Analyze %g hPa...\n", met->p[ip]);
00047
00048 /* Calculate horizontal diffusion coefficients... */
00049 for (ix = 1; ix < met->nx - 1; ix++)
00050     for (iy = 1; iy < met->ny - 1; iy++) {
00051         t = 0.5 * ((met->u[ix + 1][iy][ip] - met->u[ix - 1][iy][ip])
00052             / (1000. *
00053                 deg2dx(met->lon[ix + 1] - met->lon[ix - 1], met->
00054                     lat[iy])))
00055             - (met->v[ix][iy + 1][ip] - met->v[ix][iy - 1][ip])
00056             / (1000. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1])));
00057         s = 0.5 * ((met->u[ix][iy + 1][ip] - met->u[ix][iy - 1][ip])
00058             / (1000. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1]))
00059             + (met->v[ix + 1][iy][ip] - met->v[ix - 1][iy][ip])
00060             / (1000. *
00061                 deg2dx(met->lon[ix + 1] - met->lon[ix - 1],
00062                     met->lat[iy])));
00063         ls2 = gsl_pow_2(c * 500. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1]));
00064         if (fabs(met->lat[iy]) > 80)
00065             ls2 *= (90. - fabs(met->lat[iy])) / 10.;
00066         k[ix][iy] = ls2 * sqrt(2.0 * (gsl_pow_2(t) + gsl_pow_2(s)));
00067     }
00068
00069 /* Create output file... */
00070 printf("Write data file: %s\n", argv[2]);
00071 if (!out = fopen(argv[2], "w"))
00072     ERRMSG("Cannot create file!");
00073
00074 /* Write header... */
00075 fprintf(out,
00076     "# $1 = longitude [deg]\n"
00077     "# $2 = latitude [deg]\n"
00078     "# $3 = zonal wind [m/s]\n"
00079     "# $4 = meridional wind [m/s]\n"
00080     "# $5 = horizontal diffusivity [m^2/s]\n");
00081
00082 /* Write data... */
00083 for (iy = 0; iy < met->ny; iy++) {
00084     fprintf(out, "\n");
00085     for (ix = 0; ix < met->nx; ix++)
00086         if (met->lon[ix] >= 180)
00087             fprintf(out, "%g %g %g %g %g\n",
00088                 met->lon[ix] - 360.0, met->lat[iy],
00089                 met->u[ix][iy][ip], met->v[ix][iy][ip], k[ix][iy]);
00090     for (ix = 0; ix < met->nx; ix++)
00091         if (met->lon[ix] <= 180)
00092             fprintf(out, "%g %g %g %g %g\n",
00093                 met->lon[ix], met->lat[iy],
00094                 met->u[ix][iy][ip], met->v[ix][iy][ip], k[ix][iy]);
00095 }
00096
00097 /* Close file... */
00098 fclose(out);
00099
00100 /* Free... */
00101 free(met);
00102
00103 return EXIT_SUCCESS;
00104 }

```

Here is the call graph for this function:



## 5.26 smago.c

```

00001
00006 #include "libtrac.h"
00007
00008 int main(
00009     int argc,
00010     char *argv[]) {
00011
00012     ctl_t ctl;
00013
00014     met_t *met;
00015
00016     FILE *out;
00017
00018     static double dz, dzmin = 1e10, z, t, s, ls2, k[EX][EY], c = 0.15;
00019
00020     static int ip, ip2, ix, iy;
00021
00022     /* Allocate... */
00023     ALLOC(met, met_t, 1);
00024
00025     /* Check arguments... */
00026     if (argc < 4)
00027         ERRMSG("Give parameters: <ctl> <map.tab> <met>");
00028
00029     /* Read control parameters... */
00030     read_ctl(argv[1], argc, argv, &ctl);
00031     z = scan_ctl(argv[1], argc, argv, "Z", -1, "", NULL);
00032
00033     /* Read meteorological data... */
00034     read_met(&ctl, argv[3], met);
00035
00036     /* Find nearest pressure level... */
00037     for (ip2 = 0; ip2 < met->np; ip2++) {
00038         dz = fabs(Z(met->p[ip2]) - z);
00039         if (dz < dzmin) {
00040             dzmin = dz;
00041             ip = ip2;
00042         }
00043     }
00044
00045     /* Write info... */
00046     printf("Analyze %g hPa...\n", met->p[ip]);
00047
00048     /* Calculate horizontal diffusion coefficients... */
00049     for (ix = 1; ix < met->nx - 1; ix++)
00050         for (iy = 1; iy < met->ny - 1; iy++) {
00051             t = 0.5 * ((met->u[ix + 1][iy][ip] - met->u[ix - 1][iy][ip])

```

```

00052         / (1000. *
00053         deg2dx(met->lon[ix + 1] - met->lon[ix - 1], met->
lat[iy]))
00054         - (met->v[ix][iy + 1][ip] - met->v[ix][iy - 1][ip])
00055         / (1000. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1]));
00056     s = 0.5 * ((met->u[ix][iy + 1][ip] - met->u[ix][iy - 1][ip])
00057         / (1000. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1]))
00058         + (met->v[ix + 1][iy][ip] - met->v[ix - 1][iy][ip])
00059         / (1000. *
00060         deg2dx(met->lon[ix + 1] - met->lon[ix - 1],
00061         met->lat[iy])));
00062     ls2 = gsl_pow_2(c * 500. * deg2dy(met->lat[iy + 1] - met->lat[iy - 1]));
00063     if (fabs(met->lat[iy]) > 80)
00064         ls2 *= (90. - fabs(met->lat[iy])) / 10.;
00065     k[ix][iy] = ls2 * sqrt(2.0 * (gsl_pow_2(t) + gsl_pow_2(s)));
00066 }
00067
00068 /* Create output file... */
00069 printf("Write data file: %s\n", argv[2]);
00070 if (!(out = fopen(argv[2], "w")))
00071     ERRMSG("Cannot create file!");
00072
00073 /* Write header... */
00074 fprintf(out,
00075     "# $1 = longitude [deg]\n"
00076     "# $2 = latitude [deg]\n"
00077     "# $3 = zonal wind [m/s]\n"
00078     "# $4 = meridional wind [m/s]\n"
00079     "# $5 = horizontal diffusivity [m^2/s]\n");
00080
00081 /* Write data... */
00082 for (iy = 0; iy < met->ny; iy++) {
00083     fprintf(out, "\n");
00084     for (ix = 0; ix < met->nx; ix++)
00085         if (met->lon[ix] >= 180)
00086             fprintf(out, "%g %g %g %g %g\n",
00087                 met->lon[ix] - 360.0, met->lat[iy],
00088                 met->u[ix][iy][ip], met->v[ix][iy][ip], k[ix][iy]);
00089     for (ix = 0; ix < met->nx; ix++)
00090         if (met->lon[ix] <= 180)
00091             fprintf(out, "%g %g %g %g %g\n",
00092                 met->lon[ix], met->lat[iy],
00093                 met->u[ix][iy][ip], met->v[ix][iy][ip], k[ix][iy]);
00094 }
00095
00096 /* Close file... */
00097 fclose(out);
00098
00099 /* Free... */
00100 free(met);
00101
00102 return EXIT_SUCCESS;
00103 }

```

## 5.27 split.c File Reference

Split air parcels into a larger number of parcels.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.27.1 Detailed Description

Split air parcels into a larger number of parcels.

Definition in file [split.c](#).



## 5.27.2 Function Documentation

### 5.27.2.1 `int main ( int argc, char * argv[] )`

Definition at line 27 of file `split.c`.

```

00029         {
00030
00031     atm_t *atm, *atm2;
00032
00033     ctl_t ctl;
00034
00035     gsl_rng *rng;
00036
00037     double m, mtot = 0, dt, dx, dz, mmax = 0,
00038           t0, t1, z0, z1, lon0, lon1, lat0, lat1;
00039
00040     int i, ip, iq, n;
00041
00042     /* Allocate... */
00043     ALLOC(atm, atm_t, 1);
00044     ALLOC(atm2, atm_t, 1);
00045
00046     /* Check arguments... */
00047     if (argc < 4)
00048         ERRMSG("Give parameters: <ctl> <atm_in> <atm_out>");
00049
00050     /* Read control parameters... */
00051     read_ctl(argv[1], argc, argv, &ctl);
00052     n = (int) scan_ctl(argv[1], argc, argv, "SPLIT_N", -1, "", NULL);
00053     m = scan_ctl(argv[1], argc, argv, "SPLIT_M", -1, "-999", NULL);
00054     dt = scan_ctl(argv[1], argc, argv, "SPLIT_DT", -1, "0", NULL);
00055     t0 = scan_ctl(argv[1], argc, argv, "SPLIT_T0", -1, "0", NULL);
00056     t1 = scan_ctl(argv[1], argc, argv, "SPLIT_T1", -1, "0", NULL);
00057     dz = scan_ctl(argv[1], argc, argv, "SPLIT_DZ", -1, "0", NULL);
00058     z0 = scan_ctl(argv[1], argc, argv, "SPLIT_Z0", -1, "0", NULL);
00059     z1 = scan_ctl(argv[1], argc, argv, "SPLIT_Z1", -1, "0", NULL);
00060     dx = scan_ctl(argv[1], argc, argv, "SPLIT_DX", -1, "0", NULL);
00061     lon0 = scan_ctl(argv[1], argc, argv, "SPLIT_LON0", -1, "0", NULL);
00062     lon1 = scan_ctl(argv[1], argc, argv, "SPLIT_LON1", -1, "0", NULL);
00063     lat0 = scan_ctl(argv[1], argc, argv, "SPLIT_LAT0", -1, "0", NULL);
00064     lat1 = scan_ctl(argv[1], argc, argv, "SPLIT_LAT1", -1, "0", NULL);
00065
00066     /* Init random number generator... */
00067     gsl_rng_env_setup();
00068     rng = gsl_rng_alloc(gsl_rng_default);
00069
00070     /* Read atmospheric data... */
00071     read_atm(argv[2], &ctl, atm);
00072
00073     /* Get total and maximum mass... */
00074     if (ctl.qnt_m >= 0)
00075         for (ip = 0; ip < atm->np; ip++) {
00076             mtot += atm->q[ctl.qnt_m][ip];
00077             mmax = GSL_MAX(mmax, atm->q[ctl.qnt_m][ip]);
00078         }
00079     if (m > 0)
00080         mtot = m;
00081
00082     /* Loop over air parcels... */
00083     for (i = 0; i < n; i++) {
00084
00085         /* Select air parcel... */
00086         if (ctl.qnt_m >= 0)
00087             do {
00088                 ip = (int) gsl_rng_uniform_int(rng, (long unsigned int) atm->np);
00089             } while (gsl_rng_uniform(rng) > atm->q[ctl.qnt_m][ip] / mmax);
00090         else
00091             ip = (int) gsl_rng_uniform_int(rng, (long unsigned int) atm->np);
00092
00093         /* Set time... */
00094         if (t1 > t0)
00095             atm2->time[atm2->np] = t0 + (t1 - t0) * gsl_rng_uniform_pos(rng);
00096         else
00097             atm2->time[atm2->np] = atm->time[ip]
00098                 + gsl_ran_gaussian_ziggurat(rng, dt / 2.3548);
00099
00100         /* Set vertical position... */
00101         if (z1 > z0)
00102             atm2->p[atm2->np] = P(z0 + (z1 - z0) * gsl_rng_uniform_pos(rng));
00103         else
00104             atm2->p[atm2->np] = atm->p[ip]


```

```

00105         + dz2dp(gsl_ran_gaussian_ziggurat(rng, dz / 2.3548), atm->p[ip]);
00106
00107     /* Set horizontal position... */
00108     if (lon1 > lon0 && lat1 > lat0) {
00109         atm2->lon[atm2->np] = lon0 + (lon1 - lon0) * gsl_rng_uniform_pos(rng);
00110         atm2->lat[atm2->np] = lat0 + (lat1 - lat0) * gsl_rng_uniform_pos(rng);
00111     } else {
00112         atm2->lon[atm2->np] = atm->lon[ip]
00113             + gsl_ran_gaussian_ziggurat(rng, dx2deg(dx, atm->lat[ip]) / 2.3548);
00114         atm2->lat[atm2->np] = atm->lat[ip]
00115             + gsl_ran_gaussian_ziggurat(rng, dy2deg(dy, atm->lat[ip]) / 2.3548);
00116     }
00117
00118     /* Copy quantities... */
00119     for (iq = 0; iq < ctl.nq; iq++)
00120         atm2->q[iq][atm2->np] = atm->q[iq][ip];
00121
00122     /* Adjust mass... */
00123     if (ctl.qnt_m >= 0)
00124         atm2->q[ctl.qnt_m][atm2->np] = mtot / n;
00125
00126     /* Increment particle counter... */
00127     if ((++atm2->np) >= NP)
00128         ERRMSG("Too many air parcels!");
00129 }
00130
00131 /* Save data and close file... */
00132 write_atm(argv[3], &ctl, atm2, atm->time[0]);
00133
00134 /* Free... */
00135 free(atm);
00136 free(atm2);
00137
00138 return EXIT_SUCCESS;
00139 }

```

Here is the call graph for this function:



## 5.28 split.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 int main(
00028     int argc,
00029     char *argv[]) {
00030
00031     atm_t *atm, *atm2;
00032
00033     ctl_t ctl;
00034
00035     gsl_rng *rng;
00036
00037     double m, mtot = 0, dt, dx, dz, mmax = 0,
00038           t0, t1, z0, z1, lon0, lon1, lat0, lat1;
00039
00040     int i, ip, iq, n;
00041
00042     /* Allocate... */
00043     ALLOC(atm, atm_t, 1);
00044     ALLOC(atm2, atm_t, 1);
00045
00046     /* Check arguments... */
00047     if (argc < 4)
00048         ERRMSG("Give parameters: <ctl> <atm_in> <atm_out>");
00049
00050     /* Read control parameters... */
00051     read_ctl(argv[1], argc, argv, &ctl);
00052     n = (int) scan_ctl(argv[1], argc, argv, "SPLIT_N", -1, "", NULL);
00053     m = scan_ctl(argv[1], argc, argv, "SPLIT_M", -1, "-999", NULL);
00054     dt = scan_ctl(argv[1], argc, argv, "SPLIT_DT", -1, "0", NULL);
00055     t0 = scan_ctl(argv[1], argc, argv, "SPLIT_T0", -1, "0", NULL);
00056     t1 = scan_ctl(argv[1], argc, argv, "SPLIT_T1", -1, "0", NULL);
00057     dz = scan_ctl(argv[1], argc, argv, "SPLIT_DZ", -1, "0", NULL);
00058     z0 = scan_ctl(argv[1], argc, argv, "SPLIT_Z0", -1, "0", NULL);
00059     z1 = scan_ctl(argv[1], argc, argv, "SPLIT_Z1", -1, "0", NULL);
00060     dx = scan_ctl(argv[1], argc, argv, "SPLIT_DX", -1, "0", NULL);
00061     lon0 = scan_ctl(argv[1], argc, argv, "SPLIT_LON0", -1, "0", NULL);
00062     lon1 = scan_ctl(argv[1], argc, argv, "SPLIT_LON1", -1, "0", NULL);
00063     lat0 = scan_ctl(argv[1], argc, argv, "SPLIT_LAT0", -1, "0", NULL);
00064     lat1 = scan_ctl(argv[1], argc, argv, "SPLIT_LAT1", -1, "0", NULL);
00065
00066     /* Init random number generator... */
00067     gsl_rng_env_setup();
00068     rng = gsl_rng_alloc(gsl_rng_default);
00069
00070     /* Read atmospheric data... */
00071     read_atm(argv[2], &ctl, atm);
00072
00073     /* Get total and maximum mass... */
00074     if (ctl.qnt_m >= 0)
00075         for (ip = 0; ip < atm->np; ip++) {
00076             mtot += atm->q[ctl.qnt_m][ip];
00077             mmax = GSL_MAX(mmax, atm->q[ctl.qnt_m][ip]);
00078         }
00079     if (m > 0)
00080         mtot = m;
00081
00082     /* Loop over air parcels... */
00083     for (i = 0; i < n; i++) {
00084
00085         /* Select air parcel... */
00086         if (ctl.qnt_m >= 0)
00087             do {
00088                 ip = (int) gsl_rng_uniform_int(rng, (long unsigned int) atm->np);
00089                 while (gsl_rng_uniform(rng) > atm->q[ctl.qnt_m][ip] / mmax);

```

```

00090     else
00091         ip = (int) gsl_rng_uniform_int(rng, (long unsigned int) atm->np);
00092
00093     /* Set time... */
00094     if (t1 > t0)
00095         atm2->time[atm2->np] = t0 + (t1 - t0) * gsl_rng_uniform_pos(rng);
00096     else
00097         atm2->time[atm2->np] = atm->time[ip]
00098         + gsl_ran_gaussian_ziggurat(rng, dt / 2.3548);
00099
00100     /* Set vertical position... */
00101     if (z1 > z0)
00102         atm2->p[atm2->np] = P(z0 + (z1 - z0) * gsl_rng_uniform_pos(rng));
00103     else
00104         atm2->p[atm2->np] = atm->p[ip]
00105         + dz2dp(gsl_ran_gaussian_ziggurat(rng, dz / 2.3548), atm->p[ip]);
00106
00107     /* Set horizontal position... */
00108     if (lon1 > lon0 && lat1 > lat0) {
00109         atm2->lon[atm2->np] = lon0 + (lon1 - lon0) * gsl_rng_uniform_pos(rng);
00110         atm2->lat[atm2->np] = lat0 + (lat1 - lat0) * gsl_rng_uniform_pos(rng);
00111     } else {
00112         atm2->lon[atm2->np] = atm->lon[ip]
00113         + gsl_ran_gaussian_ziggurat(rng, dx2deg(dx, atm->lat[ip]) / 2.3548);
00114         atm2->lat[atm2->np] = atm->lat[ip]
00115         + gsl_ran_gaussian_ziggurat(rng, dy2deg(dy, atm->lat[ip]) / 2.3548);
00116     }
00117
00118     /* Copy quantities... */
00119     for (iq = 0; iq < ctl.nq; iq++)
00120         atm2->q[iq][atm2->np] = atm->q[iq][ip];
00121
00122     /* Adjust mass... */
00123     if (ctl.qnt_m >= 0)
00124         atm2->q[ctl.qnt_m][atm2->np] = mtot / n;
00125
00126     /* Increment particle counter... */
00127     if ((++atm2->np) >= NP)
00128         ERRMSG("Too many air parcels!");
00129 }
00130
00131 /* Save data and close file... */
00132 write_atm(argv[3], &ctl, atm2, atm->time[0]);
00133
00134 /* Free... */
00135 free(atm);
00136 free(atm2);
00137
00138 return EXIT_SUCCESS;
00139 }

```

## 5.29 time2jsec.c File Reference

Convert date to Julian seconds.

### Functions

- int [main](#) (int argc, char \*argv[])

#### 5.29.1 Detailed Description

Convert date to Julian seconds.

Definition in file [time2jsec.c](#).

## 5.29.2 Function Documentation

### 5.29.2.1 `int main ( int argc, char * argv[] )`

Definition at line 27 of file `time2jsec.c`.

```

00029         {
00030
00031     double jsec, remain;
00032
00033     int day, hour, min, mon, sec, year;
00034
00035     /* Check arguments... */
00036     if (argc < 8)
00037         ERRMSG("Give parameters: <year> <mon> <day> <hour> <min> <sec> <remain>");
00038
00039     /* Read arguments... */
00040     year = atoi(argv[1]);
00041     mon = atoi(argv[2]);
00042     day = atoi(argv[3]);
00043     hour = atoi(argv[4]);
00044     min = atoi(argv[5]);
00045     sec = atoi(argv[6]);
00046     remain = atof(argv[7]);
00047
00048     /* Convert... */
00049     time2jsec(year, mon, day, hour, min, sec, remain, &jsec);
00050     printf("%.2f\n", jsec);
00051
00052     return EXIT_SUCCESS;
00053 }

```

Here is the call graph for this function:



## 5.30 `time2jsec.c`

```

00001 /*
00002     This file is part of MPTRAC.
00003
00004     MPTRAC is free software: you can redistribute it and/or modify
00005     it under the terms of the GNU General Public License as published by
00006     the Free Software Foundation, either version 3 of the License, or
00007     (at your option) any later version.
00008
00009     MPTRAC is distributed in the hope that it will be useful,
00010     but WITHOUT ANY WARRANTY; without even the implied warranty of
00011     MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012     GNU General Public License for more details.
00013
00014     You should have received a copy of the GNU General Public License
00015     along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017     Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 int main(
00028     int argc,
00029     char *argv[]) {

```

```

00030
00031     double jsec, remain;
00032
00033     int day, hour, min, mon, sec, year;
00034
00035     /* Check arguments... */
00036     if (argc < 8)
00037         ERRMSG("Give parameters: <year> <mon> <day> <hour> <min> <sec> <remain>");
00038
00039     /* Read arguments... */
00040     year = atoi(argv[1]);
00041     mon = atoi(argv[2]);
00042     day = atoi(argv[3]);
00043     hour = atoi(argv[4]);
00044     min = atoi(argv[5]);
00045     sec = atoi(argv[6]);
00046     remain = atof(argv[7]);
00047
00048     /* Convert... */
00049     time2jsec(year, mon, day, hour, min, sec, remain, &jsec);
00050     printf("%.2f\n", jsec);
00051
00052     return EXIT_SUCCESS;
00053 }

```

## 5.31 trac.c File Reference

Lagrangian particle dispersion model.

### Functions

- void [init\\_simtime](#) ([ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm)  
*Set simulation time interval.*
- void [module\\_advection](#) ([met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip, double dt)  
*Calculate advection of air parcels.*
- void [module\\_decay](#) ([ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip, double dt)  
*Calculate exponential decay of particle mass.*
- void [module\\_diffusion\\_meso](#) ([ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip, double dt, [gsl\\_rng](#) \*rng)  
*Calculate mesoscale diffusion.*
- void [module\\_diffusion\\_turb](#) ([ctl\\_t](#) \*ctl, [atm\\_t](#) \*atm, int ip, double dt, [gsl\\_rng](#) \*rng)  
*Calculate turbulent diffusion.*
- void [module\\_isosurf](#) ([ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip)  
*Force air parcels to stay on isosurface.*
- void [module\\_meteo](#) ([ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip)  
*Interpolate meteorological data for air parcel positions.*
- double [module\\_meteo\\_hno3](#) (double t, double lat, double p)  
*Auxiliary function for meteo module.*
- void [module\\_position](#) ([met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip)  
*Check position of air parcels.*
- void [module\\_sedi](#) ([ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, int ip, double dt)  
*Calculate sedimentation of air parcels.*
- void [write\\_output](#) (const char \*dirname, [ctl\\_t](#) \*ctl, [met\\_t](#) \*met0, [met\\_t](#) \*met1, [atm\\_t](#) \*atm, double t)  
*Write simulation output.*
- int [main](#) (int argc, char \*argv[])

#### 5.31.1 Detailed Description

Lagrangian particle dispersion model.

Definition in file [trac.c](#).

### 5.31.2 Function Documentation

#### 5.31.2.1 void init\_simtime ( ctl\_t \* *ctl*, atm\_t \* *atm* )

Set simulation time interval.

Definition at line 405 of file [trac.c](#).

```

00407         {
00408
00409         /* Set initial and final time... */
00410         if (ctl->direction == 1) {
00411             if (ctl->t_start < -1e99)
00412                 ctl->t_start = gsl_stats_min(atm->time, 1, (size_t) atm->np);
00413             if (ctl->t_stop < -1e99)
00414                 ctl->t_stop = gsl_stats_max(atm->time, 1, (size_t) atm->np);
00415         } else if (ctl->direction == -1) {
00416             if (ctl->t_stop < -1e99)
00417                 ctl->t_stop = gsl_stats_min(atm->time, 1, (size_t) atm->np);
00418             if (ctl->t_start < -1e99)
00419                 ctl->t_start = gsl_stats_max(atm->time, 1, (size_t) atm->np);
00420         }
00421
00422         /* Check time... */
00423         if (ctl->direction * (ctl->t_stop - ctl->t_start) <= 0)
00424             ERRMSG("Nothing to do!");
00425     }

```

#### 5.31.2.2 void module\_advection ( met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip*, double *dt* )

Calculate advection of air parcels.


Definition at line 429 of file [trac.c](#).

```

00434         {
00435
00436         double v[3], xm[3];
00437
00438         /* Interpolate meteorological data... */
00439         intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00440             atm->lon[ip], atm->lat[ip], NULL, NULL,
00441             &v[0], &v[1], &v[2], NULL, NULL);
00442
00443         /* Get position of the mid point... */
00444         xm[0] = atm->lon[ip] + dx2deg(0.5 * dt * v[0] / 1000., atm->lat[ip]);
00445         xm[1] = atm->lat[ip] + dy2deg(0.5 * dt * v[1] / 1000.);
00446         xm[2] = atm->p[ip] + 0.5 * dt * v[2];
00447
00448         /* Interpolate meteorological data for mid point... */
00449         intpol_met_time(met0, met1, atm->time[ip] + 0.5 * dt,
00450             xm[2], xm[0], xm[1], NULL, NULL,
00451             &v[0], &v[1], &v[2], NULL, NULL);
00452
00453         /* Save new position... */
00454         atm->time[ip] += dt;
00455         atm->lon[ip] += dx2deg(dt * v[0] / 1000., xm[1]);
00456         atm->lat[ip] += dy2deg(dt * v[1] / 1000.);
00457         atm->p[ip] += dt * v[2];
00458     }

```

Here is the call graph for this function:



### 5.31.2.3 void module\_decay ( ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip*, double *dt* )

Calculate exponential decay of particle mass.


Definition at line 462 of file [trac.c](#).

```

00468     {
00469
00470     double ps, pt, tdec;
00471
00472     /* Check lifetime values... */
00473     if ((ctl->tdec_trop <= 0 && ctl->tdec_strat <= 0) || ctl->
qnt_m < 0)
00474         return;
00475
00476     /* Set constant lifetime... */
00477     if (ctl->tdec_trop == ctl->tdec_strat)
00478         tdec = ctl->tdec_trop;
00479
00480     /* Set altitude-dependent lifetime... */
00481     else {
00482
00483         /* Get surface pressure... */
00484         intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00485             atm->lon[ip], atm->lat[ip], &ps, NULL,
00486             NULL, NULL, NULL, NULL, NULL);
00487
00488         /* Get tropopause pressure... */
00489         pt = tropopause(atm->time[ip], atm->lat[ip]);
00490
00491         /* Set lifetime... */
00492         if (atm->p[ip] <= pt)
00493             tdec = ctl->tdec_strat;
00494         else
00495             tdec = LIN(ps, ctl->tdec_trop, pt, ctl->tdec_strat, atm->
p[ip]);
00496     }
00497
00498     /* Calculate exponential decay... */
00499     atm->q[ctl->qnt_m][ip] *= exp(-dt / tdec);
00500 }

```

Here is the call graph for this function:



### 5.31.2.4 void module\_diffusion\_meso ( ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip*, double *dt*, gsl\_rng \* *rng* )

Calculate mesoscale diffusion.

Definition at line 504 of file [trac.c](#).



```

00511         {
00512
00513     double r, rs, u[16], v[16], w[16], usig, vsig, wsig;
00514
00515     int ix, iy, iz;
00516
00517     /* Calculate mesoscale velocity fluctuations... */
00518     if (ctl->turb_meso > 0) {
00519
00520         /* Get indices... */
00521         ix = locate(met0->lon, met0->nx, atm->lon[ip]);
00522         iy = locate(met0->lat, met0->ny, atm->lat[ip]);
00523         iz = locate(met0->p, met0->np, atm->p[ip]);
00524
00525         /* Collect local wind data... */
00526         u[0] = met0->u[ix][iy][iz];
00527         u[1] = met0->u[ix + 1][iy][iz];
00528         u[2] = met0->u[ix][iy + 1][iz];
00529         u[3] = met0->u[ix + 1][iy + 1][iz];
00530         u[4] = met0->u[ix][iy][iz + 1];
00531         u[5] = met0->u[ix + 1][iy][iz + 1];
00532         u[6] = met0->u[ix][iy + 1][iz + 1];
00533         u[7] = met0->u[ix + 1][iy + 1][iz + 1];
00534
00535         v[0] = met0->v[ix][iy][iz];
00536         v[1] = met0->v[ix + 1][iy][iz];
00537         v[2] = met0->v[ix][iy + 1][iz];
00538         v[3] = met0->v[ix + 1][iy + 1][iz];
00539         v[4] = met0->v[ix][iy][iz + 1];
00540         v[5] = met0->v[ix + 1][iy][iz + 1];
00541         v[6] = met0->v[ix][iy + 1][iz + 1];
00542         v[7] = met0->v[ix + 1][iy + 1][iz + 1];
00543
00544         w[0] = met0->w[ix][iy][iz];
00545         w[1] = met0->w[ix + 1][iy][iz];
00546         w[2] = met0->w[ix][iy + 1][iz];
00547         w[3] = met0->w[ix + 1][iy + 1][iz];
00548         w[4] = met0->w[ix][iy][iz + 1];
00549         w[5] = met0->w[ix + 1][iy][iz + 1];
00550         w[6] = met0->w[ix][iy + 1][iz + 1];
00551         w[7] = met0->w[ix + 1][iy + 1][iz + 1];
00552
00553         /* Get indices... */
00554         ix = locate(met1->lon, met1->nx, atm->lon[ip]);
00555         iy = locate(met1->lat, met1->ny, atm->lat[ip]);
00556         iz = locate(met1->p, met1->np, atm->p[ip]);
00557
00558         /* Collect local wind data... */
00559         u[8] = met1->u[ix][iy][iz];
00560         u[9] = met1->u[ix + 1][iy][iz];
00561         u[10] = met1->u[ix][iy + 1][iz];
00562         u[11] = met1->u[ix + 1][iy + 1][iz];
00563         u[12] = met1->u[ix][iy][iz + 1];
00564         u[13] = met1->u[ix + 1][iy][iz + 1];
00565         u[14] = met1->u[ix][iy + 1][iz + 1];
00566         u[15] = met1->u[ix + 1][iy + 1][iz + 1];
00567
00568         v[8] = met1->v[ix][iy][iz];
00569         v[9] = met1->v[ix + 1][iy][iz];
00570         v[10] = met1->v[ix][iy + 1][iz];
00571         v[11] = met1->v[ix + 1][iy + 1][iz];
00572         v[12] = met1->v[ix][iy][iz + 1];
00573         v[13] = met1->v[ix + 1][iy][iz + 1];
00574         v[14] = met1->v[ix][iy + 1][iz + 1];
00575         v[15] = met1->v[ix + 1][iy + 1][iz + 1];
00576
00577         w[8] = met1->w[ix][iy][iz];
00578         w[9] = met1->w[ix + 1][iy][iz];
00579         w[10] = met1->w[ix][iy + 1][iz];
00580         w[11] = met1->w[ix + 1][iy + 1][iz];
00581         w[12] = met1->w[ix][iy][iz + 1];
00582         w[13] = met1->w[ix + 1][iy][iz + 1];
00583         w[14] = met1->w[ix][iy + 1][iz + 1];
00584         w[15] = met1->w[ix + 1][iy + 1][iz + 1];
00585
00586         /* Get standard deviations of local wind data... */
00587         usig = gsl_stats_sd(u, 1, 16);
00588         vsig = gsl_stats_sd(v, 1, 16);
00589         wsig = gsl_stats_sd(w, 1, 16);
00590
00591         /* Set temporal correlations for mesoscale fluctuations... */
00592         r = 1 - 2 * fabs(dt) / ctl->dt_met;
00593         rs = sqrt(1 - r * r);
00594
00595         /* Calculate mesoscale wind fluctuations... */
00596         atm->up[ip] =
00597             r * atm->up[ip] + rs * gsl_ran_gaussian_ziggurat(rng,


```

```

00598                                     ctl->turb_meso * usig);
00599     atm->vp[ip] =
00600         r * atm->vp[ip] + rs * gsl_ran_gaussian_ziggurat(rng,
00601                                     ctl->turb_meso * vsig);
00602     atm->wp[ip] =
00603         r * atm->wp[ip] + rs * gsl_ran_gaussian_ziggurat(rng,
00604                                     ctl->turb_meso * wsig);
00605
00606     /* Calculate air parcel displacement... */
00607     atm->lon[ip] += dx2deg(atm->up[ip] * dt / 1000., atm->lat[ip]);
00608     atm->lat[ip] += dy2deg(atm->vp[ip] * dt / 1000.);
00609     atm->p[ip] += atm->wp[ip] * dt;
00610 }
00611 }

```

Here is the call graph for this function:



#### 5.31.2.5 void module\_diffusion\_turb ( ctl\_t \* *ctl*, atm\_t \* *atm*, int *ip*, double *dt*, gsl\_rng \* *rng* )

Calculate turbulent diffusion.

Definition at line 615 of file [trac.c](#).

```

00620     {
00621
00622     double dx, dz, pt, p0, p1, w;
00623
00624     /* Get tropopause pressure... */
00625     pt = tropopause(atm->time[ip], atm->lat[ip]);
00626
00627     /* Get weighting factor... */
00628     p1 = pt * 0.866877899;
00629     p0 = pt / 0.866877899;
00630     if (atm->p[ip] > p0)
00631         w = 1;
00632     else if (atm->p[ip] < p1)
00633         w = 0;
00634     else
00635         w = LIN(p0, 1.0, p1, 0.0, atm->p[ip]);
00636
00637     /* Set diffusivity... */
00638     dx = w * ctl->turb_dx_trop + (1 - w) * ctl->turb_dx_strat;
00639     dz = w * ctl->turb_dz_trop + (1 - w) * ctl->turb_dz_strat;
00640
00641     /* Horizontal turbulent diffusion... */
00642     if (dx > 0) {
00643         atm->lon[ip]
00644             += dx2deg(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dx * fabs(dt)))
00645                     / 1000., atm->lat[ip]);
00646         atm->lat[ip]
00647             += dy2deg(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dx * fabs(dt)))
00648                     / 1000.);
00649     }


```

```

00650
00651  /* Vertical turbulent diffusion... */
00652  if (dz > 0)
00653      atm->p[ip]
00654      += dz2dp(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dz * fabs(dt)))
00655              / 1000., atm->p[ip]);
00656 }

```

Here is the call graph for this function:



#### 5.31.2.6 void module\_isosurf ( ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip* )

Force air parcels to stay on isosurface.

Definition at line 660 of file [trac.c](#).

```

00665  {
00666
00667  static double *iso, *ps, t, *ts;
00668
00669  static int idx, ip2, n, nb = 100000;
00670
00671  FILE *in;
00672
00673  char line[LEN];
00674
00675  /* Check control parameter... */
00676  if (ctl->isosurf < 1 || ctl->isosurf > 4)
00677      return;
00678
00679  /* Initialize... */
00680  if (ip < 0) {
00681
00682      /* Allocate... */
00683      ALLOC(iso, double,
00684            NP);
00685      ALLOC(ps, double,
00686            nb);
00687      ALLOC(ts, double,
00688            nb);
00689
00690      /* Save pressure... */
00691      if (ctl->isosurf == 1)
00692          for (ip2 = 0; ip2 < atm->np; ip2++)
00693              iso[ip2] = atm->p[ip2];
00694
00695      /* Save density... */
00696      else if (ctl->isosurf == 2)
00697          for (ip2 = 0; ip2 < atm->np; ip2++) {
00698              intpol_met_time(met0, met1, atm->time[ip2], atm->p[ip2],


```

```

00699         atm->lon[ip2], atm->lat[ip2], NULL, &t, NULL, NULL,
00700         NULL, NULL, NULL);
00701     iso[ip2] = atm->p[ip2] / t;
00702 }
00703
00704 /* Save potential temperature... */
00705 else if (ctl->isosurf == 3)
00706     for (ip2 = 0; ip2 < atm->np; ip2++) {
00707         intpol_met_time(met0, met1, atm->time[ip2], atm->p[ip2],
00708             atm->lon[ip2], atm->lat[ip2], NULL, &t, NULL, NULL,
00709             NULL, NULL, NULL);
00710         iso[ip2] = t * pow(P0 / atm->p[ip2], 0.286);
00711     }
00712
00713 /* Read balloon pressure data... */
00714 else if (ctl->isosurf == 4) {
00715
00716     /* Write info... */
00717     printf("Read balloon pressure data: %s\n", ctl->balloon);
00718
00719     /* Open file... */
00720     if (!(in = fopen(ctl->balloon, "r")))
00721         ERRMSG("Cannot open file!");
00722
00723     /* Read pressure time series... */
00724     while (fgets(line, LEN, in))
00725         if (sscanf(line, "%lg %lg", &ts[n], &ps[n]) == 2)
00726             if ((++n) > 100000)
00727                 ERRMSG("Too many data points!");
00728
00729     /* Check number of points... */
00730     if (n < 1)
00731         ERRMSG("Could not read any data!");
00732
00733     /* Close file... */
00734     fclose(in);
00735 }
00736
00737 /* Leave initialization... */
00738 return;
00739 }
00740
00741 /* Restore pressure... */
00742 if (ctl->isosurf == 1)
00743     atm->p[ip] = iso[ip];
00744
00745 /* Restore density... */
00746 else if (ctl->isosurf == 2) {
00747     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00748         atm->lat[ip], NULL, &t, NULL, NULL, NULL, NULL, NULL);
00749     atm->p[ip] = iso[ip] * t;
00750 }
00751
00752 /* Restore potential temperature... */
00753 else if (ctl->isosurf == 3) {
00754     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00755         atm->lat[ip], NULL, &t, NULL, NULL, NULL, NULL, NULL);
00756     atm->p[ip] = P0 * pow(iso[ip] / t, -1. / 0.286);
00757 }
00758
00759 /* Interpolate pressure... */
00760 else if (ctl->isosurf == 4) {
00761     if (atm->time[ip] <= ts[0])
00762         atm->p[ip] = ps[0];
00763     else if (atm->time[ip] >= ts[n - 1])
00764         atm->p[ip] = ps[n - 1];
00765     else {
00766         idx = locate(ts, n, atm->time[ip]);
00767         atm->p[ip] = LIN(ts[idx], ps[idx],
00768             ts[idx + 1], ps[idx + 1], atm->time[ip]);
00769     }
00770 }
00771 }

```

Here is the call graph for this function:



#### 5.31.2.7 void module\_meteo ( ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip* )

Interpolate meteorological data for air parcel positions.

Definition at line 775 of file [trac.c](#).

```

00780     {
00781
00782     static FILE *in;
00783
00784     static char filename[LEN], line[LEN];
00785
00786     static double lon[GX], lat[GX], var[GX][GY],
00787         rdum, rlat, rlat_old = -999, rlon, rvar;
00788
00789     static int year_old, mon_old, day_old, nlon, nlat;
00790
00791     double a, b, c, ps, p1, p_hno3, p_h2o, t, t1, u, u1, v, v1, w,
00792         x1, x2, h2o, o3, grad, vort, var0, var1;
00793
00794     int day, mon, year, idum, ilat, ilon;
00795
00796     /* Interpolate meteorological data... */
00797     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
00798 lon[ip],
00799         atm->lat[ip], &ps, &t, &u, &v, &w, &h2o, &o3);
00800
00801     /* Set surface pressure... */
00802     if (ctl->qnt_ps >= 0)
00803         atm->q[ctl->qnt_ps][ip] = ps;
00804
00805     /* Set pressure... */
00806     if (ctl->qnt_p >= 0)
00807         atm->q[ctl->qnt_p][ip] = atm->p[ip];
00808
00809     /* Set temperature... */
00810     if (ctl->qnt_t >= 0)
00811         atm->q[ctl->qnt_t][ip] = t;
00812
00813     /* Set zonal wind... */
00814     if (ctl->qnt_u >= 0)
00815         atm->q[ctl->qnt_u][ip] = u;
00816
00817     /* Set meridional wind... */
00818     if (ctl->qnt_v >= 0)
00819         atm->q[ctl->qnt_v][ip] = v;
00820
00821     /* Set vertical velocity... */
00822     if (ctl->qnt_w >= 0)
00823         atm->q[ctl->qnt_w][ip] = w;
00824
00825     /* Set water vapor vmr... */
00826     if (ctl->qnt_h2o >= 0)
00827         atm->q[ctl->qnt_h2o][ip] = h2o;
00828
00829     /* Set ozone vmr... */
00830     if (ctl->qnt_o3 >= 0)
00831         atm->q[ctl->qnt_o3][ip] = o3;
00832
00833     /* Calculate potential temperature... */

```

```

00833     if (ctl->qnt_theta >= 0)
00834         atm->q[ctl->qnt_theta][ip] = t * pow(P0 / atm->p[ip], 0.286);
00835
00836     /* Calculate potential vorticity... */
00837     if (ctl->qnt_pv >= 0) {
00838
00839         /* Absolute vorticity... */
00840         vort = 2 * 7.2921e-5 * sin(atm->lat[ip] * M_PI / 180.);
00841         if (fabs(atm->lat[ip]) < 89.) {
00842             intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00843                             (atm->lon[ip] >=
00844                              0 ? atm->lon[ip] - 1. : atm->lon[ip] + 1.),
00845                             atm->lat[ip], NULL, NULL, NULL, &v1, NULL, NULL, NULL);
00846             vort += (v1 - v) / 1000.
00847                     / ((atm->lon[ip] >= 0 ? -1 : 1) * deg2dx(1., atm->lat[ip]));
00848         }
00849         intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00850                         (atm->lat[ip] >=
00851                          0 ? atm->lat[ip] - 1. : atm->lat[ip] + 1.), NULL, NULL,
00852                          &u1, NULL, NULL, NULL, NULL);
00853         vort += (u1 - u) / 1000. / ((atm->lat[ip] >= 0 ? -1 : 1) * deg2dy(1.));
00854
00855         /* Potential temperature gradient... */
00856         p1 = 0.85 * atm->p[ip];
00857         intpol_met_time(met0, met1, atm->time[ip], p1, atm->lon[ip],
00858                         atm->lat[ip], NULL, &t1, NULL, NULL, NULL, NULL, NULL);
00859         grad = (t1 * pow(P0 / p1, 0.286) - t * pow(P0 / atm->p[ip], 0.286))
00860               / (100. * (p1 - atm->p[ip]));
00861
00862         /* Calculate PV... */
00863         atm->q[ctl->qnt_pv][ip] = -1e6 * G0 * vort * grad;
00864     }
00865
00866     /* Calculate T_ice (Marti and Mauersberger, 1993)... */
00867     if (ctl->qnt_tice >= 0 || ctl->qnt_tsts >= 0)
00868         atm->q[ctl->qnt_tice][ip] =
00869             -2663.5 /
00870             (log10((ctl->psc_h2o > 0 ? ctl->psc_h2o : h2o) * atm->p[ip] * 100.) -
00871              12.537);
00872
00873     /* Calculate T_NAT (Hanson and Mauersberger, 1988)... */
00874     if (ctl->qnt_tnat >= 0 || ctl->qnt_tsts >= 0) {
00875         if (ctl->psc_hno3 > 0)
00876             p_hno3 = ctl->psc_hno3 * atm->p[ip] / 1.333224;
00877         else
00878             p_hno3 = module_meteo_hno3(atm->time[ip], atm->lat[ip], atm->
p[ip])
00879                 * 1e-9 * atm->p[ip] / 1.333224;
00880         p_h2o = (ctl->psc_h2o > 0 ? ctl->psc_h2o : h2o) * atm->p[ip] / 1.333224;
00881         a = 0.009179 - 0.00088 * log10(p_h2o);
00882         b = (38.9855 - log10(p_hno3) - 2.7836 * log10(p_h2o)) / a;
00883         c = -11397.0 / a;
00884         x1 = (-b + sqrt(b * b - 4. * c)) / 2.;
00885         x2 = (-b - sqrt(b * b - 4. * c)) / 2.;
00886         if (x1 > 0)
00887             atm->q[ctl->qnt_tnat][ip] = x1;
00888         if (x2 > 0)
00889             atm->q[ctl->qnt_tnat][ip] = x2;
00890     }
00891
00892     /* Calculate T_STS (mean of T_ice and T_NAT)... */
00893     if (ctl->qnt_tsts >= 0) {
00894         if (ctl->qnt_tice < 0 || ctl->qnt_tnat < 0)
00895             ERRMSG("Need T_ice and T_NAT to calculate T_STS!");
00896         atm->q[ctl->qnt_tsts][ip] = 0.5 * (atm->q[ctl->qnt_tice][ip]
00897                                         + atm->q[ctl->qnt_tnat][ip]);
00898     }
00899
00900     /* Read variance data for current day... */
00901     if (ip == 0 && ctl->qnt_gw_var >= 0) {
00902         jsec2time(atm->time[ip], &year, &mon, &day, &idum, &idum, &idum, &rdum);
00903         if (year != year_old || mon != mon_old || day != day_old) {
00904             year_old = year;
00905             mon_old = mon;
00906             day_old = day;
00907             nlon = nlat = -1;
00908             sprintf(filename, "%s_%d%02d%02d.tab",
00909                     ctl->gw_basename, year, mon, day);
00909             if ((in = fopen(filename, "r")) != NULL) {
00911                 printf("Read gravity wave data: %s\n", filename);
00912                 while (fgets(line, LEN, in)) {
00913                     if (sscanf(line, "%lg %lg %lg", &rlnon, &rlnlat, &rlnvar) != 3)
00914                         continue;
00915                     if (rlnlat != rlnlat_old) {
00916                         rlnlat_old = rlnlat;
00917                         if ((++nlat) > GY)


```

```

00918         ERRMSG("Too many latitudes!");
00919         nlon = -1;
00920     }
00921     if ((++nlon) > GX)
00922         ERRMSG("Too many longitudes!");
00923     lon[nlon] = rlon;
00924     lat[nlat] = rlat;
00925     var[nlon][nlat] = GSL_MAX(0, rvar);
00926 }
00927 fclose(in);
00928 nlat++;
00929 nlon++;
00930 } else
00931     printf("Missing gravity wave data: %s\n", filename);
00932 }
00933 }
00934
00935 /* Interpolate variance data... */
00936 if (ctl->qnt_gw_var >= 0) {
00937     if (nlat >= 2 && nlon >= 2) {
00938         ilat = locate(lat, nlat, atm->lat[ip]);
00939         ilon = locate(lon, nlon, atm->lon[ip]);
00940         var0 = LIN(lat[ilat], var[ilon][ilat],
00941             lat[ilat + 1], var[ilon][ilat + 1], atm->lat[ip]);
00942         var1 = LIN(lat[ilat], var[ilon + 1][ilat],
00943             lat[ilat + 1], var[ilon + 1][ilat + 1], atm->lat[ip]);
00944         atm->q[ctl->qnt_gw_var][ip]
00945             = LIN(lon[ilon], var0, lon[ilon + 1], var1, atm->lon[ip]);
00946     } else
00947         atm->q[ctl->qnt_gw_var][ip] = GSL_NAN;
00948 }
00949 }

```

Here is the call graph for this function:



### 5.31.2.8 double module\_meteo\_hno3 ( double t, double lat, double p )

Auxiliary function for meteo module.

Definition at line 953 of file [trac.c](#).

```

00956     {
00957
00958     static double secs[12] = { 1209600.00, 3888000.00, 6393600.00,
00959         9072000.00, 11664000.00, 14342400.00,
00960         16934400.00, 19612800.00, 22291200.00,
00961         24883200.00, 27561600.00, 30153600.00
00962     };
00963
00964     static double lats[18] = { -85, -75, -65, -55, -45, -35, -25, -15, -5,
00965         5, 15, 25, 35, 45, 55, 65, 75, 85

```

```

00966     };
00967
00968     static double ps[10] = { 4.64159, 6.81292, 10, 14.678, 21.5443,
00969                             31.6228, 46.4159, 68.1292, 100, 146.78
00970     };
00971
00972     static double hno3[12][18][10] = {
00973     {{0.782, 1.65, 2.9, 4.59, 6.71, 8.25, 7.16, 5.75, 2.9, 1.74},
00974      {0.529, 1.64, 2.76, 4.55, 6.58, 8, 6.99, 5.55, 2.68, 1.57},
00975      {0.723, 1.55, 2.73, 4.48, 6.32, 7.58, 7.05, 5.16, 2.49, 1.54},
00976      {0.801, 1.56, 2.74, 4.52, 6.23, 7.35, 6.68, 4.4, 1.97, 1.23},
00977      {0.818, 1.62, 2.77, 4.38, 5.98, 6.84, 5.83, 3.05, 1.15, 0.709},
00978      {0.901, 1.73, 2.78, 4.21, 5.63, 6.16, 4.68, 1.87, 0.617, 0.37},
00979      {0.997, 1.8, 2.79, 4.09, 4.88, 4.96, 3.12, 1.22, 0.311, 0.244},
00980      {1, 1.71, 2.51, 3.4, 3.74, 3.39, 2.25, 0.845, 0.204, 0.222},
00981      {0.997, 1.7, 2.36, 2.88, 3.01, 2.25, 1.77, 0.608, 0.163, 0.181},
00982      {0.991, 1.79, 2.57, 3.06, 3.08, 2.15, 1.81, 0.59, 0.168, 0.104},
00983      {0.974, 1.86, 2.84, 3.8, 3.93, 3.79, 2.91, 1.02, 0.152, 0.0985},
00984      {0.85, 1.86, 3.3, 5.24, 6.55, 6.86, 5.12, 1.93, 0.378, 0.185},
00985      {0.783, 1.89, 3.85, 6.6, 8.56, 8.66, 6.95, 3.95, 1.47, 0.745},
00986      {0.883, 2.05, 4.34, 7.54, 9.68, 9.77, 8.19, 5.72, 3.15, 1.77},
00987      {1.4, 2.44, 4.72, 8.07, 10.5, 10.9, 9.28, 6.95, 4.47, 2.49},
00988      {1.7, 2.43, 4.24, 7.43, 10.4, 11.2, 9.72, 8.15, 5.7, 2.97},
00989      {2.06, 2.27, 3.68, 6.77, 10.3, 10.3, 9.05, 9.1, 6.73, 3.14},
00990      {2.33, 2.39, 3.51, 6.45, 10.3, 9.88, 8.57, 9.42, 7.22, 3.19}},
00991     {{0.947, 2.21, 3.81, 5.69, 7.55, 8.63, 7.53, 5.98, 3.03, 1.64},
00992      {0.642, 2, 3.4, 5.49, 7.5, 8.52, 7.53, 5.83, 2.74, 1.42},
00993      {0.756, 1.83, 3.18, 5.11, 7.24, 8.63, 7.66, 5.5, 2.45, 1.33},
00994      {0.837, 1.75, 3.06, 5, 6.79, 8.08, 7.05, 4.42, 1.81, 1.05},
00995      {0.86, 1.73, 2.96, 4.68, 6.38, 7.38, 6.09, 2.92, 1.06, 0.661},
00996      {0.926, 1.78, 2.89, 4.37, 5.74, 6.14, 4.59, 1.78, 0.561, 0.332},
00997      {0.988, 1.78, 2.75, 3.95, 4.64, 4.49, 2.85, 1.13, 0.271, 0.184},
00998      {0.999, 1.7, 2.44, 3.27, 3.57, 3.03, 2.06, 0.736, 0.181, 0.189},
00999      {0.971, 1.67, 2.23, 2.63, 2.83, 2.15, 1.74, 0.554, 0.157, 0.167},
01000      {0.985, 1.72, 2.34, 2.69, 2.81, 2.11, 1.78, 0.592, 0.152, 0.101},
01001      {0.95, 1.72, 2.57, 3.44, 3.84, 3.89, 2.91, 0.976, 0.135, 0.114},
01002      {0.819, 1.64, 2.93, 4.75, 6.02, 6.93, 5.2, 1.83, 0.347, 0.191},
01003      {0.731, 1.58, 3.3, 5.95, 7.81, 8.32, 6.93, 3.83, 1.47, 0.875},
01004      {0.77, 1.75, 3.74, 6.67, 8.76, 9.41, 8.19, 5.78, 3.32, 2.11},
01005      {1.08, 2.17, 4.24, 7.13, 9.2, 10.3, 9.03, 6.87, 4.65, 3.01},
01006      {1.43, 2.49, 4.31, 7, 9.14, 10.6, 9.34, 7.6, 5.86, 3.64},
01007      {1.5, 2.68, 4.32, 6.75, 8.78, 10.6, 9.05, 7.65, 6.27, 4.07},
01008      {1.73, 2.91, 4.33, 6.67, 8.73, 10.6, 8.5, 7.54, 6.63, 4.17}},
01009     {{1.43, 3.07, 5.22, 7.54, 9.78, 10.4, 10.1, 7.26, 3.61, 1.69},
01010      {0.989, 2.69, 4.76, 7.19, 9.44, 9.94, 9.5, 6.74, 3.24, 1.52},
01011      {0.908, 2.23, 4.11, 6.48, 8.74, 9.41, 8.58, 5.8, 2.66, 1.3},
01012      {0.923, 1.99, 3.61, 5.83, 7.84, 8.6, 7.55, 4.57, 1.87, 0.98},
01013      {0.933, 1.9, 3.31, 5.28, 7.1, 7.84, 6.44, 3.18, 1.1, 0.642},
01014      {0.982, 1.88, 3.1, 4.76, 6.16, 6.57, 5.16, 2.04, 0.598, 0.33},
01015      {1.02, 1.82, 2.88, 4.12, 4.71, 4.54, 3.03, 1.22, 0.268, 0.174},
01016      {0.992, 1.7, 2.51, 3.33, 3.62, 2.87, 2.05, 0.705, 0.161, 0.169},
01017      {0.969, 1.69, 2.2, 2.62, 2.84, 2.13, 1.78, 0.529, 0.146, 0.186},
01018      {0.945, 1.69, 2.27, 2.64, 2.83, 2.2, 1.83, 0.561, 0.139, 0.121},
01019      {0.922, 1.65, 2.48, 3.33, 3.83, 4.09, 2.92, 0.973, 0.117, 0.135},
01020      {0.886, 1.59, 2.66, 4.26, 5.51, 6.57, 5.09, 1.79, 0.342, 0.194},
01021      {0.786, 1.5, 2.78, 5.01, 6.8, 7.83, 6.65, 3.62, 1.45, 1},
01022      {0.745, 1.55, 3.05, 5.49, 7.44, 8.6, 7.8, 5.28, 2.95, 2.12},
01023      {0.938, 1.76, 3.4, 5.82, 7.8, 9.04, 8.43, 6.15, 3.85, 2.82},
01024      {0.999, 2, 3.66, 5.95, 7.94, 9.27, 8.8, 6.93, 4.87, 3.54},
01025      {1.13, 2.23, 3.86, 5.82, 7.65, 9, 8.82, 7.17, 5.72, 4.08},
01026      {1.23, 2.33, 3.94, 5.74, 7.48, 8.9, 8.84, 7.35, 6.3, 4.42}},
01027     {{1.55, 3.2, 6.25, 10, 12.9, 12.9, 11.9, 7.96, 3.96, 1.75},
01028      {1.32, 3.27, 6.32, 9.99, 12.7, 12.4, 11.3, 7.51, 3.66, 1.58},
01029      {1.25, 3.08, 5.77, 8.71, 11.2, 11.2, 9.84, 6.52, 3.23, 1.5},
01030      {1.18, 2.59, 4.76, 7.46, 9.61, 9.66, 8.42, 5.06, 2.25, 1.09},
01031      {1.09, 2.24, 3.99, 6.4, 8.33, 8.54, 7.08, 3.69, 1.36, 0.727},
01032      {1.06, 2.07, 3.52, 5.52, 7.06, 7.26, 5.83, 2.46, 0.732, 0.409},
01033      {1.07, 1.91, 3.09, 4.63, 5.21, 4.9, 3.68, 1.43, 0.326, 0.198},
01034      {1.03, 1.74, 2.63, 3.54, 3.78, 2.89, 2.09, 0.743, 0.175, 0.12},
01035      {0.959, 1.71, 2.32, 2.77, 2.99, 2.24, 1.76, 0.519, 0.149, 0.172},
01036      {0.931, 1.68, 2.32, 2.74, 2.99, 2.46, 1.88, 0.578, 0.156, 0.157},
01037      {0.933, 1.66, 2.49, 3.42, 3.99, 4.12, 2.93, 1.02, 0.181, 0.138},
01038      {0.952, 1.64, 2.6, 4, 5.15, 6.07, 4.84, 1.78, 0.407, 0.286},
01039      {0.84, 1.54, 2.68, 4.47, 5.97, 7.13, 6.23, 3.25, 1.38, 1.02},
01040      {0.714, 1.44, 2.73, 4.68, 6.28, 7.68, 7.21, 4.82, 2.55, 1.96},
01041      {0.838, 1.57, 2.96, 4.93, 6.55, 8.08, 7.74, 5.77, 3.32, 2.52},
01042      {0.823, 1.65, 3.11, 5.09, 6.89, 8.36, 8.31, 6.59, 4.1, 3.04},
01043      {0.886, 1.83, 3.42, 5.33, 6.92, 8.36, 8.63, 7.21, 4.82, 3.46},
01044      {1.07, 2.12, 3.74, 5.54, 6.98, 8.41, 8.75, 7.41, 5.16, 3.62}},
01045     {{1.13, 2.59, 7.49, 13.5, 15.4, 12.9, 11.3, 8.62, 4.18, 1.63},
01046      {0.973, 2.79, 7.23, 12.8, 15.2, 13.3, 11.6, 8.42, 4.06, 1.57},
01047      {1.46, 3.44, 6.78, 10.4, 12.7, 12.1, 10.5, 7.04, 3.59, 1.63},
01048      {1.52, 3.38, 6.04, 9.08, 11, 10.3, 8.9, 5.7, 2.77, 1.37},
01049      {1.32, 2.65, 4.75, 7.49, 9.32, 8.89, 7.42, 4.27, 1.7, 0.88},
01050      {1.19, 2.2, 3.88, 6.36, 8.03, 7.81, 6.19, 2.94, 0.948, 0.527},
01051      {1.14, 1.96, 3.28, 5.26, 6.12, 5.8, 4.47, 1.66, 0.388, 0.229},
01052      {1.07, 1.82, 2.82, 3.92, 4.03, 3.15, 2.31, 0.871, 0.183, 0.0972},

```




01053 {0.978, 1.77, 2.53, 3.04, 3.1, 2.36, 1.76, 0.575, 0.16, 0.126},  
 01054 {0.962, 1.72, 2.49, 3.01, 3.22, 2.72, 2, 0.716, 0.162, 0.183},  
 01055 {0.968, 1.7, 2.6, 3.57, 4.28, 4.35, 3.09, 1.2, 0.262, 0.18},  
 01056 {0.977, 1.68, 2.71, 4.03, 5.17, 6.01, 4.81, 1.81, 0.473, 0.343},  
 01057 {0.819, 1.58, 2.75, 4.37, 5.8, 6.9, 5.96, 2.95, 1.19, 0.964},  
 01058 {0.672, 1.44, 2.69, 4.42, 5.92, 7.26, 6.79, 4.32, 2.22, 1.83},  
 01059 {0.783, 1.42, 2.65, 4.45, 6.04, 7.57, 7.39, 5.4, 2.94, 2.25},  
 01060 {0.757, 1.43, 2.7, 4.54, 6.14, 7.65, 7.51, 5.95, 3.42, 2.39},  
 01061 {0.758, 1.57, 3.04, 4.88, 6.24, 7.85, 7.58, 6.35, 3.81, 2.52},  
 01062 {0.835, 1.72, 3.35, 5.24, 6.5, 8.1, 7.67, 6.51, 4, 2.6},  
 01063 {{1.5, 2.12, 7.64, 10.5, 5.59, 2.14, 2.2, 3.5, 4.71, 3.26},  
 01064 {1.32, 2.14, 7.23, 12, 9.3, 5.3, 5.11, 5.37, 5.12, 3.05},  
 01065 {1.53, 2.92, 6.9, 11.9, 13.5, 11.3, 9.91, 7.18, 4.75, 2.65},  
 01066 {1.66, 3.48, 6.25, 9.53, 11.3, 10.3, 9.01, 5.76, 2.99, 1.67},  
 01067 {1.54, 3.03, 5.21, 8.03, 9.66, 8.98, 7.5, 4.64, 2.11, 1.13},  
 01068 {1.32, 2.39, 4.03, 6.74, 8.52, 8.05, 6.4, 3.48, 1.2, 0.639},  
 01069 {1.17, 2.08, 3.35, 5.52, 6.86, 6.54, 5.08, 1.97, 0.462, 0.217},  
 01070 {1.07, 1.92, 3.01, 4.24, 4.47, 3.77, 2.77, 1.07, 0.213, 0.0694},  
 01071 {0.992, 1.88, 2.76, 3.39, 3.32, 2.52, 1.8, 0.713, 0.192, 0.136},  
 01072 {0.992, 1.8, 2.63, 3.34, 3.46, 2.95, 2.09, 0.9, 0.242, 0.194},  
 01073 {0.987, 1.77, 2.67, 3.64, 4.37, 4.36, 3, 1.27, 0.354, 0.229},  
 01074 {0.979, 1.74, 2.77, 3.99, 5.12, 5.75, 4.53, 1.75, 0.555, 0.302},  
 01075 {0.832, 1.6, 2.78, 4.32, 5.53, 6.67, 5.69, 2.59, 0.982, 0.66},  
 01076 {0.696, 1.41, 2.64, 4.31, 5.65, 7.14, 6.56, 3.8, 1.75, 1.41},  
 01077 {0.788, 1.36, 2.59, 4.3, 5.73, 7.35, 7.04, 4.82, 2.41, 1.8},  
 01078 {0.761, 1.43, 2.61, 4.28, 5.64, 7.37, 7.11, 5.37, 2.68, 1.9},  
 01079 {0.701, 1.44, 2.82, 4.64, 5.76, 7.63, 7.07, 5.74, 2.98, 1.88},  
 01080 {0.763, 1.5, 2.95, 4.97, 6.08, 7.88, 7.12, 5.98, 3.21, 1.91},  
 01081 {{3.58, 2.59, 6.49, 5.84, 1.63, 0.282, 0.647, 0.371, 1.36, 2.33},  
 01082 {3.09, 2.38, 6.37, 7.66, 4.06, 1.23, 1.8, 1.65, 2.32, 2.78},  
 01083 {2.31, 2.84, 5.58, 9.63, 11, 9.02, 8.2, 6.23, 4.17, 3.08},  
 01084 {1.61, 3.16, 5.72, 9.13, 11.4, 10.4, 9.15, 6.18, 3.52, 2.3},  
 01085 {1.32, 2.8, 4.79, 7.44, 9.43, 8.83, 7.41, 4.9, 2.38, 1.38},  
 01086 {1.14, 2.36, 3.94, 6.41, 8.38, 8.17, 6.53, 3.76, 1.31, 0.656},  
 01087 {1.05, 2.1, 3.36, 5.45, 7.07, 6.98, 5.44, 2.22, 0.52, 0.176},  
 01088 {1.02, 2, 3.05, 4.33, 4.74, 4.21, 3.2, 1.26, 0.277, 0.0705},  
 01089 {1.01, 1.96, 2.9, 3.53, 3.46, 2.69, 1.89, 0.859, 0.254, 0.12},  
 01090 {1.01, 1.86, 2.7, 3.46, 3.59, 3.03, 2.14, 1, 0.34, 0.199},  
 01091 {1.02, 1.81, 2.67, 3.68, 4.39, 4.3, 2.93, 1.35, 0.477, 0.25},  
 01092 {0.991, 1.79, 2.82, 4.05, 5.08, 5.5, 4.21, 1.74, 0.605, 0.259},  
 01093 {0.844, 1.73, 2.87, 4.38, 5.49, 6.47, 5.5, 2.44, 0.85, 0.422},  
 01094 {0.729, 1.57, 2.76, 4.43, 5.73, 7.13, 6.43, 3.52, 1.38, 0.913},  
 01095 {0.819, 1.46, 2.69, 4.45, 5.92, 7.47, 7.05, 4.52, 2, 1.4},  
 01096 {0.783, 1.47, 2.71, 4.48, 5.92, 7.46, 7.16, 5.08, 2.35, 1.56},  
 01097 {0.735, 1.51, 2.96, 4.84, 5.92, 7.77, 7.2, 5.54, 2.56, 1.61},  
 01098 {0.8, 1.61, 3.14, 5.2, 6.26, 8.08, 7.27, 5.72, 2.75, 1.62},  
 01099 {{5, 4.43, 5.53, 5.35, 2.33, 0.384, 0.663, 0.164, 0.692, 1.4},  
 01100 {3.62, 3.79, 4.77, 5.94, 4.12, 1.36, 1.3, 0.973, 1.37, 1.73},  
 01101 {2.11, 2.7, 4.12, 7.14, 9.03, 7.74, 7.12, 5.44, 3.73, 2.6},  
 01102 {1.13, 2.32, 4.12, 6.97, 9.86, 9.69, 8.85, 6.22, 3.59, 2.14},  
 01103 {0.957, 2.28, 4.11, 6.47, 8.66, 8.78, 7.33, 4.94, 2.44, 1.38},  
 01104 {0.881, 2.1, 3.65, 5.94, 7.98, 8.29, 6.69, 3.95, 1.36, 0.672},  
 01105 {0.867, 1.96, 3.26, 5.23, 6.94, 7.2, 5.63, 2.41, 0.578, 0.19},  
 01106 {0.953, 1.94, 2.98, 4.23, 4.83, 4.52, 3.38, 1.34, 0.293, 0.181},  
 01107 {1.01, 1.91, 2.77, 3.35, 3.3, 2.62, 1.99, 0.905, 0.245, 0.107},  
 01108 {1.03, 1.81, 2.57, 3.29, 3.43, 2.87, 2.13, 0.988, 0.306, 0.185},  
 01109 {1.02, 1.78, 2.58, 3.59, 4.19, 4, 2.72, 1.29, 0.389, 0.224},  
 01110 {1.01, 1.84, 2.84, 4.06, 4.9, 5.08, 3.71, 1.64, 0.529, 0.232},  
 01111 {0.902, 1.84, 2.98, 4.43, 5.5, 6.28, 5.18, 2.35, 0.734, 0.341},  
 01112 {0.785, 1.68, 2.93, 4.67, 5.95, 7.3, 6.52, 3.48, 1.24, 0.754},  
 01113 {0.847, 1.62, 2.94, 4.86, 6.38, 7.99, 7.5, 4.64, 1.93, 1.23},  
 01114 {0.8, 1.6, 2.94, 4.95, 6.62, 8.16, 7.91, 5.43, 2.43, 1.45},  
 01115 {0.82, 1.76, 3.37, 5.47, 6.82, 8.24, 7.73, 5.79, 2.69, 1.5},  
 01116 {0.988, 2.05, 3.87, 6.01, 7.18, 8.41, 7.7, 5.93, 2.89, 1.55},  
 01117 {{1.52, 2.7, 3.79, 4.95, 3.8, 1.51, 1.11, 0.784, 1.1, 1.56},  
 01118 {1.19, 2.16, 3.34, 4.76, 4.61, 2.93, 2.07, 1.65, 1.63, 1.74},  
 01119 {0.804, 1.65, 2.79, 4.63, 6.64, 6.95, 6.68, 5.11, 3.3, 2.09},  
 01120 {0.86, 1.8, 3.25, 5.3, 7.91, 8.76, 8.28, 6.01, 3.39, 1.83},  
 01121 {0.859, 1.95, 3.54, 5.64, 7.88, 8.55, 7.3, 4.88, 2.3, 1.22},  
 01122 {0.809, 1.88, 3.38, 5.45, 7.47, 8.02, 6.69, 3.98, 1.35, 0.646},  
 01123 {0.822, 1.81, 3.11, 4.9, 6.62, 6.96, 5.63, 2.47, 0.614, 0.169},  
 01124 {0.92, 1.83, 2.8, 3.93, 4.56, 4.4, 3.25, 1.31, 0.295, 0.0587},  
 01125 {0.986, 1.83, 2.6, 3.13, 3.08, 2.53, 1.94, 0.886, 0.244, 0.0815},  
 01126 {0.997, 1.74, 2.5, 3.16, 3.24, 2.67, 2.05, 0.939, 0.281, 0.147},  
 01127 {1.01, 1.75, 2.57, 3.55, 4.1, 3.81, 2.53, 1.21, 0.354, 0.197},  
 01128 {1.04, 1.88, 2.9, 4.16, 4.95, 4.96, 3.48, 1.63, 0.502, 0.163},  
 01129 {0.967, 1.95, 3.17, 4.72, 5.85, 6.5, 5.34, 2.53, 0.748, 0.303},  
 01130 {0.846, 1.83, 3.23, 5.15, 6.62, 7.82, 6.85, 3.79, 1.36, 0.714},  
 01131 {0.91, 1.81, 3.35, 5.55, 7.32, 8.55, 7.88, 5.03, 2.13, 1.1},  
 01132 {0.87, 1.94, 3.6, 5.97, 7.98, 9.14, 8.71, 6.04, 2.73, 1.41},  
 01133 {1.04, 2.36, 4.22, 6.57, 8.5, 9.53, 9.22, 6.71, 3.2, 1.56},  
 01134 {1.36, 2.84, 4.72, 6.94, 8.81, 9.87, 9.59, 7.1, 3.43, 1.65},  
 01135 {{0.704, 1.4, 2.03, 3.08, 4.64, 4.24, 2.55, 1.57, 1.99, 1.91},  
 01136 {0.484, 1.38, 2.08, 3.54, 5.11, 4.98, 3.73, 2.57, 2.29, 1.84},  
 01137 {0.749, 1.57, 2.63, 4.17, 6.15, 6.97, 6.64, 5.11, 3.35, 1.97},  
 01138 {0.864, 1.69, 3.16, 4.87, 7.13, 8.33, 7.87, 5.9, 3.17, 1.56},  
 01139 {0.861, 1.79, 3.28, 5.2, 7.29, 8.32, 7.38, 4.9, 2.23, 1.11},

```

01140     {0.835, 1.79, 3.19, 4.99, 6.72, 7.58, 6.45, 3.68, 1.25, 0.616},
01141     {0.847, 1.8, 3.07, 4.66, 6.12, 6.6, 5.21, 2.18, 0.554, 0.21},
01142     {0.941, 1.78, 2.68, 3.68, 4.28, 4.18, 2.97, 1.15, 0.238, 0.0968},
01143     {0.98, 1.78, 2.48, 2.99, 2.96, 2.35, 1.88, 0.747, 0.207, 0.105},
01144     {0.978, 1.74, 2.51, 3.07, 3.12, 2.36, 1.95, 0.777, 0.216, 0.146},
01145     {1.01, 1.79, 2.63, 3.53, 3.95, 3.47, 2.38, 1.08, 0.265, 0.178},
01146     {1.06, 1.94, 3.02, 4.43, 5.19, 5.01, 3.68, 1.71, 0.429, 0.14},
01147     {0.99, 2.02, 3.38, 5.22, 6.56, 6.91, 5.56, 2.75, 0.816, 0.353},
01148     {0.923, 2.05, 3.66, 5.98, 7.78, 8.5, 7.23, 4.26, 1.67, 0.802},
01149     {1.08, 2.27, 4.17, 6.8, 8.89, 9.55, 8.59, 5.64, 2.58, 1.2},
01150     {1.12, 2.5, 4.52, 7.22, 9.76, 10.3, 9.72, 6.79, 3.32, 1.52},
01151     {1.2, 2.64, 4.81, 7.64, 10.5, 11.4, 10.6, 7.65, 3.87, 1.73},
01152     {1.4, 2.91, 5.01, 7.75, 10.7, 11.6, 11.1, 8.02, 4.04, 1.8}},
01153     {{0.75, 1.49, 2.39, 3.39, 4.93, 5.94, 5.03, 2.75, 2.27, 1.78},
01154     {0.508, 1.52, 2.38, 3.82, 5.34, 6.13, 5.6, 3.31, 2.42, 1.73}},
01155     {0.715, 1.56, 2.7, 4.39, 6.18, 6.96, 7.1, 5.04, 3.01, 1.75},
01156     {0.813, 1.62, 2.94, 4.65, 6.53, 7.65, 7.52, 5.49, 2.75, 1.41},
01157     {0.802, 1.68, 2.97, 4.64, 6.37, 7.53, 7.01, 4.56, 1.9, 0.955},
01158     {0.816, 1.75, 3.01, 4.59, 6.15, 7.06, 6.15, 3.38, 1.11, 0.61},
01159     {0.867, 1.78, 2.92, 4.35, 5.69, 6.05, 4.73, 1.91, 0.519, 0.269},
01160     {0.932, 1.7, 2.55, 3.44, 4.03, 3.98, 2.74, 1.08, 0.247, 0.132},
01161     {0.937, 1.74, 2.51, 3.09, 3.11, 2.34, 1.84, 0.67, 0.189, 0.121},
01162     {0.942, 1.75, 2.63, 3.3, 3.27, 2.21, 1.87, 0.663, 0.171, 0.147},
01163     {0.959, 1.8, 2.82, 3.78, 4.03, 3.37, 2.53, 1.04, 0.199, 0.146},
01164     {1.01, 1.9, 3.13, 4.76, 5.63, 5.6, 4.31, 1.83, 0.367, 0.172},
01165     {0.989, 2.04, 3.64, 6, 7.62, 7.6, 6, 3.35, 1.05, 0.448},
01166     {1.02, 2.28, 4.32, 7.19, 9.21, 9.16, 7.64, 4.97, 2.2, 0.948},
01167     {1.26, 2.77, 5.2, 8.31, 10.5, 10.4, 9.01, 6.37, 3.46, 1.56},
01168     {1.31, 2.76, 5.23, 8.49, 11.2, 11.3, 10.1, 7.27, 3.98, 1.76},
01169     {1.26, 2.5, 5.14, 8.85, 12.3, 12.3, 11.2, 8.13, 4.45, 1.97},
01170     {1.35, 2.49, 5.26, 9.16, 13, 12.8, 11.8, 8.57, 4.72, 2.05}},
01171     {{0.759, 1.54, 2.54, 4.22, 6.26, 7.44, 7.14, 4.99, 2.84, 1.89},
01172     {0.508, 1.55, 2.5, 4.29, 6.29, 7.29, 7.07, 5.03, 2.77, 1.74},
01173     {0.699, 1.56, 2.62, 4.17, 6.08, 7.38, 7.04, 5.17, 2.81, 1.65},
01174     {0.778, 1.5, 2.65, 4.35, 6.07, 7.28, 6.84, 4.8, 2.28, 1.28},
01175     {0.772, 1.55, 2.71, 4.3, 5.76, 6.91, 6.2, 3.69, 1.45, 0.837},
01176     {0.836, 1.67, 2.78, 4.21, 5.56, 6.41, 5.33, 2.47, 0.807, 0.488},
01177     {0.937, 1.79, 2.78, 4.12, 5.17, 5.38, 3.89, 1.47, 0.392, 0.256},
01178     {0.97, 1.75, 2.52, 3.39, 3.83, 3.63, 2.48, 0.968, 0.212, 0.198},
01179     {0.968, 1.74, 2.5, 3.11, 3.2, 2.34, 1.79, 0.629, 0.169, 0.173},
01180     {0.98, 1.8, 2.69, 3.42, 3.4, 2.18, 1.81, 0.606, 0.164, 0.138},
01181     {0.975, 1.84, 2.96, 4.08, 4.12, 3.5, 2.79, 1.02, 0.145, 0.133},
01182     {0.96, 1.94, 3.27, 5.17, 6.26, 6.35, 4.88, 1.91, 0.329, 0.189},
01183     {0.954, 2.06, 3.8, 6.53, 8.46, 8.32, 6.53, 3.83, 1.32, 0.6},
01184     {1, 2.34, 4.58, 7.71, 9.68, 9.75, 7.96, 5.45, 2.84, 1.39},
01185     {1.24, 2.65, 5.14, 8.51, 10.7, 10.6, 8.96, 6.51, 3.83, 1.85},
01186     {1.34, 2.44, 4.99, 8.63, 11.6, 11.4, 10.1, 7.84, 4.77, 2.24},
01187     {1.33, 2.1, 4.76, 8.78, 12.2, 11.7, 10.8, 8.68, 5.15, 2.35},
01188     {1.42, 2.04, 4.68, 8.92, 12.7, 12, 11.2, 8.99, 5.32, 2.33}}
01189 };
01190
01191 double aux00, aux01, aux10, aux11, sec;
01192
01193 int ilat, ip, isec;
01194
01195 /* Get seconds since begin of year... */
01196 sec = fmod(t, 365.25 * 86400.);
01197
01198 /* Get indices... */
01199 ilat = locate(lats, 18, lat);
01200 ip = locate(ps, 10, p);
01201 isec = locate(secs, 12, sec);
01202
01203 /* Interpolate... */
01204 aux00 = LIN(ps[ip], hno3[isec][ilat][ip],
01205             ps[ip + 1], hno3[isec][ilat][ip + 1], p);
01206 aux01 = LIN(ps[ip], hno3[isec][ilat + 1][ip],
01207             ps[ip + 1], hno3[isec][ilat + 1][ip + 1], p);
01208 aux10 = LIN(ps[ip], hno3[isec + 1][ilat][ip],
01209             ps[ip + 1], hno3[isec + 1][ilat][ip + 1], p);
01210 aux11 = LIN(ps[ip], hno3[isec + 1][ilat + 1][ip],
01211             ps[ip + 1], hno3[isec + 1][ilat + 1][ip + 1], p);
01212 aux00 = LIN(lats[ilat], aux00, lats[ilat + 1], aux01, lat);
01213 aux11 = LIN(lats[ilat], aux10, lats[ilat + 1], aux11, lat);
01214 return LIN(secs[isec], aux00, secs[isec + 1], aux11, sec);
01215 }

```

Here is the call graph for this function:



#### 5.31.2.9 void module\_position ( met\_t \* met0, met\_t \* met1, atm\_t \* atm, int ip )


Check position of air parcels.

Definition at line 1219 of file [trac.c](#).

```

01223     {
01224
01225     double ps;
01226
01227     /* Calculate modulo... */
01228     atm->lon[ip] = fmod(atm->lon[ip], 360);
01229     atm->lat[ip] = fmod(atm->lat[ip], 360);
01230
01231     /* Check latitude... */
01232     while (atm->lat[ip] < -90 || atm->lat[ip] > 90) {
01233         if (atm->lat[ip] > 90) {
01234             atm->lat[ip] = 180 - atm->lat[ip];
01235             atm->lon[ip] += 180;
01236         }
01237         if (atm->lat[ip] < -90) {
01238             atm->lat[ip] = -180 - atm->lat[ip];
01239             atm->lon[ip] += 180;
01240         }
01241     }
01242
01243     /* Check longitude... */
01244     while (atm->lon[ip] < -180)
01245         atm->lon[ip] += 360;
01246     while (atm->lon[ip] >= 180)
01247         atm->lon[ip] -= 360;
01248
01249     /* Get surface pressure... */
01250     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
01251                   atm->lon[ip], atm->lat[ip], &ps, NULL,
01252                   NULL, NULL, NULL, NULL);
01253
01254     /* Check pressure... */
01255     if (atm->p[ip] > ps)
01256         atm->p[ip] = ps;
01257     else if (atm->p[ip] < met0->p[met0->np - 1])
01258         atm->p[ip] = met0->p[met0->np - 1];
01259 }
  
```

Here is the call graph for this function:



5.31.2.10 void module\_sedi ( ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, int *ip*, double *dt* )

Calculate sedimentation of air parcels.


Definition at line 1263 of file [trac.c](#).

```

01269     {
01270
01271     /* Coefficients for Cunningham slip-flow correction (Kasten, 1968): */
01272     const double A = 1.249, B = 0.42, C = 0.87;
01273
01274     /* Specific gas constant for dry air [J/(kg K)]: */
01275     const double R = 287.058;
01276
01277     /* Average mass of an air molecule [kg/molec]: */
01278     const double m = 4.8096e-26;
01279
01280     double G, K, eta, lambda, p, r_p, rho, rho_p, T, v, v_p;
01281
01282     /* Check if parameters are available... */
01283     if (ctl->qnt_r < 0 || ctl->qnt_rho < 0)
01284         return;
01285
01286     /* Convert units... */
01287     p = 100 * atm->p[ip];
01288     r_p = 1e-6 * atm->q[ctl->qnt_r][ip];
01289     rho_p = atm->q[ctl->qnt_rho][ip];
01290
01291     /* Get temperature... */
01292     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
01293                   atm->lat[ip], NULL, &T, NULL, NULL, NULL, NULL, NULL);
01294
01295     /* Density of dry air... */
01296     rho = p / (R * T);
01297
01298     /* Dynamic viscosity of air... */
01299     eta = 1.8325e-5 * (416.16 / (T + 120.)) * pow(T / 296.16, 1.5);
01300
01301     /* Thermal velocity of an air molecule... */
01302     v = sqrt(8 * GSL_CONST_MKSA_BOLTZMANN * T / (M_PI * m));
01303
01304     /* Mean free path of an air molecule... */
01305     lambda = 2 * eta / (rho * v);
01306
01307     /* Knudsen number for air... */
01308     K = lambda / r_p;
01309
01310     /* Cunningham slip-flow correction... */
01311     G = 1 + K * (A + B * exp(-C / K));
01312
01313     /* Sedimentation (fall) velocity... */
01314     v_p =
01315         2. * gsl_pow_2(r_p) * (rho_p -
                                rho) * GSL_CONST_MKSA_GRAV_ACCEL / (9. * eta) * G;
01317
01318     /* Calculate pressure change... */
01319     atm->p[ip] += dz2dp(v_p * dt / 1000., atm->p[ip]);
01320 }

```

Here is the call graph for this function:



5.31.2.11 void write\_output ( const char \* *dirname*, ctl\_t \* *ctl*, met\_t \* *met0*, met\_t \* *met1*, atm\_t \* *atm*, double *t* )

Write simulation output.


Definition at line 1324 of file [trac.c](#).

```

01330         {
01331
01332     char filename[LEN];
01333
01334     double r;
01335
01336     int year, mon, day, hour, min, sec;
01337
01338     /* Get time... */
01339     jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01340
01341     /* Write atmospheric data... */
01342     if (ctl->atm_basename[0] != '-' && fmod(t, ctl->atm_dt_out) == 0) {
01343         sprintf(filename, "%s/%s_%04d_%02d_%02d_%02d.tab",
01344             dirname, ctl->atm_basename, year, mon, day, hour, min);
01345         write_atm(filename, ctl, atm, t);
01346     }
01347
01348     /* Write CSI data... */
01349     if (ctl->csi_basename[0] != '-') {
01350         sprintf(filename, "%s/%s.tab", dirname, ctl->csi_basename);
01351         write_csi(filename, ctl, atm, t);
01352     }
01353
01354     /* Write ensemble data... */
01355     if (ctl->ens_basename[0] != '-') {
01356         sprintf(filename, "%s/%s.tab", dirname, ctl->ens_basename);
01357         write_ens(filename, ctl, atm, t);
01358     }
01359
01360     /* Write gridded data... */
01361     if (ctl->grid_basename[0] != '-' && fmod(t, ctl->grid_dt_out) == 0) {
01362         sprintf(filename, "%s/%s_%04d_%02d_%02d_%02d.tab",
01363             dirname, ctl->grid_basename, year, mon, day, hour, min);
01364         write_grid(filename, ctl, met0, met1, atm, t);
01365     }
01366
01367     /* Write profile data... */
01368     if (ctl->prof_basename[0] != '-') {
01369         sprintf(filename, "%s/%s.tab", dirname, ctl->prof_basename);
01370         write_prof(filename, ctl, met0, met1, atm, t);
01371     }
01372
01373     /* Write station data... */
01374     if (ctl->stat_basename[0] != '-') {
01375         sprintf(filename, "%s/%s.tab", dirname, ctl->stat_basename);
01376         write_station(filename, ctl, atm, t);
01377     }
01378 }

```

Here is the call graph for this function:



## 5.31.2.12 int main ( int argc, char \* argv[] )

Definition at line 166 of file trac.c.

```

00168         {
00169
00170     ctl_t ctl;
00171
00172     atm_t *atm;
00173
00174     met_t *met0, *met1;
00175
00176     gsl_rng *rng[NTHREADS];
00177
00178     FILE *dirlist;
00179
00180     char dirname[LEN], filename[LEN];
00181
00182     double *dt, t, t0;
00183
00184     int i, ip, ntask = 0, rank = 0, size = 1;
00185
00186 #ifdef MPI
00187     /* Initialize MPI... */
00188     MPI_Init(&argc, &argv);
00189     MPI_Comm_rank(MPI_COMM_WORLD, &rank);
00190     MPI_Comm_size(MPI_COMM_WORLD, &size);
00191 #endif
00192
00193     /* Check arguments... */
00194     if (argc < 5)
00195         ERRMSG("Give parameters: <dirlist> <ctl> <atm_in> <metbase>");
00196
00197     /* Open directory list... */
00198     if (!(dirlist = fopen(argv[1], "r")))
00199         ERRMSG("Cannot open directory list!");
00200
00201     /* Loop over directories... */
00202     while (fscanf(dirlist, "%s", dirname) != EOF) {
00203
00204         /* MPI parallelization... */
00205         if ((++ntask) % size != rank)
00206             continue;
00207
00208         /* -----
00209          Initialize model run...
00210          ----- */
00211
00212         /* Set timers... */
00213         START_TIMER(TIMER_TOTAL);
00214         START_TIMER(TIMER_INIT);
00215
00216         /* Allocate... */
00217         ALLOC(atm, atm_t, 1);
00218         ALLOC(met0, met_t, 1);
00219         ALLOC(met1, met_t, 1);
00220         ALLOC(dt, double,
00221              NP);
00222
00223         /* Read control parameters... */
00224         sprintf(filename, "%s/%s", dirname, argv[2]);
00225         read_ctl(filename, argc, argv, &ctl);
00226
00227         /* Initialize random number generators... */
00228         gsl_rng_env_setup();
00229         for (i = 0; i < NTHREADS; i++)
00230             rng[i] = gsl_rng_alloc(gsl_rng_default);
00231
00232         /* Read atmospheric data... */
00233         sprintf(filename, "%s/%s", dirname, argv[3]);
00234         read_atm(filename, &ctl, atm);
00235
00236         /* Get simulation time interval... */
00237         init_simtime(&ctl, atm);
00238
00239         /* Get rounded start time... */
00240         if (ctl.direction == 1)
00241             t0 = floor(ctl.t_start / ctl.dt_mod) * ctl.dt_mod;
00242         else
00243             t0 = ceil(ctl.t_start / ctl.dt_mod) * ctl.dt_mod;
00244
00245         /* Set timers... */
00246         STOP_TIMER(TIMER_INIT);
00247

```

```

00248      /* -----
00249      Loop over timesteps...
00250      ----- */
00251
00252      /* Loop over timesteps... */
00253      for (t = t0; ctl.direction * (t - ctl.t_stop) < ctl.dt_mod;
00254           t += ctl.direction * ctl.dt_mod) {
00255
00256          /* Adjust length of final time step... */
00257          if (ctl.direction * (t - ctl.t_stop) > 0)
00258              t = ctl.t_stop;
00259
00260          /* Set time steps for air parcels... */
00261          for (ip = 0; ip < atm->np; ip++)
00262              if ((ctl.direction * (atm->time[ip] - ctl.t_start) >= 0
00263                  && ctl.direction * (atm->time[ip] - ctl.t_stop) <= 0
00264                  && ctl.direction * (atm->time[ip] - t) < 0))
00265                  dt[ip] = t - atm->time[ip];
00266              else
00267                  dt[ip] = GSL_NAN;
00268
00269          /* Get meteorological data... */
00270          START_TIMER(TIMER_INPUT);
00271          get_met(&ctl, argv[4], t, met0, met1);
00272          STOP_TIMER(TIMER_INPUT);
00273
00274          /* Initialize isosurface... */
00275          START_TIMER(TIMER_ISOSURF);
00276          if (t == t0)
00277              module_isosurf(&ctl, met0, met1, atm, -1);
00278          STOP_TIMER(TIMER_ISOSURF);
00279
00280          /* Advection... */
00281          START_TIMER(TIMER_ADVECT);
00282          #pragma omp parallel for default(shared) private(ip)
00283          for (ip = 0; ip < atm->np; ip++)
00284              if (gsl_finite(dt[ip]))
00285                  module_advection(met0, met1, atm, ip, dt[ip]);
00286          STOP_TIMER(TIMER_ADVECT);
00287
00288          /* Turbulent diffusion... */
00289          START_TIMER(TIMER_DIFFTURB);
00290          #pragma omp parallel for default(shared) private(ip)
00291          for (ip = 0; ip < atm->np; ip++)
00292              if (gsl_finite(dt[ip]))
00293                  module_diffusion_turb(&ctl, atm, ip, dt[ip],
00294                                         rng[omp_get_thread_num()]);
00295          STOP_TIMER(TIMER_DIFFTURB);
00296
00297          /* Mesoscale diffusion... */
00298          START_TIMER(TIMER_DIFFMESO);
00299          #pragma omp parallel for default(shared) private(ip)
00300          for (ip = 0; ip < atm->np; ip++)
00301              if (gsl_finite(dt[ip]))
00302                  module_diffusion_meso(&ctl, met0, met1, atm, ip, dt[ip],
00303                                         rng[omp_get_thread_num()]);
00304          STOP_TIMER(TIMER_DIFFMESO);
00305
00306          /* Sedimentation... */
00307          START_TIMER(TIMER_SEDI);
00308          #pragma omp parallel for default(shared) private(ip)
00309          for (ip = 0; ip < atm->np; ip++)
00310              if (gsl_finite(dt[ip]))
00311                  module_sedi(&ctl, met0, met1, atm, ip, dt[ip]);
00312          STOP_TIMER(TIMER_SEDI);
00313
00314          /* Isosurface... */
00315          START_TIMER(TIMER_ISOSURF);
00316          #pragma omp parallel for default(shared) private(ip)
00317          for (ip = 0; ip < atm->np; ip++)
00318              module_isosurf(&ctl, met0, met1, atm, ip);
00319          STOP_TIMER(TIMER_ISOSURF);
00320
00321          /* Position... */
00322          START_TIMER(TIMER_POSITION);
00323          #pragma omp parallel for default(shared) private(ip)
00324          for (ip = 0; ip < atm->np; ip++)
00325              module_position(met0, met1, atm, ip);
00326          STOP_TIMER(TIMER_POSITION);
00327
00328          /* Meteorological data... */
00329          START_TIMER(TIMER_METEO);
00330          module_meteo(&ctl, met0, met1, atm, 0);
00331          #pragma omp parallel for default(shared) private(ip)
00332          for (ip = 1; ip < atm->np; ip++)
00333              module_meteo(&ctl, met0, met1, atm, ip);
00334          STOP_TIMER(TIMER_METEO);

```


```

00335
00336     /* Decay... */
00337     START_TIMER(TIMER_DECAY);
00338 #pragma omp parallel for default(shared) private(ip)
00339     for (ip = 0; ip < atm->np; ip++)
00340         if (gsl_finite(dt[ip]))
00341             module_decay(&ctl, met0, met1, atm, ip, dt[ip]);
00342     STOP_TIMER(TIMER_DECAY);
00343
00344     /* Write output... */
00345     START_TIMER(TIMER_OUTPUT);
00346     write_output(dirname, &ctl, met0, met1, atm, t);
00347     STOP_TIMER(TIMER_OUTPUT);
00348 }
00349
00350 /* -----
00351     Finalize model run...
00352     ----- */
00353
00354 /* Report timers... */
00355 STOP_TIMER(TIMER_TOTAL);
00356 PRINT_TIMER(TIMER_TOTAL);
00357 PRINT_TIMER(TIMER_INIT);
00358 PRINT_TIMER(TIMER_INPUT);
00359 PRINT_TIMER(TIMER_OUTPUT);
00360 PRINT_TIMER(TIMER_ADVECT);
00361 PRINT_TIMER(TIMER_DECAY);
00362 PRINT_TIMER(TIMER_DIFFMESO);
00363 PRINT_TIMER(TIMER_DIFFTURB);
00364 PRINT_TIMER(TIMER_ISOSURF);
00365 PRINT_TIMER(TIMER_METEO);
00366 PRINT_TIMER(TIMER_POSITION);
00367 PRINT_TIMER(TIMER_SEDI);
00368
00369 /* Report memory usage... */
00370 printf("MEMORY_ATM = %g MByte\n", 2. * sizeof(atm_t) / 1024. / 1024.);
00371 printf("MEMORY_METEO = %g MByte\n", 2. * sizeof(met_t) / 1024. / 1024.);
00372 printf("MEMORY_DYNAMIC = %g MByte\n",
00373        NP * sizeof(double) / 1024. / 1024.);
00374 printf("MEMORY_STATIC = %g MByte\n",
00375        ((EX + EY) + (2 + NQ) * GX * GY * GZ) * sizeof(double)
00376        + (EX * EY + EX * EY * EP) * sizeof(float)
00377        + (2 * GX * GY * GZ) * sizeof(int)) / 1024. / 1024.);
00378
00379 /* Report problem size... */
00380 printf("SIZE_NP = %d\n", atm->np);
00381 printf("SIZE_TASKS = %d\n", size);
00382 printf("SIZE_THREADS = %d\n", omp_get_max_threads());
00383
00384 /* Free random number generators... */
00385 for (i = 0; i < NTHREADS; i++)
00386     gsl_rng_free(rng[i]);
00387
00388 /* Free... */
00389 free(atm);
00390 free(met0);
00391 free(met1);
00392 free(dt);
00393 }
00394
00395 #ifdef MPI
00396 /* Finalize MPI... */
00397 MPI_Finalize();
00398 #endif
00399
00400 return EXIT_SUCCESS;
00401 }

```



Here is the call graph for this function:



## 5.32 trac.c

```

00001 /*
00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018 */
00019
00025 #include "libtrac.h"
00026
00027 #ifdef MPI
00028 #include "mpi.h"
00029 #endif
00030

```

```

00031 /* -----
00032     Defines...
00033     ----- */
00034
00036 #define TIMER_TOTAL 0
00037
00039 #define TIMER_INIT 1
00040
00042 #define TIMER_INPUT 2
00043
00045 #define TIMER_OUTPUT 3
00046
00048 #define TIMER_ADVECT 4
00049
00051 #define TIMER_DECAY 5
00052
00054 #define TIMER_DIFFMESO 6
00055
00057 #define TIMER_DIFFTURB 7
00058
00060 #define TIMER_ISOSURF 8
00061
00063 #define TIMER_METEO 9
00064
00066 #define TIMER_POSITION 10
00067
00069 #define TIMER_SEDI 11
00070
00071 /* -----
00072     Functions...
00073     ----- */
00074
00076 void init_simtime(
00077     ctl_t * ctl,
00078     atm_t * atm);
00079
00081 void module_advection(
00082     met_t * met0,
00083     met_t * met1,
00084     atm_t * atm,
00085     int ip,
00086     double dt);
00087
00089 void module_decay(
00090     ctl_t * ctl,
00091     met_t * met0,
00092     met_t * met1,
00093     atm_t * atm,
00094     int ip,
00095     double dt);
00096
00098 void module_diffusion_meso(
00099     ctl_t * ctl,
00100     met_t * met0,
00101     met_t * met1,
00102     atm_t * atm,
00103     int ip,
00104     double dt,
00105     gsl_rng * rng);
00106
00108 void module_diffusion_turb(
00109     ctl_t * ctl,
00110     atm_t * atm,
00111     int ip,
00112     double dt,
00113     gsl_rng * rng);
00114
00116 void module_isosurf(
00117     ctl_t * ctl,
00118     met_t * met0,
00119     met_t * met1,
00120     atm_t * atm,
00121     int ip);
00122
00124 void module_meteo(
00125     ctl_t * ctl,
00126     met_t * met0,
00127     met_t * met1,
00128     atm_t * atm,
00129     int ip);
00130
00132 double module_meteo_hno3(
00133     double t,
00134     double lat,
00135     double p);
00136
00138 void module_position(

```

```

00139     met_t * met0,
00140     met_t * met1,
00141     atm_t * atm,
00142     int ip);
00143
00145 void module_sedi(
00146     ctl_t * ctl,
00147     met_t * met0,
00148     met_t * met1,
00149     atm_t * atm,
00150     int ip,
00151     double dt);
00152
00154 void write_output(
00155     const char *dirname,
00156     ctl_t * ctl,
00157     met_t * met0,
00158     met_t * met1,
00159     atm_t * atm,
00160     double t);
00161
00162 /* -----
00163     Main...
00164     ----- */
00165
00166 int main(
00167     int argc,
00168     char *argv[]) {
00169
00170     ctl_t ctl;
00171
00172     atm_t *atm;
00173
00174     met_t *met0, *met1;
00175
00176     gsl_rng *rng[NTHREADS];
00177
00178     FILE *dirlist;
00179
00180     char dirname[LEN], filename[LEN];
00181
00182     double *dt, t, t0;
00183
00184     int i, ip, ntask = 0, rank = 0, size = 1;
00185
00186 #ifdef MPI
00187     /* Initialize MPI... */
00188     MPI_Init(&argc, &argv);
00189     MPI_Comm_rank(MPI_COMM_WORLD, &rank);
00190     MPI_Comm_size(MPI_COMM_WORLD, &size);
00191 #endif
00192
00193     /* Check arguments... */
00194     if (argc < 5)
00195         ERRMSG("Give parameters: <dirlist> <ctl> <atm_in> <metbase>");
00196
00197     /* Open directory list... */
00198     if (!(dirlist = fopen(argv[1], "r")))
00199         ERRMSG("Cannot open directory list!");
00200
00201     /* Loop over directories... */
00202     while (fscanf(dirlist, "%s", dirname) != EOF) {
00203
00204         /* MPI parallelization... */
00205         if ((++ntask) % size != rank)
00206             continue;
00207
00208         /* -----
00209             Initialize model run...
00210             ----- */
00211
00212         /* Set timers... */
00213         START_TIMER(TIMER_TOTAL);
00214         START_TIMER(TIMER_INIT);
00215
00216         /* Allocate... */
00217         ALLOC(atm, atm_t, 1);
00218         ALLOC(met0, met_t, 1);
00219         ALLOC(met1, met_t, 1);
00220         ALLOC(dt, double,
00221             NP);
00222
00223         /* Read control parameters... */
00224         sprintf(filename, "%s/%s", dirname, argv[2]);
00225         read_ctl(filename, argc, argv, &ctl);
00226
00227         /* Initialize random number generators... */

```

```

00228     gsl_rng_env_setup();
00229     for (i = 0; i < NTHREADS; i++)
00230         rng[i] = gsl_rng_alloc(gsl_rng_default);
00231
00232     /* Read atmospheric data... */
00233     sprintf(filename, "%s/%s", dirname, argv[3]);
00234     read_atm(filename, &ctl, atm);
00235
00236     /* Get simulation time interval... */
00237     init_simtime(&ctl, atm);
00238
00239     /* Get rounded start time... */
00240     if (ctl.direction == 1)
00241         t0 = floor(ctl.t_start / ctl.dt_mod) * ctl.dt_mod;
00242     else
00243         t0 = ceil(ctl.t_start / ctl.dt_mod) * ctl.dt_mod;
00244
00245     /* Set timers... */
00246     STOP_TIMER(TIMER_INIT);
00247
00248     /* -----
00249     Loop over timesteps...
00250     ----- */
00251
00252     /* Loop over timesteps... */
00253     for (t = t0; ctl.direction * (t - ctl.t_stop) < ctl.dt_mod;
00254          t += ctl.direction * ctl.dt_mod) {
00255
00256         /* Adjust length of final time step... */
00257         if (ctl.direction * (t - ctl.t_stop) > 0)
00258             t = ctl.t_stop;
00259
00260         /* Set time steps for air parcels... */
00261         for (ip = 0; ip < atm->np; ip++)
00262             if ((ctl.direction * (atm->time[ip] - ctl.t_start) >= 0
00263                 && ctl.direction * (atm->time[ip] - ctl.t_stop) <= 0
00264                 && ctl.direction * (atm->time[ip] - t) < 0))
00265                 dt[ip] = t - atm->time[ip];
00266             else
00267                 dt[ip] = GSL_NAN;
00268
00269         /* Get meteorological data... */
00270         START_TIMER(TIMER_INPUT);
00271         get_met(&ctl, argv[4], t, met0, met1);
00272         STOP_TIMER(TIMER_INPUT);
00273
00274         /* Initialize isosurface... */
00275         START_TIMER(TIMER_ISOSURF);
00276         if (t == t0)
00277             module_isosurf(&ctl, met0, met1, atm, -1);
00278         STOP_TIMER(TIMER_ISOSURF);
00279
00280         /* Advection... */
00281         START_TIMER(TIMER_ADVECT);
00282         #pragma omp parallel for default(shared) private(ip)
00283         for (ip = 0; ip < atm->np; ip++)
00284             if (gsl_finite(dt[ip]))
00285                 module_advection(met0, met1, atm, ip, dt[ip]);
00286         STOP_TIMER(TIMER_ADVECT);
00287
00288         /* Turbulent diffusion... */
00289         START_TIMER(TIMER_DIFFTURB);
00290         #pragma omp parallel for default(shared) private(ip)
00291         for (ip = 0; ip < atm->np; ip++)
00292             if (gsl_finite(dt[ip]))
00293                 module_diffusion_turb(&ctl, atm, ip, dt[ip],
00294                                     rng[omp_get_thread_num()]);
00295         STOP_TIMER(TIMER_DIFFTURB);
00296
00297         /* Mesoscale diffusion... */
00298         START_TIMER(TIMER_DIFFMESO);
00299         #pragma omp parallel for default(shared) private(ip)
00300         for (ip = 0; ip < atm->np; ip++)
00301             if (gsl_finite(dt[ip]))
00302                 module_diffusion_meso(&ctl, met0, met1, atm, ip, dt[ip],
00303                                     rng[omp_get_thread_num()]);
00304         STOP_TIMER(TIMER_DIFFMESO);
00305
00306         /* Sedimentation... */
00307         START_TIMER(TIMER_SEDI);
00308         #pragma omp parallel for default(shared) private(ip)
00309         for (ip = 0; ip < atm->np; ip++)
00310             if (gsl_finite(dt[ip]))
00311                 module_sedi(&ctl, met0, met1, atm, ip, dt[ip]);
00312         STOP_TIMER(TIMER_SEDI);
00313
00314         /* Isosurface... */

```

```

00315     START_TIMER(TIMER_ISOSURF);
00316 #pragma omp parallel for default(shared) private(ip)
00317     for (ip = 0; ip < atm->np; ip++)
00318         module_isosurf(&ctl, met0, met1, atm, ip);
00319     STOP_TIMER(TIMER_ISOSURF);
00320
00321     /* Position... */
00322     START_TIMER(TIMER_POSITION);
00323 #pragma omp parallel for default(shared) private(ip)
00324     for (ip = 0; ip < atm->np; ip++)
00325         module_position(met0, met1, atm, ip);
00326     STOP_TIMER(TIMER_POSITION);
00327
00328     /* Meteorological data... */
00329     START_TIMER(TIMER_METEO);
00330     module_meteo(&ctl, met0, met1, atm, 0);
00331 #pragma omp parallel for default(shared) private(ip)
00332     for (ip = 1; ip < atm->np; ip++)
00333         module_meteo(&ctl, met0, met1, atm, ip);
00334     STOP_TIMER(TIMER_METEO);
00335
00336     /* Decay... */
00337     START_TIMER(TIMER_DECAY);
00338 #pragma omp parallel for default(shared) private(ip)
00339     for (ip = 0; ip < atm->np; ip++)
00340         if (gsl_finite(dt[ip]))
00341             module_decay(&ctl, met0, met1, atm, ip, dt[ip]);
00342     STOP_TIMER(TIMER_DECAY);
00343
00344     /* Write output... */
00345     START_TIMER(TIMER_OUTPUT);
00346     write_output(dirname, &ctl, met0, met1, atm, t);
00347     STOP_TIMER(TIMER_OUTPUT);
00348 }
00349
00350 /* -----
00351     Finalize model run...
00352     ----- */
00353
00354 /* Report timers... */
00355 STOP_TIMER(TIMER_TOTAL);
00356 PRINT_TIMER(TIMER_TOTAL);
00357 PRINT_TIMER(TIMER_INIT);
00358 PRINT_TIMER(TIMER_INPUT);
00359 PRINT_TIMER(TIMER_OUTPUT);
00360 PRINT_TIMER(TIMER_ADVECT);
00361 PRINT_TIMER(TIMER_DECAY);
00362 PRINT_TIMER(TIMER_DIFFMESO);
00363 PRINT_TIMER(TIMER_DIFFTURB);
00364 PRINT_TIMER(TIMER_ISOSURF);
00365 PRINT_TIMER(TIMER_METEO);
00366 PRINT_TIMER(TIMER_POSITION);
00367 PRINT_TIMER(TIMER_SEDI);
00368
00369 /* Report memory usage... */
00370 printf("MEMORY_ATM = %g MByte\n", 2. * sizeof(atm_t) / 1024. / 1024.);
00371 printf("MEMORY_METEO = %g MByte\n", 2. * sizeof(met_t) / 1024. / 1024.);
00372 printf("MEMORY_DYNAMIC = %g MByte\n",
00373        NP * sizeof(double) / 1024. / 1024.);
00374 printf("MEMORY_STATIC = %g MByte\n",
00375        ((EX + EY) + (2 + NQ) * GX * GY * GZ) * sizeof(double)
00376        + (EX * EY + EX * EY * EP) * sizeof(float)
00377        + (2 * GX * GY * GZ) * sizeof(int)) / 1024. / 1024.);
00378
00379 /* Report problem size... */
00380 printf("SIZE_NP = %d\n", atm->np);
00381 printf("SIZE_TASKS = %d\n", size);
00382 printf("SIZE_THREADS = %d\n", omp_get_max_threads());
00383
00384 /* Free random number generators... */
00385 for (i = 0; i < NTHREADS; i++)
00386     gsl_rng_free(rng[i]);
00387
00388 /* Free... */
00389 free(atm);
00390 free(met0);
00391 free(met1);
00392 free(dt);
00393 }
00394
00395 #ifdef MPI
00396 /* Finalize MPI... */
00397 MPI_Finalize();
00398 #endif
00399
00400 return EXIT_SUCCESS;
00401 }

```

```

00402
00403 /*****
00404
00405 void init_simtime(
00406     ctl_t * ctl,
00407     atm_t * atm) {
00408
00409     /* Set initial and final time... */
00410     if (ctl->direction == 1) {
00411         if (ctl->t_start < -1e99)
00412             ctl->t_start = gsl_stats_min(atm->time, 1, (size_t) atm->np);
00413         if (ctl->t_stop < -1e99)
00414             ctl->t_stop = gsl_stats_max(atm->time, 1, (size_t) atm->np);
00415     } else if (ctl->direction == -1) {
00416         if (ctl->t_stop < -1e99)
00417             ctl->t_stop = gsl_stats_min(atm->time, 1, (size_t) atm->np);
00418         if (ctl->t_start < -1e99)
00419             ctl->t_start = gsl_stats_max(atm->time, 1, (size_t) atm->np);
00420     }
00421
00422     /* Check time... */
00423     if (ctl->direction * (ctl->t_stop - ctl->t_start) <= 0)
00424         ERRMSG("Nothing to do!");
00425 }
00426
00427 /*****
00428
00429 void module_advection(
00430     met_t * met0,
00431     met_t * met1,
00432     atm_t * atm,
00433     int ip,
00434     double dt) {
00435
00436     double v[3], xm[3];
00437
00438     /* Interpolate meteorological data... */
00439     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00440         atm->lon[ip], atm->lat[ip], NULL, NULL,
00441         &v[0], &v[1], &v[2], NULL, NULL);
00442
00443     /* Get position of the mid point... */
00444     xm[0] = atm->lon[ip] + dx2deg(0.5 * dt * v[0] / 1000., atm->lat[ip]);
00445     xm[1] = atm->lat[ip] + dy2deg(0.5 * dt * v[1] / 1000.);
00446     xm[2] = atm->p[ip] + 0.5 * dt * v[2];
00447
00448     /* Interpolate meteorological data for mid point... */
00449     intpol_met_time(met0, met1, atm->time[ip] + 0.5 * dt,
00450         xm[2], xm[0], xm[1], NULL, NULL,
00451         &v[0], &v[1], &v[2], NULL, NULL);
00452
00453     /* Save new position... */
00454     atm->time[ip] += dt;
00455     atm->lon[ip] += dx2deg(dt * v[0] / 1000., xm[1]);
00456     atm->lat[ip] += dy2deg(dt * v[1] / 1000.);
00457     atm->p[ip] += dt * v[2];
00458 }
00459
00460 /*****
00461
00462 void module_decay(
00463     ctl_t * ctl,
00464     met_t * met0,
00465     met_t * met1,
00466     atm_t * atm,
00467     int ip,
00468     double dt) {
00469
00470     double ps, pt, tdec;
00471
00472     /* Check lifetime values... */
00473     if ((ctl->tdec_trop <= 0 && ctl->tdec_strat <= 0) || ctl->
qnt_m < 0)
00474         return;
00475
00476     /* Set constant lifetime... */
00477     if (ctl->tdec_trop == ctl->tdec_strat)
00478         tdec = ctl->tdec_trop;
00479
00480     /* Set altitude-dependent lifetime... */
00481     else {
00482
00483         /* Get surface pressure... */
00484         intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00485             atm->lon[ip], atm->lat[ip], &ps, NULL,
00486             NULL, NULL, NULL, NULL, NULL);
00487

```

```

00488      /* Get tropopause pressure... */
00489      pt = tropopause(atm->time[ip], atm->lat[ip]);
00490
00491      /* Set lifetime... */
00492      if (atm->p[ip] <= pt)
00493          tdec = ctl->tdec_strat;
00494      else
00495          tdec = LIN(ps, ctl->tdec_trop, pt, ctl->tdec_strat, atm->
p[ip]);
00496  }
00497
00498      /* Calculate exponential decay... */
00499      atm->q[ctl->qnt_m][ip] *= exp(-dt / tdec);
00500  }
00501
00502  /*****
00503
00504  void module_diffusion_meso(
00505      ctl_t * ctl,
00506      met_t * met0,
00507      met_t * met1,
00508      atm_t * atm,
00509      int ip,
00510      double dt,
00511      gsl_rng * rng) {
00512
00513      double r, rs, u[16], v[16], w[16], usig, vsig, wsig;
00514
00515      int ix, iy, iz;
00516
00517      /* Calculate mesoscale velocity fluctuations... */
00518      if (ctl->turb_meso > 0) {
00519
00520          /* Get indices... */
00521          ix = locate(met0->lon, met0->nx, atm->lon[ip]);
00522          iy = locate(met0->lat, met0->ny, atm->lat[ip]);
00523          iz = locate(met0->p, met0->np, atm->p[ip]);
00524
00525          /* Collect local wind data... */
00526          u[0] = met0->u[ix][iy][iz];
00527          u[1] = met0->u[ix + 1][iy][iz];
00528          u[2] = met0->u[ix][iy + 1][iz];
00529          u[3] = met0->u[ix + 1][iy + 1][iz];
00530          u[4] = met0->u[ix][iy][iz + 1];
00531          u[5] = met0->u[ix + 1][iy][iz + 1];
00532          u[6] = met0->u[ix][iy + 1][iz + 1];
00533          u[7] = met0->u[ix + 1][iy + 1][iz + 1];
00534
00535          v[0] = met0->v[ix][iy][iz];
00536          v[1] = met0->v[ix + 1][iy][iz];
00537          v[2] = met0->v[ix][iy + 1][iz];
00538          v[3] = met0->v[ix + 1][iy + 1][iz];
00539          v[4] = met0->v[ix][iy][iz + 1];
00540          v[5] = met0->v[ix + 1][iy][iz + 1];
00541          v[6] = met0->v[ix][iy + 1][iz + 1];
00542          v[7] = met0->v[ix + 1][iy + 1][iz + 1];
00543
00544          w[0] = met0->w[ix][iy][iz];
00545          w[1] = met0->w[ix + 1][iy][iz];
00546          w[2] = met0->w[ix][iy + 1][iz];
00547          w[3] = met0->w[ix + 1][iy + 1][iz];
00548          w[4] = met0->w[ix][iy][iz + 1];
00549          w[5] = met0->w[ix + 1][iy][iz + 1];
00550          w[6] = met0->w[ix][iy + 1][iz + 1];
00551          w[7] = met0->w[ix + 1][iy + 1][iz + 1];
00552
00553          /* Get indices... */
00554          ix = locate(met1->lon, met1->nx, atm->lon[ip]);
00555          iy = locate(met1->lat, met1->ny, atm->lat[ip]);
00556          iz = locate(met1->p, met1->np, atm->p[ip]);
00557
00558          /* Collect local wind data... */
00559          u[8] = met1->u[ix][iy][iz];
00560          u[9] = met1->u[ix + 1][iy][iz];
00561          u[10] = met1->u[ix][iy + 1][iz];
00562          u[11] = met1->u[ix + 1][iy + 1][iz];
00563          u[12] = met1->u[ix][iy][iz + 1];
00564          u[13] = met1->u[ix + 1][iy][iz + 1];
00565          u[14] = met1->u[ix][iy + 1][iz + 1];
00566          u[15] = met1->u[ix + 1][iy + 1][iz + 1];
00567
00568          v[8] = met1->v[ix][iy][iz];
00569          v[9] = met1->v[ix + 1][iy][iz];
00570          v[10] = met1->v[ix][iy + 1][iz];
00571          v[11] = met1->v[ix + 1][iy + 1][iz];
00572          v[12] = met1->v[ix][iy][iz + 1];
00573          v[13] = met1->v[ix + 1][iy][iz + 1];

```

```

00574     v[14] = met1->v[ix][iy + 1][iz + 1];
00575     v[15] = met1->v[ix + 1][iy + 1][iz + 1];
00576
00577     w[8] = met1->w[ix][iy][iz];
00578     w[9] = met1->w[ix + 1][iy][iz];
00579     w[10] = met1->w[ix][iy + 1][iz];
00580     w[11] = met1->w[ix + 1][iy + 1][iz];
00581     w[12] = met1->w[ix][iy][iz + 1];
00582     w[13] = met1->w[ix + 1][iy][iz + 1];
00583     w[14] = met1->w[ix][iy + 1][iz + 1];
00584     w[15] = met1->w[ix + 1][iy + 1][iz + 1];
00585
00586     /* Get standard deviations of local wind data... */
00587     usig = gsl_stats_sd(u, 1, 16);
00588     vsig = gsl_stats_sd(v, 1, 16);
00589     wsig = gsl_stats_sd(w, 1, 16);
00590
00591     /* Set temporal correlations for mesoscale fluctuations... */
00592     r = 1 - 2 * fabs(dt) / ctl->dt_met;
00593     rs = sqrt(1 - r * r);
00594
00595     /* Calculate mesoscale wind fluctuations... */
00596     atm->up[ip] =
00597         r * atm->up[ip] + rs * gsl_ran_gaussian_ziggurat(rng,
00598                                                         ctl->turb_meso * usig);
00599     atm->vp[ip] =
00600         r * atm->vp[ip] + rs * gsl_ran_gaussian_ziggurat(rng,
00601                                                         ctl->turb_meso * vsig);
00602     atm->wp[ip] =
00603         r * atm->wp[ip] + rs * gsl_ran_gaussian_ziggurat(rng,
00604                                                         ctl->turb_meso * wsig);
00605
00606     /* Calculate air parcel displacement... */
00607     atm->lon[ip] += dx2deg(atm->up[ip] * dt / 1000., atm->lat[ip]);
00608     atm->lat[ip] += dy2deg(atm->vp[ip] * dt / 1000.);
00609     atm->p[ip] += atm->wp[ip] * dt;
00610 }
00611 }
00612
00613 /*****
00614 void module_diffusion_turb(
00615     ctl_t * ctl,
00616     atm_t * atm,
00617     int ip,
00618     double dt,
00619     gsl_rng * rng) {
00620
00621     double dx, dz, pt, p0, p1, w;
00622
00623     /* Get tropopause pressure... */
00624     pt = tropopause(atm->time[ip], atm->lat[ip]);
00625
00626     /* Get weighting factor... */
00627     p1 = pt * 0.866877899;
00628     p0 = pt / 0.866877899;
00629     if (atm->p[ip] > p0)
00630         w = 1;
00631     else if (atm->p[ip] < p1)
00632         w = 0;
00633     else
00634         w = LIN(p0, 1.0, p1, 0.0, atm->p[ip]);
00635
00636     /* Set diffusivity... */
00637     dx = w * ctl->turb_dx_trop + (1 - w) * ctl->turb_dx_strat;
00638     dz = w * ctl->turb_dz_trop + (1 - w) * ctl->turb_dz_strat;
00639
00640     /* Horizontal turbulent diffusion... */
00641     if (dx > 0) {
00642         atm->lon[ip]
00643             += dx2deg(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dx * fabs(dt)))
00644                     / 1000., atm->lat[ip]);
00645         atm->lat[ip]
00646             += dy2deg(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dx * fabs(dt)))
00647                     / 1000.);
00648     }
00649
00650     /* Vertical turbulent diffusion... */
00651     if (dz > 0)
00652         atm->p[ip]
00653             += dz2dp(gsl_ran_gaussian_ziggurat(rng, sqrt(2.0 * dz * fabs(dt)))
00654                   / 1000., atm->p[ip]);
00655 }
00656
00657 /*****
00658 void module_isosurf(
00659
00660

```



```

00661     ctl_t * ctl,
00662     met_t * met0,
00663     met_t * met1,
00664     atm_t * atm,
00665     int ip) {
00666
00667     static double *iso, *ps, t, *ts;
00668
00669     static int idx, ip2, n, nb = 100000;
00670
00671     FILE *in;
00672
00673     char line[LEN];
00674
00675     /* Check control parameter... */
00676     if (ctl->isosurf < 1 || ctl->isosurf > 4)
00677         return;
00678
00679     /* Initialize... */
00680     if (ip < 0) {
00681
00682         /* Allocate... */
00683         ALLOC(iso, double,
00684             NP);
00685         ALLOC(ps, double,
00686             nb);
00687         ALLOC(ts, double,
00688             nb);
00689
00690         /* Save pressure... */
00691         if (ctl->isosurf == 1)
00692             for (ip2 = 0; ip2 < atm->np; ip2++)
00693                 iso[ip2] = atm->p[ip2];
00694
00695         /* Save density... */
00696         else if (ctl->isosurf == 2)
00697             for (ip2 = 0; ip2 < atm->np; ip2++) {
00698                 intpol_met_time(met0, met1, atm->time[ip2], atm->p[ip2],
00699                     atm->lon[ip2], atm->lat[ip2], NULL, &t, NULL, NULL,
00700                     NULL, NULL, NULL);
00701                 iso[ip2] = atm->p[ip2] / t;
00702             }
00703
00704         /* Save potential temperature... */
00705         else if (ctl->isosurf == 3)
00706             for (ip2 = 0; ip2 < atm->np; ip2++) {
00707                 intpol_met_time(met0, met1, atm->time[ip2], atm->p[ip2],
00708                     atm->lon[ip2], atm->lat[ip2], NULL, &t, NULL, NULL,
00709                     NULL, NULL, NULL);
00710                 iso[ip2] = t * pow(P0 / atm->p[ip2], 0.286);
00711             }
00712
00713         /* Read balloon pressure data... */
00714         else if (ctl->isosurf == 4) {
00715
00716             /* Write info... */
00717             printf("Read balloon pressure data: %s\n", ctl->balloon);
00718
00719             /* Open file... */
00720             if (!(in = fopen(ctl->balloon, "r")))
00721                 ERRMSG("Cannot open file!");
00722
00723             /* Read pressure time series... */
00724             while (fgets(line, LEN, in))
00725                 if (sscanf(line, "%lg %lg", &ts[n], &ps[n]) == 2)
00726                     if ((++n) > 100000)
00727                         ERRMSG("Too many data points!");
00728
00729             /* Check number of points... */
00730             if (n < 1)
00731                 ERRMSG("Could not read any data!");
00732
00733             /* Close file... */
00734             fclose(in);
00735         }
00736
00737         /* Leave initialization... */
00738         return;
00739     }
00740
00741     /* Restore pressure... */
00742     if (ctl->isosurf == 1)
00743         atm->p[ip] = iso[ip];
00744
00745     /* Restore density... */
00746     else if (ctl->isosurf == 2) {
00747         intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->

```

```

lon[ip],
00748         atm->lat[ip], NULL, &t, NULL, NULL, NULL, NULL, NULL);
00749     atm->p[ip] = iso[ip] * t;
00750 }
00751
00752 /* Restore potential temperature... */
00753 else if (ctl->isosurf == 3) {
00754     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00755         atm->lat[ip], NULL, &t, NULL, NULL, NULL, NULL, NULL);
00756     atm->p[ip] = P0 * pow(iso[ip] / t, -1. / 0.286);
00757 }
00758
00759 /* Interpolate pressure... */
00760 else if (ctl->isosurf == 4) {
00761     if (atm->time[ip] <= ts[0])
00762         atm->p[ip] = ps[0];
00763     else if (atm->time[ip] >= ts[n - 1])
00764         atm->p[ip] = ps[n - 1];
00765     else {
00766         idx = locate(ts, n, atm->time[ip]);
00767         atm->p[ip] = LIN(ts[idx], ps[idx],
00768             ts[idx + 1], ps[idx + 1], atm->time[ip]);
00769     }
00770 }
00771 }
00772
00773 /*****
00774 void module_meteo(
00775     ctl_t * ctl,
00776     met_t * met0,
00777     met_t * met1,
00778     atm_t * atm,
00779     int ip) {
00780
00781     static FILE *in;
00782
00783     static char filename[LEN], line[LEN];
00784
00785     static double lon[GX], lat[GX], var[GX][GY],
00786         rdum, rlat, rlat_old = -999, rlon, rvar;
00787
00788     static int year_old, mon_old, day_old, nlon, nlat;
00789
00790     double a, b, c, ps, pl, p_hno3, p_h2o, t, tl, u, ul, v, vl, w,
00791         xl, x2, h2o, o3, grad, vort, var0, var1;
00792
00793     int day, mon, year, idum, ilat, ilon;
00794
00795     /* Interpolate meteorological data... */
00796     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00798         atm->lat[ip], &ps, &t, &u, &v, &w, &h2o, &o3);
00799
00800     /* Set surface pressure... */
00801     if (ctl->qnt_ps >= 0)
00802         atm->q[ctl->qnt_ps][ip] = ps;
00803
00804     /* Set pressure... */
00805     if (ctl->qnt_p >= 0)
00806         atm->q[ctl->qnt_p][ip] = atm->p[ip];
00807
00808     /* Set temperature... */
00809     if (ctl->qnt_t >= 0)
00810         atm->q[ctl->qnt_t][ip] = t;
00811
00812     /* Set zonal wind... */
00813     if (ctl->qnt_u >= 0)
00814         atm->q[ctl->qnt_u][ip] = u;
00815
00816     /* Set meridional wind... */
00817     if (ctl->qnt_v >= 0)
00818         atm->q[ctl->qnt_v][ip] = v;
00819
00820     /* Set vertical velocity... */
00821     if (ctl->qnt_w >= 0)
00822         atm->q[ctl->qnt_w][ip] = w;
00823
00824     /* Set water vapor vmr... */
00825     if (ctl->qnt_h2o >= 0)
00826         atm->q[ctl->qnt_h2o][ip] = h2o;
00827
00828     /* Set ozone vmr... */
00829     if (ctl->qnt_o3 >= 0)
00830         atm->q[ctl->qnt_o3][ip] = o3;
00831

```

```

00832  /* Calculate potential temperature... */
00833  if (ctl->qnt_theta >= 0)
00834      atm->q[ctl->qnt_theta][ip] = t * pow(P0 / atm->p[ip], 0.286);
00835
00836  /* Calculate potential vorticity... */
00837  if (ctl->qnt_pv >= 0) {
00838
00839      /* Absolute vorticity... */
00840      vort = 2 * 7.2921e-5 * sin(atm->lat[ip] * M_PI / 180.);
00841      if (fabs(atm->lat[ip]) < 89.) {
00842          intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
00843                          (atm->lon[ip] >=
00844                           0 ? atm->lon[ip] - 1. : atm->lon[ip] + 1.),
00845                          atm->lat[ip], NULL, NULL, NULL, &v1, NULL, NULL, NULL);
00846          vort += (v1 - v) / 1000.
00847                  / ((atm->lon[ip] >= 0 ? -1 : 1) * deg2dx(1., atm->lat[ip]));
00848      }
00849      intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
lon[ip],
00850                      (atm->lat[ip] >=
00851                       0 ? atm->lat[ip] - 1. : atm->lat[ip] + 1.), NULL, NULL,
00852                      &u1, NULL, NULL, NULL, NULL);
00853      vort += (u1 - u) / 1000. / ((atm->lat[ip] >= 0 ? -1 : 1) * deg2dy(1.));
00854
00855      /* Potential temperature gradient... */
00856      p1 = 0.85 * atm->p[ip];
00857      intpol_met_time(met0, met1, atm->time[ip], p1, atm->lon[ip],
00858                      atm->lat[ip], NULL, &t1, NULL, NULL, NULL, NULL, NULL);
00859      grad = (t1 * pow(P0 / p1, 0.286) - t * pow(P0 / atm->p[ip], 0.286))
00860              / (100. * (p1 - atm->p[ip]));
00861
00862      /* Calculate PV... */
00863      atm->q[ctl->qnt_pv][ip] = -1e6 * G0 * vort * grad;
00864  }
00865
00866  /* Calculate T_ice (Marti and Mauersberger, 1993)... */
00867  if (ctl->qnt_tice >= 0 || ctl->qnt_tsts >= 0)
00868      atm->q[ctl->qnt_tice][ip] =
00869          -2663.5 /
00870          (log10((ctl->p_sc_h2o > 0 ? ctl->p_sc_h2o : h2o) * atm->p[ip] * 100.) -
00871           12.537);
00872
00873  /* Calculate T_NAT (Hanson and Mauersberger, 1988)... */
00874  if (ctl->qnt_tnat >= 0 || ctl->qnt_tsts >= 0) {
00875      if (ctl->p_sc_hno3 > 0)
00876          p_hno3 = ctl->p_sc_hno3 * atm->p[ip] / 1.333224;
00877      else
00878          p_hno3 = module_meteo_hno3(atm->time[ip], atm->lat[ip], atm->
p[ip])
00879          * 1e-9 * atm->p[ip] / 1.333224;
00880      p_h2o = (ctl->p_sc_h2o > 0 ? ctl->p_sc_h2o : h2o) * atm->p[ip] / 1.333224;
00881      a = 0.009179 - 0.00088 * log10(p_h2o);
00882      b = (38.9855 - log10(p_hno3) - 2.7836 * log10(p_h2o)) / a;
00883      c = -11397.0 / a;
00884      x1 = (-b + sqrt(b * b - 4. * c)) / 2.;
00885      x2 = (-b - sqrt(b * b - 4. * c)) / 2.;
00886      if (x1 > 0)
00887          atm->q[ctl->qnt_tnat][ip] = x1;
00888      if (x2 > 0)
00889          atm->q[ctl->qnt_tnat][ip] = x2;
00890  }
00891
00892  /* Calculate T_STS (mean of T_ice and T_NAT)... */
00893  if (ctl->qnt_tsts >= 0) {
00894      if (ctl->qnt_tice < 0 || ctl->qnt_tnat < 0)
00895          ERRMSG("Need T_ice and T_NAT to calculate T_STS!");
00896      atm->q[ctl->qnt_tsts][ip] = 0.5 * (atm->q[ctl->qnt_tice][ip]
00897                                     + atm->q[ctl->qnt_tnat][ip]);
00898  }
00899
00900  /* Read variance data for current day... */
00901  if (ip == 0 && ctl->qnt_gw_var >= 0) {
00902      jsec2time(atm->time[ip], &year, &mon, &day, &idum, &idum, &idum, &rdu);
00903      if (year != year_old || mon != mon_old || day != day_old) {
00904          year_old = year;
00905          mon_old = mon;
00906          day_old = day;
00907          nlon = nlat = -1;
00908          sprintf(filename, "%s_d%02d_%02d.tab",
00909                  ctl->gw_basename, year, mon, day);
00909      if ((in = fopen(filename, "r")) {
00911          printf("Read gravity wave data: %s\n", filename);
00912          while (fgets(line, LEN, in)) {
00913              if (sscanf(line, "%lg %lg %lg", &rln, &rln, &rln) != 3)
00914                  continue;
00915              if (rln != rln_old) {
00916                  rln_old = rln;

```

```

00917         if ((++nlat) > GY)
00918             ERRMSG("Too many latitudes!");
00919         nlon = -1;
00920     }
00921     if ((++nlon) > GX)
00922         ERRMSG("Too many longitudes!");
00923     lon[nlon] = rlon;
00924     lat[nlat] = rlat;
00925     var[nlon][nlat] = GSL_MAX(0, rvar);
00926 }
00927 fclose(in);
00928 nlat++;
00929 nlon++;
00930 } else
00931     printf("Missing gravity wave data: %s\n", filename);
00932 }
00933 }
00934
00935 /* Interpolate variance data... */
00936 if (ctl->qnt_gw_var >= 0) {
00937     if (nlat >= 2 && nlon >= 2) {
00938         ilat = locate(lat, nlat, atm->lat[ip]);
00939         ilon = locate(lon, nlon, atm->lon[ip]);
00940         var0 = LIN(lat[ilat], var[ilon][ilat],
00941                   lat[ilat + 1], var[ilon][ilat + 1], atm->lat[ip]);
00942         var1 = LIN(lat[ilat], var[ilon + 1][ilat],
00943                   lat[ilat + 1], var[ilon + 1][ilat + 1], atm->lat[ip]);
00944         atm->q[ctl->qnt_gw_var][ip]
00945             = LIN(lon[ilon], var0, lon[ilon + 1], var1, atm->lon[ip]);
00946     } else
00947         atm->q[ctl->qnt_gw_var][ip] = GSL_NAN;
00948 }
00949 }
00950
00951 /*****
00952
00953 double module_meteo_hno3(
00954     double t,
00955     double lat,
00956     double p) {
00957
00958     static double secs[12] = { 1209600.00, 3888000.00, 6393600.00,
00959                               9072000.00, 11664000.00, 14342400.00,
00960                               16934400.00, 19612800.00, 22291200.00,
00961                               24883200.00, 27561600.00, 30153600.00
00962 };
00963
00964     static double lats[18] = { -85, -75, -65, -55, -45, -35, -25, -15, -5,
00965                                5, 15, 25, 35, 45, 55, 65, 75, 85
00966 };
00967
00968     static double ps[10] = { 4.64159, 6.81292, 10, 14.678, 21.5443,
00969                              31.6228, 46.4159, 68.1292, 100, 146.78
00970 };
00971
00972     static double hno3[12][18][10] = {
00973         {{0.782, 1.65, 2.9, 4.59, 6.71, 8.25, 7.16, 5.75, 2.9, 1.74},
00974          {0.529, 1.64, 2.76, 4.55, 6.58, 8, 6.99, 5.55, 2.68, 1.57},
00975          {0.723, 1.55, 2.73, 4.48, 6.32, 7.58, 7.05, 5.16, 2.49, 1.54},
00976          {0.801, 1.56, 2.74, 4.52, 6.23, 7.35, 6.68, 4.4, 1.97, 1.23},
00977          {0.818, 1.62, 2.77, 4.38, 5.98, 6.84, 5.83, 3.05, 1.15, 0.709},
00978          {0.901, 1.73, 2.78, 4.21, 5.63, 6.16, 4.68, 1.87, 0.617, 0.37},
00979          {0.997, 1.8, 2.79, 4.09, 4.88, 4.96, 3.12, 1.22, 0.311, 0.244},
00980          {1, 1.71, 2.51, 3.4, 3.74, 3.39, 2.25, 0.845, 0.204, 0.222},
00981          {0.997, 1.7, 2.36, 2.88, 3.01, 2.25, 1.77, 0.608, 0.163, 0.181},
00982          {0.991, 1.79, 2.57, 3.06, 3.08, 2.15, 1.81, 0.59, 0.168, 0.104},
00983          {0.974, 1.86, 2.84, 3.8, 3.93, 3.79, 2.91, 1.02, 0.152, 0.0985},
00984          {0.85, 1.86, 3.3, 5.24, 6.55, 6.86, 5.12, 1.93, 0.378, 0.185},
00985          {0.783, 1.89, 3.85, 6.6, 8.56, 8.66, 6.95, 3.95, 1.47, 0.745},
00986          {0.883, 2.05, 4.34, 7.54, 9.68, 9.77, 8.19, 5.72, 3.15, 1.77},
00987          {1.4, 2.44, 4.72, 8.07, 10.5, 10.9, 9.28, 6.95, 4.47, 2.49},
00988          {1.7, 2.43, 4.24, 7.43, 10.4, 11.2, 9.72, 8.15, 5.7, 2.97},
00989          {2.06, 2.27, 3.68, 6.77, 10.3, 10.3, 9.05, 9.1, 6.73, 3.14},
00990          {2.33, 2.39, 3.51, 6.45, 10.3, 9.88, 8.57, 9.42, 7.22, 3.19}},
00991         {{0.947, 2.21, 3.81, 5.69, 7.55, 8.63, 7.53, 5.98, 3.03, 1.64},
00992          {0.642, 2, 3.4, 5.49, 7.5, 8.52, 7.53, 5.83, 2.74, 1.42},
00993          {0.756, 1.83, 3.18, 5.11, 7.24, 8.63, 7.66, 5.5, 2.45, 1.33},
00994          {0.837, 1.75, 3.06, 5, 6.79, 8.08, 7.05, 4.42, 1.81, 1.05},
00995          {0.86, 1.73, 2.96, 4.68, 6.38, 7.38, 6.09, 2.92, 1.06, 0.661},
00996          {0.926, 1.78, 2.89, 4.37, 5.74, 6.14, 4.59, 1.78, 0.561, 0.332},
00997          {0.988, 1.78, 2.75, 3.95, 4.64, 4.49, 2.85, 1.13, 0.271, 0.184},
00998          {0.999, 1.7, 2.44, 3.27, 3.57, 3.03, 2.06, 0.736, 0.181, 0.189},
00999          {0.971, 1.67, 2.23, 2.63, 2.83, 2.15, 1.74, 0.554, 0.157, 0.167},
01000          {0.985, 1.72, 2.34, 2.69, 2.81, 2.11, 1.78, 0.592, 0.152, 0.101},
01001          {0.95, 1.72, 2.57, 3.44, 3.84, 3.89, 2.91, 0.976, 0.135, 0.114},
01002          {0.819, 1.64, 2.93, 4.75, 6.02, 6.93, 5.2, 1.83, 0.347, 0.191},
01003          {0.731, 1.58, 3.3, 5.95, 7.81, 8.32, 6.93, 3.83, 1.47, 0.875},

```

```

01004 {0.77, 1.75, 3.74, 6.67, 8.76, 9.41, 8.19, 5.78, 3.32, 2.11}},
01005 {1.08, 2.17, 4.24, 7.13, 9.2, 10.3, 9.03, 6.87, 4.65, 3.01}},
01006 {1.43, 2.49, 4.31, 7, 9.14, 10.6, 9.34, 7.6, 5.86, 3.64}},
01007 {1.5, 2.68, 4.32, 6.75, 8.78, 10.6, 9.05, 7.65, 6.27, 4.07}},
01008 {1.73, 2.91, 4.33, 6.67, 8.73, 10.6, 8.5, 7.54, 6.63, 4.17}},
01009 {{1.43, 3.07, 5.22, 7.54, 9.78, 10.4, 10.1, 7.26, 3.61, 1.69}},
01010 {0.989, 2.69, 4.76, 7.19, 9.44, 9.94, 9.5, 6.74, 3.24, 1.52}},
01011 {0.908, 2.23, 4.11, 6.48, 8.74, 9.41, 8.58, 5.8, 2.66, 1.3}},
01012 {0.923, 1.99, 3.61, 5.83, 7.84, 8.6, 7.55, 4.57, 1.87, 0.98}},
01013 {0.933, 1.9, 3.31, 5.28, 7.1, 7.84, 6.44, 3.18, 1.1, 0.642}},
01014 {0.982, 1.88, 3.1, 4.76, 6.16, 6.57, 5.16, 2.04, 0.598, 0.33}},
01015 {1.02, 1.82, 2.88, 4.12, 4.71, 4.54, 3.03, 1.22, 0.268, 0.174}},
01016 {0.992, 1.7, 2.51, 3.33, 3.62, 2.87, 2.05, 0.705, 0.161, 0.169}},
01017 {0.969, 1.69, 2.2, 2.62, 2.84, 2.13, 1.78, 0.529, 0.146, 0.186}},
01018 {0.945, 1.69, 2.27, 2.64, 2.83, 2.2, 1.83, 0.561, 0.139, 0.121}},
01019 {0.922, 1.65, 2.48, 3.33, 3.83, 4.09, 2.92, 0.973, 0.117, 0.135}},
01020 {0.886, 1.59, 2.66, 4.26, 5.51, 6.57, 5.09, 1.79, 0.342, 0.194}},
01021 {0.786, 1.5, 2.78, 5.01, 6.8, 7.83, 6.65, 3.62, 1.45, 1}},
01022 {0.745, 1.55, 3.05, 5.49, 7.44, 8.6, 7.8, 5.28, 2.95, 2.12}},
01023 {0.938, 1.76, 3.4, 5.82, 7.8, 9.04, 8.43, 6.15, 3.85, 2.82}},
01024 {0.999, 2, 3.66, 5.95, 7.94, 9.27, 8.8, 6.93, 4.87, 3.54}},
01025 {1.13, 2.23, 3.86, 5.82, 7.65, 9, 8.82, 7.17, 5.72, 4.08}},
01026 {1.23, 2.33, 3.94, 5.74, 7.48, 8.9, 8.84, 7.35, 6.3, 4.42}},
01027 {{1.55, 3.2, 6.25, 10, 12.9, 12.9, 11.9, 7.96, 3.96, 1.75}},
01028 {1.32, 3.27, 6.32, 9.99, 12.7, 12.4, 11.3, 7.51, 3.66, 1.58}},
01029 {1.25, 3.08, 5.77, 8.71, 11.2, 11.2, 9.84, 6.52, 3.23, 1.5}},
01030 {1.18, 2.59, 4.76, 7.46, 9.61, 9.66, 8.42, 5.06, 2.25, 1.09}},
01031 {1.09, 2.24, 3.99, 6.4, 8.33, 8.54, 7.08, 3.69, 1.36, 0.727}},
01032 {1.06, 2.07, 3.52, 5.52, 7.06, 7.26, 5.83, 2.46, 0.732, 0.409}},
01033 {1.07, 1.91, 3.09, 4.63, 5.21, 4.9, 3.68, 1.43, 0.326, 0.198}},
01034 {1.03, 1.74, 2.63, 3.54, 3.78, 2.89, 2.09, 0.743, 0.175, 0.12}},
01035 {0.959, 1.71, 2.32, 2.77, 2.99, 2.24, 1.76, 0.519, 0.149, 0.172}},
01036 {0.931, 1.68, 2.32, 2.74, 2.99, 2.46, 1.88, 0.578, 0.156, 0.157}},
01037 {0.933, 1.66, 2.49, 3.42, 3.99, 4.12, 2.93, 1.02, 0.181, 0.138}},
01038 {0.952, 1.64, 2.6, 4, 5.15, 6.07, 4.84, 1.78, 0.407, 0.286}},
01039 {0.84, 1.54, 2.68, 4.47, 5.97, 7.13, 6.23, 3.25, 1.38, 1.02}},
01040 {0.714, 1.44, 2.73, 4.68, 6.28, 7.68, 7.21, 4.82, 2.55, 1.96}},
01041 {0.838, 1.57, 2.96, 4.93, 6.55, 8.08, 7.74, 5.77, 3.32, 2.52}},
01042 {0.823, 1.65, 3.11, 5.09, 6.89, 8.36, 8.31, 6.59, 4.1, 3.04}},
01043 {0.886, 1.83, 3.42, 5.33, 6.92, 8.36, 8.63, 7.21, 4.82, 3.46}},
01044 {1.07, 2.12, 3.74, 5.54, 6.98, 8.41, 8.75, 7.41, 5.16, 3.62}},
01045 {{1.13, 2.59, 7.49, 13.5, 15.4, 12.9, 11.3, 8.62, 4.18, 1.63}},
01046 {0.973, 2.79, 7.23, 12.8, 15.2, 13.3, 11.6, 8.42, 4.06, 1.57}},
01047 {1.46, 3.44, 6.78, 10.4, 12.7, 12.1, 10.5, 7.04, 3.59, 1.63}},
01048 {1.52, 3.38, 6.04, 9.08, 11, 10.3, 8.9, 5.7, 2.77, 1.37}},
01049 {1.32, 2.65, 4.75, 7.49, 9.32, 8.89, 7.42, 4.27, 1.7, 0.88}},
01050 {1.19, 2.2, 3.88, 6.36, 8.03, 7.81, 6.19, 2.94, 0.948, 0.527}},
01051 {1.14, 1.96, 3.28, 5.26, 6.12, 5.8, 4.47, 1.66, 0.388, 0.229}},
01052 {1.07, 1.82, 2.82, 3.92, 4.03, 3.15, 2.31, 0.871, 0.183, 0.0972}},
01053 {0.978, 1.77, 2.53, 3.04, 3.1, 2.36, 1.76, 0.575, 0.16, 0.126}},
01054 {0.962, 1.72, 2.49, 3.01, 3.22, 2.72, 2, 0.716, 0.162, 0.183}},
01055 {0.968, 1.7, 2.6, 3.57, 4.28, 4.35, 3.09, 1.2, 0.262, 0.18}},
01056 {0.977, 1.68, 2.71, 4.03, 5.17, 6.01, 4.81, 1.81, 0.473, 0.343}},
01057 {0.819, 1.58, 2.75, 4.37, 5.8, 6.9, 5.96, 2.95, 1.19, 0.964}},
01058 {0.672, 1.44, 2.69, 4.42, 5.92, 7.26, 6.79, 4.32, 2.22, 1.83}},
01059 {0.783, 1.42, 2.65, 4.45, 6.04, 7.57, 7.39, 5.4, 2.94, 2.25}},
01060 {0.757, 1.43, 2.7, 4.54, 6.14, 7.65, 7.51, 5.95, 3.42, 2.39}},
01061 {0.758, 1.57, 3.04, 4.88, 6.24, 7.85, 7.58, 6.35, 3.81, 2.52}},
01062 {0.835, 1.72, 3.35, 5.24, 6.5, 8.1, 7.67, 6.51, 4, 2.6}},
01063 {{1.5, 2.12, 7.64, 10.5, 5.59, 2.14, 2.2, 3.5, 4.71, 3.26}},
01064 {1.32, 2.14, 7.23, 12, 9.3, 5.3, 5.11, 5.37, 5.12, 3.05}},
01065 {1.53, 2.92, 6.9, 11.9, 13.5, 11.3, 9.91, 7.18, 4.75, 2.65}},
01066 {1.66, 3.48, 6.25, 9.53, 11.3, 10.3, 9.01, 5.76, 2.99, 1.67}},
01067 {1.54, 3.03, 5.21, 8.03, 9.66, 8.98, 7.5, 4.64, 2.11, 1.13}},
01068 {1.32, 2.39, 4.03, 6.74, 8.52, 8.05, 6.4, 3.48, 1.2, 0.639}},
01069 {1.17, 2.08, 3.35, 5.52, 6.86, 6.54, 5.08, 1.97, 0.462, 0.217}},
01070 {1.07, 1.92, 3.01, 4.24, 4.47, 3.77, 2.77, 1.07, 0.213, 0.0694}},
01071 {0.992, 1.88, 2.76, 3.39, 3.32, 2.52, 1.8, 0.713, 0.192, 0.136}},
01072 {0.992, 1.8, 2.63, 3.34, 3.46, 2.95, 2.09, 0.9, 0.242, 0.194}},
01073 {0.987, 1.77, 2.67, 3.64, 4.37, 4.36, 3, 1.27, 0.354, 0.229}},
01074 {0.979, 1.74, 2.77, 3.99, 5.12, 5.75, 4.53, 1.75, 0.555, 0.302}},
01075 {0.832, 1.6, 2.78, 4.32, 5.53, 6.67, 5.69, 2.59, 0.982, 0.66}},
01076 {0.696, 1.41, 2.64, 4.31, 5.65, 7.14, 6.56, 3.8, 1.75, 1.41}},
01077 {0.788, 1.36, 2.59, 4.3, 5.73, 7.35, 7.04, 4.82, 2.41, 1.8}},
01078 {0.761, 1.43, 2.61, 4.28, 5.64, 7.37, 7.11, 5.37, 2.68, 1.9}},
01079 {0.701, 1.44, 2.82, 4.64, 5.76, 7.63, 7.07, 5.74, 2.98, 1.88}},
01080 {0.763, 1.5, 2.95, 4.97, 6.08, 7.88, 7.12, 5.98, 3.21, 1.91}},
01081 {{3.58, 2.59, 6.49, 5.84, 1.63, 0.282, 0.647, 0.371, 1.36, 2.33}},
01082 {3.09, 2.38, 6.37, 7.66, 4.06, 1.23, 1.8, 1.65, 2.32, 2.78}},
01083 {2.31, 2.84, 5.58, 9.63, 11, 9.02, 8.2, 6.23, 4.17, 3.08}},
01084 {1.61, 3.16, 5.72, 9.13, 11.4, 10.4, 9.15, 6.18, 3.52, 2.3}},
01085 {1.32, 2.8, 4.79, 7.44, 9.43, 8.83, 7.41, 4.9, 2.38, 1.38}},
01086 {1.14, 2.36, 3.94, 6.41, 8.38, 8.17, 6.53, 3.76, 1.31, 0.656}},
01087 {1.05, 2.1, 3.36, 5.45, 7.07, 6.98, 5.44, 2.22, 0.52, 0.176}},
01088 {1.02, 2, 3.05, 4.33, 4.74, 4.21, 3.2, 1.26, 0.277, 0.0705}},
01089 {1.01, 1.96, 2.9, 3.53, 3.46, 2.69, 1.89, 0.859, 0.254, 0.12}},
01090 {1.01, 1.86, 2.7, 3.46, 3.59, 3.03, 2.14, 1, 0.34, 0.199}},

```

```

01091    {1.02, 1.81, 2.67, 3.68, 4.39, 4.3, 2.93, 1.35, 0.477, 0.25},
01092    {0.991, 1.79, 2.82, 4.05, 5.08, 5.5, 4.21, 1.74, 0.605, 0.259},
01093    {0.844, 1.73, 2.87, 4.38, 5.49, 6.47, 5.5, 2.44, 0.85, 0.422},
01094    {0.729, 1.57, 2.76, 4.43, 5.73, 7.13, 6.43, 3.52, 1.38, 0.913},
01095    {0.819, 1.46, 2.69, 4.45, 5.92, 7.47, 7.05, 4.52, 2, 1.4},
01096    {0.783, 1.47, 2.71, 4.48, 5.92, 7.46, 7.16, 5.08, 2.35, 1.56},
01097    {0.735, 1.51, 2.96, 4.84, 5.92, 7.77, 7.2, 5.54, 2.56, 1.61},
01098    {0.8, 1.61, 3.14, 5.2, 6.26, 8.08, 7.27, 5.72, 2.75, 1.62}},
01099    {{5, 4.43, 5.53, 5.35, 2.33, 0.384, 0.663, 0.164, 0.692, 1.4},
01100     {3.62, 3.79, 4.77, 5.94, 4.12, 1.36, 1.3, 0.973, 1.37, 1.73},
01101     {2.11, 2.7, 4.12, 7.14, 9.03, 7.74, 7.12, 5.44, 3.73, 2.6},
01102     {1.13, 2.32, 4.12, 6.97, 9.86, 9.69, 8.85, 6.22, 3.59, 2.14},
01103     {0.957, 2.28, 4.11, 6.47, 8.66, 8.78, 7.33, 4.94, 2.44, 1.38},
01104     {0.881, 2.1, 3.65, 5.94, 7.98, 8.29, 6.69, 3.95, 1.36, 0.672},
01105     {0.867, 1.96, 3.26, 5.23, 6.94, 7.2, 5.63, 2.41, 0.578, 0.19},
01106     {0.953, 1.94, 2.98, 4.23, 4.83, 4.52, 3.38, 1.34, 0.293, 0.181},
01107     {1.01, 1.91, 2.77, 3.35, 3.3, 2.62, 1.99, 0.905, 0.245, 0.107},
01108     {1.03, 1.81, 2.57, 3.29, 3.43, 2.87, 2.13, 0.988, 0.306, 0.185},
01109     {1.02, 1.78, 2.58, 3.59, 4.19, 4, 2.72, 1.29, 0.389, 0.224},
01110     {1.01, 1.84, 2.84, 4.06, 4.9, 5.08, 3.71, 1.64, 0.529, 0.232},
01111     {0.902, 1.84, 2.98, 4.43, 5.5, 6.28, 5.18, 2.35, 0.734, 0.341},
01112     {0.785, 1.68, 2.93, 4.67, 5.95, 7.3, 6.52, 3.48, 1.24, 0.754},
01113     {0.847, 1.62, 2.94, 4.86, 6.38, 7.99, 7.5, 4.64, 1.93, 1.23},
01114     {0.8, 1.6, 2.94, 4.95, 6.62, 8.16, 7.91, 5.43, 2.43, 1.45},
01115     {0.82, 1.76, 3.37, 5.47, 6.82, 8.24, 7.73, 5.79, 2.69, 1.5},
01116     {0.988, 2.05, 3.87, 6.01, 7.18, 8.41, 7.7, 5.93, 2.89, 1.55}},
01117    {{1.52, 2.7, 3.79, 4.95, 3.8, 1.51, 1.11, 0.784, 1.1, 1.56},
01118     {1.19, 2.16, 3.34, 4.76, 4.61, 2.93, 2.07, 1.65, 1.63, 1.74},
01119     {0.804, 1.65, 2.79, 4.63, 6.64, 6.95, 6.68, 5.11, 3.3, 2.09},
01120     {0.86, 1.8, 3.25, 5.3, 7.91, 8.76, 8.28, 6.01, 3.39, 1.83},
01121     {0.859, 1.95, 3.54, 5.64, 7.88, 8.55, 7.3, 4.88, 2.3, 1.22},
01122     {0.809, 1.88, 3.38, 5.45, 7.47, 8.02, 6.69, 3.98, 1.35, 0.646},
01123     {0.822, 1.81, 3.11, 4.9, 6.62, 6.96, 5.63, 2.47, 0.614, 0.169},
01124     {0.92, 1.83, 2.8, 3.93, 4.56, 4.4, 3.25, 1.31, 0.295, 0.0587},
01125     {0.986, 1.83, 2.6, 3.13, 3.08, 2.53, 1.94, 0.886, 0.244, 0.0815},
01126     {0.997, 1.74, 2.5, 3.16, 3.24, 2.67, 2.05, 0.939, 0.281, 0.147},
01127     {1.01, 1.75, 2.57, 3.55, 4.1, 3.81, 2.53, 1.21, 0.354, 0.197},
01128     {1.04, 1.88, 2.9, 4.16, 4.95, 4.96, 3.48, 1.63, 0.502, 0.163},
01129     {0.967, 1.95, 3.17, 4.72, 5.85, 6.5, 5.34, 2.53, 0.748, 0.303},
01130     {0.846, 1.83, 3.23, 5.15, 6.62, 7.82, 6.85, 3.79, 1.36, 0.714},
01131     {0.91, 1.81, 3.35, 5.55, 7.32, 8.55, 7.88, 5.03, 2.13, 1.1},
01132     {0.87, 1.94, 3.6, 5.97, 7.98, 9.14, 8.71, 6.04, 2.73, 1.41},
01133     {1.04, 2.36, 4.22, 6.57, 8.5, 9.53, 9.22, 6.71, 3.2, 1.56},
01134     {1.36, 2.84, 4.72, 6.94, 8.81, 9.87, 9.59, 7.1, 3.43, 1.65}},
01135    {{0.704, 1.4, 2.03, 3.08, 4.64, 4.24, 2.55, 1.57, 1.99, 1.91},
01136     {0.484, 1.38, 2.08, 3.54, 5.11, 4.98, 3.73, 2.57, 2.29, 1.84},
01137     {0.749, 1.57, 2.63, 4.17, 6.15, 6.97, 6.64, 5.11, 3.35, 1.97},
01138     {0.864, 1.69, 3.16, 4.87, 7.13, 8.33, 7.87, 5.9, 3.17, 1.56},
01139     {0.861, 1.79, 3.28, 5.2, 7.29, 8.32, 7.38, 4.9, 2.23, 1.11},
01140     {0.835, 1.79, 3.19, 4.99, 6.72, 7.58, 6.45, 3.68, 1.25, 0.616},
01141     {0.847, 1.8, 3.07, 4.66, 6.12, 6.6, 5.21, 2.18, 0.554, 0.21},
01142     {0.941, 1.78, 2.68, 3.68, 4.28, 4.18, 2.97, 1.15, 0.238, 0.0968},
01143     {0.98, 1.78, 2.48, 2.99, 2.96, 2.35, 1.88, 0.747, 0.207, 0.105},
01144     {0.978, 1.74, 2.51, 3.07, 3.12, 2.36, 1.95, 0.777, 0.216, 0.146},
01145     {1.01, 1.79, 2.63, 3.53, 3.95, 3.47, 2.38, 1.08, 0.265, 0.178},
01146     {1.06, 1.94, 3.02, 4.43, 5.19, 5.01, 3.68, 1.71, 0.429, 0.14},
01147     {0.99, 2.02, 3.38, 5.22, 6.56, 6.91, 5.56, 2.75, 0.816, 0.353},
01148     {0.923, 2.05, 3.66, 5.98, 7.78, 8.5, 7.23, 4.26, 1.67, 0.802},
01149     {1.08, 2.27, 4.17, 6.8, 8.89, 9.55, 8.59, 5.64, 2.58, 1.2},
01150     {1.12, 2.5, 4.52, 7.22, 9.76, 10.3, 9.72, 6.79, 3.32, 1.52},
01151     {1.2, 2.64, 4.81, 7.64, 10.5, 11.4, 10.6, 7.65, 3.87, 1.73},
01152     {1.4, 2.91, 5.01, 7.75, 10.7, 11.6, 11.1, 8.02, 4.04, 1.8}},
01153    {{0.75, 1.49, 2.39, 3.39, 4.93, 5.94, 5.03, 2.75, 2.27, 1.78},
01154     {0.508, 1.52, 2.38, 3.82, 5.34, 6.13, 5.6, 3.31, 2.42, 1.73},
01155     {0.715, 1.56, 2.7, 4.39, 6.18, 6.96, 7.1, 5.04, 3.01, 1.75},
01156     {0.813, 1.62, 2.94, 4.65, 6.53, 7.65, 7.52, 5.49, 2.75, 1.41},
01157     {0.802, 1.68, 2.97, 4.64, 6.37, 7.53, 7.01, 4.56, 1.9, 0.955},
01158     {0.816, 1.75, 3.01, 4.59, 6.15, 7.06, 6.15, 3.38, 1.11, 0.61},
01159     {0.867, 1.78, 2.92, 4.35, 5.69, 6.05, 4.73, 1.91, 0.519, 0.269},
01160     {0.932, 1.7, 2.55, 3.44, 4.03, 3.98, 2.74, 1.08, 0.247, 0.132},
01161     {0.937, 1.74, 2.51, 3.09, 3.11, 2.34, 1.84, 0.67, 0.189, 0.121},
01162     {0.942, 1.75, 2.63, 3.3, 3.27, 2.21, 1.87, 0.663, 0.171, 0.147},
01163     {0.959, 1.8, 2.82, 3.78, 4.03, 3.37, 2.53, 1.04, 0.199, 0.146},
01164     {1.01, 1.9, 3.13, 4.76, 5.63, 5.6, 4.31, 1.83, 0.367, 0.172},
01165     {0.989, 2.04, 3.64, 6, 7.62, 7.6, 6, 3.35, 1.05, 0.448},
01166     {1.02, 2.28, 4.32, 7.19, 9.21, 9.16, 7.64, 4.97, 2.2, 0.948},
01167     {1.26, 2.77, 5.2, 8.31, 10.5, 10.4, 9.01, 6.37, 3.46, 1.56},
01168     {1.31, 2.76, 5.23, 8.49, 11.2, 11.3, 10.1, 7.27, 3.98, 1.76},
01169     {1.26, 2.5, 5.14, 8.85, 12.3, 12.3, 11.2, 8.13, 4.45, 1.97},
01170     {1.35, 2.49, 5.26, 9.16, 13, 12.8, 11.8, 8.57, 4.72, 2.05}},
01171    {{0.759, 1.54, 2.54, 4.22, 6.26, 7.44, 7.14, 4.99, 2.84, 1.89},
01172     {0.508, 1.55, 2.5, 4.29, 6.29, 7.29, 7.07, 5.03, 2.77, 1.74},
01173     {0.699, 1.56, 2.62, 4.17, 6.08, 7.38, 7.04, 5.17, 2.81, 1.65},
01174     {0.778, 1.5, 2.65, 4.35, 6.07, 7.28, 6.84, 4.8, 2.28, 1.28},
01175     {0.772, 1.55, 2.71, 4.3, 5.76, 6.91, 6.2, 3.69, 1.45, 0.837},
01176     {0.836, 1.67, 2.78, 4.21, 5.56, 6.41, 5.33, 2.47, 0.807, 0.488},
01177     {0.937, 1.79, 2.78, 4.12, 5.17, 5.38, 3.89, 1.47, 0.392, 0.256},

```

```

01178     {0.97, 1.75, 2.52, 3.39, 3.83, 3.63, 2.48, 0.968, 0.212, 0.198},
01179     {0.968, 1.74, 2.5, 3.11, 3.2, 2.34, 1.79, 0.629, 0.169, 0.173},
01180     {0.98, 1.8, 2.69, 3.42, 3.4, 2.18, 1.81, 0.606, 0.164, 0.138},
01181     {0.975, 1.84, 2.96, 4.08, 4.12, 3.5, 2.79, 1.02, 0.145, 0.133},
01182     {0.96, 1.94, 3.27, 5.17, 6.26, 6.35, 4.88, 1.91, 0.329, 0.189},
01183     {0.954, 2.06, 3.8, 6.53, 8.46, 8.32, 6.53, 3.83, 1.32, 0.6},
01184     {1, 2.34, 4.58, 7.71, 9.68, 9.75, 7.96, 5.45, 2.84, 1.39},
01185     {1.24, 2.65, 5.14, 8.51, 10.7, 10.6, 8.96, 6.51, 3.83, 1.85},
01186     {1.34, 2.44, 4.99, 8.63, 11.6, 11.4, 10.1, 7.84, 4.77, 2.24},
01187     {1.33, 2.1, 4.76, 8.78, 12.2, 11.7, 10.8, 8.68, 5.15, 2.35},
01188     {1.42, 2.04, 4.68, 8.92, 12.7, 12, 11.2, 8.99, 5.32, 2.33}}
01189 };
01190
01191 double aux00, aux01, aux10, aux11, sec;
01192
01193 int ilat, ip, isec;
01194
01195 /* Get seconds since begin of year... */
01196 sec = fmod(t, 365.25 * 86400.);
01197
01198 /* Get indices... */
01199 ilat = locate(lats, 18, lat);
01200 ip = locate(ps, 10, p);
01201 isec = locate(secs, 12, sec);
01202
01203 /* Interpolate... */
01204 aux00 = LIN(ps[ip], hno3[isec][ilat][ip],
01205             ps[ip + 1], hno3[isec][ilat][ip + 1], p);
01206 aux01 = LIN(ps[ip], hno3[isec][ilat + 1][ip],
01207             ps[ip + 1], hno3[isec][ilat + 1][ip + 1], p);
01208 aux10 = LIN(ps[ip], hno3[isec + 1][ilat][ip],
01209             ps[ip + 1], hno3[isec + 1][ilat][ip + 1], p);
01210 aux11 = LIN(ps[ip], hno3[isec + 1][ilat + 1][ip],
01211             ps[ip + 1], hno3[isec + 1][ilat + 1][ip + 1], p);
01212 aux00 = LIN(lats[ilat], aux00, lats[ilat + 1], aux01, lat);
01213 aux11 = LIN(lats[ilat], aux10, lats[ilat + 1], aux11, lat);
01214 return LIN(secs[isec], aux00, secs[isec + 1], aux11, sec);
01215 }
01216
01217 /*****
01218
01219 void module_position(
01220     met_t * met0,
01221     met_t * met1,
01222     atm_t * atm,
01223     int ip) {
01224
01225     double ps;
01226
01227     /* Calculate modulo... */
01228     atm->lon[ip] = fmod(atm->lon[ip], 360);
01229     atm->lat[ip] = fmod(atm->lat[ip], 360);
01230
01231     /* Check latitude... */
01232     while (atm->lat[ip] < -90 || atm->lat[ip] > 90) {
01233         if (atm->lat[ip] > 90) {
01234             atm->lat[ip] = 180 - atm->lat[ip];
01235             atm->lon[ip] += 180;
01236         }
01237         if (atm->lat[ip] < -90) {
01238             atm->lat[ip] = -180 - atm->lat[ip];
01239             atm->lon[ip] += 180;
01240         }
01241     }
01242
01243     /* Check longitude... */
01244     while (atm->lon[ip] < -180)
01245         atm->lon[ip] += 360;
01246     while (atm->lon[ip] >= 180)
01247         atm->lon[ip] -= 360;
01248
01249     /* Get surface pressure... */
01250     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip],
01251                   atm->lon[ip], atm->lat[ip], &ps, NULL,
01252                   NULL, NULL, NULL, NULL);
01253
01254     /* Check pressure... */
01255     if (atm->p[ip] > ps)
01256         atm->p[ip] = ps;
01257     else if (atm->p[ip] < met0->p[met0->np - 1])
01258         atm->p[ip] = met0->p[met0->np - 1];
01259 }
01260
01261 /*****
01262
01263 void module_sedi(
01264     ctl_t * ctl,

```

```

01265     met_t * met0,
01266     met_t * met1,
01267     atm_t * atm,
01268     int ip,
01269     double dt) {
01270
01271     /* Coefficients for Cunningham slip-flow correction (Kasten, 1968): */
01272     const double A = 1.249, B = 0.42, C = 0.87;
01273
01274     /* Specific gas constant for dry air [J/(kg K)]: */
01275     const double R = 287.058;
01276
01277     /* Average mass of an air molecule [kg/molec]: */
01278     const double m = 4.8096e-26;
01279
01280     double G, K, eta, lambda, p, r_p, rho, rho_p, T, v, v_p;
01281
01282     /* Check if parameters are available... */
01283     if (ctl->qnt_r < 0 || ctl->qnt_rho < 0)
01284         return;
01285
01286     /* Convert units... */
01287     p = 100 * atm->p[ip];
01288     r_p = 1e-6 * atm->q[ctl->qnt_r][ip];
01289     rho_p = atm->q[ctl->qnt_rho][ip];
01290
01291     /* Get temperature... */
01292     intpol_met_time(met0, met1, atm->time[ip], atm->p[ip], atm->
01293 lon[ip],
01294                   atm->lat[ip], NULL, &T, NULL, NULL, NULL, NULL, NULL);
01295
01296     /* Density of dry air... */
01297     rho = p / (R * T);
01298
01299     /* Dynamic viscosity of air... */
01300     eta = 1.8325e-5 * (416.16 / (T + 120.)) * pow(T / 296.16, 1.5);
01301
01302     /* Thermal velocity of an air molecule... */
01303     v = sqrt(8 * GSL_CONST_MKSA_BOLTZMANN * T / (M_PI * m));
01304
01305     /* Mean free path of an air molecule... */
01306     lambda = 2 * eta / (rho * v);
01307
01308     /* Knudsen number for air... */
01309     K = lambda / r_p;
01310
01311     /* Cunningham slip-flow correction... */
01312     G = 1 + K * (A + B * exp(-C / K));
01313
01314     /* Sedimentation (fall) velocity... */
01315     v_p =
01316         2. * gsl_pow_2(r_p) * (rho_p -
01317                               rho) * GSL_CONST_MKSA_GRAV_ACCEL / (9. * eta) * G;
01318
01319     /* Calculate pressure change... */
01320     atm->p[ip] += dz2dp(v_p * dt / 1000., atm->p[ip]);
01321 }
01322
01323 /*****
01324 void write_output(
01325     const char *dirname,
01326     ctl_t * ctl,
01327     met_t * met0,
01328     met_t * met1,
01329     atm_t * atm,
01330     double t) {
01331
01332     char filename[LEN];
01333
01334     double r;
01335
01336     int year, mon, day, hour, min, sec;
01337
01338     /* Get time... */
01339     jsec2time(t, &year, &mon, &day, &hour, &min, &sec, &r);
01340
01341     /* Write atmospheric data... */
01342     if (ctl->atm_basename[0] != '-' && fmod(t, ctl->atm_dt_out) == 0) {
01343         sprintf(filename, "%s/%s_%04d_%02d_%02d_%02d.tab",
01344                 dirname, ctl->atm_basename, year, mon, day, hour, min);
01345         write_atm(filename, ctl, atm, t);
01346     }
01347
01348     /* Write CSI data... */
01349     if (ctl->csi_basename[0] != '-') {
01350         sprintf(filename, "%s/%s.tab", dirname, ctl->csi_basename);

```



```

01351     write_csi(filename, ctl, atm, t);
01352 }
01353
01354 /* Write ensemble data... */
01355 if (ctl->ens_basename[0] != '-') {
01356     sprintf(filename, "%s/%s.tab", dirname, ctl->ens_basename);
01357     write_ens(filename, ctl, atm, t);
01358 }
01359
01360 /* Write gridded data... */
01361 if (ctl->grid_basename[0] != '-' && fmod(t, ctl->grid_dt_out) == 0) {
01362     sprintf(filename, "%s/%s_%04d_%02d_%02d_%02d.tab",
01363             dirname, ctl->grid_basename, year, mon, day, hour, min);
01364     write_grid(filename, ctl, met0, met1, atm, t);
01365 }
01366
01367 /* Write profile data... */
01368 if (ctl->prof_basename[0] != '-') {
01369     sprintf(filename, "%s/%s.tab", dirname, ctl->prof_basename);
01370     write_prof(filename, ctl, met0, met1, atm, t);
01371 }
01372
01373 /* Write station data... */
01374 if (ctl->stat_basename[0] != '-') {
01375     sprintf(filename, "%s/%s.tab", dirname, ctl->stat_basename);
01376     write_station(filename, ctl, atm, t);
01377 }
01378 }

```

### 5.33 wind.c File Reference

Create meteorological data files with synthetic wind fields.

#### Functions

- void [add\\_text\\_attribute](#) (int ncid, char \*varname, char \*attrname, char \*text)
- int [main](#) (int argc, char \*argv[])

#### 5.33.1 Detailed Description

Create meteorological data files with synthetic wind fields.

Definition in file [wind.c](#).

#### 5.33.2 Function Documentation

##### 5.33.2.1 void add\_text\_attribute ( int ncid, char \* varname, char \* attrname, char \* text )

Definition at line 173 of file [wind.c](#).

```

00177     {
00178
00179     int varid;
00180
00181     NC(nc_inq_varid(ncid, varname, &varid));
00182     NC(nc_put_att_text(ncid, varid, attrname, strlen(text), text));
00183 }

```

## 5.33.2.2 int main ( int argc, char \* argv[] )

Definition at line 41 of file [wind.c](#).

```

00043     {
00044
00045     ctl_t ctl;
00046
00047     static char filename[LEN];
00048
00049     static double r, t0, z0, z1, dataLon[EX], dataLat[EY], dataZ[EP],
00050     u0, u1, alpha;
00051
00052     static float dataT[EP * EY * EX], dataU[EP * EY * EX], dataV[EP * EY * EX],
00053     dataW[EP * EY * EX];
00054
00055     static int ncid, dims[4], timid, levid, latid, lonid, tid, uid, vid, wid,
00056     idx, ix, iy, iz, nx, ny, nz, year, mon, day, hour, min, sec;
00057
00058     /* Check arguments... */
00059     if (argc < 3)
00060         ERRMSG("Give parameters: <ctl> <metbase>");
00061
00062     /* Read control parameters... */
00063     read_ctl(argv[1], argc, argv, &ctl);
00064     t0 = scan_ctl(argv[1], argc, argv, "WIND_T0", -1, "0", NULL);
00065     nx = (int) scan_ctl(argv[1], argc, argv, "WIND_NX", -1, "360", NULL);
00066     ny = (int) scan_ctl(argv[1], argc, argv, "WIND_NY", -1, "181", NULL);
00067     nz = (int) scan_ctl(argv[1], argc, argv, "WIND_NZ", -1, "61", NULL);
00068     z0 = scan_ctl(argv[1], argc, argv, "WIND_Z0", -1, "0", NULL);
00069     z1 = scan_ctl(argv[1], argc, argv, "WIND_Z1", -1, "60", NULL);
00070     u0 = scan_ctl(argv[1], argc, argv, "WIND_U0", -1, "38.587660177302", NULL);
00071     u1 = scan_ctl(argv[1], argc, argv, "WIND_U1", -1, "38.587660177302", NULL);
00072     alpha = scan_ctl(argv[1], argc, argv, "WIND_ALPHA", -1, "0.0", NULL);
00073
00074     /* Check dimensions... */
00075     if (nx < 1 || nx > EX)
00076         ERRMSG("Set 1 <= NX <= MAX!");
00077     if (ny < 1 || ny > EY)
00078         ERRMSG("Set 1 <= NY <= MAX!");
00079     if (nz < 1 || nz > EP)
00080         ERRMSG("Set 1 <= NZ <= MAX!");
00081
00082     /* Get time... */
00083     jsec2time(t0, &year, &mon, &day, &hour, &min, &sec, &r);
00084     t0 = year * 10000. + mon * 100. + day + hour / 24.;
00085
00086     /* Set filename... */
00087     sprintf(filename, "%s%d_%02d_%02d.nc", argv[2], year, mon, day, hour);
00088
00089     /* Create netCDF file... */
00090     NC(nc_create(filename, NC_CLOBBER, &ncid));
00091
00092     /* Create dimensions... */
00093     NC(nc_def_dim(ncid, "time", 1, &dims[0]));
00094     NC(nc_def_dim(ncid, "lev", (size_t) nz, &dims[1]));
00095     NC(nc_def_dim(ncid, "lat", (size_t) ny, &dims[2]));
00096     NC(nc_def_dim(ncid, "lon", (size_t) nx, &dims[3]));
00097
00098     /* Create variables... */
00099     NC(nc_def_var(ncid, "time", NC_DOUBLE, 1, &dims[0], &timid));
00100     NC(nc_def_var(ncid, "lev", NC_DOUBLE, 1, &dims[1], &levid));
00101     NC(nc_def_var(ncid, "lat", NC_DOUBLE, 1, &dims[2], &latid));
00102     NC(nc_def_var(ncid, "lon", NC_DOUBLE, 1, &dims[3], &lonid));
00103     NC(nc_def_var(ncid, "T", NC_FLOAT, 4, &dims[0], &tid));
00104     NC(nc_def_var(ncid, "U", NC_FLOAT, 4, &dims[0], &uid));
00105     NC(nc_def_var(ncid, "V", NC_FLOAT, 4, &dims[0], &vid));
00106     NC(nc_def_var(ncid, "W", NC_FLOAT, 4, &dims[0], &wid));
00107
00108     /* Set attributes... */
00109     add_text_attribute(ncid, "time", "long_name", "time");
00110     add_text_attribute(ncid, "time", "units", "day as %Y%m%d.%f");
00111     add_text_attribute(ncid, "lon", "long_name", "longitude");
00112     add_text_attribute(ncid, "lon", "units", "degrees_east");
00113     add_text_attribute(ncid, "lat", "long_name", "latitude");
00114     add_text_attribute(ncid, "lat", "units", "degrees_north");
00115     add_text_attribute(ncid, "lev", "long_name", "air_pressure");
00116     add_text_attribute(ncid, "lev", "units", "Pa");
00117     add_text_attribute(ncid, "T", "long_name", "Temperature");
00118     add_text_attribute(ncid, "T", "units", "K");
00119     add_text_attribute(ncid, "U", "long_name", "U velocity");
00120     add_text_attribute(ncid, "U", "units", "m s**-1");
00121     add_text_attribute(ncid, "V", "long_name", "V velocity");
00122     add_text_attribute(ncid, "V", "units", "m s**-1");


```

```

00123 add_text_attribute(ncid, "W", "long_name", "Vertical velocity");
00124 add_text_attribute(ncid, "W", "units", "Pa s**1");
00125
00126 /* End definition... */
00127 NC(nc_enddef(ncid));
00128
00129 /* Set coordinates... */
00130 for (ix = 0; ix < nx; ix++)
00131     dataLon[ix] = 360.0 / nx * (double) ix;
00132 for (iy = 0; iy < ny; iy++)
00133     dataLat[iy] = 180.0 / (ny - 1) * (double) iy - 90;
00134 for (iz = 0; iz < nz; iz++)
00135     dataZ[iz] = 100. * P(LIN(0.0, z0, nz - 1.0, z1, iz));
00136
00137 /* Write coordinates... */
00138 NC(nc_put_var_double(ncid, timid, &t0));
00139 NC(nc_put_var_double(ncid, levid, dataZ));
00140 NC(nc_put_var_double(ncid, lonid, dataLon));
00141 NC(nc_put_var_double(ncid, latid, dataLat));
00142
00143 /* Create wind fields (Williamson et al., 1992)... */
00144 for (ix = 0; ix < nx; ix++)
00145     for (iy = 0; iy < ny; iy++)
00146         for (iz = 0; iz < nz; iz++) {
00147             idx = (iz * ny + iy) * nx + ix;
00148             dataU[idx] = (float) (LIN(0.0, u0, nz - 1.0, u1, iz)
00149                 * (cos(dataLat[iy] * M_PI / 180.0)
00150                     * cos(alpha * M_PI / 180.0)
00151                     + sin(dataLat[iy] * M_PI / 180.0)
00152                     * cos(dataLon[ix] * M_PI / 180.0)
00153                     * sin(alpha * M_PI / 180.0)));
00154             dataV[idx] = (float) (-LIN(0.0, u0, nz - 1.0, u1, iz)
00155                 * sin(dataLon[ix] * M_PI / 180.0)
00156                 * sin(alpha * M_PI / 180.0));
00157         }
00158
00159 /* Write wind data... */
00160 NC(nc_put_var_float(ncid, tid, dataT));
00161 NC(nc_put_var_float(ncid, uid, dataU));
00162 NC(nc_put_var_float(ncid, vid, dataV));
00163 NC(nc_put_var_float(ncid, wid, dataW));
00164
00165 /* Close file... */
00166 NC(nc_close(ncid));
00167
00168 return EXIT_SUCCESS;
00169 }

```

Here is the call graph for this function:



## 5.34 wind.c

```
00001 /*
```

```

00002  This file is part of MPTRAC.
00003
00004  MPTRAC is free software: you can redistribute it and/or modify
00005  it under the terms of the GNU General Public License as published by
00006  the Free Software Foundation, either version 3 of the License, or
00007  (at your option) any later version.
00008
00009  MPTRAC is distributed in the hope that it will be useful,
00010  but WITHOUT ANY WARRANTY; without even the implied warranty of
00011  MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
00012  GNU General Public License for more details.
00013
00014  You should have received a copy of the GNU General Public License
00015  along with MPTRAC. If not, see <http://www.gnu.org/licenses/>.
00016
00017  Copright (C) 2013-2015 Forschungszentrum Juelich GmbH
00018  */
00019
00025  #include "libtrac.h"
00026
00027  /* -----
00028   Functions...
00029   ----- */
00030
00031  void add_text_attribute(
00032      int ncid,
00033      char *varname,
00034      char *attrname,
00035      char *text);
00036
00037  /* -----
00038   Main...
00039   ----- */
00040
00041  int main(
00042      int argc,
00043      char *argv[]) {
00044
00045      ctl_t ctl;
00046
00047      static char filename[LEN];
00048
00049      static double r, t0, z0, z1, dataLon[EX], dataLat[EY], dataZ[EP],
00050          u0, u1, alpha;
00051
00052      static float dataT[EP * EY * EX], dataU[EP * EY * EX], dataV[EP * EY * EX],
00053          dataW[EP * EY * EX];
00054
00055      static int ncid, dims[4], timid, levid, latid, lonid, tid, uid, vid, wid,
00056          idx, ix, iy, iz, nx, ny, nz, year, mon, day, hour, min, sec;
00057
00058      /* Check arguments... */
00059      if (argc < 3)
00060          ERRMSG("Give parameters: <ctl> <metbase>");
00061
00062      /* Read control parameters... */
00063      read_ctl(argv[1], argc, argv, &ctl);
00064      t0 = scan_ctl(argv[1], argc, argv, "WIND_T0", -1, "0", NULL);
00065      nx = (int) scan_ctl(argv[1], argc, argv, "WIND_NX", -1, "360", NULL);
00066      ny = (int) scan_ctl(argv[1], argc, argv, "WIND_NY", -1, "181", NULL);
00067      nz = (int) scan_ctl(argv[1], argc, argv, "WIND_NZ", -1, "61", NULL);
00068      z0 = scan_ctl(argv[1], argc, argv, "WIND_Z0", -1, "0", NULL);
00069      z1 = scan_ctl(argv[1], argc, argv, "WIND_Z1", -1, "60", NULL);
00070      u0 = scan_ctl(argv[1], argc, argv, "WIND_U0", -1, "38.587660177302", NULL);
00071      u1 = scan_ctl(argv[1], argc, argv, "WIND_U1", -1, "38.587660177302", NULL);
00072      alpha = scan_ctl(argv[1], argc, argv, "WIND_ALPHA", -1, "0.0", NULL);
00073
00074      /* Check dimensions... */
00075      if (nx < 1 || nx > EX)
00076          ERRMSG("Set 1 <= NX <= MAX!");
00077      if (ny < 1 || ny > EY)
00078          ERRMSG("Set 1 <= NY <= MAX!");
00079      if (nz < 1 || nz > EP)
00080          ERRMSG("Set 1 <= NZ <= MAX!");
00081
00082      /* Get time... */
00083      jsec2time(t0, &year, &mon, &day, &hour, &min, &sec, &r);
00084      t0 = year * 10000. + mon * 100. + day + hour / 24.;
00085
00086      /* Set filename... */
00087      sprintf(filename, "%s_%d_%02d_%02d.nc", argv[2], year, mon, day, hour);
00088
00089      /* Create netCDF file... */
00090      NC(nc_create(filename, NC_CLOBBER, &ncid));
00091
00092      /* Create dimensions... */
00093      NC(nc_def_dim(ncid, "time", 1, &dims[0]));

```

```

00094 NC(nc_def_dim(ncid, "lev", (size_t) nz, &dims[1]));
00095 NC(nc_def_dim(ncid, "lat", (size_t) ny, &dims[2]));
00096 NC(nc_def_dim(ncid, "lon", (size_t) nx, &dims[3]));
00097
00098 /* Create variables... */
00099 NC(nc_def_var(ncid, "time", NC_DOUBLE, 1, &dims[0], &timid));
00100 NC(nc_def_var(ncid, "lev", NC_DOUBLE, 1, &dims[1], &levid));
00101 NC(nc_def_var(ncid, "lat", NC_DOUBLE, 1, &dims[2], &latid));
00102 NC(nc_def_var(ncid, "lon", NC_DOUBLE, 1, &dims[3], &lonid));
00103 NC(nc_def_var(ncid, "T", NC_FLOAT, 4, &dims[0], &tid));
00104 NC(nc_def_var(ncid, "U", NC_FLOAT, 4, &dims[0], &uid));
00105 NC(nc_def_var(ncid, "V", NC_FLOAT, 4, &dims[0], &vid));
00106 NC(nc_def_var(ncid, "W", NC_FLOAT, 4, &dims[0], &wid));
00107
00108 /* Set attributes... */
00109 add_text_attribute(ncid, "time", "long_name", "time");
00110 add_text_attribute(ncid, "time", "units", "day as %Y%m%d.%f");
00111 add_text_attribute(ncid, "lon", "long_name", "longitude");
00112 add_text_attribute(ncid, "lon", "units", "degrees_east");
00113 add_text_attribute(ncid, "lat", "long_name", "latitude");
00114 add_text_attribute(ncid, "lat", "units", "degrees_north");
00115 add_text_attribute(ncid, "lev", "long_name", "air_pressure");
00116 add_text_attribute(ncid, "lev", "units", "Pa");
00117 add_text_attribute(ncid, "T", "long_name", "Temperature");
00118 add_text_attribute(ncid, "T", "units", "K");
00119 add_text_attribute(ncid, "U", "long_name", "U velocity");
00120 add_text_attribute(ncid, "U", "units", "m s**-1");
00121 add_text_attribute(ncid, "V", "long_name", "V velocity");
00122 add_text_attribute(ncid, "V", "units", "m s**-1");
00123 add_text_attribute(ncid, "W", "long_name", "Vertical velocity");
00124 add_text_attribute(ncid, "W", "units", "Pa s**-1");
00125
00126 /* End definition... */
00127 NC(nc_enddef(ncid));
00128
00129 /* Set coordinates... */
00130 for (ix = 0; ix < nx; ix++)
00131     dataLon[ix] = 360.0 / nx * (double) ix;
00132 for (iy = 0; iy < ny; iy++)
00133     dataLat[iy] = 180.0 / (ny - 1) * (double) iy - 90;
00134 for (iz = 0; iz < nz; iz++)
00135     dataZ[iz] = 100. * P(LIN(0.0, z0, nz - 1.0, z1, iz));
00136
00137 /* Write coordinates... */
00138 NC(nc_put_var_double(ncid, timid, &t0));
00139 NC(nc_put_var_double(ncid, levid, dataZ));
00140 NC(nc_put_var_double(ncid, lonid, dataLon));
00141 NC(nc_put_var_double(ncid, latid, dataLat));
00142
00143 /* Create wind fields (Williamson et al., 1992)... */
00144 for (ix = 0; ix < nx; ix++)
00145     for (iy = 0; iy < ny; iy++)
00146         for (iz = 0; iz < nz; iz++) {
00147             idx = (iz * ny + iy) * nx + ix;
00148             dataU[idx] = (float) (LIN(0.0, u0, nz - 1.0, u1, iz)
00149                 * (cos(dataLat[iy] * M_PI / 180.0)
00150                     * cos(alpha * M_PI / 180.0)
00151                     + sin(dataLat[iy] * M_PI / 180.0)
00152                         * cos(dataLon[ix] * M_PI / 180.0)
00153                         * sin(alpha * M_PI / 180.0)));
00154             dataV[idx] = (float) (-LIN(0.0, u0, nz - 1.0, u1, iz)
00155                 * sin(dataLon[ix] * M_PI / 180.0)
00156                 * sin(alpha * M_PI / 180.0));
00157         }
00158
00159 /* Write wind data... */
00160 NC(nc_put_var_float(ncid, tid, dataT));
00161 NC(nc_put_var_float(ncid, uid, dataU));
00162 NC(nc_put_var_float(ncid, vid, dataV));
00163 NC(nc_put_var_float(ncid, wid, dataW));
00164
00165 /* Close file... */
00166 NC(nc_close(ncid));
00167
00168 return EXIT_SUCCESS;
00169 }
00170
00171 /*****
00172
00173 void add_text_attribute(
00174     int ncid,
00175     char *varname,
00176     char *attrname,
00177     char *text) {
00178
00179     int varid;
00180

```

```
00181    NC(nc_inq_varid(ncid, varname, &varid));
00182    NC(nc_put_att_text(ncid, varid, attrname, strlen(text), text));
00183 }
```



## Index

add\_text\_attribute  
    wind.c, 198  
atm\_basename  
    ctl\_t, 14  
atm\_dt\_out  
    ctl\_t, 14  
atm\_filter  
    ctl\_t, 14  
atm\_gpfile  
    ctl\_t, 14  
atm\_t, 3  
    lat, 4  
    lon, 4  
    np, 4  
    p, 4  
    q, 4  
    time, 4  
    up, 4  
    vp, 4  
    wp, 5  
  
balloon  
    ctl\_t, 13  
  
cart2geo  
    libtrac.c, 42  
    libtrac.h, 97  
center.c, 22  
    main, 23  
csi\_basename  
    ctl\_t, 14  
csi\_dt\_out  
    ctl\_t, 14  
csi\_lat0  
    ctl\_t, 16  
csi\_lat1  
    ctl\_t, 16  
csi\_lon0  
    ctl\_t, 15  
csi\_lon1  
    ctl\_t, 15  
csi\_modmin  
    ctl\_t, 15  
csi\_nx  
    ctl\_t, 15  
csi\_ny  
    ctl\_t, 15  
csi\_nz  
    ctl\_t, 15  
csi\_obsfile  
    ctl\_t, 14  
csi\_obsmin  
    ctl\_t, 15  
csi\_z0  
    ctl\_t, 15  
csi\_z1

    ctl\_t, 15  
ctl\_t, 5  
    atm\_basename, 14  
    atm\_dt\_out, 14  
    atm\_filter, 14  
    atm\_gpfile, 14  
    balloon, 13  
    csi\_basename, 14  
    csi\_dt\_out, 14  
    csi\_lat0, 16  
    csi\_lat1, 16  
    csi\_lon0, 15  
    csi\_lon1, 15  
    csi\_modmin, 15  
    csi\_nx, 15  
    csi\_ny, 15  
    csi\_nz, 15  
    csi\_obsfile, 14  
    csi\_obsmin, 15  
    csi\_z0, 15  
    csi\_z1, 15  
    direction, 12  
    dt\_met, 12  
    dt\_mod, 12  
    ens\_basename, 18  
    grid\_basename, 16  
    grid\_dt\_out, 16  
    grid\_gpfile, 16  
    grid\_lat0, 17  
    grid\_lat1, 17  
    grid\_lon0, 17  
    grid\_lon1, 17  
    grid\_nx, 17  
    grid\_ny, 17  
    grid\_nz, 16  
    grid\_sparse, 16  
    grid\_z0, 16  
    grid\_z1, 16  
    gw\_basename, 14  
    isosurf, 12  
    met\_np, 12  
    met\_p, 12  
    nq, 9  
    prof\_basename, 17  
    prof\_lat0, 18  
    prof\_lat1, 18  
    prof\_lon0, 18  
    prof\_lon1, 18  
    prof\_nx, 18  
    prof\_ny, 18  
    prof\_nz, 17  
    prof\_obsfile, 17  
    prof\_z0, 18  
    prof\_z1, 18  
    psc\_h2o, 13



- psc\_hno3, [14](#)
- qnt\_ens, [9](#)
- qnt\_format, [9](#)
- qnt\_gw\_sso, [11](#)
- qnt\_gw\_u750, [11](#)
- qnt\_gw\_v750, [11](#)
- qnt\_gw\_var, [12](#)
- qnt\_h2o, [10](#)
- qnt\_m, [9](#)
- qnt\_name, [9](#)
- qnt\_o3, [10](#)
- qnt\_p, [10](#)
- qnt\_ps, [10](#)
- qnt\_pv, [11](#)
- qnt\_r, [10](#)
- qnt\_rho, [9](#)
- qnt\_stat, [11](#)
- qnt\_t, [10](#)
- qnt\_theta, [11](#)
- qnt\_tice, [11](#)
- qnt\_tnat, [11](#)
- qnt\_tsts, [11](#)
- qnt\_u, [10](#)
- qnt\_unit, [9](#)
- qnt\_v, [10](#)
- qnt\_w, [10](#)
- stat\_basename, [19](#)
- stat\_lat, [19](#)
- stat\_lon, [19](#)
- stat\_r, [19](#)
- t\_start, [12](#)
- t\_stop, [12](#)
- tdec\_strat, [13](#)
- tdec\_trop, [13](#)
- turb\_dx\_strat, [13](#)
- turb\_dx\_trop, [13](#)
- turb\_dz\_strat, [13](#)
- turb\_dz\_trop, [13](#)
- turb\_meso, [13](#)
- deg2dx
  - libtrac.c, [42](#)
  - libtrac.h, [97](#)
- deg2dy
  - libtrac.c, [42](#)
  - libtrac.h, [97](#)
- direction
  - ctl\_t, [12](#)
- dist.c, [26](#)
  - main, [27](#)
- dp2dz
  - libtrac.c, [43](#)
  - libtrac.h, [97](#)
- dt\_met
  - ctl\_t, [12](#)
- dt\_mod
  - ctl\_t, [12](#)
- dx2deg
  - libtrac.c, [43](#)
- libtrac.h, [97](#)
- dy2deg
  - libtrac.c, [43](#)
  - libtrac.h, [98](#)
- dz2dp
  - libtrac.c, [43](#)
  - libtrac.h, [98](#)
- ens\_basename
  - ctl\_t, [18](#)
- extract.c, [33](#)
  - main, [33](#)
- geo2cart
  - libtrac.c, [43](#)
  - libtrac.h, [98](#)
- get\_met
  - libtrac.c, [44](#)
  - libtrac.h, [98](#)
- get\_met\_help
  - libtrac.c, [45](#)
  - libtrac.h, [99](#)
- grid\_basename
  - ctl\_t, [16](#)
- grid\_dt\_out
  - ctl\_t, [16](#)
- grid\_gpfile
  - ctl\_t, [16](#)
- grid\_lat0
  - ctl\_t, [17](#)
- grid\_lat1
  - ctl\_t, [17](#)
- grid\_lon0
  - ctl\_t, [17](#)
- grid\_lon1
  - ctl\_t, [17](#)
- grid\_nx
  - ctl\_t, [17](#)
- grid\_ny
  - ctl\_t, [17](#)
- grid\_nz
  - ctl\_t, [16](#)
- grid\_sparse
  - ctl\_t, [16](#)
- grid\_z0
  - ctl\_t, [16](#)
- grid\_z1
  - ctl\_t, [16](#)
- gw\_basename
  - ctl\_t, [14](#)
- h2o
  - met\_t, [22](#)
- init.c, [35](#)
  - main, [36](#)
- init\_simtime
  - trac.c, [164](#)
- intpol\_met\_2d

- libtrac.c, 45
- libtrac.h, 100
- intpol\_met\_3d
  - libtrac.c, 46
  - libtrac.h, 100
- intpol\_met\_space
  - libtrac.c, 46
  - libtrac.h, 101
- intpol\_met\_time
  - libtrac.c, 47
  - libtrac.h, 102
- isosurf
  - ctl\_t, 12
- jsec2time
  - libtrac.c, 48
  - libtrac.h, 103
- jsec2time.c, 39
  - main, 39
- lat
  - atm\_t, 4
  - met\_t, 21
- libtrac.c, 40
  - cart2geo, 42
  - deg2dx, 42
  - deg2dy, 42
  - dp2dz, 43
  - dx2deg, 43
  - dy2deg, 43
  - dz2dp, 43
  - geo2cart, 43
  - get\_met, 44
  - get\_met\_help, 45
  - intpol\_met\_2d, 45
  - intpol\_met\_3d, 46
  - intpol\_met\_space, 46
  - intpol\_met\_time, 47
  - jsec2time, 48
  - locate, 48
  - read\_atm, 49
  - read\_ctl, 49
  - read\_met, 53
  - read\_met\_extrapolate, 55
  - read\_met\_help, 55
  - read\_met\_ml2pl, 56
  - read\_met\_periodic, 56
  - scan\_ctl, 57
  - time2jsec, 58
  - timer, 58
  - tropopause, 59
  - write\_atm, 61
  - write\_csi, 62
  - write\_ens, 64
  - write\_grid, 66
  - write\_prof, 68
  - write\_station, 70
- libtrac.h, 95
  - cart2geo, 97
  - deg2dx, 97
  - deg2dy, 97
  - dp2dz, 97
  - dx2deg, 97
  - dy2deg, 98
  - dz2dp, 98
  - geo2cart, 98
  - get\_met, 98
  - get\_met\_help, 99
  - intpol\_met\_2d, 100
  - intpol\_met\_3d, 100
  - intpol\_met\_space, 101
  - intpol\_met\_time, 102
  - jsec2time, 103
  - locate, 103
  - read\_atm, 104
  - read\_ctl, 104
  - read\_met, 108
  - read\_met\_extrapolate, 110
  - read\_met\_help, 110
  - read\_met\_ml2pl, 111
  - read\_met\_periodic, 111
  - scan\_ctl, 112
  - time2jsec, 113
  - timer, 113
  - tropopause, 114
  - write\_atm, 116
  - write\_csi, 117
  - write\_ens, 119
  - write\_grid, 121
  - write\_prof, 123
  - write\_station, 125
- locate
  - libtrac.c, 48
  - libtrac.h, 103
- lon
  - atm\_t, 4
  - met\_t, 21
- main
  - center.c, 23
  - dist.c, 27
  - extract.c, 33
  - init.c, 36
  - jsec2time.c, 39
  - match.c, 134
  - met\_map.c, 138
  - met\_prof.c, 142
  - met\_sample.c, 147
  - met\_zm.c, 150
  - smago.c, 154
  - split.c, 158
  - time2jsec.c, 162
  - trac.c, 178
  - wind.c, 198
- match.c, 133
  - main, 134
- met\_map.c, 138
  - main, 138

met\_np  
     ctl\_t, 12  
 met\_p  
     ctl\_t, 12  
 met\_prof.c, 142  
     main, 142  
 met\_sample.c, 146  
     main, 147  
 met\_t, 19  
     h2o, 22  
     lat, 21  
     lon, 21  
     np, 21  
     nx, 20  
     ny, 21  
     o3, 22  
     p, 21  
     pl, 21  
     ps, 21  
     t, 21  
     time, 20  
     u, 21  
     v, 22  
     w, 22  
 met\_zm.c, 149  
     main, 150  
 module\_advection  
     trac.c, 164  
 module\_decay  
     trac.c, 164  
 module\_diffusion\_meso  
     trac.c, 165  
 module\_diffusion\_turb  
     trac.c, 167  
 module\_isosurf  
     trac.c, 168  
 module\_meteo  
     trac.c, 170  
 module\_meteo\_hno3  
     trac.c, 172  
 module\_position  
     trac.c, 176  
 module\_sedi  
     trac.c, 176  
  
 np  
     atm\_t, 4  
     met\_t, 21  
 nq  
     ctl\_t, 9  
 nx  
     met\_t, 20  
 ny  
     met\_t, 21  
  
 o3  
     met\_t, 22  
  
 p  
     atm\_t, 4  
     met\_t, 21  
 pl  
     met\_t, 21  
 prof\_basename  
     ctl\_t, 17  
 prof\_lat0  
     ctl\_t, 18  
 prof\_lat1  
     ctl\_t, 18  
 prof\_lon0  
     ctl\_t, 18  
 prof\_lon1  
     ctl\_t, 18  
 prof\_nx  
     ctl\_t, 18  
 prof\_ny  
     ctl\_t, 18  
 prof\_nz  
     ctl\_t, 17  
 prof\_obsfile  
     ctl\_t, 17  
 prof\_z0  
     ctl\_t, 18  
 prof\_z1  
     ctl\_t, 18  
 ps  
     met\_t, 21  
 psc\_h2o  
     ctl\_t, 13  
 psc\_hno3  
     ctl\_t, 14  
  
 q  
     atm\_t, 4  
 qnt\_ens  
     ctl\_t, 9  
 qnt\_format  
     ctl\_t, 9  
 qnt\_gw\_sso  
     ctl\_t, 11  
 qnt\_gw\_u750  
     ctl\_t, 11  
 qnt\_gw\_v750  
     ctl\_t, 11  
 qnt\_gw\_var  
     ctl\_t, 12  
 qnt\_h2o  
     ctl\_t, 10  
 qnt\_m  
     ctl\_t, 9  
 qnt\_name  
     ctl\_t, 9  
 qnt\_o3  
     ctl\_t, 10  
 qnt\_p  
     ctl\_t, 10  
 qnt\_ps  
     ctl\_t, 10

- qnt\_pv
  - ctl\_t, 11
- qnt\_r
  - ctl\_t, 10
- qnt\_rho
  - ctl\_t, 9
- qnt\_stat
  - ctl\_t, 11
- qnt\_t
  - ctl\_t, 10
- qnt\_theta
  - ctl\_t, 11
- qnt\_tice
  - ctl\_t, 11
- qnt\_tnat
  - ctl\_t, 11
- qnt\_tsts
  - ctl\_t, 11
- qnt\_u
  - ctl\_t, 10
- qnt\_unit
  - ctl\_t, 9
- qnt\_v
  - ctl\_t, 10
- qnt\_w
  - ctl\_t, 10
- read\_atm
  - libtrac.c, 49
  - libtrac.h, 104
- read\_ctl
  - libtrac.c, 49
  - libtrac.h, 104
- read\_met
  - libtrac.c, 53
  - libtrac.h, 108
- read\_met\_extrapolate
  - libtrac.c, 55
  - libtrac.h, 110
- read\_met\_help
  - libtrac.c, 55
  - libtrac.h, 110
- read\_met\_ml2pl
  - libtrac.c, 56
  - libtrac.h, 111
- read\_met\_periodic
  - libtrac.c, 56
  - libtrac.h, 111
- scan\_ctl
  - libtrac.c, 57
  - libtrac.h, 112
- smago.c, 154
  - main, 154
- split.c, 157
  - main, 158
- stat\_basename
  - ctl\_t, 19
- stat\_lat
  - ctl\_t, 19
- stat\_lon
  - ctl\_t, 19
- stat\_r
  - ctl\_t, 19
- t
  - met\_t, 21
- t\_start
  - ctl\_t, 12
- t\_stop
  - ctl\_t, 12
- tdec\_strat
  - ctl\_t, 13
- tdec\_trop
  - ctl\_t, 13
- time
  - atm\_t, 4
  - met\_t, 20
- time2jsec
  - libtrac.c, 58
  - libtrac.h, 113
- time2jsec.c, 161
  - main, 162
- timer
  - libtrac.c, 58
  - libtrac.h, 113
- trac.c, 163
  - init\_simtime, 164
  - main, 178
  - module\_advection, 164
  - module\_decay, 164
  - module\_diffusion\_meso, 165
  - module\_diffusion\_turb, 167
  - module\_isosurf, 168
  - module\_meteo, 170
  - module\_meteo\_hno3, 172
  - module\_position, 176
  - module\_sedi, 176
  - write\_output, 177
- tropopause
  - libtrac.c, 59
  - libtrac.h, 114
- turb\_dx\_strat
  - ctl\_t, 13
- turb\_dx\_trop
  - ctl\_t, 13
- turb\_dz\_strat
  - ctl\_t, 13
- turb\_dz\_trop
  - ctl\_t, 13
- turb\_meso
  - ctl\_t, 13
- u
  - met\_t, 21
- up
  - atm\_t, 4

- v
  - met\_t, [22](#)
- vp
  - atm\_t, [4](#)
- w
  - met\_t, [22](#)
- wind.c, [198](#)
  - add\_text\_attribute, [198](#)
  - main, [198](#)
- wp
  - atm\_t, [5](#)
- write\_atm
  - libtrac.c, [61](#)
  - libtrac.h, [116](#)
- write\_csi
  - libtrac.c, [62](#)
  - libtrac.h, [117](#)
- write\_ens
  - libtrac.c, [64](#)
  - libtrac.h, [119](#)
- write\_grid
  - libtrac.c, [66](#)
  - libtrac.h, [121](#)
- write\_output
  - trac.c, [177](#)
- write\_prof
  - libtrac.c, [68](#)
  - libtrac.h, [123](#)
- write\_station
  - libtrac.c, [70](#)
  - libtrac.h, [125](#)