






pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (16)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
norm_airline
norm_airport
norm_booking
norm_booking_passenger
norm_flight
norm_passenger
passengers
security_check
Trigger Functions
Types
Views
Subscriptions
phonebook_db
postgres
snake_game
ALTER TABLE passengers
ADD CONSTRAINT check_passenger_age
CHECK (
date_of_birth <= CURRENT_DATE - INTERVAL '10 years'
);
ALTER TABLE booking
ADD CONSTRAINT check_ticket_price
CHECK (
price >= 0
AND price <= 50000
);
ALTER TABLE baggage
ADD CONSTRAINT check_baggage_weight
CHECK (
weight_in_kg BETWEEN 1 AND 23
);
ALTER TABLE airport
ADD CONSTRAINT check_airport_name_length
CHECK (
LENGTH(airport_name) >= 10
);
ALTER TABLE airline
ADD CONSTRAINT unique_airline_code
UNIQUE (airline_code);
ALTER TABLE airport
ADD CONSTRAINT unique_airport_name
UNIQUE (airport_name);
ALTER TABLE passengers
ADD CONSTRAINT unique_passport_number
UNIQUE (passport_number);
ALTER TABLE boarding_pass
ADD CONSTRAINT unique_booking_seat


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
ALTER TABLE boarding_pass
ADD CONSTRAINT unique_booking_seat
UNIQUE (booking_id, seat);
ALTER TABLE security_check
ADD CONSTRAINT unique_security_check_id
UNIQUE (security_check_id);
ALTER TABLE baggage
ADD CONSTRAINT unique_baggage_id
UNIQUE (baggage_id);
ALTER TABLE baggage_check
ADD CONSTRAINT unique_baggage_check_id
UNIQUE (baggage_check_id);
ALTER TABLE flights
ADD CONSTRAINT unique_flight_id
UNIQUE (flight_id);
ALTER TABLE booking
ADD CONSTRAINT unique_booking_id
UNIQUE (booking_id);
ALTER TABLE booking_flight
ADD CONSTRAINT unique_booking_flight
UNIQUE (booking_id, flight_id);
ALTER TABLE passengers
ADD CONSTRAINT check_gender_age
CHECK (
(
gender = 'Male'
AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years'
)
OR
(
gender = 'Female'
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years'


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (16)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
norm_airline
norm_airport
norm_booking
norm_booking_passenger
norm_flight
norm_passenger
passengers
security_check
Trigger Functions
Types
Views
Subscriptions
phonebook_db
postgres
snake_game
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years'
);
ALTER TABLE passengers
ADD CONSTRAINT check_citizenship_age
CHECK (
(
country_of_citizenship = 'Kazakhstan'
AND date_of_birth <= CURRENT_DATE - INTERVAL '18 years'
)
OR
(
country_of_citizenship = 'France'
AND date_of_birth <= CURRENT_DATE - INTERVAL '17 years'
)
OR
(
country_of_citizenship NOT IN ('Kazakhstan', 'France')
AND date_of_birth <= CURRENT_DATE - INTERVAL '19 years'
)
);
ALTER TABLE booking
ADD COLUMN ticket_discount DECIMAL(5,2);
ALTER TABLE booking
ADD CONSTRAINT check_ticket_discount
CHECK (
(
created_at >= '2024-01-01'
AND ticket_discount = 5
)
OR
(
created_at < '2024-01-01'
AND ticket_discount = 10
)


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
);
INSERT INTO passengers (
passenger_id,
first_name,
last_name,
date_of_birth,
gender,
country_of_citizenship,
country_of_residence,
passport_number,
created_at,
updated_at
)
VALUES (
1,
'John',
'Smith',
'2000-05-15',
'Male',
'Kazakhstan',
'Kazakhstan',
'N1234567',
NOW(),
NOW()
);
ALTER TABLE booking
ALTER COLUMN status
SET DEFAULT 'Confirmed';
INSERT INTO booking (
booking_id,
flight_id,
passenger_id,
booking_platform,
created_at,
updated_at,
price


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
762 flight_id,
763 passenger_id,
764 booking_platform,
765 created_at,
766 updated_at,
767 price
768 )
769 VALUES (
770 9001,
771 1,
772 1,
773 'Website',
774 NOW(),
775 NOW(),
776 30000
777 );
778
779 SELECT *
780 FROM booking
781 WHERE booking_id = 9001;
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
booking_id [PK] integer
flight_id integer
passenger_id integer
booking_platform character varying (50)
created_at timestamp without time zone
updated_at timestamp without time zone
status character varying (50)
price numeric (7,2)
ticket_discount numeric (5,2)
1 9001 1 1 Website 2026-10-11 21:37:19.502077 2026-10-11 21:37:19.502077 Confirmed 30000.00 [null]
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (16)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
norm_airline
norm_airport
norm_booking
norm_booking_passenger
norm_flight
norm_passenger
passengers
security_check
Trigger Functions
Types
Views
Subscriptions
phonebook_db
postgres
snake_game


pgAdmin 4
File Object Tools Edit View Window Help
Object Explorer
airport_lab2/postgres@PostgreSQL 18*
public.airline/airpo...
public.booking/air...
public.passengers...
airport_lab2/postgres@PostgreSQL 18
No limit
Query
Query History
Scratch Pad
784 ALTER TABLE booking
785 ALTER COLUMN created_at
786 SET DEFAULT CURRENT_TIMESTAMP;
787
788 INSERT INTO booking (
789 booking_id,
790 flight_id,
791 passenger_id,
792 booking_platform,
793 updated_at,
794 status,
795 price
796 )
797 VALUES (
798 9002,
799 1,
800 1,
801 'Mobile App',
802 NOW(),
803 'Confirmed',
Data Output
Messages
Notifications
SQL
Showing rows: 1 to 1
Page No: 1
of 1
booking_id [PK] integer
created_at timestamp without time zone
1 9002 2026-10-11 21:39:05.710975
Aggregates
Collations
Domains
FTS Configurations
FTS Dictionaries
FTS Parsers
FTS Templates
Foreign Tables
Functions
Materialized Views
Operators
Procedures
Sequences
Tables (16)
airline
airport
baggage
baggage_check
boarding_pass
booking
booking_flight
flights
norm_airline
norm_airport
norm_booking
norm_booking_passenger
norm_flight
norm_passenger
passengers
security_check
Trigger Functions
Types
Views
Subscriptions
phonebook_db
postgres
snake_game