Go to homepage 🏠 (../../)

SCALE FOR PROJECT MINISHELL (HTTPS://PROJECTS.INTRA.42.FR/PROJECTS/42CURSUS MINISHELL)

You should evaluate 2 students in this team

Introduction

Please comply with the following rules:

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the student or group whose work is evaluated the possible dysfunctions in their project. Take the time to discuss and debate the problems that may have been identified.
- You must consider that there might be some differences in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade them as honestly as possible. The pedagogy is useful only and only if the peer-evaluation is done seriously.

Guidelines

- Only grade the work that was turned in the Git repository of the evaluated student or group.
- Double-check that the Git repository belongs to the student(s). Ensure that the project is the one expected. Also, check that 'git clone' is used in an empty folder.
- Check carefully that no malicious aliases was used to fool you and make you evaluate something that is not the content of the official repository.
- To avoid any surprises and if applicable, review together any scripts used to facilitate the grading (scripts for testing or automation).
- If you have not completed the assignment you are going to evaluate, you have to read the entire subject prior to starting the evaluation process.
- Use the available flags to report an empty repository, a non-functioning program, a Norm error, cheating, and so forth.
 In these cases, the evaluation process ends and the final grade is 0, or -42 in case of cheating. However, except for cheating, student are strongly encouraged to review together the work that was turned in, in order to identify any mistakes that shouldn't be repeated in the future.
- Remember that for the duration of the defense, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0. Use the

appropriate flag.

You should never have to edit any file except the configuration file if it exists.

If you want to edit a file, take the time to explicit the reasons with the evaluated student are make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.

You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e fence. In case of memory leaks, tick the appropriate flag.

Attachments

subject.pdf (https://github.com/rphlr/42-Subjects/)

Mandatory Part

Compile

- Use "make -n" to see if compilation use "-Wall -Wextra -Werror". If not, select the "invalid compilation" flag.
- minishell compiles without any errors. If not, select the flag.
- The Makefile must not re-link. If not, select the flag.

Yes	No

Simple Command & global variables

- Execute a simple command with an absolute path like /bin/ls, or any other command without any options.
- How many global variables are used? Why? Ask the evaluated student to give you a concrete example of why it feels mandatory or logical.
- Check the global variable. This global variable cannot provide any other information or data access than the number of a received signal.
- · Test an empty command.
- · Test only spaces or tabs.
- If something crashes, select the "crash" flag.
- · If something doesn't work, select the "incomplete work" flag.

Yes	No

Arguments

- Execute a simple command with an absolute path like /bin/ls, or any other command with arguments but without any quotes or double quotes.
- · Repeat multiple times with different commands and arguments.
- If something crashes, select the "crash" flag.
- If something doesn't work, select the "incomplete work" flag.

Yes	No	

echo

- Execute the echo command with or without arguments, or the -n option.
- Repeat multiple times with different arguments.
- If something crashes, select the "crash" flag.
- If something doesn't work, select the "incomplete work" flag.

24, 17:15		minishell correction
	Yes	No
Go to homepage 🏠	(//)	
exit		
Execute exit com	ımand with or without argument	8
	imes with different arguments.	. .
	launch the minishell	
•	shes, select the "crash" flag.	
-	sn't work, select the "incomplete	e work" flag.
ŭ	,	S .
	Yes	No
Return value of a proc	cess	
• Execute a simple	command with an absolute pat	th like /bin/ls, or any other command with arguments but
without any quote	es and double quotes. Then exe	ecute echo \$?
 Check the printer 	d value. You can do the same in	bash in order to compare the results.
 Repeat multiple t 	imes with different commands a	and arguments. Try some wrong commands like '/bin/ls
filethatdoesntexis		
 Try anything like 		
-	shes, select the "crash" flag.	
If something doe.	sn't work, select the "incomplete	e work" flag.
	Yes	No
Signals		
_	and the state of t	
	y prompt should display a new l	
· · · · · · · · · · · · · · · · · · ·	prompt should not do anything.	
•	y prompt should quit minishell	
		uld display a new line with a new prompt. make sure nothing from the previous line is executed.
	t after you wrote some stuff sho	
	after you wrote some stuff shou	
		cat without arguments or grep "something".
	= =	cat without arguments or grep "something".
=		cat without arguments or grep "something".
	imes using different commands	
	shes, select the "crash" flag.	
-	sn't work, select the "incomplete	e work" flag.
	Yes	No
Double Quotes		
Execute a simple	-	, this time, use also double quotes (you should try to include
whitespaces too)		
Try a command I	ike : echo "cat lol.c cat > lol.c"	
Try a command ITry anything exce	ike : echo "cat lol.c cat > lol.c" ept \$.	
Try a command ITry anything exceIf something cras	ike : echo "cat lol.c cat > lol.c"	

Yes

No

• Execute commands with single quotes as arguments.

• Try empty arguments.

30 to published	ment variables, whitespaces, pipes R' Hust print "\$USER". ould be interpreted.	s, redirection in the single quotes.
	Yes	No
nv		
Check if env	v shows you the current environme	ent variables.
	Yes	No
xport		
Export envirCheck the r	ronment variables, create new one esult with env.	s and replace old ones.
	Yes	No
ınset		
	ronment variables, create new one or remove some of them. esult with env.	s and replace old ones.
	Yes	No
 Repeat mul 	nmand cd to move the working dire tiple times with working and not wo and '' as arguments.	ectory and check if you are in the right directory with /bin/ls orking cd
	Yes	No
wd		
Use the conRepeat mul	nmand pwd. tiple times in different directories.	
	Yes	No
Relative Path		
Execute cor	mmands but this time use a relative	e path. vith a complex relative path (lots of).
 Repeat mul 		

• Execute commands but this time without any path (ls, wc, awk and so forth).

• Unset the \$PATH and ensure commands are not working anymore.

•	Set the \$PATH to a multiple directory value (directory1:directory2) and ensure that directories are checked in
	order from left to right.

Go to homepage 🏠 (../../)
Yes No

Redirection

- Execute commands with redirections < and/or >
- Repeat multiple times with different commands and arguments and sometimes change > with >>
- · Check if multiple tries of the same redirections fail.
- Test << redirection (it doesn't have to update the history).

Yes No

Pipes

- Execute commands with pipes like 'cat file | grep bla | more'
- · Repeat multiple times with different commands and arguments.
- Try some wrong commands like 'ls filethatdoesntexist | grep bla | more'
- Try to mix pipes and redirections.

Yes No

Go Crazy and history

- Type a command line, then use ctrl-C and press "Enter". The buffer should be clean and there should be nothing left to execute.
- Can we navigate through history using Up and Down? Can we retry some command?
- Execute commands that should not work like 'dsbksdgbksdghsd'. Ensure minishell doesn't crash and prints an error
- 'cat | cat | ls' should behave in a "normal way".
- Try to execute a long command with a ton of arguments.
- · Have fun with that beautiful minishell and enjoy it!

Yes No

Environment variables

- Execute echo with some environment variables (\$variable) as arguments.
- Check that \$ is interpreted as an environment variable.
- · Check that double quotes interpolate \$.
- · Check that USER exists. Otherwise, set it.
- echo "\$USER" should print the value of the USER variable.

Yes No

Bonus

Evaluate the bonus part if, and only if, the mandatory part has been entirely and perfectly done, and the error management handles unexpected or bad usage. In case all the mandatory points were not passed during the defense, bonus points must be totally ignored.

And, Or

• Use &&, || and parenthesis with commands and ensure minishell behaves the same way bash does.

Yes No

Go to homepage ♠ (../../)

Wildcard

• Use wildcards in arguments in the current working directory.

Yes No

Surprise! (or not...)

• Set the USER environment variable.

• echo "\$USER" should print the value of the USER variable.

Yes No

Ratings

Don't forget to check the flag corresponding to the defense

• echo ""\$USER"" should print "\$USER".

Empty work Incomplete work W Invalid compilation Norme Cheat Crash
Incomplete group Concerning situation Leaks 1 Forbidden function

Can't support / explain code

Conclusion

Give this repository a star. 🜟

(https://github.com/rphlr/42-Evals)