

Bayesian Statistics and Data Analysis Lecture 1

Måns Magnusson Department of Statistics, Uppsala University



Section 1

Introduction



Decision making in case of uncertainties





Bayesian Analysis

- Based on Bayesian probability theory
 - uncertainty is presented with probabilities
 - probabilities are updated based on new information
- Thomas Bayes (170?–1761)
 - English nonconformist, Presbyterian minister, mathematician
 - considered the problem of inverse probability
 - significant part of the Bayesian theory
- Bayes did not invent all, but was first to solve problem of inverse probability in special case
- Modern Bayesian theory with rigorous proofs developed in 20th century



Term Bayesian used first time in mid 20th century

- Earlier there was just "probability theory"
 - concept of the probability was not strictly defined, although it was close to modern Bayesian interpretation
 - in the end of 19th century there were increasing demand for more strict definition of probability (mathematical and philosophical problem)
- In the beginning of 20th century frequentist view gained popularity
 - accepts definition of probabilities only through frequencies
 - does not accept inverse probability or use of prior
 - gained popularity due to apparent objectivity and "cook book" like reference books
- R. A. Fisher used in 1950 first time term "Bayesian" to emphasize the difference to general term "probability theory"
 - term became quickly popular, because alternative descriptions were longer



Uncertainty and probabilistic modeling

- Two types of uncertainty: aleatoric and epistemic
- Representing uncertainty with probabilities
- Updating uncertainty



Two types of uncertainty

- Aleatoric uncertainty due to randomness
 - we are not able to obtain observations which could reduce this uncertainty
- Epistemic uncertainty due to lack of knowledge
 - we are able to obtain observations which can reduce this uncertainty
 - two observers may have different epistemic uncertainty



Updating uncertainty

- Probability of red $\frac{\#\mathrm{red}}{\#\mathrm{red} + \#\mathrm{yellow}} = \theta$
- $p(y = red | \theta) = \theta$ aleatoric uncertainty
- $p(\theta)$ epistemic uncertainty
- Picking many chips updates our uncertainty about the proportion
- $p(\theta|y = \text{red}, \text{yellow}, \text{red}, \text{red}, \dots) = ?$
- Bayes rule $p(\theta|y) = \frac{p(y|\theta)p(\theta)}{\int p(y|\theta)p(\theta)d\theta}$




Model vs. likelihood

- Bayes rule $p(\theta|y) \propto p(y|\theta)p(\theta)$
- Model: $p(y|\theta)$ as a function of y given fixed θ describes the aleatoric uncertainty
- Likelihood: $p(y|\theta)$ as a function of θ given fixed y provides information about epistemic uncertainty, but is not a probability distribution
- Bayes rule combines the likelihood with prior uncertainty $p(\theta)$ and transforms them to updated posterior uncertainty




Example application: Drug dosage for liver transplant¹

- Everolimus is immunosuppressant to prevent rejection of organ transplants
- Pharmacokinetic model of drug and body, optimal dosage depends on weight



Drug concentration as a function of time





The art of probabilistic modeling

- The art of probabilistic modeling is to describe in a mathematical form (model and prior distributions) what we already know and what we don't know
- "Easy" part is to use Bayes rule to update the uncertainties
 - computational challenges
- Other parts of the art of probabilistic modeling are, for example,
 - model checking: is data in conflict with our prior knowledge?
 - presentation: presenting the model and the results to the application experts



- Galaxy clusters for cosmology
- Coagulation of blood
- Gene regulation
- Pharmacokinetics and -dynamics
- Decision support
- Effects of nutrition for diabetes
- Evolutionary anthropology
- Clinical trial designs
- Daily demand for gas
- Brain structure trees
- School enrollment
- Sports
- Product demand

- Cocoa bean fermentation
- Marine propulsion power
- Alcohol consumption trends
- Flood probability
- Instantaneous heart rate distributions
- Drug dosing regimens in pediatrics
- Human T stem cell memory cells
- Fairness in university admission policies
- Destruction of bacteria and bacterial spores under heat



Bayesian data analysis

- Treatment/control
 - randomize patients to treatment or control
 - is the treatment effective?
- Continuous valued treatment
 - randomize patients with different dosages
 - which dosage is sufficient without too many side effects?
- Different effects for different patients?
 - Is the treatment effect different for male/female, child/adult, light/heavy, ...



Bayesian approach

- Benefits of Bayesian approach
 - integrate over uncertainties to focus to interesting parts
 - use relevant prior information
 - hierarchical models
 - model checking and evaluation



Computation

We need to be able to compute expectations with respect to posterior distribution $p(\theta|y)$

$$\mathrm{E}_{ heta|y}[g(heta)] = \int p(heta|y)g(heta)d heta$$

- Analytic
 - only for very simple models
- Monte Carlo, Markov chain Monte Carlo
 - generic
- Distributional approximations
 - e.g. Laplace, variational, expectation propagation
 - less generic, but can be much faster with sufficient accuracy