


Server install II



To start off, open the terminal in CentOS.

```

ckking@localhost:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:9d:b8:9c brd ff:ff:ff:ff:ff:ff
    altname enp2s1
    altname enx00c299db89c
    inet 192.168.68.184/24 brd 192.168.68.255 scope global dynamic noprefixroute ens33
        valid_lft 1700sec preferred_lft 1700sec
    inet6 fe80::20c:29ff:fe9d:b89c/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
ckking@localhost:~$ nmcli d

```

DEVICE	TYPE	STATE	CONNECTION
ens33	ethernet	connected	ens33
lo	loopback	connected (externally)	lo

```

ckking@localhost:~$

```

I found my current IP address by typing “ip addr” in the command line. I also found my network devices by typing “nmcli d”.


```
[sudo] password for cking:
```

CentOS Stream 10 - BaseOS	14 kB/s	6.1 kB	00:00
CentOS Stream 10 - BaseOS	6.4 MB/s	6.6 MB	00:01
CentOS Stream 10 - AppStream	19 kB/s	6.2 kB	00:00
CentOS Stream 10 - AppStream	2.9 MB/s	3.1 MB	00:01
CentOS Stream 10 - Extras packages	20 kB/s	6.6 kB	00:00

Package	Architecture	Version	Repository	Size
=====				
Installing:				
kernel	x86_64	6.12.0-59.el10	baseos	16 k
Installing dependencies:				
kernel-core	x86_64	6.12.0-59.el10	baseos	17 M
kernel-modules	x86_64	6.12.0-59.el10	baseos	38 M
kernel-modules-core	x86_64	6.12.0-59.el10	baseos	28 M

=====

Install 4 Packages

Installed size: 132 M

Is this ok [y/N]: y

Downloading Package

[MIRROR] kernel-6.12.0

```
[MIRROR] kernel-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for http://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 80 after 276 ms: Could not connect to server]
[MIRROR] kernel-core-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for http://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-core-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 80 after 276 ms: Could not connect to server]
[MIRROR] kernel-modules-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for http://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-modules-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 80 after 276 ms: Could not connect to server]
[MIRROR] kernel-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for https://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 443 after 280 ms: Could not connect to server]
[MIRROR] kernel-core-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for https://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-core-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 443 after 280 ms: Could not connect to server]
[MIRROR] kernel-modules-6.12.0-59.el10.x86_64.rpm: Curl error (7): Could not connect to server for https://ftp-nyc.osuosl.org/pub/centos-stream/10-stream/BaseOS/x86_64/os/Packages/kernel-modules-6.12.0-59.el10.x86_64.rpm [Failed to connect to ftp-nyc.osuosl.org port 443 after 280 ms: Could not connect to server]
```

```
+ cking@localhost:~ -- sudo yum update

samba-client-libs          x86_64          4.21.3-102.el10          baseos          5.3 M
samba-common               noarch          4.21.3-102.el10          baseos          179 k
samba-common-libs         x86_64          4.21.3-102.el10          baseos          104 k
systemd                    x86_64          257-9.el10                baseos          5.7 M
systemd-libs               x86_64          257-9.el10                baseos          818 k
systemd-pam                x86_64          257-9.el10                baseos          300 k
systemd-udev               x86_64          257-9.el10                baseos          2.2 M
tiwilink-firmware         noarch          20250212-14.el10         baseos          4.6 M
wpa_supplicant             x86_64          1:2.11-3.el10             baseos          1.7 M
xdg-user-dirs              x86_64          0.18-7.el10               appstream       85 k
xorg-x11-server-Xwayland   x86_64          24.1.5-2.el10             appstream       1.0 M
Installing dependencies:
erofs-utils                x86_64          1.8.4-2.el10              baseos          155 k
kernel-modules-extra       x86_64          6.12.0-59.el10            baseos          1.5 M

Transaction Summary
=====
Install  2 Packages
Upgrade 115 Packages

Total download size: 365 M
Is this ok [y/N]: y
Downloading Packages:
(1/117): erofs-utils-1.8.4-2.el10.x86_64.rpm          317 kB/s | 155 kB    00:00
(2/117): NetworkManager-adsl-1.52.0-1.el10.x86_64.rpm 399 kB/s | 29 kB    00:00
(3/117): NetworkManager-bluetooth-1.52.0-1.el10.x86_64.rpm 649 kB/s | 56 kB    00:00
(4/117): NetworkManager-config-server-1.52.0-1.el10.noarch.rpm 174 kB/s | 15 kB    00:00
(5/117): kernel-modules-extra-6.12.0-59.el10.x86_64.rpm 1.1 MB/s | 1.5 MB    00:01
(6/117): NetworkManager-tui-1.52.0-1.el10.x86_64.rpm 1.5 MB/s | 232 kB    00:00
(7/117): NetworkManager-wifi-1.52.0-1.el10.x86_64.rpm 698 kB/s | 77 kB    00:00
(8/117): NetworkManager-libnm-1.52.0-1.el10.x86_64.rpm 2.1 MB/s | 1.9 MB    00:00
(9/117): NetworkManager-wwan-1.52.0-1.el10.x86_64.rpm 851 kB/s | 62 kB    00:00
(10/117): NetworkManager-1.52.0-1.el10.x86_64.rpm 1.3 MB/s | 2.2 MB    00:01
(11/117): adcli-0.9.2-9.el10.x86_64.rpm 1.6 MB/s | 126 kB    00:00
(12/117): avahi-0.9-rc2-1.el10.x86_64.rpm 2.6 MB/s | 450 kB    00:00
(13/117): amd-ucode-firmware-20250212-14.el10.noarch.rpm 1.2 MB/s | 307 kB    00:00
(14/117): avahi-libs-0.9-rc2-1.el10.x86_64.rpm 889 kB/s | 68 kB    00:00
[15-16/117]: atheros-firmware-20250212-14.el10.noarch.rpm 2% [== ] 1.4 MB/s | 7.5 MB    04:23 ETA
```

This is the screen after yum update && yum upgrade.

```
cking@localhost:~$ sudo yum install gcc
[sudo] password for cking:
Last metadata expiration check: 0:10:39 ago on Fri 14 Mar 2025 10:22:07 AM EDT.
Dependencies resolved.
=====
Package                                Architecture                Version                      Repository                    Size
=====
Installing:
gcc                                    x86_64                       14.2.1-7.el10               appstream                     37 M
Installing dependencies:
cpp                                    x86_64                       14.2.1-7.el10               appstream                     12 M
glibc-devel                           x86_64                       2.39-37.el10                appstream                     637 k
kernel-headers                        x86_64                       6.12.0-59.el10              appstream                     1.9 M
libxcrypt-devel                       x86_64                       4.4.36-10.el10              appstream                     30 k
make                                   x86_64                       1:4.4.1-9.el10              baseos                        587 k
=====
Transaction Summary
=====
Install 6 Packages

Total download size: 53 M
Installed size: 158 M
Is this ok [y/N]: █
```

I typed “yum install gcc” to start the gcc installation.

```
Installing      : glibc-devel-2.39-37.el10.x86_64                                3/6
Installing      : cpp-14.2.1-7.el10.x86_64                                       4/6
Installing      : make-1:4.4.1-9.el10.x86_64                                     5/6
Installing      : gcc-14.2.1-7.el10.x86_64                                       6/6
Running scriptlet: gcc-14.2.1-7.el10.x86_64                                     6/6

Installed:
  cpp-14.2.1-7.el10.x86_64    gcc-14.2.1-7.el10.x86_64    glibc-devel-2.39-37.el10.x86_64    kernel-headers-6.12.0-59.el10.x86_64    libxcrypt-devel-4.4.36-10.el10.x86_64    make-1:4.4.1-9.el10.x86_64

Complete!
cking@localhost:~$ sudo yum install httpd
Last metadata expiration check: 0:00:20 ago on Fri 14 Mar 2025 10:33:50 AM EDT.
Dependencies resolved.
=====
Package                                Architecture                Version                      Repository                    Size
=====
Installing:
httpd                                    x86_64                       2.4.63-1.el10               appstream                     49 k
Installing dependencies:
apr                                    x86_64                       1.7.5-2.el10                appstream                     129 k
apr-util                               x86_64                       1.6.3-21.el10               appstream                     99 k
apr-util-ldap                          x86_64                       1.6.3-21.el10               appstream                     15 k
centos-logos-httpd                    noarch                       100.2-2.el10                appstream                     855 k
httpd-core                             x86_64                       2.4.63-1.el10               appstream                     1.5 M
httpd-filesystem                       noarch                       2.4.63-1.el10               appstream                     14 k
httpd-tools                            x86_64                       2.4.63-1.el10               appstream                     83 k
Installing weak dependencies:
apr-util-openssl                       x86_64                       1.6.3-21.el10               appstream                     17 k
mod_http2                              x86_64                       2.0.29-2.el10               appstream                     166 k
mod_lua                                x86_64                       2.4.63-1.el10               appstream                     60 k
=====
Transaction Summary
=====
Install 11 Packages

Total download size: 3.0 M
Installed size: 7.4 M
Is this ok [y/N]: █
```

I typed “yum install httpd” to start the httpd installation.

```

(11/11) : mod_lua-2.4.63-1.el10.x86_64.rpm
-----
Total
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing :
Installing : apr-1.7.5-2.el10.x86_64 1/11
Installing : apr-util-lmdb-1.6.3-21.el10.x86_64 1/11
Installing : apr-util-openssl-1.6.3-21.el10.x86_64 2/11
Installing : apr-util-1.6.3-21.el10.x86_64 3/11
Installing : httpd-tools-2.4.63-1.el10.x86_64 4/11
Running scriptlet: httpd-filesystem-2.4.63-1.el10.noarch 5/11
Installing : httpd-filesystem-2.4.63-1.el10.noarch 6/11
Installing : httpd-core-2.4.63-1.el10.x86_64 6/11
Installing : mod_http2-2.0.29-2.el10.x86_64 7/11
Installing : mod_lua-2.4.63-1.el10.x86_64 8/11
Installing : centos-logos-httpd-100.2-2.el10.noarch 9/11
Installing : httpd-2.4.63-1.el10.x86_64 10/11
Running scriptlet: httpd-2.4.63-1.el10.x86_64 11/11

Installed:
apr-1.7.5-2.el10.x86_64      apr-util-1.6.3-21.el10.x86_64      apr-util-lmdb-1.6.3-21.el10.x86_64  apr-util-openssl-1.6.3-21.el10.x86_64  centos-logos-httpd-100.2-2.el10.noarch  httpd-2.4.63-1.el10.x86_64
httpd-core-2.4.63-1.el10.x86_64  httpd-filesystem-2.4.63-1.el10.noarch  httpd-tools-2.4.63-1.el10.x86_64      mod_http2-2.0.29-2.el10.x86_64      mod_lua-2.4.63-1.el10.x86_64

Complete!
cking@localhost:~$ firewall-cmd --add-service=http
success
cking@localhost:~$ firewall-cmd --reload
success
cking@localhost:~$ systemctl restart httpd.service
cking@localhost:~$ sudo systemctl start httpd.service
cking@localhost:~$ systemctl start httpd.service
cking@localhost:~$ sudo systemctl enable httpd.service
Created symlink '/etc/systemd/system/multi-user.target.wants/httpd.service' → '/usr/lib/systemd/system/httpd.service'.
cking@localhost:~$ █

```

After typing yum install httpd , type “y” to the prompts, then setup the firewall, start and enable services.

```
cking@localhost:~$ sudo yum install php
Last metadata expiration check: 0:04:17 ago on Fri 14 Mar 2025 10:33:50 AM EDT.
Dependencies resolved.
=====
Package                                Architecture                Version                      Repository                   Size
=====
Installing:
php                                    x86_64                      8.3.15-1.el10               appstream                    8.4 k
Installing dependencies:
capstone                             x86_64                      5.0.1-6.el10               appstream                    1.0 M
nginx-filesystem                     noarch                      2:1.26.2-4.el10            appstream                    12 k
php-common                           x86_64                      8.3.15-1.el10               appstream                    695 k
Installing weak dependencies:
php-cli                              x86_64                      8.3.15-1.el10               appstream                    3.3 M
php-fpm                              x86_64                      8.3.15-1.el10               appstream                    1.8 M
php-mbstring                         x86_64                      8.3.15-1.el10               appstream                    516 k
php-opcache                          x86_64                      8.3.15-1.el10               appstream                    359 k
php-pdo                              x86_64                      8.3.15-1.el10               appstream                    83 k
php-xml                              x86_64                      8.3.15-1.el10               appstream                    137 k
=====
Transaction Summary
=====
Install 10 Packages

Total download size: 7.8 M
Installed size: 50 M
Is this ok [y/N]: y
```

Type “yum install php” then type “y” to start the installation.

```
cking@localhost:~$ sudo yum install php
(4/10): php-common-8.3.15-1.el10.x86_64.rpm                2.2 MB/s | 695 kB    00:00
(5/10): php-fpm-8.3.15-1.el10.x86_64.rpm                  13 MB/s | 1.8 MB    00:00
(6/10): php-cli-8.3.15-1.el10.x86_64.rpm                  7.3 MB/s | 3.3 MB    00:00
(7/10): php-mbstring-8.3.15-1.el10.x86_64.rpm             4.8 MB/s | 516 kB    00:00
(8/10): php-opcache-8.3.15-1.el10.x86_64.rpm              6.0 MB/s | 359 kB    00:00
(9/10): php-xml-8.3.15-1.el10.x86_64.rpm                  2.7 MB/s | 137 kB    00:00
(10/10): php-pdo-8.3.15-1.el10.x86_64.rpm                 1.5 MB/s | 83 kB     00:00
-----
Total                                                    8.3 MB/s | 7.8 MB    00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing      : 1/1
  Installing     : php-common-8.3.15-1.el10.x86_64        1/10
  Installing     : php-cli-8.3.15-1.el10.x86_64          2/10
  Installing     : php-mbstring-8.3.15-1.el10.x86_64     3/10
  Installing     : php-pdo-8.3.15-1.el10.x86_64          4/10
  Installing     : php-xml-8.3.15-1.el10.x86_64          5/10
Running scriptlet: nginx-filesystem-2:1.26.2-4.el10.noarch 6/10
  Installing     : nginx-filesystem-2:1.26.2-4.el10.noarch 6/10
  Installing     : php-fpm-8.3.15-1.el10.x86_64          7/10
Running scriptlet: php-fpm-8.3.15-1.el10.x86_64          7/10
  Installing     : capstone-5.0.1-6.el10.x86_64          8/10
  Installing     : php-opcache-8.3.15-1.el10.x86_64     9/10
  Installing     : php-8.3.15-1.el10.x86_64             10/10
Running scriptlet: php-8.3.15-1.el10.x86_64             10/10

Installed:
capstone-5.0.1-6.el10.x86_64      nginx-filesystem-2:1.26.2-4.el10.noarch      php-8.3.15-1.el10.x86_64      php-cli-8.3.15-1.el10.x86_64      php-common-8.3.15-1.el10.x86_64      php-fpm-8.3.15-1.el10.x86_64
php-mbstring-8.3.15-1.el10.x86_64  php-opcache-8.3.15-1.el10.x86_64      php-pdo-8.3.15-1.el10.x86_64  php-xml-8.3.15-1.el10.x86_64

Complete!
cking@localhost:~$ sudo systemctl restart httpd.service
sudo: systemctl: command not found
cking@localhost:~$ sudo systemctl restart httpd.service
cking@localhost:~$ █
```


After the installation type “systemctl restart httpd.service”.

A terminal window titled 'cking@localhost:~' with standard window controls. The terminal shows the following commands and output:

```
cking@localhost:~$ sudo useradd fred
cking@localhost:~$ sudo passwd fred
New password:
Retype new password:
passwd: password updated successfully
cking@localhost:~$ reboot
```

Create a new user account named “Fred” by typing “useradd fred” and set a password by typing “passwd fred”.


After making the new account reboot the system.



Not listed?



We can see fred listed in the user accounts list, log in to the account.



Now we are logged in as fred.