

```

-- MySQL dump 10.13  Distrib 5.7.32, for Linux (x86_64)
--
-- Host: localhost    Database: HOADB
--
-----
-- Server version 5.7.32-0ubuntu0.18.04.1

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `asset_activity`
--

DROP TABLE IF EXISTS `asset_activity`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `asset_activity` (
  `asset_id` int(4) NOT NULL,
  `activity_date` date NOT NULL,
  `activity_description` varchar(45) DEFAULT NULL,
  `tent_start` date DEFAULT NULL,
  `tent_end` date DEFAULT NULL,
  `act_start` date DEFAULT NULL,
  `act_end` date DEFAULT NULL,
  `cost` decimal(9,2) DEFAULT NULL,
  `status` enum('S','O','C') NOT NULL COMMENT 'S - Scheduled\nO - Ongoing\nC - Completed\n',
  PRIMARY KEY (`asset_id`,`activity_date`),
  CONSTRAINT `FKLANZ11` FOREIGN KEY (`asset_id`,`activity_date`) REFERENCES `asset_transactions` (`asset_id`,`transaction_date`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `asset_activity`
--

LOCK TABLES `asset_activity` WRITE;
/*!40000 ALTER TABLE `asset_activity` DISABLE KEYS */;
INSERT INTO `asset_activity` VALUES (5001,'2022-12-20','Repair and Wash','2022-12-21','2022-12-21','2022-12-21','2022-12-21',100.00,'C'),(5001,'2022-12-21','Repaint','2022-12-22','2022-12-23','2022-12-22','2022-12-22',400.00,'C'),(5002,'2022-12-21','Repair','2022-12-22','2022-12-22','2022-12-22','2022-12-22',0.00,'C');
/*!40000 ALTER TABLE `asset_activity` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `asset_donations`
--

```

```

DROP TABLE IF EXISTS `asset_donations`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `asset_donations` (
  `donation_id` int(4) NOT NULL,
  `donor_completename` varchar(45) NOT NULL,
  `donation_formfile` varchar(45) DEFAULT NULL,
  `date_donation` date NOT NULL,
  `accept_hoid` int(4) NOT NULL,
  `accept_position` varchar(45) NOT NULL,
  `accept_electiondate` date NOT NULL,
  `isdeleted` tinyint(1) NOT NULL,
  `approval_hoid` int(4) DEFAULT NULL,
  `approval_position` varchar(45) DEFAULT NULL,
  `approval_electiondate` date DEFAULT NULL,
  PRIMARY KEY (`donation_id`),
  KEY `FKTYE40_idx` (`accept_hoid`,`accept_position`,`accept_electiondate`),
  KEY `FKTYE68_idx` (`approval_hoid`,`approval_position`,`approval_electiondate`),
  KEY `FKNORM30_idx` (`donor_completename`),
  CONSTRAINT `FKNORM30` FOREIGN KEY (`donor_completename`) REFERENCES `donors`
(`donorname`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKTYE40` FOREIGN KEY (`accept_hoid`,`accept_position`,
`accept_electiondate`) REFERENCES `officer` (`ho_id`,`position`,`election_date`)
ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKTYE68` FOREIGN KEY (`approval_hoid`,`approval_position`,
`approval_electiondate`) REFERENCES `officer_presidents` (`ho_id`,`position`,
`election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `asset_donations`
--

LOCK TABLES `asset_donations` WRITE;
/*!40000 ALTER TABLE `asset_donations` DISABLE KEYS */;
INSERT INTO `asset_donations` VALUES (6001,'Ramon Magsaysay','6001ramon.pdf','2022-
12-10',9004,'President','2022-12-01',0,NULL,NULL,NULL),(6002,'Edgardo
Tangchoco','6002edgardo.pdf','2022-12-10',9004,'President','2022-12-
01',0,NULL,NULL,NULL),(6003,'Edgardo Tangchoco','6003edgardo.pdf','2022-12-
10',9004,'President','2022-12-01',0,NULL,NULL,NULL),(6004,'Romeo
Joselito','6004romeo.pdf','2022-12-11',9003,'Vice-President','2022-12-
01',0,NULL,NULL,NULL);
/*!40000 ALTER TABLE `asset_donations` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `asset_rentals`
--

DROP TABLE IF EXISTS `asset_rentals`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `asset_rentals` (
  `asset_id` int(4) NOT NULL,
  `rental_date` date NOT NULL,
  `reservation_date` date NOT NULL,
  `resident_id` int(4) NOT NULL,

```

```

`rental_amount` decimal(9,2) DEFAULT NULL,
`discount` decimal(9,2) DEFAULT NULL,
`status` enum('R','C','O','N') NOT NULL COMMENT 'R - Reserved\nC - Cancelled\nO -
On-Rent\nN - Returned\n',
`inspection_details` longtext,
`assessed_value` decimal(9,2) DEFAULT NULL,
`accept_hoid` int(4) DEFAULT NULL,
`accept_position` varchar(45) DEFAULT NULL,
`accept_electiondate` date DEFAULT NULL,
`return_date` date DEFAULT NULL,
PRIMARY KEY (`asset_id`,`rental_date`),
KEY `FKTYE10_idx` (`accept_hoid`,`accept_position`,`accept_electiondate`),
KEY `FKTYE63_idx` (`resident_id`),
CONSTRAINT `FKLANZ10` FOREIGN KEY (`asset_id`,`rental_date`) REFERENCES
`asset_transactions` (`asset_id`,`transaction_date`) ON DELETE NO ACTION ON UPDATE
NO ACTION,
CONSTRAINT `FKTYE10` FOREIGN KEY (`accept_hoid`,`accept_position`,
`accept_electiondate`) REFERENCES `officer` (`ho_id`,`position`,`election_date`)
ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKTYE63` FOREIGN KEY (`resident_id`) REFERENCES `residents`
(`resident_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `asset_rentals`
--

```

```

LOCK TABLES `asset_rentals` WRITE;
/*!40000 ALTER TABLE `asset_rentals` DISABLE KEYS */;
INSERT INTO `asset_rentals` VALUES (5001,'2022-12-20','2023-04-
19',9008,50.10,10.00,'N','Sturdy',60.10,9011,'Auditor','2022-12-01','2023-04-17'),
(5002,'2022-12-21','2023-04-
21',9005,45.20,5.00,'R','Matibay',50.50,9001,'President','2022-06-01',NULL),
(5008,'2022-12-23','2022-12-20',9016,50.00,0.00,'N','All returned
OK',0.00,9009,'Secretary','2022-12-01','2022-12-23'),(5008,'2022-12-24','2022-12-
20',9018,50.00,0.00,'N','Some Damage',500.00,9010,'Treasurer','2022-12-01','2022-
12-25'),(5010,'2022-12-23','2022-12-20',9017,50.00,0.00,'N','All returned
OK',0.00,9010,'Treasurer','2022-12-01','2022-12-25');
/*!40000 ALTER TABLE `asset_rentals` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `asset_transactions`
--

```

```

DROP TABLE IF EXISTS `asset_transactions`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `asset_transactions` (
`asset_id` int(4) NOT NULL,
`transaction_date` date NOT NULL,
`trans_hoid` int(4) NOT NULL,
`trans_position` varchar(45) NOT NULL,
`trans_electiondate` date NOT NULL,
`isdeleted` tinyint(1) NOT NULL,
`approval_hoid` int(4) DEFAULT NULL,
`approval_position` varchar(45) DEFAULT NULL,
`approval_electiondate` date DEFAULT NULL,

```

```

`ornum` int(9) DEFAULT NULL,
`transaction_type` enum('R','T','A') NOT NULL,
PRIMARY KEY (`asset_id`,`transaction_date`),
UNIQUE KEY `ornum_UNIQUE` (`ornum`),
KEY `FKLANZ15_idx` (`trans_hoid`,`trans_position`,`trans_electiondate`),
KEY `FKLANZ16_idx` (`approval_hoid`,`approval_position`,`approval_electiondate`),
KEY `FKLANZ17_idx` (`ornum`),
CONSTRAINT `FKLANZ01` FOREIGN KEY (`asset_id`) REFERENCES `assets` (`asset_id`)
ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKLANZ15` FOREIGN KEY (`trans_hoid`,`trans_position`,`trans_electiondate`) REFERENCES `officer` (`ho_id`,`position`,`election_date`)
ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKLANZ16` FOREIGN KEY (`approval_hoid`,`approval_position`,`approval_electiondate`) REFERENCES `officer_presidents` (`ho_id`,`position`,`election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKLANZ17` FOREIGN KEY (`ornum`) REFERENCES `ref_ornumbers` (`ornum`)
ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `asset_transactions`
--

```

```

LOCK TABLES `asset_transactions` WRITE;
/*!40000 ALTER TABLE `asset_transactions` DISABLE KEYS */;
INSERT INTO `asset_transactions` VALUES (5001,'2022-12-20',9011,'Auditor','2022-12-01',0,NULL,NULL,NULL,30000029,'R'),(5001,'2022-12-21',9003,'Vice-President','2022-12-01',0,NULL,NULL,NULL,30000029,'R'),(5002,'2022-12-21',9004,'President','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5003,'2022-12-23',9011,'Auditor','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5005,'2022-12-21',9009,'Secretary','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5005,'2022-12-23',9011,'Auditor','2022-12-01',1,9004,'President','2022-12-01',NULL,'R'),(5007,'2022-12-23',9011,'Auditor','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5008,'2022-12-23',9011,'Auditor','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5008,'2022-12-24',9009,'Secretary','2022-12-01',0,NULL,NULL,NULL,30000001,'R'),(5010,'2022-12-23',9011,'Auditor','2022-12-01',0,NULL,NULL,NULL,30000001,'R');
/*!40000 ALTER TABLE `asset_transactions` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `asset_transfer`
--

```

```

DROP TABLE IF EXISTS `asset_transfer`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `asset_transfer` (
  `asset_id` int(4) NOT NULL,
  `schedule_date` date NOT NULL,
  `act_date` date DEFAULT NULL,
  `source_latitude` decimal(7,4) NOT NULL,
  `source_longitude` decimal(7,4) NOT NULL,
  `dest_latitude` decimal(7,4) NOT NULL,
  `dest_longitude` decimal(7,4) NOT NULL,
  `transfer_cost` decimal(9,2) DEFAULT NULL,
  `status` enum('S','O','C') NOT NULL COMMENT 'S - Scheduled\nO - Ongoing\nC - Completed',
  `completename` varchar(45) NOT NULL,

```

```

PRIMARY KEY (`asset_id`,`schedule_date`),
KEY `FKNORM35_idx` (`completename`),
CONSTRAINT `FKAT07` FOREIGN KEY (`asset_id`,`schedule_date`) REFERENCES
`asset_transactions` (`asset_id`,`transaction_date`) ON DELETE NO ACTION ON UPDATE
NO ACTION,
CONSTRAINT `FKNORM88` FOREIGN KEY (`completename`) REFERENCES `person` (`name`)
ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `asset_transfer`
--

LOCK TABLES `asset_transfer` WRITE;
/*!40000 ALTER TABLE `asset_transfer` DISABLE KEYS */;
INSERT INTO `asset_transfer` VALUES (5005,'2022-12-21','2022-12-
23',100.4300,100.5300,150.5500,150.5600,50.00,'C','Juan Estanislao'),(5005,'2022-
12-23','2022-12-23',243.5500,254.2230,212.4450,212.4220,100.00,'C','Kyle
Rosalita'),(5007,'2022-12-23','2022-12-
23',423.2120,353.2340,255.2560,123.5320,100.00,'C','Kyle Rosalita');
/*!40000 ALTER TABLE `asset_transfer` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `assets`
--

DROP TABLE IF EXISTS `assets`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `assets` (
  `asset_id` int(4) NOT NULL,
  `asset_name` varchar(45) NOT NULL,
  `asset_description` varchar(45) NOT NULL,
  `acquisition_date` date NOT NULL,
  `forrent` tinyint(1) NOT NULL,
  `asset_value` decimal(9,2) NOT NULL,
  `type_asset` enum('P','E','F','O') NOT NULL COMMENT 'P - Property\nE - Equipment\n
nF - F&F\nO - Others\n',
  `status` enum('W','D','P','S','X') NOT NULL COMMENT 'W - Working\nD - Deteriorated\n
nP - For Repair\nS - For Disposal\nX - Disposed',
  `loc_latitude` decimal(7,4) NOT NULL,
  `loc_longitude` decimal(7,4) NOT NULL,
  `hoa_name` varchar(45) NOT NULL,
  `enclosing_asset` int(4) DEFAULT NULL,
  PRIMARY KEY (`asset_id`),
  KEY `FKTYE05_idx` (`hoa_name`),
  KEY `FKTYE07_idx` (`enclosing_asset`),
  CONSTRAINT `FKTYE05` FOREIGN KEY (`hoa_name`) REFERENCES `hoa` (`hoa_name`) ON
DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKTYE07` FOREIGN KEY (`enclosing_asset`) REFERENCES `assets`
(`asset_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `assets`
--

```

```

LOCK TABLES `assets` WRITE;
/*!40000 ALTER TABLE `assets` DISABLE KEYS */;
INSERT INTO `assets` VALUES (5001,'Chair','Upuang Duwende','2022-01-01',1,100.00,'F','W',100.4350,100.4360,'SJH',NULL),(5002,'Chair','Upuang Maliit','2022-01-02',1,100.00,'F','W',100.4350,100.4360,'SJH',NULL),(5003,'Chair','Upuang Malaki','2022-01-01',1,100.00,'F','W',100.4350,100.4360,'SJH',NULL),(5004,'Table','Lamesa','2022-02-01',0,100.00,'F','W',101.4350,101.4350,'SJH',NULL),(5005,'Meeting Room','Maritesan','2022-02-01',1,100000.00,'P','W',101.4350,101.4350,'SJH',NULL),(5006,'Conference Room','Malaking Maritesan','2002-02-02',0,100000.00,'P','W',101.4350,101.4350,'SJH',5006),(5007,'TV','Television','2022-01-04',0,50000.00,'E','W',101.4350,101.4350,'SJH',5006),(5008,'TV','Television','2022-03-01',1,50000.00,'E','W',101.4350,101.4370,'SJH',NULL),(5010,'Vase','Vase','2022-03-02',1,350.00,'','W',101.3330,101.3330,'SJH',NULL),(5011,'Table','Kainan ng Pagkain','2021-06-03',1,550.10,'F','W',36.9990,39.9990,'SJH',NULL),(5012,'Keyboard','RK84 modded','2022-03-07',0,2229.20,'E','W',40.2930,45.2930,'SMH',NULL),(5013,'Bedroom','2-person room','2016-06-16',1,2099.10,'P','D',81.1029,95.1923,'SJH',NULL),(5014,'Bed','Bunk bed for 2','2016-09-15',0,5020.99,'F','W',81.1029,95.1923,'SJH',5013),(5015,'Cabinet','5 foot cabinet','2019-06-04',0,2301.99,'F','S',81.1029,95.1923,'SJH',5013);
/*!40000 ALTER TABLE `assets` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `committee_member`
--

```

```

DROP TABLE IF EXISTS `committee_member`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `committee_member` (
  `is_head` tinyint(1) NOT NULL,
  `resident_id` int(4) NOT NULL,
  `program_id` int(4) NOT NULL,
  PRIMARY KEY (`resident_id`,`program_id`),
  KEY `fk_committee_member_program_committee1_idx` (`program_id`),
  CONSTRAINT `fk_committee_member_program_committee1` FOREIGN KEY (`program_id`)
REFERENCES `program_committee` (`program_id`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `fk_committee_member_residents1` FOREIGN KEY (`resident_id`)
REFERENCES `residents` (`resident_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `committee_member`
--

```

```

LOCK TABLES `committee_member` WRITE;
/*!40000 ALTER TABLE `committee_member` DISABLE KEYS */;
/*!40000 ALTER TABLE `committee_member` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `donated_assets`
--

```

```

DROP TABLE IF EXISTS `donated_assets`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client  = utf8 */;
CREATE TABLE `donated_assets` (
  `donation_id` int(4) NOT NULL,
  `asset_id` int(4) NOT NULL,
  `amount_donated` decimal(9,2) NOT NULL,
  PRIMARY KEY (`donation_id`,`asset_id`),
  KEY `FKTYE30_idx` (`asset_id`),
  CONSTRAINT `FKTYE30` FOREIGN KEY (`asset_id`) REFERENCES `assets` (`asset_id`) ON
DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKTYE31` FOREIGN KEY (`donation_id`) REFERENCES `asset_donations`
(`donation_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `donated_assets`
--

```

```

LOCK TABLES `donated_assets` WRITE;
/*!40000 ALTER TABLE `donated_assets` DISABLE KEYS */;
INSERT INTO `donated_assets` VALUES (6001,5004,1000.00),(6002,5005,2000.00),
(6003,5006,2000.00),(6004,5006,2500.00);
/*!40000 ALTER TABLE `donated_assets` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `donation_pictures`
--

```

```

DROP TABLE IF EXISTS `donation_pictures`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client  = utf8 */;
CREATE TABLE `donation_pictures` (
  `donation_id` int(4) NOT NULL,
  `picturefile` varchar(45) NOT NULL,
  PRIMARY KEY (`donation_id`,`picturefile`),
  CONSTRAINT `FKTYE70` FOREIGN KEY (`donation_id`) REFERENCES `asset_donations`
(`donation_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `donation_pictures`
--

```

```

LOCK TABLES `donation_pictures` WRITE;
/*!40000 ALTER TABLE `donation_pictures` DISABLE KEYS */;
INSERT INTO `donation_pictures` VALUES (6001,'6001-a.jpg'),(6001,'6001-b.jpg'),
(6002,'6002.jpg'),(6004,'6004-a.jpg'),(6004,'6004-b.jpg'),(6004,'6004-s.jpg');
/*!40000 ALTER TABLE `donation_pictures` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `donors`
--

```

```

DROP TABLE IF EXISTS `donors`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `donors` (
  `donorname` varchar(45) NOT NULL,
  `address` varchar(45) NOT NULL,
  PRIMARY KEY (`donorname`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `donors`
--

LOCK TABLES `donors` WRITE;
/*!40000 ALTER TABLE `donors` DISABLE KEYS */;
INSERT INTO `donors` VALUES ('Edgardo Tangchoco','Manila'),('Ramon
Magsaysay','Quezon City'),('Romeo Joselito','Pasay');
/*!40000 ALTER TABLE `donors` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `elections`
--

DROP TABLE IF EXISTS `elections`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `elections` (
  `election_date` date NOT NULL,
  `election_venue` varchar(45) NOT NULL,
  `quorum` tinyint(1) NOT NULL,
  `outsider_wname` varchar(45) NOT NULL,
  PRIMARY KEY (`election_date`),
  KEY `FKNORM20_idx` (`outsider_wname`),
  CONSTRAINT `FKNORM20` FOREIGN KEY (`outsider_wname`) REFERENCES `person` (`name`)
ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `elections`
--

LOCK TABLES `elections` WRITE;
/*!40000 ALTER TABLE `elections` DISABLE KEYS */;
INSERT INTO `elections` VALUES ('2022-06-01','Clubhouse',1,'Jose Ignacio'),('2022-
12-01','Gymnasium',1,'Maria Estrella');
/*!40000 ALTER TABLE `elections` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `hoa`
--

DROP TABLE IF EXISTS `hoa`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `hoa` (

```



```

`hoa_name` varchar(45) NOT NULL,
`ofcaddr_streetno` varchar(10) NOT NULL,
`ofcaddr_street` varchar(45) NOT NULL,
`ofcaddr_barangay` varchar(45) NOT NULL,
`ofcaddr_city` varchar(45) NOT NULL,
`ofcaddr_province` varchar(45) NOT NULL,
`ofcaddr_latitude` decimal(7,4) NOT NULL,
`ofcaddr_longitude` decimal(7,2) NOT NULL,
`year_establishment` date NOT NULL,
`website` varchar(45) DEFAULT NULL,
`subdivision_name` varchar(45) NOT NULL,
`req_scannedarticles` varchar(45) DEFAULT NULL,
`req_notarizedbylaws` varchar(45) DEFAULT NULL,
`req_minutes` varchar(45) DEFAULT NULL,
`req_attendance` varchar(45) DEFAULT NULL,
`req_certification` varchar(45) DEFAULT NULL,
`req_codeofethics` varchar(45) DEFAULT NULL,
`req_regularmonthly` decimal(9,2) DEFAULT NULL,
`req_collectionday` int(2) NOT NULL COMMENT 'Checking the \nintegrity of the \
ndomain values is \nagreed to be \nhandled by the \nDB Application\n',
PRIMARY KEY (`hoa_name`),
KEY `FK003_idx` (`req_collectionday`),
KEY `FKNORM08_idx` (`ofcaddr_barangay`, `ofcaddr_city`, `ofcaddr_province`),
CONSTRAINT `FK003` FOREIGN KEY (`req_collectionday`) REFERENCES
`ref_collectiondays` (`days`) ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKNORM08` FOREIGN KEY (`ofcaddr_barangay`, `ofcaddr_city`,
`ofcaddr_province`) REFERENCES `zipcodes` (`barangay`, `city`, `province`) ON
DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `hoa`
--

```

```

LOCK TABLES `hoa` WRITE;
/*!40000 ALTER TABLE `hoa` DISABLE KEYS */;
INSERT INTO `hoa` VALUES ('SJH','15','Chico St','Bayanan','Muntinlupa','National
Capital Region',14.2340,29.29,'2003-12-13','www.sjh.com','Sait Joseph
Homes','sjh_articles.pdf','sjh_bylaws.pdf','sjh_minutes.pdf','sjh_attendance.pdf','
sjh_certification.pdf','sjh_codeofethics.pdf',250.00,10),('SMH','10','Jade
St','Bayanan','Muntinlupa','National Capital Region',10.4560,20.32,'2005-05-
04','www.smh.com','Saint Mary\'s
Homes','smh_articles.pdf','smh_bylaws.pdf','smh_minutes.pdf','smh_attendance.pdf','
smh_certification.pdf','smh_codeofethics.pdf',350.00,18);
/*!40000 ALTER TABLE `hoa` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `hoa_geninfosheets`
--

```

```

DROP TABLE IF EXISTS `hoa_geninfosheets`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `hoa_geninfosheets` (
  `hoa_name` varchar(45) NOT NULL,
  `gen_infosheet` varchar(45) NOT NULL,
  PRIMARY KEY (`hoa_name`,`gen_infosheet`),

```

```

    CONSTRAINT `FK001` FOREIGN KEY (`hoa_name`) REFERENCES `hoa` (`hoa_name`) ON
DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `hoa_geninfosheets`
--

LOCK TABLES `hoa_geninfosheets` WRITE;
/*!40000 ALTER TABLE `hoa_geninfosheets` DISABLE KEYS */;
INSERT INTO `hoa_geninfosheets` VALUES ('SJH','sjh_property01.pdf'),
('SJH','sjh_property02.pdf'),('SJH','sjh_property03.pdf'),
('SJH','sjh_property04.pdf'),('SJH','sjh_property05.pdf'),
('SJH','sjh_property06.pdf'),('SJH','sjh_property07.pdf'),
('SJH','sjh_property08.pdf'),('SJH','sjh_property09.pdf'),
('SJH','sjh_property10.pdf'),('SJH','sjh_property11.pdf'),
('SJH','sjh_property12.pdf'),('SJH','sjh_property13.pdf'),
('SJH','sjh_property14.pdf'),('SJH','sjh_property15.pdf'),
('SMH','smh_property01.pdf'),('SMH','smh_property03.pdf'),
('SMH','smh_property04.pdf'),('SMH','smh_property05.pdf'),
('SMH','smh_property06.pdf'),('SMH','smh_property07.pdf'),
('SMH','smh_property08.pdf'),('SMH','smh_property09.pdf'),
('SMH','smh_property10.pdf'),('SMH','smh_property11.pdf'),
('SMH','smh_property12.pdf'),('SMH','smh_property13.pdf'),
('SMH','smh_property14.pdf'),('SMH','smh_property15.pdf'),
('SMH','smh_property02.pdf');
/*!40000 ALTER TABLE `hoa_geninfosheets` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `homeowner`
--

DROP TABLE IF EXISTS `homeowner`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `homeowner` (
  `ho_id` int(4) NOT NULL,
  `hostart_date` date NOT NULL,
  `undertaking` tinyint(1) NOT NULL,
  `want_member` tinyint(1) NOT NULL,
  `other_streetno` varchar(45) DEFAULT NULL,
  `other_street` varchar(45) DEFAULT NULL,
  `other_barangay` varchar(45) DEFAULT NULL,
  `other_city` varchar(45) DEFAULT NULL,
  `other_province` varchar(45) DEFAULT NULL,
  `other_longitude` decimal(7,4) DEFAULT NULL,
  `other_latitude` decimal(7,4) DEFAULT NULL,
  `other_email` varchar(45) DEFAULT NULL,
  `other_mobile` bigint(10) DEFAULT NULL,
  PRIMARY KEY (`ho_id`),
  UNIQUE KEY `other_email_UNIQUE` (`other_email`),
  UNIQUE KEY `other_mobile_UNIQUE` (`other_mobile`),
  KEY `FKNORM03_idx` (`other_barangay`,`other_city`,`other_province`),
  CONSTRAINT `FKNORM03` FOREIGN KEY (`other_barangay`,`other_city`,`other_province`) REFERENCES `zipcodes` (`barangay`,`city`,`province`) ON DELETE
NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKSENATOR05` FOREIGN KEY (`ho_id`) REFERENCES `people` (`peopleid`)

```

```

ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `homeowner`
--

LOCK TABLES `homeowner` WRITE;
/*!40000 ALTER TABLE `homeowner` DISABLE KEYS */;
INSERT INTO `homeowner` VALUES (9001,'2002-05-
04',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9002,'2002-05-
02',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9003,'2002-02-
01',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9004,'2002-04-
04',1,1,'24','Macopa St','Alabang','Muntinlupa','National Capital
Region',13.2330,15.2350,'tanya@gmail.com',9999203321),(9005,'2002-05-
14',1,1,'30','National Highway','Tunasan','Muntinlupa','National Capital
Region',24.5000,23.2330,'francine@gmail.com',9923090992),(9006,'2002-02-
05',1,1,'31','Apple St.','Tunasan','Muntinlupa','National Capital
Region',NULL,NULL,NULL,NULL),(9007,'2002-05-
06',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9008,'2002-04-
12',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9009,'2002-04-
05',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9010,'2022-03-
15',1,1,'19','National Road','Poblacion','Calapan','Oriental
Mindoro',NULL,NULL,NULL,NULL),(9011,'2022-03-
12',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9012,'2022-04-
01',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9013,'2022-04-
10',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9014,'2022-02-
19',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL),(9015,'2022-03-
27',1,1,NULL,NULL,NULL,NULL,NULL,NULL,NULL,NULL);
/*!40000 ALTER TABLE `homeowner` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `household`
--

DROP TABLE IF EXISTS `household`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `household` (
  `household_id` int(4) NOT NULL,
  PRIMARY KEY (`household_id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `household`
--

LOCK TABLES `household` WRITE;
/*!40000 ALTER TABLE `household` DISABLE KEYS */;
INSERT INTO `household` VALUES (6001),(6002),(6003),(6004),(6005),(6006);
/*!40000 ALTER TABLE `household` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `officer`
--

```

```

DROP TABLE IF EXISTS `officer`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `officer` (
  `ho_id` int(4) NOT NULL,
  `position` varchar(45) NOT NULL,
  `start_date` date NOT NULL,
  `end_date` date NOT NULL,
  `election_date` date NOT NULL,
  `availability_time` enum('M','A') NOT NULL COMMENT 'M -Morning\nA - Afternoon\n',
  `M` tinyint(1) NOT NULL,
  `T` tinyint(1) NOT NULL,
  `W` tinyint(1) NOT NULL,
  `H` tinyint(1) NOT NULL,
  `F` tinyint(1) NOT NULL,
  `S` tinyint(1) NOT NULL,
  `N` tinyint(1) NOT NULL,
  PRIMARY KEY (`ho_id`,`position`,`election_date`),
  KEY `FKBENSON01_idx` (`position`),
  KEY `FKNORM01_idx` (`election_date`),
  CONSTRAINT `FKBENSON01` FOREIGN KEY (`position`) REFERENCES `ref_positions`
(`position`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKGABRIEL06` FOREIGN KEY (`ho_id`) REFERENCES `homeowner` (`ho_id`)
ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKNORM01` FOREIGN KEY (`election_date`) REFERENCES `elections`
(`election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `officer`
--

```

```

LOCK TABLES `officer` WRITE;
/*!40000 ALTER TABLE `officer` DISABLE KEYS */;
INSERT INTO `officer` VALUES (9001,'President','2022-06-10','2022-12-10','2022-06-01','A',1,1,0,0,0,1,0),(9002,'Vice-President','2022-06-10','2022-12-10','2022-06-01','A',0,1,0,1,0,1,1),(9003,'Secretary','2022-06-10','2022-12-10','2022-06-01','M',0,1,1,0,0,1,0),(9003,'Vice-President','2022-12-10','2023-12-10','2022-12-01','M',1,0,0,1,1,1,0),(9004,'President','2022-12-10','2023-12-10','2022-12-01','M',1,0,0,1,0,0,1),(9004,'Treasurer','2022-06-10','2022-12-10','2022-06-01','M',1,1,1,1,1,0,0),(9005,'Auditor','2022-06-10','2022-12-10','2022-06-01','M',1,1,1,1,0,0,1),(9009,'Secretary','2023-01-10','2023-12-10','2022-12-01','A',0,1,0,1,0,0,1),(9010,'Treasurer','2023-01-10','2023-12-10','2022-12-01','A',0,0,0,0,0,0,0),(9011,'Auditor','2022-12-10','2023-12-10','2022-12-01','M',1,1,1,1,0,1,1);
/*!40000 ALTER TABLE `officer` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `officer_presidents`
--

```

```

DROP TABLE IF EXISTS `officer_presidents`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `officer_presidents` (
  `ho_id` int(4) NOT NULL,

```

```

    `position` varchar(45) NOT NULL,
    `election_date` date NOT NULL,
    PRIMARY KEY (`ho_id`,`position`,`election_date`),
    CONSTRAINT `FKTYE50` FOREIGN KEY (`ho_id`,`position`,`election_date`)
REFERENCES `officer` (`ho_id`,`position`,`election_date`) ON DELETE NO ACTION ON
UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `officer_presidents`
--

```

```

LOCK TABLES `officer_presidents` WRITE;
/*!40000 ALTER TABLE `officer_presidents` DISABLE KEYS */;
INSERT INTO `officer_presidents` VALUES (9001,'President','2022-06-01'),
(9004,'President','2022-12-01');
/*!40000 ALTER TABLE `officer_presidents` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `participant_feedback`
--

```

```

DROP TABLE IF EXISTS `participant_feedback`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `participant_feedback` (
  `feedback` varchar(1000) NOT NULL,
  `rating` int(4) NOT NULL,
  `suggestions` varchar(1000) DEFAULT NULL,
  `program_id` int(4) NOT NULL,
  `participant` int(4) NOT NULL,
  PRIMARY KEY (`program_id`,`participant`),
  CONSTRAINT `fk_participant_feedback_program_participants1` FOREIGN KEY
(`program_id`,`participant`) REFERENCES `program_participants` (`program_id`,
`participant`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `participant_feedback`
--

```

```

LOCK TABLES `participant_feedback` WRITE;
/*!40000 ALTER TABLE `participant_feedback` DISABLE KEYS */;
/*!40000 ALTER TABLE `participant_feedback` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `people`
--

```

```

DROP TABLE IF EXISTS `people`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `people` (
  `peopleid` int(4) NOT NULL,
  `lastname` varchar(45) NOT NULL,

```

```

`firstname` varchar(45) NOT NULL,
`gender` enum('M','F') NOT NULL,
`email` varchar(45) DEFAULT NULL,
`facebook` varchar(45) DEFAULT NULL,
`picturefile` varchar(45) NOT NULL,
`birthday` date NOT NULL,
PRIMARY KEY (`peopleid`),
UNIQUE KEY `picturefile_UNIQUE` (`picturefile`),
UNIQUE KEY `email_UNIQUE` (`email`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `people`
--

LOCK TABLES `people` WRITE;
/*!40000 ALTER TABLE `people` DISABLE KEYS */;
INSERT INTO `people` VALUES
(9001,'Mendoza','Rose','F','rose.m@gmail.com','www.facebook.com/rose.m','rosem.png',
'1990-01-01'),(9002,'Leandro','George','M','george.l@gmail.com','www.facebook.com/
george.l','georgel.png','1990-01-02'),
(9003,'Hamil','Dan','M','dan.h@gmail.com','www.facebook.com/
dan.h','danh.png','1990-01-03'),
(9004,'Robles','Esteban','M','esteban.r@gmail.com','www.facebook.com/
esteban.r','estebanr.png','1991-01-01'),
(9005,'Go','Sara','F','sara.g@gmail.com','www.facebook.com/
sara.g','sarag.png','1992-01-01'),
(9006,'Yulo','Leo','M','leo.y@gmail.com','www.facebook.com/leo.y','leoy.png','1993-
01-01'),(9007,'Policarpio','Paul','M','paul.p@gmail.com','www.facebook.com/
paul.p','paulp.png','1994-01-01'),
(9008,'Reyes','Edward','M','edward.r@gmail.com','www.facebook.com/
edward.r','edwardr.png','1990-01-04'),
(9009,'Wong','Sandro','M','sandro.w@gmail.com','www.facebook.com/
sandro.w','sandrow.png','1990-01-05'),
(9010,'Que','Hadrian','M','hadrian.q@gmail.com','www.facebook.com/
hadrian.q','hadrianq.png','1990-01-06'),
(9011,'Tang','Kathrine','F','katrine.t@gmail.com','www.facebook.com/
katrine.t','katrinet.png','1993-01-01'),
(9012,'Flores','Carlos','M','carlos.f@gmail.com','www.facebook.com/
carlos.f','carlosf.png','1994-01-01'),
(9013,'Danilo','Vivian','F','vivian.d@gmail.com','www.facebook.com/
vivan.d','viviand.png','1995-01-01'),
(9014,'Valenzuela','Boying','M','b.valenzuela@gmail.com','www.facebook.com/
b.valenzuela','bvalenzuela.png','1997-01-01'),
(9015,'Baco','Manolo','M','manolo.b@gmail.com','www.facebook.com/
manolo.b','manolob.png','1998-01-01'),
(9016,'Silang','Renato','M','renato.s@gmail.com','www.facebook.com/
renato.s','renatos.png','1990-03-01'),
(9017,'Magtibay','Inigo','M','inigo.m@gmail.com','www.facebook.com/
inigo.m','inigom.png','1999-01-01'),
(9018,'Jose','Hendrick','M','hendrick.j@gmail.com','www.facebook.com/
hendrick.j','hendrickj.png','1996-01-01'),
(9019,'Ko','George','M',NULL,'www.facebook.com/george.k','georgek.png','1995-01-
01'),(9020,'Lamsin','Ryan','M',NULL,'www.facebook.com/ryan.l','ryanl.png','1992-01-
01');
/*!40000 ALTER TABLE `people` ENABLE KEYS */;
UNLOCK TABLES;

```

```
--
-- Table structure for table `people_mobile`
--
```

```
DROP TABLE IF EXISTS `people_mobile`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client  = utf8 */;
CREATE TABLE `people_mobile` (
  `peopleid` int(4) NOT NULL,
  `mobilen` bigint(10) NOT NULL,
  PRIMARY KEY (`peopleid`,`mobilen`),
  CONSTRAINT `FKSENATOR10` FOREIGN KEY (`peopleid`) REFERENCES `people`
(`peopleid`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client  = @saved_cs_client */;
```

```
--
-- Dumping data for table `people_mobile`
--
```

```
LOCK TABLES `people_mobile` WRITE;
/*!40000 ALTER TABLE `people_mobile` DISABLE KEYS */;
INSERT INTO `people_mobile` VALUES (9001,92000000001),(9002,92000000002),
(9003,92000000003),(9003,92000000698),(9004,92000000004),(9005,92000000005),
(9005,92000000697),(9005,92000000763),(9006,92000000006),(9007,92000000010),
(9008,92000000011),(9008,92000000700),(9009,92000000012),(9009,92000000699),
(9010,92000000013),(9011,92000000014),(9012,92000000021),(9013,92000000032),
(9013,92000000695),(9014,92000000043),(9014,92000000594),(9015,92000000024),
(9016,92000000090),(9017,92000000091),(9018,92000000191),(9018,92000000696),
(9019,92000000392),(9020,92000000493);
/*!40000 ALTER TABLE `people_mobile` ENABLE KEYS */;
UNLOCK TABLES;
```

```
--
-- Table structure for table `person`
--
```

```
DROP TABLE IF EXISTS `person`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client  = utf8 */;
CREATE TABLE `person` (
  `name` varchar(45) NOT NULL,
  `mobilen` bigint(10) NOT NULL,
  PRIMARY KEY (`name`),
  UNIQUE KEY `mobilen_UNIQUE` (`mobilen`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client  = @saved_cs_client */;
```

```
--
-- Dumping data for table `person`
--
```

```
LOCK TABLES `person` WRITE;
/*!40000 ALTER TABLE `person` DISABLE KEYS */;
INSERT INTO `person` VALUES ('Kyle Rosalita',9285443322),('Maria
Estrella',9816667777),('Jose Ignacio',9817776666),('Juan Estanislao',9823335454);
/*!40000 ALTER TABLE `person` ENABLE KEYS */;
UNLOCK TABLES;
```

```

--
-- Table structure for table `program`
--

DROP TABLE IF EXISTS `program`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program` (
  `program_id` int(4) NOT NULL AUTO_INCREMENT,
  `hoa_name` varchar(45) NOT NULL,
  `description` varchar(500) NOT NULL,
  `purpose` varchar(500) NOT NULL,
  `max_participants` int(4) NOT NULL,
  `start_date` date NOT NULL,
  `end_date` date NOT NULL,
  `start_reg` date NOT NULL,
  `status` int(4) NOT NULL,
  `budget` float NOT NULL,
  `officer_id` int(4) NOT NULL,
  `officer_position` varchar(45) NOT NULL,
  `officer_election_date` date NOT NULL,
  PRIMARY KEY (`program_id`),
  KEY `HOATABLE_idx` (`hoa_name`),
  KEY `HASPROGSTAT_idx` (`status`),
  KEY `fk_program_officer1_idx`
  (`officer_id`,`officer_position`,`officer_election_date`),
  CONSTRAINT `HASPROGSTAT` FOREIGN KEY (`status`) REFERENCES `program_status`
  (`status`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `HOATABLE` FOREIGN KEY (`hoa_name`) REFERENCES `hoa` (`hoa_name`) ON
  DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `fk_program_officer1` FOREIGN KEY (`officer_id`,`officer_position`,
  `officer_election_date`) REFERENCES `officer` (`ho_id`,`position`,
  `election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `program`
--

LOCK TABLES `program` WRITE;
/*!40000 ALTER TABLE `program` DISABLE KEYS */;
/*!40000 ALTER TABLE `program` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `program_application`
--

DROP TABLE IF EXISTS `program_application`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_application` (
  `is_priority` tinyint(1) NOT NULL,
  `acceptance` tinyint(1) NOT NULL,
  `denial_reason` varchar(500) DEFAULT NULL,
  `program_id` int(4) NOT NULL,
  `registrant` int(4) NOT NULL,
  PRIMARY KEY (`program_id`,`registrant`),

```



```

    KEY `fk_program_application_residents1_idx` (`registrant`),
    CONSTRAINT `fk_program_application_program1` FOREIGN KEY (`program_id`)
REFERENCES `program` (`program_id`) ON DELETE NO ACTION ON UPDATE NO ACTION,
    CONSTRAINT `fk_program_application_residents1` FOREIGN KEY (`registrant`)
REFERENCES `residents` (`resident_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `program_application`
--

```

```

LOCK TABLES `program_application` WRITE;
/*!40000 ALTER TABLE `program_application` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_application` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `program_committee`
--

```

```

DROP TABLE IF EXISTS `program_committee`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_committee` (
  `program_id` int(4) NOT NULL,
  `officer_id` int(4) NOT NULL,
  `officer_position` varchar(45) NOT NULL,
  `officer_election_date` date NOT NULL,
  PRIMARY KEY (`program_id`),
  KEY `fk_program_committee_officer1_idx`
(`officer_id`,`officer_position`,`officer_election_date`),
  CONSTRAINT `fk_program_committee_officer1` FOREIGN KEY (`officer_id`,
`officer_position`,`officer_election_date`) REFERENCES `officer` (`ho_id`,
`position`,`election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `fk_program_committee_program1` FOREIGN KEY (`program_id`) REFERENCES
`program` (`program_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `program_committee`
--

```

```

LOCK TABLES `program_committee` WRITE;
/*!40000 ALTER TABLE `program_committee` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_committee` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `program_evidences`
--

```

```

DROP TABLE IF EXISTS `program_evidences`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_evidences` (
  `evidence_id` int(4) NOT NULL AUTO_INCREMENT,
  `program_id` int(4) NOT NULL,

```

```

`description` varchar(500) NOT NULL,
`filename` varchar(100) NOT NULL,
`submission_date` date NOT NULL,
`submitter_id` int(4) NOT NULL,
`officer_id` int(4) NOT NULL,
`officer_position` varchar(45) NOT NULL,
`officer_election_date` date NOT NULL,
PRIMARY KEY (`evidence_id`),
KEY `PROGRAMTABLE_idx` (`program_id`),
KEY `fk_program_evidences_residents1_idx` (`submitter_id`),
KEY `fk_program_evidences_officer1_idx`
(`officer_id`, `officer_position`, `officer_election_date`),
CONSTRAINT `PROGRAMTABLE` FOREIGN KEY (`program_id`) REFERENCES `program`
(`program_id`) ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `fk_program_evidences_officer1` FOREIGN KEY (`officer_id`,
`officer_position`, `officer_election_date`) REFERENCES `officer` (`ho_id`,
`position`, `election_date`) ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `fk_program_evidences_residents1` FOREIGN KEY (`submitter_id`)
REFERENCES `residents` (`resident_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `program_evidences`
--

```

```

LOCK TABLES `program_evidences` WRITE;
/*!40000 ALTER TABLE `program_evidences` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_evidences` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `program_expenses`
--

```

```

DROP TABLE IF EXISTS `program_expenses`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_expenses` (
  `official_reciept` varchar(250) NOT NULL,
  `date` date NOT NULL,
  `description` varchar(500) NOT NULL,
  `type` varchar(50) DEFAULT NULL,
  `committee_member` int(4) NOT NULL,
  `program_id` int(4) NOT NULL,
  PRIMARY KEY (`official_reciept`),
  KEY `fk_program_expenses_committee_member1_idx`
(`committee_member`, `program_id`),
CONSTRAINT `fk_program_expenses_committee_member1` FOREIGN KEY
(`committee_member`, `program_id`) REFERENCES `committee_member` (`resident_id`,
`program_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `program_expenses`
--

```

```

LOCK TABLES `program_expenses` WRITE;

```

```

/*!40000 ALTER TABLE `program_expenses` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_expenses` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `program_participants`
--

DROP TABLE IF EXISTS `program_participants`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_participants` (
  `program_id` int(4) NOT NULL,
  `participant` int(4) NOT NULL,
  PRIMARY KEY (`program_id`,`participant`),
  CONSTRAINT `fk_program_participants_program_application1` FOREIGN KEY
(`program_id`,`participant`) REFERENCES `program_application` (`program_id`,
`registrant`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `program_participants`
--

LOCK TABLES `program_participants` WRITE;
/*!40000 ALTER TABLE `program_participants` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_participants` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `program_status`
--

DROP TABLE IF EXISTS `program_status`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `program_status` (
  `status` int(4) NOT NULL AUTO_INCREMENT,
  `description` varchar(45) NOT NULL,
  PRIMARY KEY (`status`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `program_status`
--

LOCK TABLES `program_status` WRITE;
/*!40000 ALTER TABLE `program_status` DISABLE KEYS */;
/*!40000 ALTER TABLE `program_status` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `properties`
--

DROP TABLE IF EXISTS `properties`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;

```

```

/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `properties` (
  `property_code` varchar(10) NOT NULL,
  `hoa_name` varchar(45) NOT NULL,
  `size` decimal(6,2) NOT NULL,
  `turnover_date` date DEFAULT NULL,
  `ho_id` int(4) DEFAULT NULL,
  `household_id` int(4) DEFAULT NULL,
  PRIMARY KEY (`property_code`,`hoa_name`),
  UNIQUE KEY `household_id_UNIQUE` (`household_id`),
  KEY `FKBENSON03_idx` (`hoa_name`),
  KEY `FKBENSON04_idx` (`ho_id`),
  KEY `FKJASON05_idx` (`household_id`),
  CONSTRAINT `FKBENSON03` FOREIGN KEY (`hoa_name`) REFERENCES `hoa` (`hoa_name`) ON
DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKBENSON04` FOREIGN KEY (`ho_id`) REFERENCES `homeowner` (`ho_id`) ON
DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKJASON05` FOREIGN KEY (`household_id`) REFERENCES `household`
(`household_id`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

```

--
-- Dumping data for table `properties`
--

```

```

LOCK TABLES `properties` WRITE;
/*!40000 ALTER TABLE `properties` DISABLE KEYS */;
INSERT INTO `properties` VALUES ('B01L01','SJH',25.00,'2003-01-01',9001,NULL),
('B01L01','SMH',40.00,'2003-01-02',9012,NULL),('B01L02','SJH',25.00,'2003-01-
02',9001,NULL),('B01L03','SJH',25.00,'2003-01-03',9002,6001),
('B01L04','SJH',25.00,'2003-01-04',9002,NULL),('B01L05','SJH',25.00,'2003-01-
05',9001,NULL),('B02L01','SJH',25.00,'2003-01-05',9004,NULL),
('B02L02','SJH',25.00,'2003-01-04',9005,6002),('B02L03','SJH',25.00,'2003-01-
03',9006,NULL),('B02L04','SJH',25.00,'2003-01-02',9001,NULL),
('B02L05','SJH',25.00,'2003-01-01',9004,NULL),('B03L01','SJH',25.00,'2003-01-
01',9006,NULL),('B03L02','SJH',25.00,'2003-01-01',9007,NULL),
('B03L03','SJH',25.00,'2003-01-05',9008,6003),('B03L04','SJH',25.00,'2003-01-
04',9009,6004),('B03L05','SJH',25.00,'2003-01-03',9011,NULL),
('B04L01','SJH',30.00,'2003-01-02',9013,NULL),('B04L02','SJH',30.00,'2003-01-
05',9014,NULL),('B04L03','SJH',30.00,'2003-01-03',9003,NULL),
('B04L05','SJH',40.00,'2003-01-03',9010,NULL),('B04L06','SJH',25.00,'2003-01-
01',9015,NULL),('B04L07','SJH',30.00,'2003-01-01',9010,NULL),
('B04L08','SJH',25.00,'2003-01-01',9011,NULL),('B04L09','SJH',25.00,'2003-01-
05',9012,NULL),('B04L10','SJH',25.00,'2003-01-03',9013,NULL),
('B04L11','SJH',25.00,'2003-01-01',9014,NULL),('B04L12','SJH',100.00,'2003-01-
05',9015,NULL),('B04L13','SJH',40.00,'2003-01-03',9006,NULL),
('B04L14','SJH',40.00,'2003-01-04',9007,NULL),('B04L15','SJH',40.00,'2003-01-
01',9003,NULL);
/*!40000 ALTER TABLE `properties` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `provinces`
--

```

```

DROP TABLE IF EXISTS `provinces`;
/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;

```

```

CREATE TABLE `provinces` (
  `province` varchar(45) NOT NULL,
  `region` varchar(45) NOT NULL,
  PRIMARY KEY (`province`),
  KEY `FKAMELIA01_idx` (`region`),
  CONSTRAINT `FKAMELIA01` FOREIGN KEY (`region`) REFERENCES `ref_regions`
(`regions`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `provinces`
--

LOCK TABLES `provinces` WRITE;
/*!40000 ALTER TABLE `provinces` DISABLE KEYS */;
INSERT INTO `provinces` VALUES ('Oriental Mindoro','IV-A'),('National Capital
Region','NCR');
/*!40000 ALTER TABLE `provinces` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `ref_collectiondays`
--

DROP TABLE IF EXISTS `ref_collectiondays`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `ref_collectiondays` (
  `days` int(2) NOT NULL,
  PRIMARY KEY (`days`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `ref_collectiondays`
--

LOCK TABLES `ref_collectiondays` WRITE;
/*!40000 ALTER TABLE `ref_collectiondays` DISABLE KEYS */;
INSERT INTO `ref_collectiondays` VALUES (1),(2),(3),(4),(5),(6),(7),(8),(9),(10),
(11),(12),(13),(14),(15),(16),(17),(18),(19),(20);
/*!40000 ALTER TABLE `ref_collectiondays` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `ref_ornumbers`
--

DROP TABLE IF EXISTS `ref_ornumbers`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `ref_ornumbers` (
  `ornum` int(9) NOT NULL,
  PRIMARY KEY (`ornum`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--

```

```

-- Dumping data for table `ref_ornumbers`
--

LOCK TABLES `ref_ornumbers` WRITE;
/*!40000 ALTER TABLE `ref_ornumbers` DISABLE KEYS */;
INSERT INTO `ref_ornumbers` VALUES (30000001),(30000002),(30000003),(30000004),
(30000005),(30000006),(30000007),(30000008),(30000009),(30000010),(30000011),(30000012),
(30000013),(30000014),(30000015),(30000016),(30000017),(30000018),(30000019),(30000020),
(30000021),(30000022),(30000023),(30000024),(30000025),(30000026),(30000027),(30000028),
(30000029),(30000030);
/*!40000 ALTER TABLE `ref_ornumbers` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `ref_positions`
--

DROP TABLE IF EXISTS `ref_positions`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `ref_positions` (
  `position` varchar(45) NOT NULL,
  PRIMARY KEY (`position`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `ref_positions`
--

LOCK TABLES `ref_positions` WRITE;
/*!40000 ALTER TABLE `ref_positions` DISABLE KEYS */;
INSERT INTO `ref_positions` VALUES ('Auditor'),('President'),('Secretary'),
('Treasurer'),('Vice-President');
/*!40000 ALTER TABLE `ref_positions` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `ref_regions`
--

DROP TABLE IF EXISTS `ref_regions`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `ref_regions` (
  `regions` varchar(45) NOT NULL,
  PRIMARY KEY (`regions`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `ref_regions`
--

LOCK TABLES `ref_regions` WRITE;
/*!40000 ALTER TABLE `ref_regions` DISABLE KEYS */;
INSERT INTO `ref_regions` VALUES ('IV-A'),('NCR');
/*!40000 ALTER TABLE `ref_regions` ENABLE KEYS */;
UNLOCK TABLES;

```

```

--
-- Table structure for table `resident_idcards`
--

DROP TABLE IF EXISTS `resident_idcards`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `resident_idcards` (
  `card_number` int(4) NOT NULL,
  `requested_date` date NOT NULL,
  `request_reason` varchar(45) NOT NULL,
  `provided_date` date DEFAULT NULL,
  `ornum` int(9) DEFAULT NULL,
  `fee` decimal(9,2) NOT NULL,
  `resident_id` int(4) NOT NULL,
  `cancelled` tinyint(1) NOT NULL,
  `ofcr_hoid` int(4) NOT NULL,
  `position` varchar(45) NOT NULL,
  `election_date` date NOT NULL,
  PRIMARY KEY (`card_number`),
  UNIQUE KEY `ORnum_UNIQUE` (`ornum`),
  KEY `FKGABRIEL02_idx` (`resident_id`),
  KEY `FKSENATOR01_idx` (`ofcr_hoid`,`position`,`election_date`),
  CONSTRAINT `FKGABRIEL02` FOREIGN KEY (`resident_id`) REFERENCES `residents`
(`resident_id`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKJERICH001` FOREIGN KEY (`ornum`) REFERENCES `ref_ornumbers`
(`ornum`) ON DELETE NO ACTION ON UPDATE NO ACTION,
  CONSTRAINT `FKSENATOR01` FOREIGN KEY (`ofcr_hoid`,`position`,`election_date`)
REFERENCES `officer` (`ho_id`,`position`,`election_date`) ON DELETE NO ACTION ON
UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `resident_idcards`
--

LOCK TABLES `resident_idcards` WRITE;
/*!40000 ALTER TABLE `resident_idcards` DISABLE KEYS */;
INSERT INTO `resident_idcards` VALUES (5201,'2022-11-03','Security','2022-11-
04',NULL,0.00,9002,1,9004,'President','2022-12-01'),(5202,'2022-11-
05','Security','2022-11-05',3000002,100.00,9002,0,9004,'President','2022-12-01'),
(5203,'2022-11-05','Barangay Identification','2022-11-
05',NULL,0.00,9016,1,9003,'Vice-President','2022-12-01'),(5204,'2022-11-
10','Barangay Identification','2022-11-
15',3000003,100.00,9016,0,9010,'Treasurer','2022-12-01');
/*!40000 ALTER TABLE `resident_idcards` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `residents`
--

DROP TABLE IF EXISTS `residents`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `residents` (
  `resident_id` int(4) NOT NULL,

```

```

`renter` tinyint(1) NOT NULL,
`relationship` varchar(45) NOT NULL,
`undertaking` tinyint(1) NOT NULL,
`authorized` enum('Yes','No') NOT NULL,
`household_id` int(4) DEFAULT NULL,
`last_update` date NOT NULL,
PRIMARY KEY (`resident_id`),
KEY `FKGABRIEL01_idx` (`household_id`),
CONSTRAINT `FKGABRIEL01` FOREIGN KEY (`household_id`) REFERENCES `household`
(`household_id`) ON DELETE NO ACTION ON UPDATE NO ACTION,
CONSTRAINT `FKSENATOR06` FOREIGN KEY (`resident_id`) REFERENCES `people`
(`peopleid`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

--

-- Dumping data for table `residents`

--

```

LOCK TABLES `residents` WRITE;
/*!40000 ALTER TABLE `residents` DISABLE KEYS */;
INSERT INTO `residents` VALUES (9002,0,'None',1,'Yes',6001,'2022-06-10'),
(9005,1,'None',1,'Yes',6002,'2022-06-10'),(9008,1,'None',1,'Yes',6003,'2022-06-
10'),(9009,1,'None',1,'No',6004,'2022-06-10'),(9016,1,'Friend',1,'No',6005,'2022-
06-10'),(9017,0,'Friend',1,'No',6006,'2022-06-10'),
(9018,0,'Relative',1,'No',6006,'2022-06-10'),(9019,0,'Relative',1,'No',6002,'2022-
06-10'),(9020,1,'Landlord',1,'Yes',6003,'2022-06-10');
/*!40000 ALTER TABLE `residents` ENABLE KEYS */;
UNLOCK TABLES;

```

--

-- Table structure for table `zipcodes`

--

```

DROP TABLE IF EXISTS `zipcodes`;
/*!40101 SET @saved_cs_client      = @@character_set_client */;
/*!40101 SET character_set_client = utf8 */;
CREATE TABLE `zipcodes` (
  `barangay` varchar(45) NOT NULL,
  `city` varchar(45) NOT NULL,
  `province` varchar(45) NOT NULL,
  `zipcode` varchar(45) NOT NULL,
  PRIMARY KEY (`barangay`,`city`,`province`),
  KEY `FKNORM06_idx` (`province`),
  CONSTRAINT `FKNORM06` FOREIGN KEY (`province`) REFERENCES `provinces`
(`province`) ON DELETE NO ACTION ON UPDATE NO ACTION
) ENGINE=InnoDB DEFAULT CHARSET=utf8;
/*!40101 SET character_set_client = @saved_cs_client */;

```

--

-- Dumping data for table `zipcodes`

--

```

LOCK TABLES `zipcodes` WRITE;
/*!40000 ALTER TABLE `zipcodes` DISABLE KEYS */;
INSERT INTO `zipcodes` VALUES ('Alabang','Muntinlupa','National Capital
Region','1775'),('Bayanan','Lamesa','Oriental Mindoro','1801'),
('Bayanan','Muntinlupa','National Capital Region','1771'),
('Poblacion','Calapan','Oriental Mindoro','1800'),('Tunasan','Muntinlupa','National

```



```
Capital Region','1770');
/*!40000 ALTER TABLE `zipcodes` ENABLE KEYS */;
UNLOCK TABLES;
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2023-04-17  5:02:06
```