Atomic Swaps

by Boltz

What is Boltz?

Bitcoin & Lightning Service provider (LSP)

- Swap ⚡-BTC/BTC
- Channel creation
- Differentiation: atomic swaps
- Differentiation: web interface, usable via API, open-source

What is Boltz?

Privacy first

- All services, including API exposed via Tor
- No user-identifying data logged or stored

Stability:

- Operating since 2019
- One of the oldest & largest lightning nodes

What are Atomic Swaps?

- A way to swap two coins secured by cryptography so that no party can cheat the other.
- The swap only executes if both transactions execute. If 1 out of the 2 does *not* execute, the swap gets refunded.
- In contrast to many definitions found online, they don’t have to be between two different chains or even P2P.
- Very important for us as a swap provider: this means we are never holding customer funds, not even for a split-second

Who uses Boltz?

- Lightning Node operators
  - Rebalance channels
  - Get a new channel
- Lightning Wallets
  - receive from/pay to on-chain
- On-chain Wallets
  - receive from/pay to lightning
- Do more with your Bitcoin
  - Convert them to L-BTC to use financial products on the Liquid sidechain

Atomic Swaps



Normal Submarine Swaps (BTC -> ⚡-BTC)

Boltz Swap Protocol (simplified):



Normal Submarine Swaps (BTC -> ⚡-BTC)



Normal Submarine Swaps (BTC -> ⚡-BTC)



“Send: 0.1 BTC”



“Receive: 0.09 BTC”

Normal Submarine Swaps (BTC -> ⚡-BTC)



Create ⚡-invoice for 0.09 BTC

Normal Submarine Swaps (BTC -> ⚡-BTC)



Take invoice preimage hash and create redeem script to generate on-chain btc address for user to send 0.1 BTC to

Normal Submarine Swaps (BTC -> ⚡-BTC)



User sends 0.1 BTC to this address

Normal Submarine Swaps (BTC -> ⚡-BTC)



Boltz waits for one confirmation

Normal Submarine Swaps (BTC -> ⚡-BTC)



Boltz pays 0.09 BTC lightning invoice,
because of this preimage gets revealed

Normal Submarine Swaps (BTC -> ⚡-BTC)



And Boltz can claim 0.1 BTC on-chain from redeem script

Normal Submarine Swaps (BTC -> ⚡-BTC)



SWAP COMPLETED

Reverse Submarine Swaps (⚡-BTC -> BTC)

Boltz Swap Protocol (simplified):



Reverse Submarine Swaps (⚡-BTC -> BTC)



Reverse Submarine Swaps (⚡-BTC -> BTC)



“Send: 0.1 BTC”



“Receive: 0.09 BTC”

Reverse Submarine Swaps (⚡-BTC -> BTC)



User's app (e.g. boltz.exchange or Breez Wallet) generates a preimage, creates SHA256 hash of it and sends hash to Boltz

Reverse Submarine Swaps (⚡-BTC -> BTC)



Boltz creates a so-called “hold invoice” about 0.1 BTC
with hash received from user

Reverse Submarine Swaps (⚡-BTC -> BTC)



User pays Boltz' invoice, but invoice does not settle because Boltz doesn't know preimage to do so yet

Reverse Submarine Swaps (⚡-BTC -> BTC)



Boltz locks up 0.09 BTC on-chain using **same hash from user**

Reverse Submarine Swaps (⚡-BTC -> BTC)



Boltz locks up 0.09 BTC on-chain using **same hash from user**

Reverse Submarine Swaps (⚡-BTC -> BTC)



User broadcasts claim transaction on-chain and receives 0.09 BTC

Reverse Submarine Swaps (⚡-BTC -> BTC)



Boltz detects preimage in users claim transaction and uses it to settle 0.1 BTC lightning invoice

Reverse Submarine Swaps (⚡-BTC -> BTC)



SWAP COMPLETED

That’s it!

Resources

boltz.exchange
docs.boltz.exchange
github.com/BoltzExchange
twitter.com/boltzhq