

Tadex Web Application

Master Design Handoff & UI/UX Specification (v2.0)

Comprehensive Functional, Operational & Semantic Design Token Specification

Target Designer: Kemi (Figma Lead Designer)

Application: Tadex Web Frontend (Next.js / App Router)

Version: 2.0.0 (Production Live)

Date: August 2026

Tadex Web Application — Master Design Handoff & UI/UX Specification (v2.0)

Document Version: 2.0.0

Target Designer: Kemi (Figma Lead Designer)

Engineering Context: Tadex Web Application (`tadex-landing2`)

Base Architecture: Next.js (App Router), TypeScript, Tailwind CSS, Lucide Icons, React Hook Form + Zod, in-memory JWT auth with httpOnly refresh cookies.

Date: August 2026

Executive Summary & Purpose

This document is the **authoritative, screen-by-screen design handoff and design-system specification** for the Tadex Web Application. It replaces the early conceptual draft ("*Tadex_Web_Implementation_Design_Specification.pdf*" from July 2026), reflecting the full production application as built, tested, and live today.

What is Tadex?

Tadex is a **non-custodial cryptocurrency signal execution automation platform** tailored for retail traders in Nigeria (NGN), Kenya (KES), and Ghana (GHS). Users connect exchange API keys with **strict trade-only permissions** (e.g. Bybit) and automatically execute signals published by verified Signal Providers.

Core Product Principles:

- 100% Non-Custodial:** Tadex **never holds user funds, never requests withdrawal permissions, and never stores raw API secrets in plaintext.**
- Build-Ahead-of-Design Convention:** The entire application is built using **semantic design tokens** (`bg-primary` , `bg-card` , `text-muted-foreground` , `border-border` , etc.) with neutral placeholder styling. Real colors, typography, elevations, and assets in Figma can be mapped 1:1 into the central theme without rewriting components.
- Dual-Surface Priority:**
 - Primary Focus (User-Facing App):** Public marketing pages, authentication, full trading dashboard, API key management, positions/orders monitoring, multi-currency billing, provider marketplace, provider portal, and account settings.
 - Internal Tooling (Admin Console):** System health, 5-dimension user management, provider moderation, 5-section verification dossiers, billing reconciliation, and emergency circuit breakers.

Part 1: Step 1 Audit & Comparison Against Legacy Spec PDF

Before proceeding with the current specification, we audited the legacy document:

`Tadex_Web_Implementation_Design_Specification.pdf` (14 pages, July 2026).

Audit Breakdown:

CATEGORY	LEGACY SPEC DESCRIPTION	CURRENT REALITY IN CODEBASE	VERDICT & IMPACT
Route Architecture	Listed 12 theoretical routes (<code>/dashboard</code> , <code>/exchanges</code> , <code>/providers</code> , <code>/risk-settings</code> , <code>/positions</code> , <code>/provider-center</code> , etc.)	Consolidated into structured App Router: <code>/dashboard</code> , <code>/dashboard/keys</code> , <code>/dashboard/trading</code> , <code>/dashboard/billing</code> , <code>/dashboard/providers</code> , <code>/dashboard/providers/[id]</code> , <code>/dashboard/provider</code> , <code>/dashboard/settings</code> . Removed standalone <code>/risk-settings</code> and <code>/positions</code> (now unified into <code>/dashboard/trading</code>).	Significantly Changed: Consolidated for streamlined UX.
Auth Flows	Only mentioned basic <code>/login</code> and <code>/register</code> .	Full multi-screen auth system built: <code>/login</code> , <code>/register</code> , <code>/forgot-password</code> , <code>/reset-password</code> , <code>/verify-email</code> , and <code>/claim</code> (Telegram account linking).	Missing in Old Spec: 4 out of 6 auth screens were completely absent.
Public / Legal Pages	Mentioned landing page and pricing tiers vaguely.	Fully articulated <code>/</code> (with 10 interactive sections), <code>/terms</code> , <code>/privacy</code> (NDPR + API key retention disclosures), <code>/security</code> (AES-256 + trade-only architecture).	Missing in Old Spec: Complete legal/compliance architecture was unwritten.
Exchange Key Setup	Screen 3.2 envisioned radio exchange selector and simulated API validation.	Built in <code>/dashboard/keys</code> (<code>ApiKeyManager.tsx</code>) with strict trade-only Bybit enforcement, real-time backend API permission check, withdrawal-permission rejection banner, testnet toggle, masked key rendering (<code>key_1234</code>), and permanent deletion on revocation.	Updated & Hardened: Real operational security rules applied.
Trading Center	Screen 3.1 & 3.4 envisioned split positions and risk settings.	Built in <code>/dashboard/trading</code> (<code>PositionsTable.tsx</code> & <code>OrdersTable.tsx</code>) with real-time open positions, PnL formatting (<code>+\$</code> green / <code>-\$</code> red), leverage chips, TP/SL indicators, status filtering tabs, and emergency close triggers.	Consolidated: Unified into responsive desktop table + mobile card view.
Provider Portal	Screen 4.1 envisioned an "AI Signal Builder & Parser" only.	Built a 4-state lifecycle portal in <code>/dashboard/provider</code> : (1) Unregistered 404 landing hero, (2) Applicant pending review card, (3) Applicant rejected card with re-apply, (4) Active Provider Dashboard with live metrics, 3-plan manager modal (<code>ProviderPlanManager.tsx</code>), and a 5-section verification evidence dossier modal (<code>ProviderVerificationForm.tsx</code>).	Vastly Expanded: The old spec had only a signal parser; the real portal has complete lifecycle governance.
Billing & Checkout	Screen 3.3 envisioned a checkout drawer with generic pricing.	Built <code>/dashboard/billing</code> with live <code>SubscriptionCard</code> (lifecycle states, auto-activation polling), multi-currency <code>PricingGrid</code> (NGN, KES, GHS, USDT, USD subunit handling), and mobile-optimized <code>CheckoutQuoteModal</code> with duration discount quotes (1, 3, 6, 12 months) and Flutterwave/Paystack gateway routing.	Completely Re-engineered: Dynamic quote calculation and payment return state handling.
Admin Portal	Screens 5.1–5.4 outlined basic overview, user list, provider approvals, and crypto reviews.	Complete 6-phase administrative suite built across 10 distinct routes: Admin Role Guard, Platform Overview KPIs, 5-Dimension User Search & 360° Profile Dossiers, Provider Moderation & 5-Section Verification Dossiers, Transaction Ledger & 360° Diagnostics, Subscription Governance, Global Platform Fee Configuration, and High-Gravity System Controls with 2-Step "HALT TRADING" Emergency Kill Switch and live Bybit connectivity pinging.	Massively Expanded (Phase Admin-1 to 4b): Over 75% of admin functionality was never in the old spec.

CATEGORY	LEGACY SPEC DESCRIPTION	CURRENT REALITY IN CODEBASE	VERDICT & IMPACT
Mobile Responsiveness	No mobile layouts or responsive behaviors documented.	Full responsive suite implemented: collapsible mobile drawers, responsive hamburger headers, mobile card-view fallbacks for tables, modal viewport scroll containers (max-h-[90vh]), and touch-friendly targets.	Missing in Old Spec: Zero responsive guidelines existed.

Decision:

Because the legacy PDF describes outdated route paths, lacks 4 auth flows, omits the entire 4-stage provider portal lifecycle, omits the comprehensive billing quote engine, and misses 6 phases of admin system controls and mobile responsive behaviors, **this new document (`Tadex_Web_Design_Handoff_v2.md`) serves as the active master specification.** The old PDF is retained solely as an archive.

Part 2: Master Information Architecture & Route Inventory

[illegible]

Part 3: Screen-by-Screen Inventory & UI Specification

Section 3.1: Public & Marketing Pages

1. Landing Page (/)

- **Purpose:** Public storefront educating retail traders on non-custodial crypto automation and capturing waitlist/registration interest.
- **Target Audience:** Prospective retail crypto traders in Nigeria, Kenya, and Ghana.
- **Distinct UI Elements & Sections:**
 1. **Hero Section** (`Hero.tsx`): Headline, sub-headline, primary CTA ("Start Automated Trading"), secondary CTA ("Connect Telegram Bot"), floating live performance stat badge, non-custodial trust pill.
 2. **Feature Grid** (`Features.tsx`): 3-column cards detailing Non-Custodial Security, Millisecond Signal Execution, Multi-Currency Local Settlement (NGN/KES/GHS/USDT).
 3. **How It Works** (`HowItWorks.tsx`): 3-step timeline (1. Connect Bybit API, 2. Choose Verified Signal Provider, 3. Trades Auto-Execute).
 4. **Why Automated** (`WhyAutomated.tsx`): Problem/solution comparison (Manual trading emotion/delays vs Automated millisecond execution).
 5. **Feature Comparison Table** (`ComparisonTable.tsx`): Matrix comparing Tadex vs Custodial Bots vs Manual Telegram Copy-Trading.
 6. **Pricing Showcase** (`Pricing.tsx`): Tier cards showing platform access tiers + provider plan pricing previews with currency switcher.
 7. **Product Roadmap** (`Roadmap.tsx`): Interactive phased milestones (Phase 1 Bybit Spot/Futures, Phase 2 Multi-Exchange, Phase 3 Social Copy).
 8. **Security & Transparency Card** (`SecurityTransparency.tsx`): Trade-only API architecture, AES-256 encryption, zero withdrawal permission guarantee.
 9. **FAQ Accordion** (`FAQ.tsx`): Expandable answers to common security, billing, and exchange questions.
 10. **Final CTA Banner** (`FinalCTA.tsx`): High-contrast banner with quick registration trigger.
 11. **Footer** (`Footer.tsx`): Product links, legal links (`/terms` , `/privacy` , `/security`), country currency indicators, copyright.
 12. **Interactive Modals:** `WaitlistModal.tsx` and `PlanWaitlistModal.tsx` for capturing early user emails.
- **Data Sources:** Static marketing copy + dynamic pricing tier previews from Supabase.
- **Key Actions:** Open registration modal, switch currency preview, toggle FAQ accordions, navigate to `/register` , `/login` , or `/security` .
- **Current Styling State:** Semantic design tokens with dark/light mode support.
- **Responsive Behavior:** Full mobile stack; hamburger menu on mobile; tables collapse into swipeable cards; modal sheets slide up from bottom on mobile.

2. Terms of Service (/terms)

- **Purpose:** Legally binding operational terms defining Tadex as a non-custodial software marketplace (not an investment adviser).
- **Distinct UI Elements:** Legal header with effective date and "Operational Draft Pending Formal Legal Review" alert banner; 8 structured policy sections; itemized billing/cancellation policy; liability disclaimers.
- **Current Styling State:** Typography-focused layout using semantic `text-foreground` , `text-muted-foreground` , and `border-border` .

3. Privacy Policy (</privacy>)

- **Purpose:** Full statutory and NDPR-compliant privacy disclosure detailing exchange API key encryption, data retention, and instant key deletion.
- **Distinct UI Elements:** Data Collection Matrix (encrypted API keys, email, Telegram IDs, billing metadata); Data Retention & Immediate Deletion Guarantee (keys permanently purged upon user revocation); Cookie Policy ([httpOnly](#) session tokens); Contact DPO email.
- **Current Styling State:** Structured semantic documentation cards.

4. Security & Transparency (</security>)

- **Purpose:** Technical deep-dive for security-conscious traders explaining how Tadex protects API keys and enforces zero-custody.
- **Distinct UI Elements:** 4 Security Architecture Cards: 1. AES-256 Envelope Encryption at Rest, 2. Trade-Only API Enforcement (Withdrawals Blocked), 3. IP Whitelist Guidance, 4. In-Memory Session Tokens.

Section 3.2: Authentication & Onboarding Flows

1. User Login (</login>)

- **Purpose:** Secure authentication for returning retail traders and admins.
- **Distinct UI Elements:** Centered card layout; Brand logo; Email input; Password input with show/hide toggle; "Remember Me" checkbox; "Forgot Password?" link; "Sign In" primary button with loading spinner; Direct link to </register>.
- **Data & State:** Zod-validated [loginSchema](#); submits to [POST /api/v1/auth/login](#); stores JWT in-memory and sets [httpOnly](#) refresh cookie; redirects to </dashboard> or </admin> based on user role.
- **Responsive Behavior:** Full viewport centered on desktop; edge-to-edge padded card on mobile.

2. User Registration (</register>)

- **Purpose:** New trader account creation.
- **Distinct UI Elements:** Email input; Password input (enforces min 8 characters); Confirm Password input; Terms & Privacy agreement notice with active links; "Create Account" primary button; Link to </login>.
- **Data & State:** Zod-validated [registerSchema](#); submits to [POST /api/v1/auth/register](#); triggers email verification flow.

3. Forgot Password (</forgot-password>)

- **Purpose:** Self-service password recovery initiation.
- **Distinct UI Elements:** Instructional card; Email input; "Send Reset Link" button; Success state card with instructions to check email; Back to Login link.
- **Data & State:** Submits to [POST /api/v1/auth/forgot-password](#).

4. Reset Password (</reset-password>)

- **Purpose:** Complete password reset via single-use email token.
- **Distinct UI Elements:** Reads [?token=](#) parameter; New Password input; Confirm New Password input; Password strength indicator; "Update Password" button; Auto-redirect countdown to </login> upon success.
- **Data & State:** Zod-validated [resetPasswordSchema](#); submits to [POST /api/v1/auth/reset-password](#).

5. Email Verification (</verify-email>)

- **Purpose:** Verify user email address from email link.
- **Distinct UI Elements:** Reads [?token=](#); Loading spinner during handshake; Verified success card with green badge; Error state card with "Resend Verification" trigger; "Continue to Dashboard" button.
- **Data & State:** Validates [email_verified === true](#) against [POST /api/v1/auth/verify-email](#).

6. Telegram Account Claim Flow (`/claim`)

- **Purpose:** Bridges users onboarded via the Tadex Telegram Bot to the web dashboard.
- **Distinct UI Elements:** Reads single-use 15-minute token (`?token=`) generated by `/link_web` in Telegram; Web Email input; New Password input; Confirm Password input; "Complete Account Claim" CTA; "Invalid / Expired Token" fallback screen directing user back to Telegram bot.
- **Data & State:** Submits to `POST /api/v1/auth/claim-account` ; immediately logs in user and routes to `/dashboard` .

Section 3.3: Main Dashboard Shell & Navigation

Global Dashboard Shell (`DashboardHeader.tsx`)

- **Structure:** Sticky 64px top bar anchored across the viewport (`bg-card/90 backdrop-blur-md`).
- **Desktop Elements:**
 1. *Brand Logo:* "T" badge + "Tadex App" text (routes to `/dashboard`).
 2. *Navigation Links:*
 - **Overview** (`/dashboard`)
 - **API Keys** (`/dashboard/keys`)
 - **Trading** (`/dashboard/trading`)
 - **Browse Providers** (`/dashboard/providers`)
 - **Provider Portal** (`/dashboard/provider`)
 - **All Plans** (`/dashboard/billing`)
 - **Settings** (`/dashboard/settings`)
 1. *User Identifier Pill:* Displays `User:` and Status pill (`active`).
 2. *Log Out Button:* Initiates `POST /api/v1/auth/logout` , wipes in-memory auth store, routes to `/login` .
- **Mobile Behavior (< 768px):**
 - Desktop nav links hide behind a hamburger menu button.
 - Tapping hamburger slides down a full-width mobile navigation drawer.
 - Mobile drawer contains user email chip, all 7 navigation destinations, and a full-width destructive "Log Out" button.

Section 3.4: Authenticated Trader Dashboard Routes

1. Dashboard Overview (`/dashboard`)

- **Purpose:** High-level operational command center for the retail trader.
- **Distinct UI Elements:**
 1. *Welcome Header:* Title and subtext confirming non-custodial status.
 2. *3 Metric Stat Cards:*
 - **Signal Execution Status:** "Active" badge with pulsing green status indicator.
 - **Connected Exchange API Keys:** Displays count (e.g. "1 Connected" vs "Not Connected") and "Read/Trade Only" security badge.
 - **Account Security:** "Verified" badge + "HttpOnly Cookie" token indicator.
 1. *Embedded Key Manager:* Direct access to connect or view Bybit keys.
 2. *Recent Signal Executions Feed:* Activity feed showing recent automated trade dispatches or empty state.

- **Data Sources:** `GET /me`, `GET /keys`, `GET /trading/orders`.

- **Responsive Behavior:** 3 metric cards stack to 1 column on mobile, 2 on tablet, 3 on desktop.

2. Exchange API Key Management (`/dashboard/keys`)

- **Purpose:** Securely link Bybit API credentials to enable trade execution.

- **Distinct UI Elements (`ApiKeyManager.tsx`):**

1. *Mandatory Security Instruction Banner:* Prominent alert box with direct link to Bybit Mainnet/Testnet API settings. Highlights 3 rules: System-Generated API key, Read-Write trade permissions, **Withdrawal MUST BE DISABLED**.

2. *Connected Keys Card (Left Column):*

- List of connected keys with Exchange name (Bybit), Environment badge (Mainnet in primary / Testnet in secondary), Status pill (`active` with pulse dot), Masked API Key (`key_1234`), Connected Date.
- Refresh button.
- "Disconnect" button triggering an **inline red confirmation banner** ("Revoking this key will pause automated trading execution. Are you sure?").

1. *Connect Key Form (Right Column):*

- Exchange selector (Bybit default).
- Environment switch: "Live Mainnet" vs "Testnet / Demo".
- API Key input field (masked).
- API Secret input field (password masked with eye reveal toggle).
- "Connect & Validate Key" primary action button with loading spinner.
- *Security Error Alert:* Specialized red warning box triggered if Bybit detects withdrawal permissions: "Security Violation: Withdrawal permission detected. Tadex requires trade-only keys."
- **Data Sources:** `GET /keys`, `POST /keys`, `DELETE /keys/{id}`.
- **Key Actions:** Real-time permission handshake with Bybit; immediate revocation and permanent database deletion.
- **Responsive Behavior:** 2-column desktop grid collapses into stacked single column on mobile.

3. Trading Center: Positions & Orders (`/dashboard/trading`)

- **Purpose:** Live monitoring of open crypto positions and past signal execution orders.

- **Distinct UI Elements:**

1. *Active Positions Card (`PositionsTable.tsx`):*

- Header with live refresh button.
- **Desktop Table View:** Columns for Symbol (e.g. `BTCUSDT`), Side badge (`LONG` in emerald / `SHORT` in crimson), Sizing, Entry Price, Mark/Current Price, Leverage chip (e.g. `10x`), TP/SL targets, Unrealized PnL (`+$45.20` in green / `-$12.10` in red), Emergency Close action button.
- **Mobile Card View (< 640px):** Replaces wide table with stacked key-value cards showing Symbol, Side badge, Entry vs Mark price, PnL chip, and full-width Emergency Close button.
- *Empty State:* "No active positions. Automated signal triggers will open and monitor trades here."

1. *Execution Order History Card (`OrdersTable.tsx`):*

- Status Filter Tabs / Mobile Select Dropdown: `All`, `Filled`, `Pending`, `Cancelled`, `Failed`.
- Header with refresh button.
- **Desktop Table View:** Order ID (mono), Timestamp, Symbol, Side, Type (`Market` / `Limit`), Size, Fill Price, TP/SL, Status badge (`Filled` emerald, `Pending` amber, `Cancelled` neutral, `Failed` destructive).
- **Mobile Card View (< 640px):** Compact card view per order with status chip and formatted time.

- **Data Sources:** `GET /trading/positions`, `GET /trading/orders?status=...`.

- **Responsive Behavior:** Seamless desktop-table to mobile-card transformation.

4. Billing & Subscriptions (`/dashboard/billing`)

- **Purpose:** Manage active subscriptions, browse pricing catalog, and execute multi-currency checkout.
- **Distinct UI Elements:**
 1. *Payment Return State Alert:* Detects `?status=success` or transaction reference on return from gateway; displays an automated verification polling card (polls up to 8 times / 16s) and auto-activates subscription.
 2. *Active Subscription Card* (`SubscriptionCard.tsx`):
 - Active status shield (Emerald checkmark if active, Amber alert if inactive/expired).
 - Plan Name, Provider Name, Tier badge, Status pill (`active`, `trialing`, `past_due`, `paused`, `canceled`).
 - Billing cycle dates (Current Period Start, Expiration / Next Billing Date).
 - *Suspended Provider Alert:* Honest warning banner if provider is suspended: "Signal Execution Paused: Provider operations temporarily suspended."
 - Notifications list.

1. Pricing Plans Catalog (`PricingGrid.tsx`):

- Global Currency Selector: Switch catalog between `NGN`, `KES`, `GHS`, `USDT`, `USD`.
- 3-Column Plan Cards Grid: Plan Name, Provider Brand Name, Monthly Price formatted in selected currency with subunit accuracy (e.g. `₦15,000.00/mo` or `$25.00/mo`), Unsupported Currency fallback pill (`Only available in NGN`), Feature checklist, "Subscribe Now" CTA button.

1. Multi-Currency Checkout Modal (`CheckoutQuoteModal.tsx`):

- Scrollable modal card (`max-h-[90vh] overflow-y-auto`) ensuring all CTA buttons remain visible on short mobile screens.
- Plan summary and provider brand name.
- Duration Selector Buttons: `1 Month`, `3 Months (5% off)`, `6 Months (10% off)`, `12 Months (20% off)`.
- Currency Selector: Toggle settlement currency (`NGN`, `KES`, `GHS`, `USDT`, `USD`).
- Dynamic Price Breakdown Quote: Provider Monthly Fee + Tadex Platform Fee (₦1,500 / \$10.00) = Total Amount.
- *Email Verification Gate:* Warning alert blocking unverified users with a direct CTA to verify email before paying.
- "Proceed to Payment" primary button: Redirects to Flutterwave, Paystack, or crypto gateway.
- **Data Sources:** `GET /billing/subscription`, `GET /billing/plans`, `POST /billing/checkout-quote`, `POST /billing/checkout`.
- **Responsive Behavior:** Modal handles viewport heights down to 667px without cutting off buttons; pricing cards stack 1-col on mobile.

5. Provider Directory & Provider Detail (Subscriber-Facing)

- **Route 1:** `/dashboard/providers` (`ProviderDirectory.tsx`):
 - Header with search input and refresh button.
 - 3-Column Grid of Verified Signal Providers.
 - Provider Card: Provider avatar initial, Brand Name, "Verified Provider  " badge, Win Rate % tag, 30-Day Total Signals count, Active Subscribers count, Last active date, "View Profile & Plans →" button.
- **Route 2:** `/dashboard/providers/[id]` (`ProviderDetailView.tsx`):
 - "← Back to All Providers" navigation link.
 - Provider Hero Profile Card: Large avatar, Brand name, Verified Tier badge (`basic`, `intermediate`, `advanced`, `premium`, `verified`), Bio/trading methodology, Contact email, Member since date.
 - Performance Metrics Grid: Win Rate %, Signals Sent, Subscribers, Verification Tier.

- Scoped Plan Grid: Displays only the plans offered by this specific provider.
- Clicking "Subscribe" opens `CheckoutQuoteModal` pre-scoped to that plan.
- **Data Sources:** `GET /providers`, `GET /providers/{id}`, `GET /providers/{id}/plans`.

6. Provider Self-Service Portal (`/dashboard/provider`)

- **Purpose:** End-to-end portal allowing traders to apply, get verified, manage subscription plans, and monitor their signal subscriber base.
- **4-Stage Lifecycle Architecture (`ProviderPortalRouter`):**

1. State 1: Unregistered (404 state)

- "Become a Tadex Signal Provider" value proposition hero banner.
- 3 Feature Highlight Cards: 100% Non-Custodial, Multi-Currency Billing (NGN/USDT), Verified Trader Badge.
- "Apply to Become a Signal Provider" CTA button opening `ProviderApplyForm.tsx`.
- *Application Form (`ProviderApplyForm.tsx`):* Brand Display Name, Contact Email, Experience Level dropdown, Trading Focus multi-select chips (Scalping, Day Trading, Swing, Futures, Spot), Bio/strategy textarea, Referral source, Mandatory Terms Checkbox, 409 duplicate conflict handling.

1. State 2: Applicant Pending Review

- Status Card: "Provider Application Under Review" with amber clock icon.
- Metadata table: Application ID, Brand Name, Contact Email, Experience Level, Submitted Date, "Pending Review" status pill.
- Informative callout: 24–48h turnaround time expectation.

1. State 3: Applicant Rejected / Needs Update

- Status Card: "Application Status: Not Approved" with red X icon.
- Explicit Rejection Reason alert box with compliance feedback.
- "Update & Re-apply" CTA button opening pre-filled application form.

1. State 4: Active Provider Dashboard (`ProviderDashboard.tsx`)

- *Suspended Warning Banner:* Displayed if provider status is `suspended` (disables mutations).
- *Provider Header Card:* Brand avatar, Verification tier badge, Status pill, Bio, Contact email, Member since date.
- *4 KPI Metrics Grid:* Active Subscribers count, Total Signals Sent, Win Rate %, Verification Level.
- *Verification Status Card (`ProviderVerificationCard.tsx`):* Displays current verification badge; "Submit Verification Request" CTA button opening 5-section evidence dossier.
- *Verification Request Modal (`ProviderVerificationForm.tsx` - 5 Structured Sections):*
 - Section 1: Operator Identity (Legal name, Telegram username, channel link, email, region).
 - Section 2: Signal Operation (Subscriber count, experience duration, execution mode, frequency).
 - Section 3: Trading Evidence (Exchange UID, leaderboard links, statement URLs).
 - Section 4: Historical Signals Table (Dynamic add/remove rows, enforcing min 3 / max 10 past signals with Symbol, Entry, SL, TP, Date, Outcome, Message Link).
 - Section 5: Affirmations & Declarations (5 mandatory checkboxes with full disclosure text).
- *Plan Management Module (`ProviderPlanManager.tsx` & `ProviderPlanModal.tsx`):*
 - List of owned plans with status pills (`active`, `paused`, `draft`, `archived`).
- **3-Active-Plan Cap Enforcement:** Proactively disables "Create Plan" button with tooltip when 3 active plans exist.
- Plan Creation/Edit Modal: Plan Name, Currency (NGN/USDT), Monthly Price, Description, Features list, Max duration.
- Plan Deactivation confirmation dialog.

- **Data Sources:** `GET /provider/me`, `POST /provider/apply`, `GET /provider/plans`, `POST /provider/plans`, `DELETE /provider/plans/{id}`, `POST /provider/request-verification`.

7. Account Settings (`/dashboard/settings`)

- **Purpose:** User account security, password updates, and global session revocation.
- **Distinct UI Elements (`AccountSettings.tsx`):**
 1. *Account Overview Card:* Masked user UUID, Email address, Account status.
 2. *Change Password Card:*
 - Current Password input.
 - New Password input (min 8 characters).
 - Confirm New Password input.
 - "Update Password" button with loading spinner.
 - Success banner: *"Your password has been changed successfully. You've been logged out of all other devices."*
 1. *Log Out Everywhere Security Action Card:*
 - Security explanation (revokes all active refresh tokens and terminates sessions on other devices).
 - "Log Out of All Devices" destructive button.
 - Inline confirmation alert dialog with "Confirm Revoke All" action.
- **Data Sources:** `POST /api/v1/auth/change-password`, `POST /api/v1/auth/logout-all`.

Section 3.5: Platform Administration Console (`/admin/*`)

⚠ IMPORTANT

Designer Note for Kemi: The `/admin` routes represent an **internal operations and risk-governance tool** used by the Tadex internal team, not retail traders. It is lower priority than the user-facing application and should use a clean, data-dense, functional administrative aesthetic.

Global Admin Shell (`AdminHeader.tsx`, `AdminRoute.tsx`)

- **Admin Role Guard:** Restricts access to users where `role === 'admin'`. Redirects normal users to `/dashboard` and unauthenticated sessions to `/login`.
- **Admin Navigation Tabs:**
 - `Overview` (`/admin`)
 - `Users` (`/admin/users`)
 - `Billing & Revenue` (`/admin/billing/transactions`)
 - `System Controls` (`/admin/execution`)
 - `Providers` (`/admin/providers`)
 - `Applications` (`/admin/providers/applications`)
 - `Verification Queue` (`/admin/providers/verification-queue`)
 - *Stub:* `Audit Logs` (labeled "Coming Soon").
- **Top Right Actions:** "Exit to Trading App" deep link, admin email badge, Log out button. Full mobile drawer navigation included.

1. Admin Platform Overview (`/admin`)

- **Purpose:** Real-time platform KPI telemetry and operational needs-attention queues.
- **Distinct UI Elements (`AdminOverview.tsx`):**

1. *Global Kill Switch Alert Banner*: Visible if global execution stop is active.
2. *6 KPI Metric Cards*: Registered Users (Active/Suspended/Banned), Signal Providers (Active/Verified/Suspended), Connected Exchange Accounts (Active/Revoked), Active Subscriptions (Total/Trialing/Cancelled), 24h Payment Volume & Tx Count, Execution Engine Health (24h trade dispatch volume, success rate %, task queue depth).
3. *"Needs Attention" Action Cards*: Direct shortcuts to Pending Applications, Verification Queue dossiers, and Suspended Providers.

- **Data Sources**: `GET /admin/overview`.

2. User Management Console (`/admin/users` & `/admin/users/{id}`)

- **Route 1: User Directory** (`/admin/users` - `AdminUserTable.tsx`):
 - **5-Dimension Search Box** (`q`): Debounced backend search across Email, Telegram Username, Telegram User ID, User UUID, and Exchange UID.
 - **Filter Toolbars**: Status (`All`, `Active`, `Suspended`, `Banned`, `Deleted`), Email Verification (`All`, `Verified`, `Unverified`), Role (`All`, `User`, `Admin`), Auth Origin (`All`, `Web`, `Telegram`, `Bot`).
 - Desktop table / Mobile card view with server-side pagination.
 - Action link: "View 360° Profile →".
- **Route 2: User 360° Profile Dossier** (`/admin/users/{id}` - `AdminUserDetailView.tsx`):
 - *Header Toolbar*: User avatar, Email, UUID, Status badge, Role badge, Beta Tester chip, and contextual action buttons.
 - *Module 1: Identity & Authentication*: Email, verification state, Telegram handle (@username), Telegram User ID, phone number, terms acceptance date, last seen timestamp.
 - *Module 2: Connected Exchange Accounts*: Table of connected exchanges with account name, trading mode, leverage, and **strictly masked keys only** (`api_key_masked`). Zero private keys/secrets rendered.
 - *Module 3: Signal Subscriptions*: Plan name, provider name, tier, active dates, status.
 - *Module 4: Signal Provider Profile (if provider)*: Brand name, verification tier badge, subscribers, signals sent.
 - *Module 5: Billing & Transactions History*: Transaction ID, amounts, gateway, status.
 - *Module 6: Administrative Audit Timeline*: Historical audit logs of administrative actions on this account.
 - *Administrative Action Modals*:
 - **Ban User Modal** (`AdminBanUserModal.tsx`): Destructive modal requiring mandatory justification reason (\$\ge 3\$ characters).
 - **Unban User Modal** (`AdminUnbanUserModal.tsx`): Confirmation dialog.
 - **Admin Force Logout-All Modal** (`AdminForceLogoutModal.tsx`): Revocation dialog with mandatory reason.
 - **Force Verify Email Modal** (`AdminForceVerifyModal.tsx`): Compliance override with mandatory reason.
 - **Resend Verification Email Button**: One-click trigger.
- **Data Sources**: `GET /admin/users`, `GET /admin/users/{id}`, `POST /admin/users/{id}/ban`, `POST /admin/users/{id}/unban`, `POST /admin/users/{id}/logout-all`, `POST /admin/users/{id}/force-verify-email`.

3. Provider Moderation & Governance (`/admin/providers/*`)

- **Route 1: Provider Directory** (`/admin/providers` - `AdminProviderTable.tsx`):
 - Search bar and status tabs (`All`, `Active`, `Suspended`, `Verified`, `Deleted`).
 - Columns: Provider Name, Owner Email, Status badge, Verification Tier badge, Subscriber count, Signals sent, Win Rate %, View Details modal trigger.
 - **Suspend Provider Modal** (`AdminSuspendModal.tsx`): Mandatory reason (\$\ge 3\$ chars) before suspending.
 - **Unsuspend Action**: Confirm dialog restoring provider status.
- **Route 2: Applications Queue** (`/admin/providers/applications` - `AdminApplicationsQueue.tsx`):
 - Incoming applicant registration cards with trading focus chips, experience, bio, referral source.

- Status tabs: `Pending Review`, `Approved`, `Rejected`, `All`.
- **Approve Modal:** Allows overriding display name and adding internal approval notes.
- **Reject Modal:** Enforces mandatory rejection reason visible to the applicant for re-application.
- **Route 3: Verification Evidence Queue** (`/admin/providers/verification-queue` - `AdminVerificationQueue.tsx`):
 - Interactive evidence review queue with collapsible panels for the 5 submitted sections (Operator Identity, Signal Operation, Trading Evidence/Links, Historical Signals Table, Affirmations).
- **Verify Modal:** Tier selection (`basic`, `intermediate`, `advanced`, `premium`, `verified`), reviewer notes, and risk flags.
- **Reject Verification Modal:** Mandatory justification reason.
- **Data Sources:** `GET /admin/providers`, `POST /admin/providers/{id}/suspend`, `POST /admin/providers/{id}/unsuspend`, `GET /admin/providers/applications`, `POST /admin/providers/applications/{id}/approve`, `POST /admin/providers/applications/{id}/reject`, `POST /admin/providers/{id}/verify`, `POST /admin/providers/{id}/reject-verification`.

4. Billing & Revenue Governance (`/admin/billing/*`)

- **Sub-Navigation** (`AdminBillingNav.tsx`): Tabs for `Transaction Ledger`, `Subscription Ledger`, `Platform Fees & Splits`.
- **Route 1: Transaction Ledger** (`/admin/billing/transactions` - `AdminTransactionsTable.tsx`):
 - Search query (`q`), Status filter (`Success`, `Pending`, `Failed`), Gateway filter (`Flutterwave`, `Paystack`, `Crypto`), Currency filter (`NGN`, `USDT`, `USD`).
 - Desktop table & Mobile card view showing Gross Paid, Platform Retained Fee chip, Provider Net Payout, and "Diagnostics →" link.
- **Route 2: Transaction 360° Diagnostics** (`/admin/billing/transactions/[id]` - `AdminTransactionDetailView.tsx`):
 - 360° Financial Breakdown: Gross, Platform Fee, Provider Payout, Failure callout with `error_message`.
 - Linked Context Cards: Customer Account link, Provider link, Subscription link.
 - Raw Webhook Payload Viewer: Collapsible syntax-highlighted JSON viewer with "Copy JSON".
- **Manual Reconcile Modal** (`AdminReconcileModal.tsx`): Manual payment verification override with mandatory audit reason (≥ 3\$ chars).
- **Route 3: Subscription Ledger** (`/admin/billing/subscriptions` - `AdminSubscriptionLedgerTable.tsx`):
 - Filter across all platform users by status and tier.
- **Cancel Subscription Modal** (`AdminCancelSubscriptionModal.tsx`): Immediate vs Period-End cancellation mode with mandatory audit reason.
- **Set Status Modal** (`AdminSetSubscriptionStatusModal.tsx`): Status override dropdown (`trialing`, `active`, `past_due`, `paused`, `canceled`, `expired`) with mandatory audit reason.
- **Route 4: Platform Fee Configuration** (`/admin/billing/fees` - `AdminPlatformFeesView.tsx`):
 - Active Global Fee Cards: **NGN (₦1,500)** and **USDT (\$10.00)**.
 - Revenue split formula explanation card.
 - Historical Fee Revision Table: Audit trail of past fee changes.
- **Update Global Fee Modal** (`AdminUpdateFeeModal.tsx`): High-consequence dialog with red/amber danger ring, critical consequence warning, and double-confirmation acknowledgment checkmark.
- **Data Sources:** `GET /admin/billing/transactions`, `GET /admin/billing/transactions/{id}`, `POST /admin/billing/transactions/{id}/reconcile`, `GET /admin/billing/subscriptions`, `POST /admin/billing/subscriptions/{id}/cancel`, `POST /admin/billing/subscriptions/{id}/set-status`, `GET /admin/billing/fees`, `POST /admin/billing/fees`.

5. System Controls & Execution Engine (/admin/execution/*)

- **Sub-Navigation** (AdminExecutionNav.tsx): Tabs for System Controls & Kill Switch , Pipeline Health & Telemetry , Position Reconciliation .

- **Route 1: System Controls & Master Kill Switch** (/admin/execution):

1. High-Gravity Global Kill Switch Card (AdminKillSwitchCard.tsx):

- Permanent visual centerpiece with heavy-duty borders and pulsing status indicators (ACTIVE / NORMAL vs EMERGENCY STOP ACTIVE).

- **Emergency Halt Modal (2-Step Safety Gate):**

- Step 1: Consequence impact breakdown (instant halt of all Bybit order dispatches, signal ingestion pause).
- Step 2: Exact typed phrase "HALT TRADING" strictly enforced + mandatory audit reason (\$\ge 3\$ characters). Submit button disabled until exact match.

- **Resume Trading Modal (Live Pre-Flight Ping):**

- Consumes live Bybit exchange connectivity ping (GET /admin/execution/connectivity), displaying real-time exchange status (online / degraded), latency in ms, and server time.
- Re-activation consequences disclosure + mandatory audit reason.
- **Optimistic Locking & 409 Conflict Handling:** Displays "State changed since you loaded this page" banner with forced refresh.

1. Spatially Isolated Monitoring Controls Card (AdminMonitoringControlsCard.tsx):

- Independent switches for monitoring_enabled (WebSocket telemetry) and monitoring_actions_kill_switch (Automated SL/TP closes) with reason validation modal.

1. Rollout Cohort Distribution Card (AdminCohortControlCard.tsx):

- User rollout percentage control (0–100%) with slider and numeric presets, live user telemetry gauge (Total Platform Users, In-Cohort Accounts, Excluded Accounts), and update modal.

1. Read-Only System Controls Matrix (AdminReadOnlyControlsGrid.tsx):

- Dynamically rendered non-operational limits (beta_mode , allow_new_providers , allow_new_subscribers , max_beta_providers , max_beta_subscribers , beta_whitelist_enabled).

1. Execution Audit Feed (AdminExecutionAuditFeed.tsx):

- Real-time audit log of system control and emergency actions.
- **Route 2: Pipeline Health & Telemetry** (/admin/execution/health):
- Time window selector (6h, 24h, 72h, 7d), signal ingestion rates, dispatch queue rates, Bybit order success %.

- **Route 3: Position Reconciliation** (/admin/execution/reconciliation):

- Open positions vs active monitors alignment, drift status (CLEAN), corrective history.
- **Data Sources:** GET /admin/execution/overview , POST /admin/execution/kill-switch , POST /admin/execution/monitoring , POST /admin/execution/cohort , GET /admin/execution/connectivity , GET /admin/execution/health , GET /admin/execution/reconciliation .

Part 4: Design System Foundations & Semantic Token Specifications

To ensure Figma components map directly to our Tailwind configuration without hardcoded magic numbers, use the following token architecture:

```
Primitive Token (e.g. #FFC107, 16px, 8px)
↓
Semantic Token (e.g. brand.primary, space-4, radius-md)
↓
Component Token (e.g. button.primary.background, card.padding)
↓
UI Component (e.g. PrimaryButton, MetricCard)
```

1. Color Tokens

Background Tokens

- `bg-background` — Master page canvas background.
- `bg-card` — Primary container, card, modal, and drawer surface.
- `bg-popover` — Floating dropdowns, tooltips, and context menus.
- `bg-muted` — Subtle secondary background for table headers and inactive tabs.
- `bg-accent` — Interactive hover states and highlighted selection surfaces.
- `bg-secondary` — Secondary badge backgrounds and neutral pill containers.

Foreground Tokens

- `text-foreground` — Master body text, high-contrast labels, and active elements.
- `text-card-foreground` — Card titles, primary metric figures, and card headers.
- `text-popover-foreground` — Text inside dropdowns, tooltips, and popovers.
- `text-muted-foreground` — Subtitles, helper text, timestamps, and column headers.
- `text-accent-foreground` — Text on active/hovered accent surfaces.
- `text-secondary-foreground` — Text inside secondary pills and badges.

Brand / Action Tokens

- `bg-primary` / `text-primary` / `text-primary-foreground` — Primary interactive CTA buttons, active tab indicators, and brand highlights.
- `bg-secondary` / `text-secondary` / `text-secondary-foreground` — Secondary buttons and auxiliary interactive elements.
- `bg-destructive` / `text-destructive` / `text-destructive-foreground` — Destructive actions (Disconnect Key, Emergency Halt, Ban User, Revoke All).

Border & Input Tokens

- `border` (`border-border`) — Standard structural divider and card border.
- `border-input` — Form input, select, and textarea borders.
- `ring` (`ring-ring`) — Focus ring indicator for keyboard navigation and accessibility.

2. Brand Color Palette & Primitive Mappings

BRAND TOKEN	HEX CODE	SEMANTIC ROLE & USAGE IN UI
Tadex Yellow	#FFC107	Primary Brand & Action Accent: Primary buttons, active highlights, key brand insignias. <i>(Note: Must not be used as a generic warning color).</i>
Tadex Teal	#0F6173	Secondary Brand / Tech Anchor: Auxiliary branding, verified badges, subtle gradients, technical callouts.
Deep Charcoal	#10172A	Primary Dark Surface / Background: Dark mode page canvas, deep card containers, high-contrast modal backdrops.
White	#FFFFFF	Primary Light Canvas / High Contrast Text: Light mode page canvas, dark mode foreground text.
Soft Gray	#F5F7FA	Light Surfaces & Dividers: Light mode muted card containers, table row zebra striping, subtle borders.

3. Semantic Status & Trading-Specific Tokens

System & Platform Status

- `status.success` / `system.online` — **Emerald** (e.g. `text-emerald-500` , `bg-emerald-500/10`): Exchange connected, heartbeat active, payment confirmed, trade filled.
- `status.warning` / `system.degraded` — **Amber** (e.g. `text-amber-500` , `bg-amber-500/10`): Pending admin verification, testnet environment active, retry in progress.
- `status.error` / `system.offline` / `destructive` — **Crimson/Red** (e.g. `text-destructive` , `bg-destructive/10`): Emergency kill switch active, withdrawal permission detected, failed transaction.
- `status.info` — **Blue/Teal** (e.g. `text-blue-500` , `bg-blue-500/10`): Educational notices, Bybit API guidelines.
- `status.neutral` / `system.paused` — **Slate/Gray** (e.g. `text-muted-foreground` , `bg-muted`): Paused signal distribution, cancelled order.

Trading Data Tokens

- `trade.profit` / `chart.profit` — Positive PnL indicators (e.g. `+$45.20` , `+12.4%`).
- `trade.loss` / `chart.loss` — Negative PnL indicators (e.g. `-$18.50` , `-4.2%`).
- `trade.long` — Emerald Long position side badge.
- `trade.short` — Crimson Short position side badge.
- `trade.entry` / `trade.stop-loss` / `trade.take-profit` — Distinct semantic chart levels.

4. Typography Tokens

- Primary Display & Body Font:** `Geist` (Fallback: `Inter` , `system-ui` , `sans-serif`)
- Data & Monospace Font:** `Geist Mono` (Fallback: `ui-monospace` , `monospace`)
- Strictly required for:* Symbol pairs (`BTCUSDT`), currency values (`$1,284.42` , `¥15,000.00`), leverage (`10x`), percentages (`78.4%`), Order IDs, Transaction hashes, Masked API keys (`key_7890`), Latency numbers (`24 ms`).

Scale:

- `text.display` — 36px / Line Height 44px (Bold/Black) — Marketing Hero
- `text.h1` — 30px / Line Height 38px (Bold) — Primary Page Titles
- `text.h2` — 24px / Line Height 32px (Bold) — Section Headers, Dashboard Cards
- `text.h3` — 20px / Line Height 28px (SemiBold) — Card Titles, Modal Headers
- `text.h4` — 16px / Line Height 24px (SemiBold) — Sub-section Headers

- `text.body-lg` — 16px / Line Height 24px (Regular) — Hero descriptions, intro text
- `text.body` — 14px / Line Height 20px (Regular) — Standard body copy, form inputs
- `text.body-sm` — 12px / Line Height 16px (Regular/Medium) — Helper text, table cells, timestamps
- `text.caption` — 11px / Line Height 14px (Medium) — Micro metadata, badge labels
- `text.overline` — 10px / Line Height 12px (Bold, Uppercase, Tracking-Wider) — Section category headers

5. Spacing Scale (4px Base Grid)

SPACING TOKEN	PIXEL VALUE	STANDARD USAGE
<code>space-1</code>	4px	Micro gaps, badge internal padding, icon-text gap
<code>space-2</code>	8px	Button small padding, form field gap, card header gap
<code>space-3</code>	12px	Standard badge padding, input field horizontal padding
<code>space-4</code>	16px	Card standard internal padding, modal gutter, list item padding
<code>space-5</code>	20px	Large button padding, compact section gap
<code>space-6</code>	24px	Standard card padding, modal content padding, grid gap
<code>space-8</code>	32px	Page section spacing, dashboard row gap
<code>space-10</code>	40px	Major container spacing
<code>space-12</code>	48px	Page-level vertical padding
<code>space-16</code>	64px	Top header height, hero spacing
<code>space-20</code>	80px	Marketing section vertical padding

6. Corner Radius Tokens

- `radius-none` — `0px` — Square containers, raw tables
- `radius-sm` — `6px` — Badges, tooltips, tags, small inputs
- `radius-md` — `8px` — Buttons, standard input fields, dropdown menus
- `radius-lg` — `12px` — Cards, table containers, alerts, modal dialogs
- `radius-xl` — `16px` — Large hero banners, marketing cards
- `radius-2xl` — `24px` — Floating navigation containers, feature showcases
- `radius-full` — `9999px` — Avatars, status pills, circular icon buttons

7. Shadow & Elevation Tokens

Tadex uses a calm, functional financial interface aesthetic. Avoid heavy, muddy drop-shadows.

- `shadow-none` — Flat surface
- `shadow-xs` — `0 1px 2px 0 rgba(0,0,0,0.05)` — Interactive cards, subtle buttons
- `shadow-sm` — `0 1px 3px 0 rgba(0,0,0,0.1), 0 1px 2px -1px rgba(0,0,0,0.1)` — Standard cards
- `shadow-md` — `0 4px 6px -1px rgba(0,0,0,0.1), 0 2px 4px -2px rgba(0,0,0,0.1)` — Dropdowns, popovers
- `shadow-lg` — `0 10px 15px -3px rgba(0,0,0,0.1), 0 4px 6px -4px rgba(0,0,0,0.1)` — Modal dialogs, floating drawers

- `shadow-xl` — `0 20px 25px -5px rgba(0,0,0,0.1), 0 8px 10px -6px rgba(0,0,0,0.1)` — High-priority emergency modals

8. Focus & Interaction Tokens

- **Focus Ring Width:** `2px`
- **Focus Ring Color:** `hsl(var(--ring))`
- **Focus Ring Offset:** `2px` (`offset-background`)
- **Hover Overlay:** `bg-muted/50` Or `hover:opacity-90`
- **Active Overlay:** `active:scale-[0.98]`
- **Disabled State:** `opacity-50 cursor-not-allowed`

9. Component Variant Tokens

Buttons

- `button.primary` — `bg-primary text-primary-foreground hover:opacity-90`
- `button.secondary` — `bg-secondary text-secondary-foreground hover:bg-secondary/80`
- `button.outline` — `border border-border bg-background text-foreground hover:bg-muted`
- `button.ghost` — `bg-transparent text-muted-foreground hover:bg-muted hover:text-foreground`
- `button.destructive` — `bg-destructive text-destructive-foreground hover:bg-destructive/90`

Inputs & Form Controls

- `input.default` — `border border-input bg-background text-foreground rounded-lg px-3 py-2 text-sm`
- `input.focus` — `focus:ring-2 focus:ring-ring focus:border-ring focus:outline-none`
- `input.error` — `border-destructive text-destructive focus:ring-destructive`
- `input.disabled` — `bg-muted/50 text-muted-foreground cursor-not-allowed`

10. Layout & Breakpoint Tokens

Responsive Breakpoints

- `sm` — `640px` — Mobile landscape / Small tablets (Table card-views trigger below this)
- `md` — `768px` — Tablets / Small laptops (Desktop navigation vs Mobile drawer breakpoint)
- `lg` — `1024px` — Desktop / Standard displays (Multi-column dashboard grids activate)
- `x1` — `1280px` — High-resolution desktop (Max container width: `max-w-7xl` / 1280px)
- `2xl` — `1536px` — Ultra-wide displays

Standard Layout Dimensions

- **Header Height:** `64px` (`h-16`)
- **Content Max Width:** `1280px` (`max-w-7xl`)
- **Page Horizontal Padding:**
- Mobile (`< 640px`): `16px` (`px-4`)
- Tablet (`640px - 1024px`): `24px` (`px-6`)
- Desktop (`> 1024px`): `32px` (`px-8`)

11. Iconography Standards

- **Icon Family:** `lucide-react` (Single consistent stroke family across all screens).
- **Sizes:**
 - `icon-xs` — 12px (`h-3 w-3`) — Micro chips, status dots
 - `icon-sm` — 16px (`h-4 w-4`) — Button icons, table actions, navigation items
 - `icon-md` — 20px (`h-5 w-5`) — Card headers, input leading icons
 - `icon-lg` — 24px (`h-6 w-6`) — Modal alerts, empty state icons
 - `icon-xl` — 32px–48px (`h-8 w-8` to `h-12 w-12`) — Large hero icons, security shields
- **Stroke Width:** Standard `2px` (or `1.5px` for large feature icons).

12. Motion & Micro-Animation Tokens

- `duration-instant` — `100ms` — Tooltip reveals, toggle switches
- `duration-fast` — `150ms` — Button press scale, dropdown menus
- `duration-normal` — `200ms` — Modal fade-in, mobile drawer slide-down
- `duration-slow` — `350ms` — Tab page cross-fades, notification banners
- `ease-standard` — `cubic-bezier(0.4, 0, 0.2, 1)`
- `ease-enter` — `cubic-bezier(0, 0, 0.2, 1)`
- `ease-exit` — `cubic-bezier(0.4, 0, 1, 1)`

Part 5: Design Scope & Screen State Estimation Checklist for Kemi

To help Kemi structure the Figma file and estimate design sprints, here is the exact inventory of distinct screens, modals, and dynamic states required:

FIGMA SPRINT BREAKDOWN:

- 0. Design System & Component Library (Tokens, Inputs, Buttons, Tables, Cards, Modals)
- 1. Public & Marketing Pages (4 screens: Landing, Terms, Privacy, Security + 2 Modals)
- 2. Authentication & Onboarding (6 screens: Login, Register, Forgot, Reset, Verify, Claim)
- 3. Main User Dashboard (8 screens: Overview, Keys, Trading, Billing, Providers, Provider Detail, Provider Portal, Settings)
- 4. Interactive Modals & Drawers (7 modals: Bybit Disconnect, Checkout Quote, Plan Builder, 5-Section Verification, Change Password, Logout All, Emergency Close)
- 5. Admin Governance Console (6 screens: Overview, User Directory, User 360°, Provider Moderation, Billing Diagnostics, System Controls & 2-Step Kill Switch)

AREA / MODULE	SCREEN / STATE NAME	ROUTE PATH	KEY SUB-STATES & MODALS TO DESIGN	PRIORITY
Public	Marketing Landing	/	Desktop & Mobile, FAQ accordions, Waitlist modal	P1
Public	Terms of Service	/terms	Typography layout, legal alert banner	P2
Public	Privacy Policy	/privacy	Data retention matrix, NDPR section	P2
Public	Security & Architecture	/security	4 Architecture cards, non-custodial diagrams	P1
Auth	Login	/login	Default, Error alert, Loading spinner	P1
Auth	Register	/register	Default, Validation error, Terms agree	P1
Auth	Forgot Password	/forgot-password	Request form, Email sent success card	P2
Auth	Reset Password	/reset-password	Form, Password strength, Success countdown	P2
Auth	Verify Email	/verify-email	Loading handshake, Verified success, Error retry	P1
Auth	Telegram Account Claim	/claim	Valid token form, Invalid/expired token alert	P1
Shell	Dashboard Header & Drawer	(Shared)	Desktop 64px bar, Mobile slide-down drawer	P1
User Dash	Trading Overview	/dashboard	3 Metric cards, Key summary, Recent trades	P1
User Dash	Exchange API Keys	/dashboard/keys	Connected keys card, Disconnect alert, Add key form, Withdrawal-error alert	P1
User Dash	Trading (Positions & Orders)	/dashboard/trading	Positions table (desktop & mobile card), Orders table with status filters, Emergency close	P1
User Dash	Billing & Subscriptions	/dashboard/billing	Active subscription card, Payment return polling card, Pricing grid (NGN/KES/GHS/USDT/USD), Checkout Quote Modal	P1
User Dash	Provider Directory	/dashboard/providers	3-Column provider cards, Win rate tags, Search bar	P1
User Dash	Provider Detail View	/dashboard/providers/[id]	Provider hero banner, Performance stats, Scoped plan cards	P1
User Dash	Provider Portal (4 States)	/dashboard/provider	State 1 (404 Hero + Apply Form), State 2 (Pending review), State 3 (Rejected card), State 4 (Active dashboard + 3-plan manager + 5-section verification modal)	P1
User Dash	Account Settings	/dashboard/settings	Profile overview, Password change form, Logout-all confirmation modal	P2
Admin	Admin Shell & Role Guard	/admin/*	Desktop bar, Admin mobile drawer, Access denied	P3 (Internal)
Admin	Admin Overview	/admin	6 KPI metric cards, Global alert banner, Needs-attention queue	P3 (Internal)

AREA / MODULE	SCREEN / STATE NAME	ROUTE PATH	KEY SUB-STATES & MODALS TO DESIGN	PRIORITY
Admin	User Directory & 360°	<code>/admin/users</code> & <code>[id]</code>	5-Dimension search, User table/card, 360° Profile (6 modules), Ban/Unban/Force-logout modals	P3 (Internal)
Admin	Provider Governance	<code>/admin/providers/*</code>	Provider table, Applications queue, 5-Section verification review dossiers	P3 (Internal)
Admin	Billing Governance	<code>/admin/billing/*</code>	Transaction ledger, 360° Financial Diagnostics & Webhook JSON viewer, Reconcile modal, Subscription ledger, Global Fee configuration	P3 (Internal)
Admin	System Controls & Kill Switch	<code>/admin/execution/*</code>	Centerpiece Kill Switch, 2-Step "HALT TRADING" modal, Resume Trading Bybit ping modal, Monitoring toggles, Rollout cohort slider, Audit feed, Telemetry & Reconciliation	P3 (Internal)

Part 6: Next Steps for Figma Implementation

1. **Figma File Setup:** Create foundational Color, Typography, Radius, and Elevation Styles matching the semantic tokens defined in Part 4.
2. **Component Library:** Build core atomic components (Buttons, Inputs, Badges, Tabs, Card Containers, Stat Cards, Table Rows, Modal Shells).
3. **Phase 1 UI Design (User-Facing Priority):**
 - Design `/login`, `/register`, `/claim`.
 - Design `/dashboard`, `/dashboard/keys`, `/dashboard/trading`.
 - Design `/dashboard/billing` and `CheckoutQuoteModal`.
 - Design `/dashboard/providers` and `/dashboard/provider` (4 lifecycle states).
1. **Phase 2 UI Design (Public & Marketing):**
 - Polish `/` marketing sections, `/security`, `/terms`, `/privacy`.
1. **Phase 3 UI Design (Internal Admin Tooling):**
 - Clean, data-dense administrative layout for `/admin/*` using standard token hierarchy.