

ONE FAMILY (Famora)

Comprehensive Supabase PostgreSQL Cloud Database Reference, Multi-Tenant Architecture & Data Dictionary

PROJECT NAME	DATABASE ENGINE	TOTAL TABLES	LIVE DEPLOYMENT
OneFamily (Famora)	PostgreSQL 15+	25 Tables	onefamily-ydkb.onrender.com

1. Cloud Credentials & Connection Parameters

The ONE FAMILY platform is powered by a high-availability PostgreSQL cluster hosted on Supabase Cloud.

PARAMETER	CONFIGURATION VALUE	DESCRIPTION / USAGE
Project Name	OneFamily / Famora	Root project workspace identifier
Project Ref ID	imofsunuyhaqmjxxkshy	Unique cloud cluster subdomain
REST API Endpoint	https://imofsunuyhaqmjxxkshy.supabase.co/rest/v1/	PostgREST automated CRUD API
Public Base URL	https://imofsunuyhaqmjxxkshy.supabase.co	Root Supabase server endpoint
Anon / Public API Key	sb_publishable_bMCHUQpEqI_dN1ba-H5Psg_0CiyrWa2	Client-side safe publishable key
Service Role Key	Configured via SUPABASE_SERVICE_ROLE_KEY in .env	Elevated backend key bypassing RLS for bi-directional server synchronization
Production App URL	https://onefamily-ydkb.onrender.com	Live Render production deployment

2. Multi-Tenancy & Security Architecture

Multi-Tenant Isolation Guarantee: Every entity table references `family_id` with `ON DELETE CASCADE` referencing `families(id)`. This partitions all financial, medical, and document records by household and guarantees complete data isolation.

Role-Based Access Control (RBAC) Hierarchy

ROLE	ADMINISTRATIVE SCOPE	FEATURE ACCESS PERMISSIONS
FAMILY_HEAD	Full Super-Admin	Manage family billing, invite/remove members, grant permissions, view full finances & vault
SPOUSE	Co-Administrator	Full financial tracking, health profile management, vault access, family calendar & tasks
ADULT	Standard Member	Log personal expenses, view household schedules, grocery checklists, chore tasks
CHILD	Restricted Member	Assigned chores, savings goals/allowance tracking, personal school calendar
VIEWER	Read-Only Guest	View shared family memories, selected calendar events, emergency contacts

3. Complete Table-by-Table Data Dictionary (All 25 Tables)

Group A: Family Core & Access Management (Tables 1–6)

1. `families` — Root Household Entity

Represents individual family workspaces with localization and branding preferences.

COLUMN	DATA TYPE	CONSTRAINTS	DESCRIPTION
<code>id</code>	TEXT	<code>PK</code>	Unique family UUID / ID
<code>name</code>	TEXT	<code>NOT NULL</code>	Display name (e.g. "Bondada Family")
<code>family_key</code>	TEXT	<code>UNIQUE</code>	Human-friendly joining code (e.g. "RAM-VA34")
<code>photo_url</code>	TEXT	NULL	Family cover photo / emblem URL
<code>location</code>	TEXT	NULL	Primary city / residence
<code>currency</code>	TEXT	DEFAULT 'INR'	Base currency ISO code
<code>language</code>	TEXT	DEFAULT 'en'	Default language interface
<code>created_at</code>	TEXT	<code>NOT NULL</code>	ISO 8601 creation timestamp
<code>updated_at</code>	TEXT	<code>NOT NULL</code>	ISO 8601 update timestamp

2. `users` — Member Profiles & Credentials

Individual member credentials, relationship roles, security PINs, and avatars.

COLUMN	DATA TYPE	CONSTRAINTS	DESCRIPTION
<code>id</code>	TEXT	<code>PK</code>	Unique user identifier
<code>family_id</code>	TEXT	<code>FK</code> CASCADE	Foreign Key → <code>families(id)</code>
<code>email</code>	TEXT	<code>UNIQUE</code>	User login email address
<code>phone</code>	TEXT	NULL	Contact mobile number
<code>name</code>	TEXT	<code>NOT NULL</code>	Full member name
<code>password_hash</code>	TEXT	<code>NOT NULL</code>	Encrypted authentication password
<code>pin_code</code>	TEXT	NULL	4-digit quick security PIN
<code>avatar_url</code>	TEXT	NULL	Member profile photo URL
<code>role</code>	TEXT	DEFAULT 'ADULT'	<code>FAMILY_HEAD</code> , <code>SPOUSE</code> , <code>ADULT</code> , <code>CHILD</code> , <code>VIEWER</code>
<code>relationship</code>	TEXT	NULL	Role to head (Father, Mother, Son, Daughter)
<code>birth_date</code>	TEXT	NULL	Birth date (YYYY-MM-DD)
<code>created_at</code>	TEXT	<code>NOT NULL</code>	Member registration timestamp

3. `permissions` & 4. `member_permissions` — Granular RBAC Registry

Master permission codes and junction assignments per user.

TABLE	PRIMARY KEY	FOREIGN KEYS	KEY COLUMNS
<code>permissions</code>	<code>id</code> (TEXT)	—	<code>code</code> (UNIQUE), <code>name</code> , <code>category</code>
<code>member_permissions</code>	Composite <code>(user_id, permission_code)</code>	<code>user_id</code> → <code>users(id)</code> CASCADE	<code>user_id</code> , <code>permission_code</code>

5. `devices` & 6. `audit_logs` — Security Sessions & Audit Trails

TABLE	PRIMARY KEY	FOREIGN KEYS	KEY COLUMNS
<code>devices</code>	<code>id</code> (TEXT)	<code>user_id</code> → <code>users(id)</code> CASCADE	<code>device_name</code> , <code>browser</code> , <code>os</code> , <code>ip_address</code> , <code>last_active</code> , <code>is_current</code>
<code>audit_logs</code>	<code>id</code> (TEXT)	<code>family_id</code> → <code>families(id)</code> CASCADE	<code>user_id</code> , <code>user_name</code> , <code>action</code> , <code>category</code> , <code>details</code> , <code>created_at</code>

Group B: Family Financial Hub (Tables 7–13)

7. `expense_categories` & 8. `expenses` — Cash Flow & Split Tracking

COLUMN	DATA TYPE	CONSTRAINTS	DESCRIPTION
<code>id</code>	TEXT	<code>PK</code>	Unique expense ID
<code>family_id</code>	TEXT	<code>FK</code> CASCADE	Foreign Key → <code>families(id)</code>
<code>user_id</code>	TEXT	<code>NOT NULL</code>	Member who made/logged expense
<code>paid_by_name</code>	TEXT	<code>NOT NULL</code>	Member name snapshot
<code>category_name</code>	TEXT	<code>NOT NULL</code>	Category label (Groceries, Utilities, etc.)
<code>amount</code>	REAL	<code>NOT NULL</code>	Numerical transaction amount
<code>payment_method</code>	TEXT	<code>NOT NULL</code>	<code>UPI</code> , <code>CASH</code> , <code>CREDIT_CARD</code> , <code>DEBIT_CARD</code> , <code>BANK_TRANSFER</code> , <code>WALLET</code>
<code>split_type</code>	TEXT	DEFAULT 'EQUAL'	<code>NONE</code> , <code>EQUAL</code> , <code>CUSTOM</code>
<code>date</code>	TEXT	<code>NOT NULL</code>	Transaction date (YYYY-MM-DD)
<code>receipt_url</code>	TEXT	NULL	Attached bill / receipt scan URL

9. `budgets` , 10. `investments` , 11. `insurance_policies` , 12. `liabilities` , 13. `goals`

TABLE	SCOPE & PURPOSE	KEY ATTRIBUTES
<code>budgets</code>	Monthly category spending caps	<code>monthly_limit</code> , <code>month_year</code> , <code>category_id</code>
<code>investments</code>	Mutual funds, Stocks, SIPs, Gold, FDs, PPF	<code>type</code> , <code>invested_amount</code> , <code>current_value</code> , <code>gain_loss</code> , <code>nominee</code>
<code>insurance_policies</code>	Life, Health, Motor & Home insurance	<code>policy_type</code> , <code>provider</code> , <code>sum_insured</code> , <code>premium_amount</code> , <code>renewal_date</code>
<code>liabilities</code>	Home loans, Car EMIs, Credit debt	<code>type</code> , <code>lender</code> , <code>total_loan</code> , <code>outstanding_amount</code> , <code>monthly_emi</code>
<code>goals</code>	Target savings for house, vacation, education	<code>target_amount</code> , <code>current_amount</code> , <code>monthly_contribution</code> , <code>contributors</code>

Group C, D & E: Vault, Health, Operations & AI (Tables 14–25)

TABLE	MODULE CATEGORY	KEY COLUMNS & STORED CAPABILITIES
calendar_events	Shared Calendar	title, type (BIRTHDAY, ANNIVERSARY, MEDICAL), start_date, assigned_member_name
reminders	Smart Notifications	title, due_date, category, lead_days, is_dismissed
document_categories	Vault Organization	name (KYC, Medical, Property, Tax), icon, is_sensitive
documents	Encrypted Vault Files	title, document_number, expiry_date, file_url, ocr_extracted_text
emergency_contacts	SOS Directory	name, relationship, phone, type (DOCTOR, HOSPITAL, POLICE, AMBULANCE)
emergency_profiles	Medical Health Cards	blood_group, allergies, chronic_conditions, medications, primary_doctor
memories	Photo Timeline	title, date, album, photos (JSON array), tagged_members (JSON array)
voice_memories	Elder Audio Wisdom	audio_url, transcript, translation_hindi, translation_telugu, duration_seconds
tasks	Household Chores	title, category, priority, status (PENDING, COMPLETED), assigned_to_name
grocery_items	Shared Shopping List	item_name, quantity, category (PRODUCE, DAIRY), is_purchased
maintenance_items	Appliance & Vehicle Care	item_name, service_type (AC, CAR, RO), last_service_date, next_service_due
notifications	System Alerts	title, message, type (URGENT, WARNING, SUCCESS), is_read
ai_conversations	FamilyAI Assistant	user_query, ai_response, tools_called, role_at_time, created_at

4. Cloud Sync & Boot Hydration Architecture

Supabase PostgreSQL Cloud
(<https://imofsunuyhaqmjxxkshy.supabase.co>)

(Real-time
Upsert/Del)

(Initial Boot
Hydration)

Node.js / Express Backend
(<https://onefamily-ydkb.onrender.com>)
- db.hydrateFromSupabase() on start
- syncRecordToSupabase() on mutation

(REST APIs / JWT Session)

React 19 Frontend Web & Mobile

5. Helpful SQL & API Query Cheat Sheet

1. Query all active family members by User Email

```
SELECT
    u.id AS member_id,
    u.name,
    u.email,
    u.role,
    u.relationship,
    f.name AS family_name,
    f.family_key
FROM users u
JOIN families f ON u.family_id = f.id
WHERE u.family_id = (
    SELECT family_id FROM users WHERE email = 'rambabub789@gmail.com' LIMIT 1
)
ORDER BY
    CASE
        WHEN u.role = 'FAMILY_HEAD' THEN 1
        WHEN u.role = 'SPOUSE' THEN 2
        ELSE 3
    END;
END;
```

2. Category-wise Monthly Expense Breakdown

```
SELECT
    category_name,
    COUNT(*) AS transaction_count,
    SUM(amount) AS total_spent
FROM expenses
WHERE family_id = 'fam_1789400030588'
    AND date LIKE '2026-09%'
GROUP BY category_name
ORDER BY total_spent DESC;
```

3. Member Emergency Medical Cards

```
SELECT
  ep.full_name,
  ep.blood_group,
  ep.allergies,
  ep.chronic_conditions,
  ep.medications,
  ep.primary_doctor,
  ep.special_instructions
FROM emergency_profiles ep
WHERE ep.family_id = 'fam_1789400030588';
```