

OSSP LAB SKILL PROGRAM1: -

To Install Linux VM, Configure GCC, Setup Git Repository, Create Project Structure, Understand Shell Architecture, Build Initial Make file.

OUTPUT: -

```
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <sys/wait.h>

int main() {
    char command[100];

    printf("Enter a Linux command: ");
    scanf("%99s", command);

    pid_t pid = fork();

    if (pid < 0) {
        printf("Fork failed!\n");
        return 1;
    }

    if (pid == 0) {
        printf("Child PID : %d\n", getpid());
        printf("Parent PID: %d\n", getppid());

        execlp(command, command, NULL);

        perror("Command execution failed");
        exit(1);
    } else {
        printf("\nParent Process\n");
        printf("Parent PID : %d\n", getpid());
        printf("Child PID : %d\n", pid);

        wait(NULL);

        printf("\nChild process completed.\n");
    }

    return 0;
}
```

```
apple@apples-MacBook-Pro-2 OSSP % ./q1
```

```
Enter a Linux command: cd
```

```
Parent Process
```

```
Parent PID : 4960
```

```
Child PID  : 4961
```

```
Child Process
```

```
Child PID  : 4961
```

```
Parent PID: 4960
```

```
Child process completed.
```


