				Dime	ensions	(mm)										ATS4			
									_						€ / kAh				
														Total Capacity (kAh)		Operation Time (h			
123	9,9			82									7000		4 €			http://www.buddipole.com/portablepower.html	
Eneloop	9,6			61	62,9								1500					http://reichelt.de	
neloop	12			30									1500					http://reichelt.de	
Eneloop	12			30									1500					http://amazon.de Eneloop 2800	
neloop	9,6			30					-				1500			-		http://amazon.de Eneloop 2800	
ead Gel	12	2,2	1	178	34	66	399	182	9,93 €	5 €	1081	491	500	1,1	9 €	6,0	0 1.260	http://reichelt.de WP 1,9-12	
eneloop	eneloop				1000	0		The Part of the Pa	0.0	010									
		SPECIAL IN THE	N. C.							351	.P		4S1		4S2				
Inits	Service Control									And the second of the second o			Image and Shaper Beautiful Control of the Control o	A Part of the Control	And the second of the second o	Market Manager and Market Manager and Market Manager and Market Manager and Ma			
to €		0,765																	
m^3 to m^3		0,001																	

			Current			
ATS 4	Voltage (V)	Pout (W)	Receive no signal Transmit		Weight (g)	
	12	5	0,05	0,68	178,602	
Input Power (W)	8,2					
Efficiency	0,6					
Send / Receive Ratio estimate	0,5					
Average Current (A)	0,4					