

NOTICE TO PHYSICIAN

*This report is produced by the AuRA statistical modeling platform and is intended solely as an informational reference for use by a licensed medical professional. It does not constitute a diagnosis, clinical opinion, or medical advice. All findings presented in this document must be independently reviewed and validated by a qualified physician before any clinical decision is made.*

PATIENT INFORMATION

Patient ID	nhanes_80111
Age	18
Sex	F
BMI	Not recorded
Source Dataset	nhanes
Diagnosis on File	population_survey (Z00.0)

TESTS CONDUCTED

The following laboratory markers were included in this assessment. Markers listed as "Not ordered" were not available for this patient and were excluded from the statistical model input.

Complete Blood Count (CBC)

White Blood Cell Count (WBC)	Ordered
Red Blood Cell Count (RBC)	Ordered
Hemoglobin	Ordered
Hematocrit	Ordered
Platelet Count	Ordered
Mean Corpuscular Volume (MCV)	Ordered
Mean Corpuscular Hemoglobin (MCH)	Ordered
Red Cell Distribution Width (RDW)	Ordered

Inflammatory Markers

Erythrocyte Sedimentation Rate (ESR)	Not ordered
C-Reactive Protein (CRP)	Not ordered

Autoantibody Panel

No autoantibody data was available for this patient.

STATISTICAL MODEL OUTPUT

Model	Aura Hierarchical Dual-Scorer v1.0
Confidence Tier	High (>80%)
Estimated Category	Healthy / No Autoimmune Pattern
Category Confidence	98.0%

Category Probability Distribution:

Healthy / No Autoimmune Pattern	98.0%
Systemic Autoimmune	1.6%
Endocrine Autoimmune	0.3%
Gastrointestinal Autoimmune	0.1%

LABORATORY RESULTS

Test	Result	Units	Reference Range	Flag
WBC	6	×10 <sup>3</sup> /μL	4.5 – 11.0	
RBC	4.35	×10 <sup>6</sup> /μL	4.2 – 5.4	
Hemoglobin	12.2	g/dL	12.0 – 17.5	
Hematocrit	36.7	%	37.0 – 52.0	L
Platelet Count	271	×10 <sup>3</sup> /μL	150 – 400	
MCV	84.4	fL	80.0 – 100.0	
MCH	33.2	pg	27.0 – 33.0	H
RDW	12.8	%	11.5 – 14.5	
ESR	—	mm/hr	—	Not ordered
CRP	—	mg/dL	—	Not ordered

CLINICAL NOTES

Summary

No autoimmune pattern detected (98% confidence). Lab values fall within normal ranges across all monitored markers.

Recommended Action

Routine follow-up with primary care physician.