

Report from Feb 5, 2026, 3:07:46 PM

https://allthingsxrpl.com/

Analyze



Discover what your real users are experiencing

ⓘ No Data



Diagnose performance issues



Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator](#).

▲ 0–49 ■ 50–89 ● 90–100



METRICS

[Expand view](#)

● First Contentful Paint

0.9 s

■ Largest Contentful Paint

1.9 s

■ Total Blocking Time

220 ms

● Cumulative Layout Shift

0

● Speed Index

1.3 s

📅 Captured at Feb 5, 2026 at 3:07 PM PST


👤 [Single page session](#)

🚦 [Custom throttling](#)

🖥️ [Emulated Desktop with Lighthouse 13.0.1](#)

🕒 [Initial page load](#)

🔗 [Using HeadlessChromium 137.0.7151.119 with
lr](#)



Show audits relevant to: **All** [FCP](#) [LCP](#) [TBT](#) [CLS](#)

INSIGHTS

▲ Render blocking requests — Est savings of 290 ms ^

Requests are blocking the page's initial render, which may delay LCP. [Deferring or inlining](#) can move these network requests out of the critical path. [LCP](#) [FCP](#) [Unscored](#)

☒ Show 3rd-party resources (1)

allthingsxrpl.com	1st Party	26.1 KiB	100 ms
/assets/index-BpzUtSCC.css (allthingsxrpl.com)		26.1 KiB	100 ms
URL		Transfer Size	Duration

▲ Forced reflow ^

A forced reflow occurs when JavaScript queries geometric properties (such as `offsetWidth`) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about [forced reflows](#) and possible mitigations.

[Unscored](#)

Source	Total reflow time
--------	-------------------

▲ LCP request discovery ^

[Optimize LCP](#) by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading [LCP](#) [Unscored](#)



lazy load not applied



fetchpriority=high should be applied



Request is discoverable in initial document



main.flex-1 > section.relative > div.absolute > video.absolute

```
<video autoplay="" loop="" playsinline="" preload="auto"
class="absolute inset-0 w-full h-full object-cover opacity-
50 hidden md:block" poster="/assets/hero-bg-BrmVn_Ao.png">
```




Network dependency tree



[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **1,435 ms**

Initial Navigation



Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

https://affil.trezor.io	100 ms
Origin	Est LCP savings

Use efficient cache lifetimes — Est savings of 18,052 KiB

^

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](#). LCP FCP Unscored

☒ Show 3rd-party resources (1)


allthingsxrpl.com	1st Party	26,543 KiB
/videos/hero-crypto-flow.mp4	(allthingsxrpl.com)	4h 14,800 KiB
/videos/hero-crypto-flow.mp4	(allthingsxrpl.com)	4h 11,728 KiB
/videos/hero-crypto-flow.mp4	(allthingsxrpl.com)	4h 16 KiB
Request	Cache TTL	Transfer Size

Improve image delivery — Est savings of 1,024 KiB

^

Reducing the download time of images can improve the perceived load time of the page and LCP. [Learn more about optimizing image size](#) LCP FCP Unscored

☒ Show 3rd-party resources (6)

allthingsxrpl.com	1st Party	932.2 KiB	822.0 KiB
	mai n.fl ex-1 >		

<div> <div>sec</div> <div> <div>tion.relative > div.absolute</div> <div>> video.absolute</div> <div> <div><video autoplay=""</div> <div>loop=""</div> <div>playsinline=""</div> <div>preload="auto"</div> <div>class="absolute</div> <div>inset-0 w-full h-full</div> <div>object-cover opacity-</div> <div>50 hidden md:block"</div> <div>poster="/assets/hero-</div> <div>bg-BrmVn_Ao.png"></div> <div> </div> </div> </div> </div>	<div> <div>/assets/hero-bg-</div> <div>BrmVn_Ao.png (allthingsxrpl.com)</div> </div>	<div>887.5 KiB</div>	<div>779.5 KiB</div>
	<div>Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.</div>		<div>779.5 KiB</div>
<div> <div>GateHub logo</div> <div> <div><img alt="GateHub logo" class="w-14 h-14 object-cover rounded-xl"</div> <div>src="/assets/gatehub-</div> <div>logo-CMMDCSBD.webp"></div> <div> </div> </div> </div>	<div> <div>/assets/gatehub-logo-</div> <div>CMMDCSBD.webp (allthingsxrpl.com)</div> </div>	<div>10.2 KiB</div>	<div>9.7 KiB</div>
	<div>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce the image download size.</div>		<div>9.7 KiB</div>
<div> <div>Coinbase logo</div> <div> <div><img alt="Coinbase logo" class="w-full h-full object-cover"</div> <div>src="/assets/coinbase-</div> <div>logo-C0jnPvW0.webp"></div> <div> </div> </div> </div>	<div> <div>/assets/coinbase-logo-</div> <div>C0jnPvW0.webp (allthingsxrpl.com)</div> </div>	<div>6.6 KiB</div>	<div>6.3 KiB</div>
	<div>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce the image download size.</div>		<div>6.3 KiB</div>
<div> <div>Crypto.com logo</div> <div> <div><img alt="Crypto.com</div> </div> </div>			

<pre> logo" class="w-full h-full object-cover" src="/assets/cryptoco m-logo- BBGnH98C.webp"> </pre>	<pre> /assets/cryptocom....webp (allthingsxrpl.co m) </pre>	5.4 KiB	5.1 KiB
	<p>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce the image download size.</p>		5.1 KiB
<p>Bitstamp logo</p> <pre> </pre>	<pre> /assets/bitstamp-....webp (allthingsxrpl.com) </pre>	4.6 KiB	4.4 KiB
	<p>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce the image download size.</p>		4.4 KiB
<p>Tangem logo</p> <pre> </pre>	<pre> /assets/tangem-logo- BQvKWxHS.webp (allthingsxrpl.com) </pre>	4.6 KiB	4.4 KiB
	<p>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce the image download size.</p>		4.4 KiB
<p>Kraken logo</p> <pre> </pre>	<pre> /assets/kraken-logo- BRzNpCaM.webp (allthingsxrpl.com) </pre>	4.5 KiB	4.3 KiB
	<p>This image file is larger than it needs to be (256x256) for its displayed dimensions (56x56). Use responsive images to reduce</p>		4.3 KiB

the image download size.

Bifrost Wallet logo

```
  
|
```

/assets/bifrost-logo-
CgyxLlLN.webp (allthingsxrpl.com)

4.5 KiB 4.3 KiB

This image file is larger than it needs to be
(256x256) for its displayed dimensions
(56x56). Use responsive images to reduce
the image download size.

4.3 KiB

Bitrue logo

```
  
|
```

/assets/bitrue-logo-C-
gJbY0j.webp (allthingsxrpl.com)

4.3 KiB 4.1 KiB

This image file is larger than it needs to be
(256x256) for its displayed dimensions
(56x56). Use responsive images to reduce
the image download size.

4.1 KiB

unsplash.com

281.0 KiB 202.3 KiB

Tokenizing Real World

Assets on XRPL

```
  
|
```

/photo-148...-c627a92ad1ab?
w=800&auto=format&fit=crop (images.uns
plash.com)

84.0 KiB 66.4 KiB

Increasing the image compression factor

25.5 KiB

could improve this image's download size.

This image file is larger than it needs to be (800x450) for its displayed dimensions (403x269). Use responsive images to reduce the image download size.

58.7 KiB

Security Best Practices for Self-Custody

```

```

/photo-161...-3bbee52942c7?w=800&auto=format&fit=crop (images.unsplash.com) 55.2 KiB 38.5 KiB

This image file is larger than it needs to be (800x451) for its displayed dimensions (403x269). Use responsive images to reduce the image download size.

38.5 KiB

NFT Marketplaces on XRPL: Complete Guide

```

```

/photo-164...-6fb869816dbe?w=800&auto=format&fit=crop (images.unsplash.com) 45.5 KiB 31.8 KiB

This image file is larger than it needs to be

(800x450) for its displayed dimensions (403x269). Use responsive images to reduce the image download size. 31.8 KiB

Understanding AMM

Staking Rewards

```

```

/photo-161...-9c2a0a7236a3?w=800&auto=format&fit=crop (images.unsplash.com) 42.0 KiB 29.3 KiB

This image file is larger than it needs to be (800x450) for its displayed dimensions (403x269). Use responsive images to reduce the image download size. 29.3 KiB

XRPL Sidechains Explained

```

```

/photo-163...-408e52192e55?w=800&auto=format&fit=crop (images.unsplash.com) 30.2 KiB 22.5 KiB

This image file is larger than it needs to be (800x450) for its displayed dimensions (403x227). Use responsive images to reduce the image download size. 22.5 KiB

Top 5 DeFi dApps on XRPL

in 2026

```

```

/photo-164...-e829e14a795f?
w=800&auto=format&fit=crop (images.uns
plash.com) 24.2 KiB 13.7 KiB

This image file is larger than it needs to be
(669x377) for its displayed dimensions

	URL	Resource Size	Est Savings
<input type="radio"/>	Layout shift culprits		▼
<input type="radio"/>	Optimize DOM size		▼
<input type="radio"/>	LCP breakdown		▼
<input type="radio"/>	3rd parties		▼

These insights are also available in the Chrome DevTools Performance Panel - [record a trace](#) to view more detailed information.

DIAGNOSTICS

▲ Reduce unused JavaScript — Est savings of 193 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. [Learn how to reduce unused JavaScript.](#) LCP
FCP Unscored

☒ Show 3rd-party resources (1)

allthingsxrpl.com	1st Party	456.4 KiB	131.3 KiB
/assets/index-sq_xUwIO.js	(allthingsxrpl.com)	456.4 KiB	131.3 KiB
		456.4 KiB	131.3 KiB
URL		Transfer Size	Est Savings

■
Avoid enormous network payloads — Total size was 28,534 KiB
^

Large network payloads cost users real money and are highly correlated with long load times. [Learn how to reduce payload sizes.](#) (Unscored)

☒
Show 3rd-party resources (6)

allthingsxrpl.com	1st Party	27,898.0 KiB
/videos/hero-crypto-flow.mp4	(allthingsxrpl.com)	14,799.6 KiB
/videos/hero-crypto-flow.mp4	(allthingsxrpl.com)	11,727.6 KiB
/assets/hero-bg-BrmVn_Ao.png	(allthingsxrpl.com)	888.3 KiB
/assets/index-sq_xUwIO.js	(allthingsxrpl.com)	482.5 KiB
unsplash.com		229.0 KiB
/photo-148...-c627a92ad1ab? w=800&auto=format&fit=crop	(images.unsplash.com)	84.6 KiB
/photo-161...-3bbee52942c7? w=800&auto=format&fit=crop	(images.unsplash.com)	55.7 KiB
/photo-164...-6fb869816dbe? w=800&auto=format&fit=crop	(images.unsplash.com)	46.1 KiB
/photo-161...-9c2a0a7236a3? w=800&auto=format&fit=crop	(images.unsplash.com)	42.6 KiB

Google Tag Manager	Tag-Manager	161.6 KiB
/gtag/js?id=G-3FH6DTK0YV (www.googletagmanager.com)		161.6 KiB
Google Fonts	Cdn	48.1 KiB
URL	Transfer Size	

○ Avoid long main-thread tasks — 6 long tasks found



More information about the performance of your application. These numbers don't [directly affect](#) the Performance score.

PASSED AUDITS (14)

Show



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

BEST PRACTICES

▲ `[user-scalable="no"]` is used in the `<meta name="viewport">` element or the `[maximum-scale]` attribute is less than 5. ^

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more about the viewport meta tag.](#)

head > meta

```
<meta name="viewport" content="width=device-width initial-scale=1.0">
```

Failing Elements

▲ Touch targets do not have sufficient size or spacing. ^

Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. [Learn more about touch targets.](#)

Xaman Review

```
<a href="/wallet/xaman" class="hover:text-primary transition-colors">
```

Tangem Review

```
<a href="/wallet/tangem" class="hover:text-primary transition-colors">
```

Tangem Review

```
<a href="/wallet/tangem" class="hover:text-primary transition-colors">
```

Xaman Review

```
<a href="/wallet/xaman" class="hover:text-primary transition-colors">
```

Ledger Review

```
<a href="/wallet/ledger" class="hover:text-primary transition-colors">
```

Ledger Review

```
<a href="/wallet/ledger" class="hover:text-primary transition-colors">
```

Tangem Review

```
<a href="/wallet/tangem" class="hover:text-primary transition-colors">
```

Bifrost Review

```
<a href="/wallet/bifrost" class="hover:text-primary transition-colors">
```

Bifrost Review

```
<a href="/wallet/bifrost" class="hover:text-primary transition-colors">
```

Ledger Review

```
<a href="/wallet/ledger" class="hover:text-primary transition-colors">
```

Trezor Review

```
<a href="/wallet/trezor" class="hover:text-primary transition-colors">
```

Trezor Review

```
<a href="/wallet/trezor" class="hover:text-primary transition-colors">
```

Bifrost Review

```
<a href="/wallet/bifrost" class="hover:text-primary transition-colors">
```

Wallet Quiz

```
<a href="/wallet-quiz" class="hover:text-primary transition-colors">
```

Wallet Quiz

```
<a href="/wallet-quiz" class="hover:text-primary transition-colors">
```

Trezor Review

```
<a href="/wallet/trezor" class="hover:text-primary transition-colors">
```

View All Wallets →

```
<a href="/#wallets" class="hover:text-primary transition-colors font-medium text-primary cursor-point...">
```

View All Wallets →

```
<a href="/#wallets" class="hover:text-primary transition-colors font-medium text-primary cursor-point...">
```

Wallet Quiz

```
<a href="/wallet-quiz" class="hover:text-primary transition-colors">
```

Uphold Review

```
<a href="/exchange/uphold" class="hover:text-primary transition-colors">
```

Coinbase Review

```
<a href="/exchange/coinbase" class="hover:text-primary transition-colors">
```

Coinbase Review

```
<a href="/exchange/coinbase" class="hover:text-primary transition-colors">
```

Uphold Review

```
<a href="/exchange/uphold" class="hover:text-primary transition-colors">
```

Kraken Review

[](/exchange/kraken)

Kraken Review

[](/exchange/kraken)

Coinbase Review

[](/exchange/coinbase)

Bitstamp Review

[](/exchange/bitstamp)

Bitstamp Review

[](/exchange/bitstamp)

Kraken Review

[](/exchange/kraken)

Crypto.com Review

[](/exchange/cryptocom)

Crypto.com Review

[](/exchange/cryptocom)

Bitstamp Review

[](/exchange/bitstamp)

View All Exchanges →

[](/#exchanges)

View All Exchanges →

[](/#exchanges)

Crypto.com Review

[](/exchange/cryptocom)

Getting Started

[](/getting-started)

Knowledge Hub

[](/blog)

Knowledge Hub

[](/blog)

Getting Started

[](/getting-started)

FAQ

[](/faq)

Knowledge Hub

[](/blog)

RSS Feed

[](/rss.xml)

About

[](/about)

Contact

[](/contact)

Contact

[](/contact)

About

[](/about)

Affiliate Disclosure

[](/disclosure)

Affiliate Disclosure

[](/disclosure)

Privacy Policy

[](/privacy)

Privacy Policy

[](/privacy)

Affiliate Disclosure

[](/disclosure)

Terms of Service

[](/terms)

Terms of Service


[](/terms)

Failing Elements

Failing Elements

○ Identical links have the same purpose. ^

Links with the same destination should have the same description, to help users understand the link's purpose and decide whether to follow it. [Learn more about identical links.](#) Unscored



Visit Site

```
<a href="https://xumm.app/?ref=allthingsxrpl"
target="_blank" rel="noopener noreferrer"
class="inline-flex items-center justify-center gap-2
whitespace-nowrap rounded-md...">
```

Visit Site

```
<a href="https://shop.ledger.com/?r=5d81f18905fe" target="_blank"
rel="noopener noreferrer" class="inline-flex items-center justify-center
gap-2 whitespace-nowrap rounded-md...">
```

Visit Site

```
<a href="https://crossmark.io/?ref=allthingsxrpl" target="_blank"
rel="noopener noreferrer" class="inline-flex items-center justify-center
gap-2 whitespace-nowrap rounded-md...">
```

Visit Site

```
<a href="https://tangem.com/?promocode=ALLTHINGSXRPL" target="_blank"
```


Failing Elements


These items highlight common accessibility best practices.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio. ^

Low-contrast text is difficult or impossible for many users to read. [Learn how to provide sufficient color contrast.](#)





Compare Wallets

```
<button class="inline-flex items-center justify-center gap-2 whitespace-nowrap transition...">
```

Partner Offers

```
<div class="whitespace-nowrap inline-flex items-center rounded-md border px-2.5 py-0.5...">
```

Partner Offers Top Exchanges for XRP Get the best sign-up bonuses and lowest f...

```
<section class="py-24 mt-8 bg-card/10 border-y border-white/5 relative">
```



XRP: \$1.2500 17.44% EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

```
<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">
```

Jan 24, 2026 • 5 min read

```
<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">
```

Ecosystem Jan 24, 2026 • 5 min read Top 5 DeFi dApps on XRPL in 2026 Discover ...

```
<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-white/10 hover:...">
```



XRP: \$1.2500 17.44% EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

```
<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">
```

Jan 20, 2026 • 8 min read

```
<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">
```

Guides Jan 20, 2026 • 8 min read Understanding AMM Staking Rewards A comprehen...

```
<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-white/10 hover:...">
```



XRP: \$1.2500 17.44% EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

```
<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">
```

Jan 15, 2026 • 4 min read


```
<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">
```

Security Jan 15, 2026 • 4 min read Security Best Practices for Self-Custody Pr...

```
<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-
```

white/10 hover:...">



XRP: \$1.2500 17.44%  EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">


Jan 12, 2026 • 6 min read

<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">

NFTs Jan 12, 2026 • 6 min read NFT Marketplaces on XRPL: Complete Guide Explor...

<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-white/10 hover:...">



XRP: \$1.2500 17.44%  EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">


Jan 8, 2026 • 7 min read

<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">

Technology Jan 8, 2026 • 7 min read XRPL Sidechains Explained Learn how sidech...

<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-white/10 hover:...">



XRP: \$1.2500 17.44%  EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">


Jan 5, 2026 • 9 min read

<div class="text-xs text-primary font-medium mb-3 flex items-center gap-2">

Institutional Jan 5, 2026 • 9 min read Tokenizing Real World Assets on XRPL Ho...

<div class="h-full bg-card/30 rounded-xl overflow-hidden border border-white/10 hover:...">



XRP: \$1.2500 17.44%  EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">

View All Wallets →

ALL THINGS XRPL Your trusted source for XRP Ledger wallet reviews, exchange co...

```
<footer class="border-t border-white/10 bg-card/30 backdrop-blur-sm mt-32">
```



XRP: \$1.2500 17.44% 🇺🇸 EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

```
<div class="min-h-screen bg-background text-foreground flex flex-col font-sans selecti...">
```

View All Exchanges →

```
<a href="/#exchanges" class="hover:text-primary transition-colors font-medium text-primary cursor-point...">
```

ALL THINGS XRPL Your trusted source for XRP Ledger wallet reviews, exchange co...

```
<footer class="border-t border-white/10 bg-card/30 backdrop-blur-sm mt-32">
```



XRP: \$1.2500 17.44% 🇺🇸 EN ALL THINGS XRPL Home Wallets Getting Started Knowledge...

Failing Elements


These are opportunities to improve the legibility of your content.

NAVIGATION

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies.

[Learn more about heading order.](#)



Trezor Safe 3

```
<h3 class="text-2xl font-bold font-display">
```


Failing Elements

These are opportunities to improve keyboard navigation in your application.

AUDIO AND VIDEO

- `<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. [Learn more about video captions.](#) Unscored



```
main.flex-1 > section.relative > div.absolute > video.absolute
<video autoplay="" loop="" playsinline="" preload="auto"
class="absolute inset-0 w-full h-full object-cover
opacity-50 hidden md:block" poster="/assets/hero-hq-
```


Failing Elements

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

NAMES AND LABELS

- Image elements do not have `[alt]` attributes that are redundant text. ^

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. [Learn more about the alt attribute.](#) Unscored



```
All Things XRPL
<img alt="All Things XRPL" class="w-full h-full
object-cover scale-150"
src="data:image/webp;base64,Uk1GRyQMAABYBUI1OV1A4WAcAA
```

Failing Elements

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

- ☐ Interactive controls are keyboard focusable
- ☐ Interactive elements indicate their purpose and state
- ☐ The page has a logical tab order
- ☐ Visual order on the page follows DOM order
- ☐ User focus is not accidentally trapped in a region
- ☐ The user's focus is directed to new content added to the page
- ☐ HTML5 landmark elements are used to improve navigation
- ☐ Offscreen content is hidden from assistive technology
- ☐ Custom controls have associated labels
- ☐ Custom controls have ARIA roles

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (32)

Show



Best Practices

TRUST AND SAFETY

- ☐ Ensure CSP is effective against XSS attacks ▼
- ☐ Use a strong HSTS policy ▼
- ☐ Ensure proper origin isolation with COOP ▼
- ☐ Mitigate DOM-based XSS with Trusted Types ▼

GENERAL

- ☒ Missing source maps for large first-party JavaScript ▼

PASSED AUDITS (12)

Show

NOT APPLICABLE (3)

Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on [Core Web Vitals](#). [Learn more about Google Search Essentials](#).

CRAWLING AND INDEXING

▲ robots.txt is not valid — 1 error found



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more about robots.txt](#).

Line #	Content	Error
--------	---------	-------

To appear in search results, crawlers need access to your app.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9)

Show

 Mobile

 Desktop

More on PageSpeed Insights

What's new

Documentation

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Related Content

Updates

Web Fundamentals

Case Studies

Podcasts

Connect

Twitter

Youtube

 for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the [Google Developers Site Policies](#).