Envelock — Google OAuth Verification

Demo video script & recording checklist · Scopes: `gmail.modify` + `gmail.settings.basic` · Re-take edition, 30 Oct 2026

Why a re-take: the 23 Oct recordings can't be edited into a video Google will accept. The consent screen showed the app as **"enevelock"**; the quarantine, the `gmail.settings.basic` use and the privacy page never appeared; and the takes showed private data (a password, personal mail and contacts, other apps).

Before you record — checklist

- [ ] **Deploy first.** The privacy page's **"Google user data"** section with the Limited Use statement is on main but not live yet. After deploying, open `envelock.org/privacy` and confirm you can see it.
- [ ] Google Cloud Console → **Google Auth Platform** → **Branding**: app name **Envelock** (not "enevelock") and the envelock.org logo. The consent screen shows exactly what is set there.
- [ ] Use a **test Workspace account** added as a test user. Its Envelock workspace must be on the **Complete plan or still in its trial** — automatic quarantine is Complete-only.
- [ ] In Envelock, **remove the test mailbox first**, so the video shows a fresh Connect Google.
- [ ] Record in a **fresh Chrome profile** with only the test account signed in, full screen, 1080p. Sign in to Envelock **before** recording — never type a password on camera. No personal mail, contacts, other tabs or apps; turn notifications off (Focus).
- [ ] Have a **second mailbox** ready to send from: (a) a "supplier changed our bank details — please pay this invoice to the new account" email, (b) a message containing a link.
- [ ] **Don't create any Gmail filter in advance** — you add one on camera in Scene 5.
- [ ] Narrate in **English** (or burn in captions). Upload **unlisted** to YouTube.

Script ~4 min

0:00–0:20 · Scene 1 — Identify the app

On screen: Google Cloud Console → your OAuth client with the **Client ID visible**. Then the Envelock dashboard at `app.envelock.org`.

> 🎙 *"This is Envelock, an email-security service for businesses. This video shows how our app uses the Gmail scopes we've requested. The OAuth client ID for this app is shown on screen. Envelock is published by Envelock, and our home page is envelock dot org."*

0:20–1:00 · Scene 2 — Consent flow & scopes

On screen: In Envelock, click **Connect Google**. **Pause on Google's account chooser** — its address bar shows the client_id. Click through **"Google hasn't verified this app"** (Advanced → Go to Envelock). **Hold 3–4 seconds on the scope list** showing both scopes, allow, and land back on the Envelock dashboard with the mailbox connected.

> 🎙 *"When a business connects their mailbox, Google shows them exactly what Envelock will access. We request two scopes: gmail.modify, and gmail.settings.basic. Because the app isn't verified yet, the test account sees the unverified-app screen — expected during this review. The user grants consent explicitly."*

1:00–1:45 · Scene 3 — gmail.modify (read & alert)

On screen: From the second mailbox, send the bank-details email. Show it arrive in Gmail, then the **CRITICAL alert** in Envelock naming the subject and sender. It can take up to about a minute — keep recording, or cut the wait.

> 🎙 *"Envelock reads incoming messages to detect fraud. Here it flagged a payment-fraud attempt — a supplier appearing to change their bank details — and raised a critical alert for the account owner. This is the core of what gmail.modify's read access is used for."*

1:45–2:35 · Scene 4 — gmail.modify (act on the message)

On screen: In Gmail, open the **Envelock Quarantine** label and show the message there — it has left the inbox, nothing was deleted. Then open the message with a link and show the **rewritten link + Envelock's warning banner**.

> 🎙 *"Protecting the user means acting on the message, not just reading it. Envelock moves dangerous mail out of the inbox into an Envelock Quarantine label. For risky links, it rewrites them so they're re-checked the moment they're clicked, and adds a visible warning in the message. This is why read-only access isn't enough — and why we need gmail.modify. Envelock never sends email on the user's behalf and never permanently deletes mail."*

2:35–3:20 · Scene 5 — gmail.settings.basic

On screen: In Gmail → Settings → **Filters and Blocked Addresses** → **Create a new filter**: Subject `invoice` → **Delete it**. Switch to Envelock: within about a minute it raises an **alert for a new rule hiding finance mail**. Show the alert.

> 🎙 *"gmail.settings.basic lets Envelock read the mailbox's filters and forwarding settings. When attackers take over a mailbox, they often add a hidden rule — like this one, which deletes every invoice — or auto-forwarding to steal mail. Envelock reads these settings and alerts the owner as soon as a rule like this appears. Envelock only reads this configuration — it never creates, changes, or deletes any Gmail setting."*

3:20–3:45 · Scene 6 — Data handling & close

On screen: Open `envelock.org/privacy` and scroll to **"Google user data"** so the Limited Use statement is readable.

🎙️ *"Gmail data is used only to generate security alerts for the account owner. It's never sold, never used for advertising, and never used to train generalized AI models — consistent with Google's Limited Use requirements, as stated in our privacy policy. Thank you for reviewing Envelock."*

Reviewer-pass tips

- **Show, don't just say** every scope — the reviewer must *see* the read, the quarantine label, the link rewrite, and the filter being noticed. This is the #1 reason videos get bounced.
- Keep the **Client ID visible** at least once (Scene 1). If the project has more than one OAuth client, the video must show **all** of them.
- Before uploading, watch the take once for: the name **"Envelock"** on the consent screen, both scopes, the alert, the quarantine label, the filter alert, the privacy page — and **nothing private** on screen.

After the video: `gmail.modify` is a restricted scope, so Google also requires a **CASA security assessment** before it approves production access.