# ART Local Database



Entity-Relationship diagram for the ART Local Database.

Entities and attributes:

- **Critical Access Query**: Created By, Created At, ID, Config ID
- **Critical Access Entry**: Created By, Created At, ID, Username, Auth Pattern ID
- **Profile Condition**: Created By, Created At, ID, Profile Name
- **Pattern Condition**: Created By, Created At, ID
- **Pattern Condition Property**: Created By, Created At, ID, Auth Object, Auth Object Property, Value 1, Value 2, Value 3, Value 4
- **Config**: Is Archived, Created By, ID, Created At, Whitelist ID
- **Auth Pattern**: ID, Usecase ID, Description, Is Archived, Created By, Created At
- **Auth Condition**: Type, ID, Condition ID, Created By, Created At
- **SAP Config**: Language, Pool Capacity, Client, ID, Server Destination, Sys Nr, Is Archived, Created At, Created By
- **Whitelist**: ID, Description, Is Archived, Created By, Created At
- **Whitelist Entry**: ID, Whitelist ID, Usecase ID, Username
- **Data Analyst**

Relationships:

- Data Analyst — executes (1 : n) — Critical Access Query
- Critical Access Query — contains (1 : 1) — Critical Access Entry
- Data Analyst — creates (1 : n) — Config
- Data Analyst — creates (1 : n) — Auth Pattern
- Data Analyst — creates (1 : n) — SAP Config
- Data Analyst — creates (1 : n) — Whitelist
- Critical Access Query — used by (n)
- Config — used by — used by
- Critical Access Entry — applies to (n : 1) — Auth Pattern
- Config — is part of (1 : m) — Auth Pattern
- Auth Pattern — is part of (n : m) — Auth Condition
- Profile Condition — type of (0 … 1 : 1) — Auth Condition
- Pattern Condition — type of (0 … 1 : 1) — Auth Condition
- Pattern Condition — has (1 : n) — Pattern Condition Property
- Whitelist — is part of (1 : 1)
- Whitelist — contains (1 : n) — Whitelist Entry