
Linux, day 16

This lab is licensed under Creative Commons BY-NC-SA 4.0. https://creativecommons.org/licenses/by-nc-sa/4.0/deed.en

You are free to share and adapt, but NOT for commercial purposes and you must attribute the source and share your own adaptions under the same license.





Objectives covered

Objective	Summary	Boek
4.4	Troubleshoot user and permission issues	22
4.5	Troubleshoot common issues	6

LAB: User issues





Verbose logging on SSH

- Setup a user account with password.
- SSH to localhost as that user, but add "-v".
 - Read the detailed logging. What's SSH doing?
 - Enter the password incorrectly, then correctly.
- Setup SSH key auth for this test-user, then repeat.
 - Does the logging show which keyfile is used?

Verbose logging on SSH

- Setup SSH key auth for this test-user, then repeat.
 - Does the logging show which keyfile is used?
- Let's make it fail.
 - Replace the client-side key pair,
 - But do NOT fix the authorized_keys file.
 - Can you spot the errors in "ssh -v"?

Failed actions

- Do a few failed logins, on SSH, FTP, console. Whatever.
- Do a few failed sudo attempts.
- Check the relevant log files in /var/log and journalctl.

Variable scope

- In your running shell, do "TESTVAR=testing".
- Does it show up with "echo \$TESTVAR"?
- Now run "sh" in that shell.
 - Does "echo \$TESTVAR" work now?
- Exit "sh", then run "export TESTVAR". Start "sh" again.
 - Does "echo \$TESTVAR" work now?

Mess up your \$PATH

- Run: unset PATH
- Can you run "Is" or other commands?
 - Which commands CAN you run without problems?
 - How would you run "Is" in this situation?
- What's the quickest way to restore your \$PATH?
 - And how would you do it manually?

LAB: Application issues





Downgrading OpenSSL: APT

- Check the current and available versions:
 - apt-cache policy openssl
- Do not remove OpenSSL.
- But you can downgrade.
 - apt install openssl=<older version>

Downgrading OpenSSL: YUM

- Check the current and available versions:
 - yum --showduplicates list openss! | expand
- Do not remove OpenSSL.
- But you can downgrade.
 - yum install openssl-<version>

LAB: Hardware issues





"Hidden" data

- You may run into disk usage that you cannot trace!
 - Let's do a demo.
 - You will need a spare volume to mount.
 - Like /dev/sdc from our previous labs...

Take a note of your current usage on /

"Hidden" data (2)

- Make a directory, "/testdir/".
- Run:

```
$ sudo dd if=/dev/random \
of=/testdir/testfile bs=10M count=100
```

Check your disk usage. It should have increased.


"Hidden" data (3)

- Now take the extra storage device (like /dev/sdc),
 - Make a file system on it, if there isn't one yet.
 - Now mount the file system on /testdir.

- Compare "df" for / and /testdir. Also check with "du".
 - The big, hidden file is still there, but invisible.

Closing





Homework

- Repeat / go over lesson 008.
 - Freshen up your Vagrant and Docker.

• Re-read chapters 28, 29 and 30.


Homework

- Reading:
 - CompTIA Linux+ Exam Objectives

- Go do:
 - One or more CertDepot "daily tasks".
 - Or the more advanced exercises (see day 11).

Reference materials





Resources

- 7 Great apps to view disk usage
- CompTIA Linux+ Exam Objectives