

Linux, day 4



Objectives covered

Objective	Summary	Boek
2.3	Given a scenario, create, modify, and redirect files.	3 4
5.1	Given a scenario, deploy and execute basic BASH scripts.	25

LAB: The shell environment

Assignment

- Adjust the global bashrc file (in */etc*).
 - Add *"/opt/test"* to *\$PATH*.
- Make the *"/opt/test"* directory.
 - Copy the *"ls"* binary to *"/opt/test/testls"*.
- Do a new SSH login (or start a new Bash).
 - Can you now run *"testls"*?

Solution

As root:

```
# echo 'PATH=$PATH:/opt/test' >> /etc/bashrc
```

As you:

```
$ sudo mkdir -p /opt/test
```

```
$ sudo cp -p /usr/bin/ls /opt/test/testls
```

```
$ ssh localhost "which testls"
```

What will we do today?

- ~~Recap~~
- ~~Git lab, from day 3.~~
- ~~The shell environment~~
- Shell scripting
- Closing: homework and Q&A

LAB: Shell scripting: a start

LAB: Create a simple script

- Create a script which:
 - Runs ;)
 - Reads a name from the first, passed parameter.
 - Asks for a greeting interactively (with *read*).
 - Outputs a greeting to the name.

Example

```
$ ./greeting.sh Tess  
How would you like to be greeted?  
Hello  
Hello Tess
```

Solution

```
#!/bin/bash  
NAME=$1  
  
read -p "What greeting would you like? " GREET  
  
echo "${GREET} ${NAME}"
```

Solution

```
$ chmod +x greeting.sh
```

```
$ ./greeting.sh Tess
```

```
What greeting would you like? Hello
```

```
Hello Tess
```

What will we do today?

- ~~Recap~~
- ~~Git lab, from day 3.~~
- ~~The shell environment~~
- Shell scripting - MORE
- Closing: homework and Q&A

LAB: Shell scripting: I/O & Files



Assignment

- Find all files with "passwd" in their name.
- Find all files, literally and exactly called "passwd".
- Find all world-writable files.
- Use a HEREDOC to SSH to localhost and run:
 - *touch /tmp/foobar*
 - *ls /tmp*

Solution

```
$ locate passwd  
$ find / -name "*passwd*"   
  
$ locate -b '\passwd'  
$ find / -name "passwd"
```

Solution

```
$ find / -perm -o+w
```


Solution

```
$ ssh localhost << EOF  
touch /tmp/foobar  
ls /tmp  
EOF
```

What will we do today?

- ~~Recap~~
- ~~Git lab, from day 3.~~
- ~~The shell environment~~
- Shell scripting -> More!
- Closing: homework and Q&A

LAB: Shell scripting: Flow

Assignment

- Write a shell script which:
 - Checks if it's run as root; if not, *"exit 1"*.
 - Reads a command from passed parameters.
 - This command is either "create" or "remove".
 - Asks for a number (for now, keep it <20).
 - Either creates or removes "user1", "user2", "user3" etc.
 - Uses HEREDOC to make "welcome.txt" in their homedir.

Assignment

- If you run it, this looks like:

```
$ /tmp/dummy-users.sh create
```

```
How many?
```

```
5
```

```
$ cat /home/user5/welcome.txt    #works
```

What will we do today?

- ~~Recap~~
- ~~Git lab, from day 3.~~
- ~~The shell environment~~
- ~~Shell scripting~~
- Closing: homework and Q&A

Closing

Homework

- Reading:
 - Chapter 4: Processing and analyzing text
 - Chapter 25: Shell scripting

Homework

- Create a shell script to "*ping sweep*" a network.
 - The script should ask for a base address,
 - Assume a netmask of /24.
- e.g.: *pingsweep 192.168.10.0*

Reference materials

Resources

- [Creating shell scripts in Enterprise Linux](#) (PluralSight)
- [A roundup of 15 popular Linux shells.](#)
- [Linux shell metacharacters](#)
- [Bash globbing tutorial](#)
- [Bash read command](#)
- [Bash getopts example](#)

Resources

- [Really in-depth on pipes, forks and more](#)
- [Testing file characteristics in Bash](#)
- [Why you don't read lines with "for"](#)
- [An excellent, in-depth study guide for shell scripting](#)
- [Practice more, take the challenge!](#)
- [Or try Tutorials Ground](#)

Resources

- [Exercism](#): gamified learning programming.
- [TLDP.org](#) has some [fun assignments](#).