

Landing, Login,
Register,
ForgotPassword



```
<!--initialize-->
```

```
:root {  
  --primary: #0d6efd;  
  --secondary: #6c757d;  
  --success: #198754;  
  --danger: #dc3545;  
}
```

```
<!--usage-->
```

```
button {  
  background-color: var(--primary);  
  color: white  
}
```

All the color
palettes are stored
in **CSS variables** to
toggle dark/light
mode

**Reusable Modal message in
JS. Using
document.createElement**

All lists or other elements that display data should have **default CSS Class** to toggle the display when there is no content.

landingPage.h

tml

```
navBar{  
  • logoBtn : (refreshPage());  
  • registerBtn :  
    (register.html);  
  • loginBtn : (login.html);  
  • Dark/light mode toggle  
}
```

```
body{  
  • Business Seasonal Editable  
    Text (Title, Content,  
    bgImage),  
  • Editable Featured Properties  
    (6 properties),  
  • Offers,  
  • Total of bookings ("324 days  
    of booked dates")  
}
```

```
Footer{  
  • short summarization (w/ pics if  
    possible)  
  • links {}  
}
```

```
links{  
  • aboutUs.html  
  • termsPolicy.html  
  • eula.html  
  • contacts (email,  
    number)  
  • Social media links  
}
```



register.html

```
nav-bar{  
  • logoBtn : (refreshPage());  
  • loginBtn : (login.html);  
  • Dark/light mode toggle  
}
```

```
body{  
  • Inputs{}  
  • registerBtn : emailOTPModal{}  
  • alreadyHaveAccountBtn :  
    (login.html);  
}
```

```
otpModal{  
  • Input = otpInput  
  • verifyBtn :  
    messageModal{}  
  • Timer (2mins before  
    resend)  
  • resendBtn
```

Inputs{

- Input = Email
- Input = PhoneNumber
- Input = Password
- Input = Confirm Password
- Input = Fname (Auto capslock first letter)
- Input = M-initial (Auto capslock first letter)
- Input = LastName (Auto capslock first letter)
- Input = Sex
- Input = Bday

messageModal{

- ifVerified{Success message > Continuebtn(API-redirection) **or** verifyForLaterBtn(GoToLogin)}
- else{Error message > closeMessageModal}

login.html

```
nav-bar{
```

- logoBtn : (refreshPage());
- registerBtn : (register.html);
- Dark/light mode toggle

```
}
```

- Inputs{email, password},
- loginBtn (auth) or messageModal (err)
- dontHaveAnAccYet : (register.html)
- forgotBtn : emailOTPModal

```
emailOTPModal{
```

- Input(email)
- sendOTPBtn : verifyOTPModal{}

```
}
```

```
verifyOTPModal{
```

- OTP sent message
- Input(code)
- verifyOTPBtn : false = modalMessage(err) ? true = forgotPassword.html

```
}
```

forgotPassword.h

```
tm1
nav-bar{
  • logoBtn : (refreshPage());
  • registerBtn :
    (register.html);
  • loginBtn : (login.html);
}
```


```
body{
  • backBtn : (login.html)
  • text : "change pass for john doe"
  • Inputs{},
  • changePassword (auth) or
    messageModal (err)
}
```

```
Inputs{
  • Password
  • Confirm Password
}
```

```
If (true){
  • messageModal (Password Updated
    Successfully)
  • continueBtn : (login.html)
}
```


ADMIN

```
• logoBtn :  
  (adminDashboard.html) ;  
  
• Notification : (modalNotif)  
• ProfilePic{  
  • Profile :  
    (adminProfile.html)  
  • Darkmode toggle  
  • logout  
}
```



```
sidebar{  
  • Maintenance{  
    • adminProperty.html  
    • adminEmpoyee.html  
    • adminFAQs.html  
    • adminLandingPage.html  
    • adminPayment.html  
  }  
  • AuditTrails.html  
}
```

```
• Notif-Category (Cancellation Req,  
Message)  
• senderName  
• Date and time  
• Message  
• If (Cancel Request ? toggle  
btnApproval)
```

```
btnApproval(  
  • Approve  
  • Reject  
)
```

This is reusable for
every page in Admin
User Level

```
Dashboard{
  • Summary{
    • Total Earnings This Month,
    • This Year
    • This Week
  }
  • TopPropertyByEarningsGraph{
    • Input (SelectMonth, SelectYear)
    • Graph (any)
    • Total
  }
  • auditTrailsSummary{
    • List at least 5
    • Toggle (Admin, Employees or Guest)
    • Table (Ref No., Date & Time, Name,
      Activity)
  }
}
```

```
Profile{  
  • EditBtn :  
    (adminEditProfile.html)  
  • Profile Picture (onclick  
    (ZoomModal))  
  • Full Name  
  • Email  
}
```

adminEditProfile.h

tml

```
EditProfileDetails{
  • Auto-fill inputs{
    • ProfilePictureBtn (Upload)
    • Full Name Input
    • Email input
  }
  • editPasswordBtn{
    • modalEditPassword(
      • CurrentPasword
      • Enter New Password
      • Confirm Password
      • forgotPasswordBtn : forgotPassword.html
      • Btnconfirm(API update password)
    )
  }
  Btn (Cancel, Update) : message if successful, then go
  back to Profile
}
```

```
{  
  • AddProperty (adminAddProperty.html)  
  • Search  
  • PropertyLists in Table or cards (Name, Address,  
    MaxCapacity, Price, Price per Pax, Status,  
    ViewDetailsBtn(adminViewProperty.html), # of  
    reports badge)  
}
```



Small red circle—that appears in the corner of an icon to indicate a count of unsolved reports


adminViewProperty.htm

- Property Details {
 - Photos
 - Name
 - Address
 - Display Map Link
 - City
 - Description
 - Package Capacity
 - Maximum Capacity
 - Time of CheckIn&Out
 - Category
 - Package Price
 - Reservation Fee
 - Additional Pax Price
 - Status
 - Amenities{cards or maybe just texts}
 - Other Amenities {cards or maybe texts}
 - Discount
 - Reports: could be modal if clicked. w/ **badge** # of reports
 - // buttons
 - DeactivateBtn (are you sure you want to deactivate this property? y/n) or EditBtn (adminEditProperty.html)

```
Reports{  
• toggle(Unsolved | Solved)  
  • Report List(  
    • Name of sender  
    • Date  
    • Transaction No.  
    • Report Category  
    • viewBtn(ReportView  
      )  
  )  
}  
ReportView{  
  • Name of sender  
  • Date  
  • Transaction No.  
  • Report Category  
  • Message  
  • Buttons: backBtn,  
    solvedBtn  
}
```

- Photos (one by one display with delete icon)
 - Name : text
 - Address : text
 - MapLink : text
 - City : select [dropdown all city in the ph]
 - Description : text
 - Package Capacity : number
 - Maximum Capacity : number
 - Time of CheckIn&Out : Time
 - Category : select (Barkada, Couple, Family, Other)
 - Package Price : Currency/Number w/ peso sign
 - Reservation Fee : Currency/Number w/ peso sign
 - Additional Pax Price: Currency/Number w/ peso sign
 - Status : select {available, deactivate}
 - Amenities : checkbox
 - Other Amenities : text
 - Discount : float
 - Calendar
- }
- Buttons : (cancel, save (y/n) message


```
calendar{  
    • Text : Set  
      maintenance Day  
    • Calendar with  
      bookings  
    • Buttons: set  
      (y/n), revert  
      (clear selected)  
}
```



adminAddProperty.html

- Photos (one by one display with delete icon)
 - Name : text
 - Address : text
 - MapLink : text
 - City : select [dropdown all city in the ph]
 - Description : text
 - Package Capacity : number
 - Maximum Capacity : number
 - Time of CheckIn&Out : Time
 - Category : select (Barkada, Couple, Family, Other)
 - Package Price : Currency/Number w/ peso sign
 - Reservation Fee : Currency/Number w/ peso sign
 - Additional Pax Price: Currency/Number w/ peso sign
 - Status : select {available, deactivate}
 - Amenities : checkbox
 - Other Amenities : text
 - Discount : float
 - Calendar
- }
- Buttons : (cancel, save (y/n) message

```
calendar{  
  • Text : Set  
    maintenance Day  
  • Calendar  
  • Buttons: set  
    (y/n), revert  
    (clear selected)  
}
```




```
{  
• Search input  
• Search btn  
}
```

Customer Lists

```
(Deactivated/Active toggle){  
• First, Last Name,  
• Email,  
• Violations: Integer{  
• If more than 1 : color  
yellow  
• If more than 3 : Red  
}  
• ViewViolationBtn : modal  
}
```

```
Modal{  
• DeactivateUserBtn : "y/n"  
// could be card or table  
• ListofViolation{  
• Reason  
• Date  
• Transaction #  
• ReportedBy  
}  
}
```

```
{  
  • addEmployeeBtn (adminAddEmployee.html)  
  • Search  
  • RolesBtn (Roles.html)  
  
  Category of lists (Available List,  
  Deactivated List)  
  • List table or cards{  
    • First, Last Name,  
    • Email,  
    • Roles  
    • viewDetailsBtn  
      (adminViewEmployee.html)  
  }  
}
```



Employee Details

Show
10
entries
Search:

Name	Position	Office	Age	Start date	Salary
Akash Anand	Team Lead	Gurgaon	42	07/6/2016	₹ 45,000
Akash Kumar	Software Developer	Delhi	28	07/2/2016	₹ 20,000
Alok	Technical Lead	Noida	32	07/5/2016	₹ 50,000
Amit	Junior Engineer	Delhi	36	07/4/2016	₹ 45,000
Dinesh	Software Engineer	Noida	25	07/1/2016	₹ 15,000
Gagan	HOD	Kochi	65	06/30/2016	₹ 85,000
Nitin	Technical Lead	Noida	30	07/7/2016	₹ 120,000
Praveen Kumar	SE	Hyderabad	25	07/3/2016	₹ 25,000

Showing 1 to 10 of 11 entries

Previous
1
2
Next

Cards VS Table

```
{  
  • Employee Name  
  • Picture of Employee (has default pfp if  
    no picture)  
  • Email  
  • Roles  
  • Privileges  
  • Scope Properties List (Picture?, Name,  
    Address)  
  
  • Buttons : DeactivateBtn, EditBtn (y/n)  
}
```

```
Input{
```

- F,L Name : text
- Email : email text
- Add Roles : text with dropdown
- Roles (Name of role) : cards with button for delete role
- Add Properties : text with dropdown
- Properties (Name of Property, Address): cards with button for delete property
- Buttons : DeactivateBtn, EditBtn (y/n)
- // if role and properties is empty, don't proceed to edit
- // the privilege is ONLY PSR, No Add Properties & Properties.

```
}
```

```
Input-Autofill{
```

- F,L Name : text
- Email : email text
- Add Roles : text with dropdown
- Roles (Name of role) : cards with button for delete role
- Add Properties : text with dropdown
- Properties (Name of Property, Address): cards with button for delete property
- Buttons : DeactivateBtn, EditBtn (y/n)
- // if role and properties is empty, don't proceed to edit
- // the privilege is ONLY PSR, No Add Properties.

```
}
```

```
Roles{
  • Add Roles
  • Search Roles

  • List of Roles (table or cards) {
    • Role name
    • viewRoleDetails(adminViewRoles
      .html)
  }
}
```



```
viewRole{  
  • Name of role  
  • Privileges  
  
  • Buttons : edit delete (y/n)  
}
```

```
addRoleInput{
  • Name of role : text
  • Privileges: {
    • (PSR) Property Summary Report
    • (TS) Transactions
    • (TK) Ticketing
    • (PM) Property Monitoring
  }
  • Buttons : Add, Cancel (y/n)
}
```

```
editRoleInput Auto Fill{
  • Name of role : text
  • Privileges: {
    • (PSR) Property Summary Report
    • (TS) Transactions
    • (TK) Ticketing
    • (PM) Property Monitoring
  }
  • Buttons : Save, Cancel (y/n)
}
```

```
{  
  • List{ (Question, Answer), (Buttons : deleteBtn,  
    editBtn (y/n)) }  
  • AddFAQs{  
    (  
      • Question : text  
      • Answer : text  
      • Save : button (y/n)  
      • Cancel : button (y/n)  
    )  
  }  
}
```




```
editBtn => {  
  • Modal  
    autofill(  
      • Question  
      • Answer  
      • Save  
      • Cancel  
    )  
}
```

```
{  
  • List{ (Question, Answer), (Buttons : deleteBtn,  
    editBtn (y/n)) }  
  • AddFAQs{  
    (  
      • Question : text  
      • Answer : text  
      • Save : button (y/n)  
      • Cancel : button (y/n)  
    )  
  }  
}
```



```
editBtn => {  
  • Modal  
    autofill(  
      • Question  
      • Answer  
      • Save  
      • Cancel  
    )  
}
```

```
Landing PageView{  
  • Seasonal Texts{  
    • Title  
    • Content  
  }  
  • Featured Units (6) cards  
    (photo?, Name, Address)  
  
  • Button : editBtn  
    (modalEdit)  
}
```



The diagram consists of two blue curved arrows. One arrow originates from the 'Seasonal Texts{' block in the Landing PageView and points to the 'Seasonal Texts{' block in the detailed component list on the right. The other arrow originates from the 'Button : editBtn (modalEdit)' line in the Landing PageView and points to the 'Edit Featured Units {' block in the detailed component list on the right.

- Seasonal Texts{
 - Title : text input (min char)
 - Content : text input (min char)
 - Upload: BgImage (set a mins-max size of image required)
- Edit Featured Units {
 - Text Input w/ dropdown suggestion: (Name, Address)
 - List of selected Featured units{
 - Photo?, Name, Address

Toggle By: (Admin,Employee, Guest)

Search (By: Date & time, Query(Name, Activity, Role))

List(Ref No., Date&Time, Name, Activity, Role)

```
Button : Add Payment (adminAddPayment.html)
PaymentList{
  // card or table
  • Payment Platform Name
  • Button : edit (adminEditPayment.html)
}
```



```
Button : Add Payment (adminAddPayment.html)
PaymentList{
  // card or table
  • Payment Platform Name
  • Button : view details
    (adminViewPayment.html)
}
```

```
PaymentDetails{  
  • Payment Platform Name  
  • Date created  
  • Img: Qr code image  
  • Button : edit (admeditPayment.html),  
    Delete  
}
```

```
PaymentEdit{
```

- Payment Platform Name : auto fill
- Date created : auto fill
- Img: Qr code image : auto fill
- Input: image qr code
- Button : save, cancel

```
}
```

```
PaymentAdd{
```

- Payment Platform Name
- Date created
- Img: Qr code image : } auto fill
- Input: image qr <code
- Button : Create, Cancel

```
}
```

EMPLOYEE

```
• logoBtn :  
  (employeeDashboard.html) ;  
  
• Notification : (modalNotif)  
• ProfilePic{  
  • Profile :  
    (employeeProfile.html)  
  • Darkmode toggle  
  • logout  
}
```



```
modalNotif(  
• senderName  
• Date and time  
• Message  
)
```

```
sidebar{  
  // these are the dynamic modules  
  • employeePSR.html  
  • employeeTS.html  
  • employeeTK.html  
  • employeePM.html  
}
```

This is reusable for
every page in Employee
User Level

Dynamic Dashboard

```
If PSR Summary{  
  • Total earnings this  
    Week,  
  • Month,  
  • Year  
  
  • Most Peak Booking Day  
    this (Toggle):  
    • Month  
    • Year  
    • Week  
  
  • Result: `This  
    Week: Jan 01, 2025  
    - 25 bookings`  
}
```

```
If TK{  
  • Display (5) transactions of a property that  
    assigned to them  
  • Trans#, Name of guest, Name of property, Date  
    of booking)  
  • Button : Go to (employeeTS.html)  
}
```

```
If TK{  
  • Display (5) Queue List of concerns.  
  • List (# of queue, Name, Concern category,  
    Button : handleBtn(will start the  
    conversation)) }  
}
```

```
If PM {  
  • List of bookings today. cards or list  
  • Max of 5 list  
  • (Name of guest, Time & date of checking in/out,  
    property name )  
}
```

employeeProfile.html

```
Profile{
  • EditBtn :
    (employeeEditProfile.html)
  • Profile Picture (onclick
    (ZoomModal))
  • Full Name
  • Email
}
```


employeeEditProfile.ht
ml

```
EditProfileDetails{  
  • Auto-fill inputs{  
    • ProfilePictureBtn (Upload)  
    • Fullname  
  }  
  Btn (Cancel, Update) : message if successful, then go  
  back to Profile  
}
```

```
1{
  • Total earnings this Week,
  • Month,
  • Year
}
2{
  • Most Peak Booking Day this:
    (Toggle):
    • Month
    • Year
    • Week
    • Result: `This
      Week/Month/Year: Jan 01,
      2025 - 25 bookings`
}
```

List of all successful Transaction

```
• (Trans#, Property Name, Date of Booking,
  Amount)
}
4{
  • Button : export
    => (employeeGeneratePSR.html)
}
employeeGeneratePSR.html{
  • Select : {
    • Month (year), quarterly (year),
      semi-annual (year) , annual (year)
  }
  • HTML Table preview {
    • M/Q/SA/A (year)
    • Table (see next page for example)
  }
  • Button : Generate (download pdf or
    excel) || Back
```

employeeGeneratePSR.html

WEEK Example

Week ↓	Month	Year ↓
Week 1	Jan ↓	2025 ↓

Week 1 of January,

Property Name	Earned
P1	6,000
P2	4,000
TOTAL	10,000

QUARTER Example 1{jan-apr} 2{may-aug}

Quarter ↓ Year ↓
2nd ↓ 2025 ↓

Second Quarter,

2025 Property Name	May	Jun	Jul	Aug	Earned
P1	6,000	4,000	8,000	5,000	27,000
P2	6,000	4,000	8,000	5,000	27,000
TOTAL					54,000

Semi-Annual Example 1{jan-jun} 2{jul-

Annual
↓
1st ↓
Year ↓
2025 ↓

First Annual,

2025 Property Name	Jan	Feb	Mar	Apr	May	Jun	Earned
P1	6,000	4,000	8,000	5,000	5,000	5,000	29,000
P2	6,000	4,000	8,000	5,000	5,000	5,000	29,000
TOTAL							58,000

Annual Example

Year ↓

2025 ↓

2025

Property Name	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Earned
P1	6,000	4,000	8,000	5,000	5,000	5,000	6,000	4,000	8,000	5,000	5,000	5,000	66,000
P2	6,000	4,000	8,000	5,000	5,000	5,000	6,000	4,000	8,000	5,000	5,000	5,000	66,000
TOTAL													132,000

```
category (Pending, Completed){  
  • List (Trans #, Name of guest, Property Name, Date (I-O),  
    Payment mode, Total Amount, Status) Button : View  
    (employeeTSView.html)  
}
```

- Property Name
- Transaction Number
- Name of Guest
- Status (Reserved, Fully Paid, Check In, Check Out, Completed or Cancel)
// parang shopee xd
- Breakdown of payment (Reservation + (Package Payment - discount) * Additional Pax)
- Button : back (employeeTS.html)

```
Confirm Payment{  
    • For: Reservation/Full  
      Payment  
    • Mode of Payment (Gcash,  
      Gotyme, maya, UnionBank)  
    • Transaction Number  
    • Date & time of payment  
  
    • Button : Confirm and Decline  
}
```

```
Section 1 (left){
// category of (Pending/Completed)
  • List of queue in stack (Queue #, Name, Concern category, Time Date,
    Button : openQueue
}
Section 2 (Right){
  • If no queue is open "There is No Open Queue"
  • If true => {
    • First blob message : Concern, submitted by guest

    • Reply Input : Text
    • Button : Send
    • Button : End Ticket
  }
}
```

Section 2{

- Stack of booking list According to selected date from calendar
- (Name of property, CheckIn-CheckOut (Time, date), button : (viewBookingModal))

}

Section 3 {

- Category (CheckIn, CheckOut Today List) (for check in only)
 - Button : confirmation of **check in** and **cash payment** modal
 - Property Name
 - Guest Name
 - Check In or Check Out time
 - Button : completeBtn(completeModal) for

CancelModal{

- Cancellation Request // add note that this will sent to admin for approval if the admin didn't approve or did not respond, it'll not proceed.
 - Reason to send for user : Input (min of char depends on design)
 - Reason to send for Admin : input (min of char depends on design)
 - Button : Send

}

viewBookingModal{

- DisplayDetails
 - Name of property
 - Guest
 - CheckIn-CheckOut (Time, date)
- Buttons : Back , Cancel(CancelModal)

}

CompleteModal{

- Completing Transaction
 - Report Note: Input
 - Complete : Button

}

GUEST

- logo : button
(guestDashboard.html)
- searchButton(SearchModal{})
- tickets
- FAQs
- Notification with badge
- profilePicture : button {
 - Profile (guestProfile.html)
 - My Bookings
(guestMyBookings.html)
 - AboutUs (aboutUs.html)
 - Darkmode toggle
 - logout

```
modalNotif(
  • senderName
  • Date and time
  • Message
)
```

```

  • Where? (all city in database) :
    selection
  • CheckIn : calendar (default any)
  • CheckOut : calendar (default any)
  • Price range start: float (default
    no range)
  • Price range end: float (default
    no end range)
  • People : number (default any)
}
• SearchButton : button (checkAPI)
}

If CheckAPI (true){Go to
(guestSearchResult.html)}

```

This is reusable for
every page in Guest

```
Dashboard : Featured Property auto scroll{  
  • List 6 Property w/ button :  
    {guestViewProperty.html}  
}
```

```
Catergory of property (Top Rated, barkada, family,  
couple, & others){  
  • List of property (Picture, Name, Address,  
    Price/Day)  
  • Onclick {guestViewProperty.html}  
}
```

```
Example text on top `Searched for Quezon  
City`  
{  
  • List Properties w/ button :  
    {guestViewProperty.html}  
}
```

```
// same as before revamp the design
guestViewProperty.html {
    section 3 employeePM cash check in

delete slide 50

Photos
Name
Address
Map
Description
Package Capacity - maximum capacity
Time of CheckIn&Out
Category : select (Barkada, Couple, Family, Other)

Package Price : Currency/Number w/ peso sign
Reservation Fee : Currency/Number w/ peso sign
Additional Pax Price: Currency/Number w/ peso sign
Discount

Amenities
Other Amenities

Calendar

book button

Review scale
}
```

```
guestConfirmReservation.html{
    • // same as before revamp the design
    • Proceed to payment Btn: Payment
    • Reservation or Package Payment
}
guestPayment.html{
    Section1{
        • For: Reservation/Full Payment
          (Dynamic)
        • Price
        • Selection (Gcash, Gotyme, maya,
          UnionBank)
        • QR Code
    }
    Section2{
        • Text: "Upload a Screenshot"
        • Upload drag and drop or click
          the upload button
        • Image preview

        • Input: // This will populate
          the transaction#
        • Button: Confirm Payment
        • Warning: Please verify the
          transaction number carefully. It
          cannot be changed after
          confirmation, and errors may lead to
          booking cancellation.
    }
}
```

```
Profile{
  • EditBtn : (guestEditProfile.html)
  • Profile Picture (onclick (ZoomModal))
  • Full Name (Verified or Unverified) ☒
  • Phone Number
  • Email
  • Bday
  • Age
  • Sex
}

If (unverified){
  • Clickable Div{
    • Verify your account using Valid ID
    • You can add picture of digital design of ID
    • Description of Verifying ID (`To meet KYC requirements,
      we use AI tools to verify the authenticity of your ID
      and extract only key information—your actual ID is not
      stored by our system.`)
    • Onclick (Redirection)
  }
}
```

guestEditProfile.h

tml

```
EditProfileDetails{
  • Auto-fill inputs{
    • ProfilePictureBtn (Upload)
    • Full Name Input
    • Phone Number
    • Email input
  }
  • editPasswordBtn{
    • modalEditPassword(
      • Enter Current Password
      • Enter New Password
      • Confirm Password
      • forgotPasswordBtn : ForgotPassword.html
      • Btnconfirm(API update password)
    )
  }
  Btn (Cancel, Update) : message if successful, then go
  back to Profile
}
```

```
generateTicketBtn : button (guesGenerateTicket.html)
Section 1 (list of tickets){
  • Ticket lists ( ticketQueueID, `CustomerSupport username`, Status
    (End, In Queue, Open))
}
Section 2 {
  • When user clicked one of the ticket lists, Itll show the conversation here.
  • {
    • First blob message : Concern, submitted by guest

    • If (status == Open){
      • Reply Input : Text
      • Button : Send
      • Button : End Ticket
    }
  }
}
```

```
backBtn : Button (guestTickets.html)
```

```
Generate a Ticket{
```

```
• Inputs{
```

```
• Select a Customer Service Agent : (`CS - FirstName`...) : selection
```

```
• Select a concern : ("Location", "Appliances", "Amenities", "Payment",  
  "Others") : selection
```

```
• Description (min of character ?) : text
```

```
}
```

```
• generateBtn : Buttons (API) > go back to guestTickets.html
```

```
}
```



```
{  
  • Q & A  
  • Same as before  
  • Revamp the design or  
    keep the OG  
}
```

```
Pending / Completed {  
  • List of bookings (Property Name, Address, Date of  
    booking, Status)  
  • Onclick (guestViewBooking.html)  
}
```

guestViewBooking.html

```
{  
  • Property Name  
  • Ref id  
  • Pictures of property  
  • Address  
  • Embed map  
  • Date  
  • Time of Check In  
  • Time of Checking out  
  
  • Details of transaction{  
    • Payment mode  
    • Price per day * Additional Pax : `Unpaid or  
      Paid (PHP2,000)`  
    • Discount  
    • Reservation Fee: `Paid (PHP 500)`  
    • Status  
    • TOTAL REMAINING BALANCE or TOTAL:  
  }  
  If (!fullpayment){button: pay remaining balance  
    (go to guestPayment.html)}  
}
```

```
If (pending && booking date  
is <=10days old){  
  • Reschedule : button  
    (rescheduleModal)  
}  
Else { Reschedule is  
unavailable for bookings that  
is already 10 days or older}
```

```
rescheduleModal{  
  • Reason : text (min of  
    char for notif)  
  • Start date & end date  
    (calendar)  
  • CancelBtn  
  • RescheduleBtn  
}
```