



Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: PO S 34A, Heavy Cut Compound 1000
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Application of the substance / the mixture Abrasive and polishing compound
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Menzerna Polishing Compounds GmbH & Co. KG Industriestraße 25

76470 ÖTIGHEIM

GERMANY

sds@menzerna.com Tel.: +49 (0) 7222 9157-0

- · Further information obtainable from: Product and Environmental Safety Department
- · 1.4 Emergency telephone number: +49 (0) 761 19240 (24 h) Poisons-Information-Centre Freiburg

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

- EU -





Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture: consisting of the following components.

· Dangerous components:		
EC number: 918-481-9 Index number: 649-327-00-6 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% aromatics)  Asp. Tox. 1, H304	10-25%
Polymer	alcohols, C16-18, ethoxylated Aquatic Chronic 3, H412	≥2.5-<10%
Polymer	Alcohols, C16-18, ethoxylated (≥2,5 moles EO)	≥1-≤2.5%
Polymer	Alkohole, C16-C18, ethoxyliert (>2,5 moles EO) Aquatic Chronic 3, H412	≥0.1-<2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

Treat according to symptoms.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Water spray, foam, dry powder or carbon dioxide.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture Nitrogen oxides (NOx)
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Ensure adequate ventilation. Use personal protection recommended in section 8.

· 6.2 Environmental precautions:

Dilute with plenty of water.

(Contd. on page 3)



Page 3/7

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Storage temperature: between 15°C and 25°C.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10-13
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- Protection of hands:

Normally one does not come into direct contact with the product during use. At the risk of entanglement of protective glove in rotating or linear moving machine parts protective gloves should not be worn.

Recommendation for short-term exposure: Use chemical resistant gloves.

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.45 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

≥ 480 min

(Contd. on page 4)





Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 3)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

· Body protection: Protective work clothing

### SECTION 9: Physical and chemical properties

-	
<ul> <li>9.1 Information on basic physical and of General Information</li> <li>Appearance:</li> </ul>	chemical properties
Form:	Viscous
Colour:	Different according to colouring
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value at 20 °C (68 °F):	7-10
<ul> <li>Change in condition</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range</li> </ul>	Undetermined. : >100 °C (>212 °F)
· Flash point:	>100 °C (>212 °F)
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.4-1.5 g/cm³ (11.68-12.52 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Partly miscible.
· Partition coefficient: n-octanol/water:	Not determined.
	NOT ACTOURING
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C (104 °F):	>20.5 mm²/s
· Solvent content:	
VOC (EC)	12.30 %
9.2 Other information	No further relevant information available.
J.Z Other information	THO TUTTION TELEVANT INFORMATION AVAILABLE.





Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 4)

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity None under normal conditions.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, (< 2% aromatics)				
Oral	LD50 >5000 mg/kg (rat)			
Dermal	LD50 >3000 mg/kg (rab)			
Alcohols, C16-18, ethoxylated (≥2,5 moles EO)				
Oral	LD50 > 300 - 2000 mg/kg (rat)			
Dermal	LD50 > 2000 mg/kg (rabbit)			

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:		
Alcohols, C16-18, ethoxylated (≥2,5 moles EO)		
EC50/48h (static)	>1-10 mg/l (daphnia)	
EC10/18h	9.5 mg/l (al)	
LC50/48h	>1-10 mg/l (fish)	
Alkohole, C16-C18, ethoxyliert (>2,5 moles EO)		
EC50/48h	> 0.1 - 1 mg/l (daphnia)	
LC50/48h	> 0.1-1 mg/l (fish)	
600	>0.1-1 mg/l (algae)	

· 12.2 Persistence and degradability No further relevant information available.





Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 5)

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· Waste disposal key:

Waste codes should be determined in consultation with the customer, supplier and disposal.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Annex II of  Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Void	

### SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation 1907/2006/EC, REACH concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals.

(Contd. on page 7)





Printing date 18.05.2018 Version number 3 Revision: 18.05.2018

Trade name: PO S 34A, Heavy Cut Compound 1000

(Contd. of page 6)

Regulation 453/2010/EU, REACH as amended.

Regulation 1272/2008/EC, on Classification, Labelling and Packaging of substances and mixtures.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

The details of the safety data sheet apply only to the product described in the context of its intended use. The information is based on the current state of our knowledge. It is intended to describe our product in view of the risks posed by it and the relevant precautionary measures. It does not represent an assurance of product and quality characteristics. The information in this safety data sheet is required under Article 31 and Annex II of Regulation EC (VO) no. 1907/2006.

#### Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

**Department issuing SDS:** Product and Environmental Safety Department

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.