

PROJECT REPORT TEMPLATE

JOB APPLICATION TRACKING SYSTEM

1. INTRODUCTION

1.1 OVERVIEW

- You've probably seen the stats that say a majority of resumes are screened out by applicant tracking system (ATS) and by a human. Or you've heard that if you don't use enough of the right keywords, your application doesn't stand a chance.
- While this and other ATS lore may have been true at some point, that's no longer the case. Application tracking system have come a long way and are far more sophisticated than they once were.
- The ATS may parse resumes and rank new application as they are submitted.
- The recruiter reviews applications in the system and selects the candidates to pursue further. Candidates who are not selected may receive an automated rejection email.
- Interviews may take place with the recruiter, hiring manager and others as required. Notes can be entered in the ATS following each interview for future reference.

1.2 PURPOSE


- An ATS creates opportunities to automate manual processes, increase visibility into the hiring cycle for the entire recruiting team, and increase opportunities for communication throughout the candidate journey. 78% of recruiters using an ATS report that it has improved that it has improved the quality of the candidates they hire.
- One of the most significant ATS benefits is organization; the system ensures that no follow – up email or interview appointment is forgotten and helps create a replicable routine around fulfilling hiring needs.
- Social networks are essential to the recruiting process, and ATSs will be more fully integrated with social media to identify top – end passive and active candidates while also helping organizations build a strong social brand.

2. PROBLEM DEFINITION & DESIGN THINKING

2.1 EMPATHY MAP

[illegible]

2.2 IDEATION & BRAINSTORMING MAP



3 RESULT


3.1 DATA MODEL

Object name	Fields in the Object	
Obj 1		
	Field label	Data type
	Recruiter	Auto Number
	Jobs	Auto Number
Obj 2		
	Field label	Data type
	candidates	Text
	Tab	Lookup

3.2 ACTIVITY & SCREENSHOT

MILESTONE - 1

ACTIVITY – 1: CREATION OF SALESFORCE ACCOUNT



MILESTONE – 2

ACTIVITY – 1: CREATION OF OBJECT MANAGER RECUITER

The screenshot shows the Salesforce Object Manager interface for a custom object named 'Recruiter'. The browser address bar indicates the URL: `thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000001gpY9/edit?address=%2F012w000001gpY9%2Fe%3FURL%3...`. The page title is 'Recruiter' under 'Setup > OBJECT MANAGER'. A left-hand navigation menu lists various configuration options: Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, Restriction Rules, Scoping Rules, and Triggers. The main content area is titled 'Edit Custom Object Recruiter' and contains the 'Custom Object Definition Edit' form. This form includes sections for 'Custom Object Information' and 'Enter Record Name Label and Format'. In the 'Custom Object Information' section, the 'Label' is 'Recruiter' (Example: Account), the 'Plural Label' is 'Recruiters' (Example: Accounts), and the 'Object Name' is 'Recruiter' (Example: Account). The 'Enter Record Name Label and Format' section shows the 'Record Name' as 'Recruiter Number' (Example: Account Name). The 'Context-Sensitive Help Setting' is set to 'Open the standard Salesforce.com Help & Training window'. The 'Content Name' is set to 'None'. The Windows taskbar at the bottom shows the date as 4/11/2023 and the time as 12:22 PM.

Lightning Experience x Recruiter | Salesforce x

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000001gpY9/edit?address=%2F012w000001gpY9%2Fe%3FURL%3...

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
Recruiter

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers

Edit Custom Object
Recruiter

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Type here to search

32°C Sunny 12:22 PM 4/11/2023

ACTIVITY – 2: CREATION OF OBJECT MANAGER JOB

The screenshot shows the Salesforce Lightning Experience interface. The browser address bar displays the URL: `thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000043qst/edit?address=%2F0112w0000043qst%2Fe%3FretURL%3D...`. The page title is "Edit Custom Object: job".

Left Navigation Menu:

- Setup
- Home
- Object Manager

Details Panel:

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers

Custom Object Definition Edit Form:

Custom Object Information (Required Information)

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name: Example: Account Name

Bottom Bar:

Type here to search

32°C Sunny 12:23 PM 4/11/2023

Lightning Experience candidate | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000043qyX/edit?address=%2F0112w0000043qyX%2Fe%3FretURL%3D...

Setup Home Object Manager

SETUP > OBJECT MANAGER candidate

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers

Edit Custom Object candidate

Custom Object Definition Edit

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label candidate Example: Account

Plural Label candidates Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name candidate Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name --None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name candidate Name Example: Account Name

Type here to search

32°C Sunny

ENG 12:25 PM 4/11/2023

Lightning Experience Job Application | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000044lBq/edit?address=%2F0112w0000044lBq%2Fe%3FretURL%3D...

Setup Home Object Manager

SETUP > OBJECT MANAGER Job Application

Details

- Fields & Relationships
- Page Layouts
- Lightning Record Pages
- Buttons, Links, and Actions
- Compact Layouts
- Field Sets
- Object Limits
- Record Types
- Related Lookup Filters
- Search Layouts
- List View Button Layout
- Restriction Rules
- Scoping Rules
- Triggers

Edit Custom Object Job Application

Custom Object Definition Edit

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label Job Application Example: Account

Plural Label Job Applications Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Job_Application Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name --None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Job Application Number Example: Account Name

Type here to search

32°C Sunny

ENG 12:26 PM 4/11/2023

Lightning Experience

Tab | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000044IC0/edit?address=%2F0112w0000044IC0%2Fe%3FretURL%3D...

Search Setup

SetupHomeObject Manager

SETUP > OBJECT MANAGER

Tab

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Edit Custom Object

Tab

Custom Object Definition Edit

SaveSave & NewCancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports. Be careful when changing the name or label as it may affect existing integrations and merge templates.

Label

Tab

Example: Account

Plural Label

Tabs

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

Tab

Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window

☐ Open a window using a Visualforce page

Content Name

--None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name

Tab Number

Example: Account Name

Type here to search


32°C Sunny

12:27 PM

4/11/2023

MILESTONE – 3: FIELDS

ACTIVITY – 1: CREATE THE CUSTOM FIELDS



The screenshot displays the Salesforce Object Manager interface. The browser address bar shows the URL: `thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/home`. The page header includes the Salesforce logo, a search bar, and navigation tabs for Setup, Home, and Object Manager. The main content area is titled "Object Manager" and shows a list of 31+ items, sorted by Label. The list includes standard objects such as Account, Activity, Alternative Payment Method, API Anomaly Event Store, Appointment Invitation, Appointment Invitee, Appointment Topic Time Slot, Asset, Asset Action, Asset Action Source, Asset Relationship, Asset State Period, Assigned Resource, and Associated Location. The table has columns for LABEL, API NAME, TYPE, DESCRIPTION, LAST MODIFIED, and DEPLOYED.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Account	Account	Standard Object			
Activity	Activity	Standard Object			
Alternative Payment Method	AlternativePaymentMethod	Standard Object			
API Anomaly Event Store	ApiAnomalyEventStore	Standard Object			
Appointment Invitation	AppointmentInvitation	Standard Object			
Appointment Invitee	AppointmentInvitee	Standard Object			
Appointment Topic Time Slot	AppointmentTopicTimeSlot	Standard Object			
Asset	Asset	Standard Object			
Asset Action	AssetAction	Standard Object			
Asset Action Source	AssetActionSource	Standard Object			
Asset Relationship	AssetRelationship	Standard Object			
Asset State Period	AssetStatePeriod	Standard Object			
Assigned Resource	AssignedResource	Standard Object			
Associated Location	AssociatedLocation	Standard Object			

The bottom of the screenshot shows the Windows taskbar with the search bar, taskbar icons, and system tray information including the date and time (12:30 PM, 4/11/2023).

Lightning Experience

Recruiter | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000001gpY9/FieldsAndRelationships/view

Search Setup

SetupHomeObject Manager

SETUP > OBJECT MANAGER

Recruiter

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

Fields & Relationships

5 Items, Sorted by Field Label

Quick Find

NewDeleted FieldsField DependenciesSet History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
job title	job_title__c	Text(30)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Recruiter Number	Name	Auto Number		✓

Type here to search

32°C Sunny

ENG IN 12:31 PM 4/11/2023

Lightning Experience

Recruiter | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000001gpY9/FieldsAndRelationships/new

Search Setup

SetupHomeObject Manager

SETUP > OBJECT MANAGER

Recruiter

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

☐ Checkbox

☐ Currency

☐ Date

☐ Date/Time

☐ Email

☐ Geolocation

☐ Number

☐ Percent

☐ Phone

☐ Picklist

☐ Picklist (Multi-Select)

☒ Text

☐ Text Area

☐ Text Area (Long)

☐ Text Area (Rich)

☐ Text (Encrypted)

☐ Time

☐ URL

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

Allows users to enter a date or pick a date from a popup calendar.

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

Allows users to enter any number. Leading zeros are removed.

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

Allows users to enter any phone number. Automatically formats it as a phone number.

Allows users to select a value from a list you define.

Allows users to select multiple values from a list you define.

Allows users to enter any combination of letters and numbers.

Allows users to enter up to 255 characters on separate lines.

Allows users to enter up to 131,072 characters on separate lines.

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

Allows users to enter any combination of letters and numbers and store them in encrypted form.

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.000" are all valid times for this field.

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

NextCancel

Type here to search

32°C Sunny

ENG IN 12:32 PM 4/11/2023

Lightning Experience x Recruiter | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000001gpY9/FieldsAndRelationships/new

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
Recruiter

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

New Custom Field

Step 2. Enter the details

Field Label **JOB TITLE**

Please enter the maximum length for a text field below.

Length

Field Name **JOB_TITLE**

Description

Help Text

Required ☒ Always require a value in this field in order to save a record

Unique ☐ Do not allow duplicate values

☐ Treat "ABC" and "abc" as duplicate values (case insensitive)

☐ Treat "ABC" and "abc" as different values (case sensitive)

External ID ☐ Set this field as the unique record identifier from an external system

Auto add to custom report type ☒ Add this field to existing custom report types that contain this entity

Default Value [Show Formula Editor](#)

Use formula syntax. Enclose text and picklist value API names in double quotes ("the_text"). Include numbers without quotes.

Previous Next Cancel

33°C Sunny 12:34 PM 4/11/2023

ACTIVITY – 2: CREATION OF MASTER-DETAIL RELATIONSHIP

Lightning Experience x job | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w000004qst/FieldsAndRelationships/view

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
job

Details

Fields & Relationships

6 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
description	description__c	Text Area(255)		
Last Modified By	LastModifiedById	Lookup(User)		
location	location__c	Text(30)		
Recruiter	Recruiter__c	Master-Detail(Recruiter)		✓
recruiter number	Name	Auto Number		✓

33°C Sunny 12:43 PM 4/11/2023

Lightning Experience x job | Salesforce x +

thirukolanjiappargovemme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000043qst/FieldsAndRelationships/new

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
job

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

☐ Auto Number

A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula

A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary

A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship

Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☒ Master-Detail Relationship

Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

☐ External Lookup Relationship

Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☐ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.

☐ Percent

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

Type here to search

33°C Sunny

ENG IN 12:36 PM 4/11/2023

ACTIVITY – 3:CREATE A NEW CUSTOM FIELD

Lightning Experience x job | Salesforce x +

thirukolanjiappargovemme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000043qst/FieldsAndRelationships/new

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER
job

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Triggers

☐ Checkbox

Allows users to select a True (checked) or False (unchecked) value.

☐ Currency

Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.

☐ Date

Allows users to enter a date or pick a date from a popup calendar.

☐ Date/Time

Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.

☐ Email

Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.

☐ Geolocation

Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.

☐ Number

Allows users to enter any number. Leading zeros are removed.

☐ Percent

Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.

☐ Phone

Allows users to enter any phone number. Automatically formats it as a phone number.

☐ Picklist

Allows users to select a value from a list you define.

☐ Picklist (Multi-Select)

Allows users to select multiple values from a list you define.

☐ Text

Allows users to enter any combination of letters and numbers.

☒ Text Area

Allows users to enter up to 255 characters on separate lines.

☐ Text Area (Long)

Allows users to enter up to 131,072 characters on separate lines.

☐ Text Area (Rich)

Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.

☐ Text (Encrypted)

Allows users to enter any combination of letters and numbers and store them in encrypted form.

☐ Time

Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.

☐ URL

Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.

Next Cancel

Type here to search

33°C Sunny

ENG IN 12:51 PM 4/11/2023

ACTIVITY – 4: CREATE A NEW CUSTOM FIELD

Lightning Experience | job | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ObjectManager/0112w0000043qst/FieldsAndRelationships/view

Search Setup

Setup | Home | Object Manager

SETUP > OBJECT MANAGER
job

Details

Fields & Relationships
6 Items, Sorted by Field Label

Quick Find

New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
description	description__c	Text Area(255)		
Last Modified By	LastModifiedById	Lookup(User)		
location	location__c	Text(30)		
Recruiter	Recruiter__c	Master-Detail(Recruiter)		✓
recruiter number	Name	Auto Number		✓

Type here to search

33°C Sunny 12:52 PM 4/11/2023

MILESTONE – 4: TAB

ACTIVITY – 1: CREATE A TAB

The screenshot shows the Salesforce Setup interface for Custom Tabs. The browser address bar indicates the URL: `thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/CustomTabs/home`. The left sidebar shows the navigation menu with 'Setup' selected, and 'User Interface' expanded, leading to 'Loaded Console Tab Limit', 'Rename Tabs and Labels', and 'Tabs' (which is highlighted). The main content area is titled 'Custom Tabs' and includes a 'Help for this Page' link. Below the title, there is a descriptive paragraph about custom tabs. The interface is divided into five sections, each with a 'New' button and a 'What Is This?' link:

- Custom Object Tabs:** Contains a table with one entry: 'Recruiters' with a 'Chalkboard' tab style. The table has columns for 'Action' (Edit | Del), 'Label', 'Tab Style', and 'Description'.
- Web Tabs:** No Web Tabs have been defined.
- Visualforce Tabs:** No Visualforce Tabs have been defined.
- Lightning Component Tabs:** No Lightning component tabs have been defined.
- Lightning Page Tabs:** No Lightning Page Tabs have been defined.

The bottom of the image shows the Windows taskbar with the search bar, task view button, and several application icons (Edge, File Explorer, Mail, Chrome, etc.). The system tray shows the date and time as 1:19 PM on 4/11/2023, along with weather information (34°C Sunny).

MILESTONE – 5:PROFILE

ACTIVITY – 1: CREATE A CUSTOM PROFILE

The screenshot shows the Salesforce Lightning Experience Setup page for Profiles. The browser address bar indicates the URL: `thirukolanjiappargovemme-d-dev-ed.develop.lightning.force.com/lightning/setup/EnhancedProfiles/page?address=%2F00e2w000005JD6L`. The left sidebar contains navigation links for Setup, Home, and Object Manager. The main content area displays the 'Standard User' profile configuration.

Profile: Standard User

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

[Login IP Ranges \(0\)](#) | [Enabled Apex Class Access \(0\)](#) | [Enabled Visualforce Page Access \(0\)](#) | [Enabled External Data Source Access \(0\)](#) | [Enabled Named Credential Access \(0\)](#) | [Enabled Custom Metadata Type Access \(0\)](#) | [Enabled Custom Setting Definitions Access \(0\)](#) | [Enabled Flow Access \(0\)](#) | [Enabled Service Presence Status Access \(0\)](#) | [Enabled Custom Permissions \(0\)](#)

Profile Detail [Edit](#) [Clone](#) [View Users](#)

Name	Standard User	Custom Profile	
User License	Salesforce	<input type="checkbox"/>	
Created By	Ms M Boomathi	09/03/2023, 1:46 pm	Modified By Ms M Boomathi, 23/03/2023, 12:02 pm

Page Layouts

Standard Object Layouts	Global	Object Milestone
Global	Global Layout View Assignment	Object Milestone Layout View Assignment
Email Application	Not Assigned View Assignment	Operating Hours Layout View Assignment
Home Page Layout	DE Default View Assignment	Opportunity Layout View Assignment
Account	Account Layout View Assignment	Opportunity Product Layout View Assignment
Alternative Payment Method	Alternative Payment Method Layout View Assignment	Order Layout View Assignment
Appointment Invitation	Appointment Invitation Layout View Assignment	Order Product Layout View Assignment
Asset	Asset Layout View Assignment	Payment Layout View Assignment
Asset Action	Asset Action Layout View Assignment	Payment Authorization Layout View Assignment

MILESTONE – 6: USER

ACTIVITY – 1: CREATE A USER

The screenshot shows the Salesforce Setup interface for managing users. The left sidebar contains a navigation menu with options like Setup, Home, Object Manager, and a search bar. The main content area is titled 'All Users' and provides instructions on how to create, view, and manage users. It includes a table of existing users with columns for Action, Full Name, Alias, Username, Role, Active status, and Profile. The table lists six users, including Chatter Expert, M.Boomathi, Manager_Hr, Manager_Hr, User_Integration, and User_Security. The bottom of the screen shows a Windows taskbar with various application icons and system information.

Users | Salesforce

thirukolanjiappargovernme-d-dev-ed.develop.lightning.force.com/lightning/setup/ManageUsers/home

Search Setup

Setup

Users

Lightning Usage

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Data

Storage Usage

Apps

Connected Apps

Connected Apps OAuth Usage

Packaging

Package Usage

Feature Settings

Data.com

SETUP

Users

All Users

On this page you can create, view, and manage users.

In addition, download SalesforceA to view and edit user details, reset passwords, and perform other administrative tasks from your mobile devices: [iOS](#) | [Android](#)

View: [All Users](#) [Edit](#) [Create New View](#)

[New User](#) [Reset Password\(s\)](#) [Add Multiple Users](#)

Action	Full Name	Alias	Username	Role	Active	Profile
Edit	Chatter Expert	Chatter	chatty_00d2w00000rkrea1.pjcu0kshz5e@chatter.salesforce.com		✓	Chatter Free User
Edit	M.Boomathi, Ms	MM.Bo	maran38@gmail.com		✓	System Administrator
Edit	Manager_Hr	hmana	boomakd2003@gmail.com		✓	Standard Platform User
Edit	Manager_Hr	hmana	ganesoppeelli@gmail.com		✓	Standard Platform User
Edit	User_Integration	integ	integration@00d2w00000rkrea1.com		✓	Analytics Cloud Integration User
Edit	User_Security	sec	insightssecurity@00d2w00000rkrea1.com		✓	Analytics Cloud Security User

[New User](#) [Reset Password\(s\)](#) [Add Multiple Users](#)


A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | [All](#)

28°C Mostly sunny

ENG 9:17 AM 4/12/2023

MILESTONE – 7: SHARING RULES

ACTIVITY – 1:CREATE A SHARING RULES




The screenshot shows the Salesforce Sharing Settings page. The left sidebar contains a search bar with 'SHARIN' and a 'Security' section with 'Sharing Settings' highlighted. The main content area is titled 'Sharing Settings' and includes a 'Manage sharing settings for:' dropdown set to 'All Objects' and a 'Disable External Sharing Model' button. Below this is the 'Default Sharing Settings' section, which contains a table of 'Organization-Wide Defaults'. The table has four columns: 'Object', 'Default Internal Access', 'Default External Access', and 'Grant Access Using Hierarchies'. The rows list various objects and their corresponding access levels.

Object	Default Internal Access	Default External Access	Grant Access Using Hierarchies
Lead	Public Read/Write/Transfer	Private	✓
Account and Contract	Public Read/Write	Private	✓
Contact	Controlled by Parent	Controlled by Parent	✓
Order	Controlled by Parent	Controlled by Parent	✓
Asset	Controlled by Parent	Controlled by Parent	✓
Opportunity	Public Read/Write	Private	✓
Case	Public Read/Write/Transfer	Private	✓
Campaign	Public Full Access	Private	✓
Campaign Member	Controlled by Campaign	Controlled by Campaign	✓
User	Public Read Only	Private	✓
Activity	Private	Private	✓
Calendar	Hide Details and Add Events	Hide Details and Add Events	✓

MILESTONE – 8: REPORTS

ACTIVITY – 1: CREATE A REPORT



4 TRAILHEAD PROFILE & PUBLIC URL

Boomathi M

<https://trailblazer.me/id/bmathi53>

Anjulatcham P

<https://trailblazer.me/id/anjulatchamp>

Dhivya E

<https://trailblazer.me/id/ddhivya5>

Arularasi M

<https://trailblazer.me/id/arulm22>

Dhanalakshmi v

<https://trailblazer.me/id/dhanv27>

Atchaya R

<https://trailblazer.me/id/rramalingam23>

5 ADVANTAGES & DISADVANTAGES

- Reduces time spent on admin tasks
- Resume and CV screening
- Speeds up the recruitment cycle
- Improves the quality of hire
- Boosts your brand

6 applications

- An applicant tracking system (ATS) is software for recruiters and employers to track candidate throughout the recruiting and hiring process
- (ATS) simplifies the hiring process for recruiters hiring managers, and HR departments.
- Job post integrations
- Job – specific filters
- Career pages

7 CONCLUSION

- A very effective hiring solution that most of the successful recruiters utilize
- Reduce recruitment cycle and time-to-hire
- Say goodbye to wasted time on non -relevant candidate
- Automatic boring and time-consuming administrative tasks

8 FUTURE SCOPE

- The GPS tracking device market is expected to reach an estimated \$2.9 billion by 2027 with a CAGR of 8 % from 2021 to 2027
- Allows commercial vehicles such as heavy commercial vehicles logistics and construction equipment to be tracked and monitored