

```
import os


# Create a directory for Kaggle config
os.makedirs("/root/.kaggle", exist_ok=True)

# Upload `kaggle.json`
from google.colab import files
files.upload() # Select and upload the downloaded kaggle.json file

# Move `kaggle.json` to the correct directory
!mv kaggle.json /root/.kaggle/

# Set permissions
!chmod 600 /root/.kaggle/kaggle.json






# Verify Kaggle API works
!kaggle datasets list
```

 Choose Files kaggle.json


- **kaggle.json**(application/json) - 67 bytes, last modified: 3/20/2025 - 100% done

Saving kaggle.json to kaggle.json

Warning: Looks like you're using an outdated API Version, please consider updating (server 1.7.4.2 / client 1.6.17)

ref	title	size	last modified
atharvasoundankar/chocolate-sales	Chocolate Sales Data 	14KB	
abdulmalik1518/mobiles-dataset-2025	Mobiles Dataset (2025)	20KB	2025
mahmoudelhemy/students-grading-dataset	Student Performance & Behavior Dataset	508KB	2025
atharvasoundankar/global-water-consumption-dataset-2000-2024	Global Water Consumption Dataset (2000-2024) 	17KB	
adilshamim8/student-depression-dataset	Student Depression Dataset	456KB	2025
atharvasoundankar/global-food-wastage-dataset-2018-2024	Global Food Wastage Dataset (2018-2024) 	106KB	
atharvasoundankar/global-energy-consumption-2000-2024	Global Energy Consumption (2000-2024) 	252KB	
parsabahramsari/wdi-education-health-and-employment-2011-2021	WDI: Education, Health & Employment (2011-2021)	133KB	2025
bhargavchirumamilla/netflix-movies-and-tv-shows-till-2025	Netflix Movies and TV shows till 2025	6MB	2025
aniruddhawankhede/mental-heath-analysis-among-teenagers	Mental_Heath_Analysis_Among_Teenagers	173KB	2025
salahuddinahmedshuvo/ecommerce-consumer-behavior-analysis-data	Ecommerce Consumer Behavior Analysis Data	43KB	2025
smayanj/netflix-users-database	Netflix Users Database	354KB	2025
willianoliveiragabin/grocery-inventory	Grocery Inventory	50KB	2025
atharvasoundankar/global-music-streaming-trends-and-listener-insights	Global Music Streaming Trends & Listener Insights	95KB	2025
atharvasoundankar/viral-social-media-trends-and-engagement-analysis	 Viral Social Media Trends & Engagement Analysis	105KB	2025
anandshaw2001/imdb-movies-and-tv-shows	IMDb Movies and TV Shows	2MB	2025
brsahan/genomic-data-for-cancer	Genomic Data for Cancer	9KB	2025
amanrajput16/olympics-medal-list-1896-2024	Olympic Medal List (1896-2024)	11KB	2025
miadul/brain-tumor-dataset	Brain Tumor Dataset	852KB	2025
adilshamim8/student-performance-on-an-entrance-examination	Student Performance on an Entrance Examination	4KB	2025

```
!kaggle datasets download -d jaiharish11499/wastedata
```

 Warning: Looks like you're using an outdated API Version, please consider updating (server 1.7.4.2 / client 1.6.17)

Dataset URL: <https://www.kaggle.com/datasets/jaiharish11499/wastedata>

License(s): CC0-1.0

Downloading wastedata.zip to /content


98% 66.0M/67.5M [00:02<00:00, 43.3MB/s]

100% 67.5M/67.5M [00:02<00:00, 31.8MB/s]

```
import zipfile
```

```
with zipfile.ZipFile("wastedata.zip", 'r') as zip_ref:
    zip_ref.extractall("waste_data")
```

```
import os
print(os.listdir("/content/"))
```

```
 ['config', 'wastedata.zip', 'waste_data', 'sample_data']
```

```
train_folder = "/content/waste_data/d/Train"
test_folder = "/content/waste_data/d/Test"
```

```
import pandas as pd
import numpy as np
import glob
import os
from datetime import datetime
from packaging import version
```

```
import tensorflow as tf
from tensorflow import keras
```

```

from tensorflow.keras.applications import DenseNet121
from tensorflow.keras.preprocessing import image_dataset_from_directory
from tensorflow.keras.preprocessing.image import load_img, img_to_array
from tensorflow.keras.callbacks import ModelCheckpoint, History
from tensorflow.keras.models import Model
from tensorflow.keras.layers import Dense, GlobalAveragePooling2D, Input

from tensorflow.keras.models import Sequential, load_model
from tensorflow.keras.layers import Conv2D, Lambda, MaxPooling2D, Dense, Dropout, Flatten
from tensorflow.keras.preprocessing.image import ImageDataGenerator
from tensorflow.keras.applications.densenet import preprocess_input
from tensorflow.keras.utils import to_categorical

from skimage.io import imread, imshow
from skimage.transform import resize
from IPython import display
import matplotlib.pyplot as plt
import seaborn as sns
from seaborn import heatmap
from sklearn.metrics import confusion_matrix

```

```

train_datagen = ImageDataGenerator(
    preprocessing_function=preprocess_input, # Use DenseNet-specific preprocessing
    rotation_range=30,
    width_shift_range=0.2,
    height_shift_range=0.2,
    shear_range=0.2,
    zoom_range=0.2,
    horizontal_flip=True,
    fill_mode='nearest')


```

```
test_datagen = ImageDataGenerator(preprocessing_function=preprocess_input)
```

```

train_generator = train_datagen.flow_from_directory(
    train_folder,
    target_size=(224, 224), # Matches DenseNet input size
    batch_size=32,
    class_mode='binary' # Use 'categorical' for multi-class classification
)


```

 Found 336 images belonging to 2 classes.

```

test_generator = test_datagen.flow_from_directory(
    test_folder,
    target_size=(224, 224),
    batch_size=32,
    class_mode='binary',
    shuffle=False)

```

 Found 64 images belonging to 2 classes.

```

from sklearn.utils.class_weight import compute_class_weight


# Get class labels from train_generator
class_labels = np.array(train_generator.classes)

# Compute class weights
class_weights = compute_class_weight(class_weight='balanced', classes=np.unique(class_labels), y=class_labels)

# Convert to dictionary format required for model.fit()
class_weight_dict = {i: class_weights[i] for i in range(len(class_weights))}

print("Class Weights:", class_weight_dict)

```

 Class Weights: {0: 4.666666666666667, 1: 0.56}

```

# Load the pre-trained DenseNet model without the classification layer
base_model = DenseNet121(weights='imagenet', include_top=False, input_shape=(224, 224, 3))

# Freeze the base model
base_model.trainable = False

# Define the new model structure
inputs = Input(shape=(224, 224, 3)) # Explicitly define input
x = base_model(inputs, training=False) # Ensure frozen base model is applied correctly

```

```
x = GlobalAveragePooling2D()(x) # Convert feature maps into a single vector
x = Dense(256, activation='relu')(x) # Add a fully connected layer
outputs = Dense(1, activation='sigmoid')(x) # Output layer for binary classification
```

```
# Create the final model
```

```
model = Model(inputs=inputs, outputs=outputs) # Make sure inputs and outputs are linked correctly
```

```
# Compile the model
```

```
model.compile(optimizer='adam', loss='binary_crossentropy', metrics=['accuracy'])
```

Downloading data from https://storage.googleapis.com/tensorflow/keras-applications/densenet/densenet121_weights_tf_dim_ordering_tf_29084464/29084464 1s 0us/step

```
# Train model
```


```
history = model.fit(
    train_generator,
    epochs=10,
    validation_data=test_generator,
    class_weight=class_weight_dict)
```

/usr/local/lib/python3.11/dist-packages/keras/src/trainers/data_adapters/py_dataset_adapter.py:121: UserWarning: Your `PyDataset` class self._warn_if_super_not_called()

```
Epoch 1/10
11/11 ----- 98s 8s/step - accuracy: 0.6625 - loss: 0.7341 - val_accuracy: 0.8906 - val_loss: 0.2630
Epoch 2/10
11/11 ----- 73s 7s/step - accuracy: 0.9229 - loss: 0.2217 - val_accuracy: 0.9375 - val_loss: 0.1623
Epoch 3/10
11/11 ----- 83s 7s/step - accuracy: 0.9600 - loss: 0.1238 - val_accuracy: 0.9375 - val_loss: 0.1440
Epoch 4/10
11/11 ----- 73s 7s/step - accuracy: 0.9898 - loss: 0.0614 - val_accuracy: 0.9375 - val_loss: 0.1294
Epoch 5/10
11/11 ----- 81s 7s/step - accuracy: 0.9845 - loss: 0.0449 - val_accuracy: 0.9375 - val_loss: 0.1869
Epoch 6/10
11/11 ----- 76s 7s/step - accuracy: 0.9960 - loss: 0.0403 - val_accuracy: 0.9219 - val_loss: 0.1383
Epoch 7/10
11/11 ----- 76s 7s/step - accuracy: 0.9882 - loss: 0.0359 - val_accuracy: 0.9219 - val_loss: 0.2942
Epoch 8/10
11/11 ----- 83s 8s/step - accuracy: 0.9984 - loss: 0.0349 - val_accuracy: 0.9375 - val_loss: 0.1720
Epoch 9/10
11/11 ----- 77s 7s/step - accuracy: 1.0000 - loss: 0.0218 - val_accuracy: 0.9219 - val_loss: 0.1640
Epoch 10/10
11/11 ----- 85s 8s/step - accuracy: 0.9919 - loss: 0.0191 - val_accuracy: 0.9375 - val_loss: 0.3158
```

```
# Plot accuracy and loss
```

```
fig, axes = plt.subplots(1, 2, figsize=(12, 5))
axes[0].plot(history.history['accuracy'], label='Train Accuracy')
axes[0].plot(history.history['val_accuracy'], label='Validation Accuracy')
axes[0].set_title('Model Accuracy')
axes[0].legend()
axes[1].plot(history.history['loss'], label='Train Loss')
axes[1].plot(history.history['val_loss'], label='Validation Loss')
axes[1].set_title('Model Loss')
axes[1].legend()
plt.show()
```




```
# Confusion matrix
y_true = test_generator.classes
y_pred = model.predict(test_generator) > 0.5
cm = confusion_matrix(y_true, y_pred)
```

2/2 16s 6s/step

```
# Display confusion matrix with labels and percentages
fig, ax = plt.subplots(figsize=(6, 6))
cm_percent = cm.astype('float') / cm.sum(axis=1)[:, np.newaxis] * 100
sns.heatmap(cm_percent, annot=True, fmt='.2f', cmap='Blues', xticklabels=['Pred Non-Recyclable', 'Pred Recyclable'],
            yticklabels=['Actual Non-Recyclable', 'Actual Recyclable'])
plt.xlabel('Predicted Label')
plt.ylabel('True Label')
plt.title('Confusion Matrix')
```

Text(0.5, 1.0, 'Confusion Matrix')



```
from sklearn.metrics import classification_report
# Classification report
print("Classification Report:")
print(classification_report(y_true, y_pred, target_names=['Non-Recyclable', 'Recyclable']))
```

Classification Report:

	precision	recall	f1-score	support
Non-Recyclable	1.00	0.71	0.83	14
Recyclable	0.93	1.00	0.96	50
accuracy			0.94	64
macro avg	0.96	0.86	0.90	64
weighted avg	0.94	0.94	0.93	64

```
# Convert accuracy and loss to percentage
train_acc = [x * 100 for x in history.history['accuracy']]
val_acc = [x * 100 for x in history.history['val_accuracy']]
train_loss = [x * 100 for x in history.history['loss']]
val_loss = [x * 100 for x in history.history['val_loss']]
# Print accuracy and loss values
print("Final Training Accuracy: {:.2f}%".format(train_acc[-1]))
print("Final Validation Accuracy: {:.2f}%".format(val_acc[-1]))
print("Final Training Loss: {:.2f}%".format(train_loss[-1]))
print("Final Validation Loss: {:.2f}%".format(val_loss[-1]))
```

Final Training Accuracy: 99.70%
 Final Validation Accuracy: 93.75%
 Final Training Loss: 1.58%
 Final Validation Loss: 31.58%

