

Crowdsourced Test Reports
Report text
Trigger steps
Observed failure
Conditions
Initial Grouping P_0
HC or LLM-enhanced HC
r_1 r_2 r_3
r_4 r_5
Illustrative memberships
Initial LLM Checks
pivot
Check within initial groups
(before iterative selection)
Seed judgments
Iterative Refinement of Report Groups
Refine Report Groups
Same accumulated E
Judgments E
SAME / DIFFERENT
Refine the partition
From P_0 : use accumulated direct judgments E
Merge / Move / Split out
r_1 r_2 r_3 r_4 r_5
r_3 reassigned
Current groups P
At termination
Updated grouping P guides pair selection
Accumulated LLM Judgments E
SAME / DIFFERENT
Update learner
Learn from Past Checks
Pair features
Text
P_0
Initial groups
Observed judgments
Train / Update LR
Logistic regression
Predict SAME tendency
?
Unqueried pairs
Predicted tendency
Select by Disagreement
Predictions vs. current grouping P
Example: predicted SAME = 0.90 for both
Same group
a b ...
Agreement
Lower priority
Different groups
c ... d ...
Possible duplicate
Higher priority
Unqueried pairs; equal size weights
Also check same-group pairs with low SAME tendency.
Prioritize + Explore
Account for group size
Selected pairs
New judgments
Next iteration
Verify with the LLM
New judgments
SAME / DIFFERENT
LLM verification
Same specific defect ?
Report i
Report j
Only the two report texts
Refined Report Groups
Refined report groups
r_1 r_2 Group 1: r_1, r_2
r_3 Group 2: r_3, r_4, r_5
r_4 r_5
Illustrative membership update
All reports retained
One group per report
Iteration Records
Queried pairs
LLM judgments
Round partitions
FAVR: Iterative Report Refinement
Predictions guide queries; direct judgments refine groups.
Main flow
Next iteration
Supporting flow