

```
<!DOCTYPE html>
<html>
<head>
<title>My Profile</title>
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font_awesome.min.css">
<style>
.card {
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
  max-width: 300px;
  margin: auto;
  text-align: center;
  font-family: arial;
}
.title {
  color: grey;
  font-size: 18px;
}
button {
  border: none;
  outline: 0;
  display: inline-block;
  padding: 8px;
  color: white;
  background-color: #000;
  text-align: center;
  cursor: pointer;
  width: 100%;
  font-size: 18px;
}
a {
  text-decoration: none;
  font-size: 22px;
  color: black;
}
button:hover, a:hover {
  opacity: 0.7;
}
/* Popup container */
.popup {
  position: relative;
  display: inline-block;
  cursor: pointer;
}
/* The actual popup (appears on top) */
```

```

.popup .popuptext {
  visibility: hidden;
  width: 160px;
  background-color: #555;
  color: #fff;
  text-align: center;
  border-radius: 6px;
  padding: 8px 0;
  position: absolute;
  z-index: 1;
  bottom: 125%;
  left: 50%;
  margin-left: -80px;
}
/* Popup arrow */
.popup .popuptext::after {
  content: "";
  position: absolute;
  top: 100%;
  left: 50%;
  margin-left: -5px;
  border-width: 5px;
  border-style: solid;
  border-color: #555 transparent transparent transparent;
}
/* Toggle this class when clicking on the popup container (hide and show the
popup) */
.popup .show {
  visibility: visible;
  -webkit-animation: fadeIn 1s;
  animation: fadeIn 1s
}
/* Add animation (fade in the popup) */
@-webkit-keyframes fadeIn {
  from {opacity: 0;}
  to {opacity: 1;}
}
@keyframes fadeIn {
  from {opacity: 0;}
  to {opacity:1 ;}
}
/* Slideshow Images */
* {box-sizing: border-box}
body {font-family: Verdana, sans-serif; margin:0}
.mySlides {display: none}

```

```
img {vertical-align: middle;}
/* Slideshow container */
.slideshow-container {
  max-width: 1000px;
  position: relative;
  margin: auto;
}
/* Next & previous buttons */
.prev, .next {
  cursor: pointer;
  position: absolute;
  top: 50%;
  width: auto;
  padding: 16px;
  margin-top: -22px;
  color: white;
  font-weight: bold;
  font-size: 18px;
  transition: 0.6s ease;
  border-radius: 0 3px 3px 0;
  user-select: none;
}
/* Position the "next button" to the right */
.next {
  right: 0;
  border-radius: 3px 0 0 3px;
}
/* On hover, add a black background color with a little bit see-through */
.prev:hover, .next:hover {
  background-color: rgba(0,0,0,0.8);
}
/* Caption text */
.text {
  color: #f2f2f2;
  font-size: 15px;
  padding: 8px 12px;
  position: absolute;
  bottom: 8px;
  width: 100%;
  text-align: center;
}
/* Number text (1/3 etc) */
.numbertext {
  color: #f2f2f2;
  font-size: 12px;
```

```

padding: 8px 12px;
position: absolute;
top: 0;
}
/* The dots/bullets/indicators */
.dot {
  cursor: pointer;
  height: 15px;
  width: 15px;
  margin: 0 2px;
  background-color: #bbb;
  border-radius: 50%;
  display: inline-block;
  transition: background-color 0.6s ease;
}
.active, .dot:hover {
  background-color: #717171;
}
/* Fading animation */
.fade {
  -webkit-animation-name: fade;
  -webkit-animation-duration: 1.5s;
  animation-name: fade;
  animation-duration: 1.5s;
}
@-webkit-keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
@keyframes fade {
  from {opacity: .4}
  to {opacity: 1}
}
/* On smaller screens, decrease text size */
@media only screen and (max-width: 300px) {
  .prev, .next, .text {font-size: 11px}
}
</style>
<script>
// Popup button
// When the user clicks on <div>, open the popup
function myFunction() {
  var popup = document.getElementById("myPopup");
  popup.classList.toggle("show");
}

```

```

</script>
</head>
<body>
<h1 style="text-align:center">My Profile</h1>
<div class="card">
  <!---->
  <!-- Slideshow container -->
  <div class="slideshow-container">
    <!-- Full-width images with number and caption text -->
    <div class="mySlides fade">
      
      <div class="text">Hi</div>
    </div>
    <div class="mySlides fade">
      
      <div class="text">This is me.</div>
    </div>
    <div class="mySlides fade">
      
      <div class="text">I'm 21 years old.</div>
    </div>
  </div>
  <br />
  <!-- The dots/circles -->
  <div style="text-align:center">
    <span class="dot" onclick="currentSlide(1)"></span>
    <span class="dot" onclick="currentSlide(2)"></span>
    <span class="dot" onclick="currentSlide(3)"></span>
  </div>
  <h1>Boonsiri Kieokerd</h1>
  <p class="title">Student ID is 1630900783</p>
  <p>Bangkok University</p>
  <!--<div style="margin: 24px 0;">
    <a href="#"><i class="fa fa-dribbble"></i></a>
    <a href="#"><i class="fa fa-twitter"></i></a>
    <a href="#"><i class="fa fa-linkedin"></i></a>
    <a href="#"><i class="fa fa-facebook"></i></a>
  </div>-->
  <button class="popup" onclick="myFunction()">Click Here
  <span class="popuptext" id="myPopup">My nickname is Aom</span>
  </button>
</div>
<script>
  // Slideshow Images
  var slideIndex = 1;

```

```
showSlides(slideIndex);

function plusSlides(n) {
showSlides(slideIndex += n);
}

function currentSlide(n) {
showSlides(slideIndex = n);
}

function showSlides(n) {
var i;
var slides = document.getElementsByClassName("mySlides");
var dots = document.getElementsByClassName("dot");
if (n > slides.length) {slideIndex = 1}
if (n < 1) {slideIndex = slides.length}
for (i = 0; i < slides.length; i++) {
slides[i].style.display = "none";
}
for (i = 0; i < dots.length; i++) {
dots[i].className = dots[i].className.replace(" active", "");
}
slides[slideIndex-1].style.display = "block";
dots[slideIndex-1].className += " active";
}
</script>
</body>
</html>
```