


Angular Project Structure

When you create an Angular app:

```
ng new my-angular-app
```

You'll see this folder structure:



❖ App

➤ core

- services
- interceptors
- guards
- models
- helpers

➤ modules

- x module
 - components
 - pages
- y module
 - components
 - pages

➤ shared


- components
- header
- footer
- directives
- pipes


❖ assets

- images
- fonts
- styles

❖ environments

- environment.ts
- environment.prod.ts





▼ NEWANGULARPROJECTS

▼ AngularComponents


- > dist
- > e2e
- > node_modules
- > src

- ⚙ .editorconfig
- 🔒 .gitignore
- { } angular.json
- ☰ browserslist
- 📄 karma.conf.js
- { } package-lock.json
- { } package.json
- 📄 README.md
- { } tsconfig.app.json
- ts tsconfig.json
- { } tsconfig.spec.json
- { } tslint.json
- > ArticleImages

ANGULAR PROJECT ST

STANDARD ANGULAR PROJECT (ng new)

Single application, flat structure.



11



Folder Structure

Angular Architecture

1

Very simple
top-level app folder

2

Only global
services & singletons

3

Stateless &
reusable contents

4

Multiple
structural layouts

7

Dedicated folder
for layout shells

11

Design features
deployable in future



```
my-angular-app/  
├── src/  
├── node_modules/  
├── angular.json  
├── package.json  
├── tsconfig.json  
└── README.md
```

1. **src/** (Main application code)

Most of your work happens here.

```
src/  
├── app/  
├── assets/  
├── environments/  
├── index.html  
├── main.ts  
└── styles.css
```

src/app/

Main Angular app folder.

```
app/  
├── app.component.ts  
├── app.component.html  
├── app.component.css  
├── app.component.spec.ts  
└── app.module.ts
```

app.component.ts

Main component logic.

```
export class AppComponent {  
  title = 'my app';  
}
```

app.component.html

UI/template of the component.

```
<h1>{{title}}</h1>
```

app.component.css

Component styles.


```
h1 {  
  color: blue;  
}
```

app.component.spec.ts

Unit test file.

Used for testing components.

app.module.ts

Root module of the app.

Registers components/services.

```
import { NgModule } from '@angular/core';  
  
@NgModule({  
  declarations: [],  
  imports: [],  
  providers: [],  
  bootstrap: []  
})  
export class AppModule {}
```

2. assets/

Static files:

```
assets/  
├── images/  
└── icons/
```

Example:

- logo.png
 - background.jpg
 - JSON files
-

3. environments/

Environment-specific configs.

```
environments/
```

```
|— environment.ts
|— environment.prod.ts
```

Example:

```
export const environment = {
  production: false,
  apiUrl: 'http://localhost:3000'
};
```

4. index.html

Main HTML page loaded in browser.

```
<body>
  <app-root></app-root>
</body>
```

Angular injects your app inside <app-root>.

5. main.ts

Entry point of Angular app.

Starts the application.

```
import { platformBrowserDynamic } from '@angular/platform-browser-dynamic';
```

6. styles.css

Global styles for whole app.

```
body {
  margin: 0;
}
```

7. node_modules/

Installed packages.

Do not edit manually.

8. `package.json`

Project dependencies and scripts.

```
{
  "scripts": {
    "start": "ng serve"
  }
}
```

Useful commands:

```
npm install
npm start
```

9. `angular.json`

Angular project configuration.

Contains:

- build settings
 - assets config
 - styles/scripts
-

10. `tsconfig.json`

TypeScript configuration.

Controls:

- compilation
 - strict mode
 - target version
-

Typical Real Project Structure (Best Practice)

```
src/app/
├── components/
├── pages/
├── services/
├── models/
├── guards/
├── pipes/
```

```
|— directives/  
|— shared/  
|— app-routing.module.ts
```

Meaning:

- **components/** → reusable UI parts
 - **pages/** → full screens
 - **services/** → API calls/business logic
 - **models/** → TypeScript interfaces
 - **guards/** → route protection
 - **pipes/** → data formatting
 - **directives/** → custom DOM behavior
 - **shared/** → common modules/components
-

Flow of Angular App

```
main.ts  
↓  
app.module.ts  
↓  
app.component.ts  
↓  
app.component.html
```

Summary

Important files to remember:

File	Purpose
main.ts	App starting point
app.module.ts	Root module
app.component.ts	Logic
app.component.html	UI
app.component.css	Styles
services/	API logic
assets/	Images/files