

Navgujarat BCA College, Gandhinagar

Practical Lab Manual



Department of Computer Application

Name of Subject:	WEB APPLICATION DEVELOPMENT FRAMEWORK USING LARAVEL
Code of Subject:	DSC-M-BCA-364P
Name of Class:	SEMESTER 6
Name of Student:	Borad Nensi S.
Enrollment No:	202312101431



Certificate

This is to certify that **BORAD NENSI S.** Enrollment No. **202312101431** of **BCA** Semester **6** has Satisfactorily completed his term work in subject name **Web Applications Development Framework using Laravel** bearing the subject code **DSC-M-BCA-364P** as per Gujarat University with in four walls of the Laboratory / Drawing Hall of this College during the academic term from date **08/12/2025** to date / /

Place: NAVGUJBCA, Gandhinagar

Date:

Subject Faculty

PROF. MAHARSHI DARJI

Head of the Department

Prof. Devrajsinh Jadav

INDEX

Sr No.	Title	Date	Sign
1	Install Composer on your system and verify using terminal.		
2	Create a new Laravel project named `todoapp` using Composer.		
3	Run the Laravel project using `php artisan serve`.		
4	Explore the default folder structure and understand the MVC architecture.		
5	Create a route `/welcome` that returns a simple welcome message.		
6	Create a route `/tasks` that returns a hardcoded array of tasks.		
7	Create a route `/task/{name}` to return a dynamic task name via URL.		
8	Create a route `/task/{name}/{priority}` to accept multiple parameters.		
9	Create a Blade view `tasklist.blade.php` to display task names.		
10	Use Blade `{{ }}` syntax to display values dynamically in the view.		

❖ PHASE 1 Project Setup & Routing Basics

(Tasks 1–10)


1. Install Composer on your system and verify using terminal?

➤ `Composer -V`

```
PS C:\laravel> Composer -V
Composer version 2.9.2 2025-11-19 21:57:25
PHP version 8.2.12 (C:\xampp\php\php.exe)
Run the "diagnose" command to get more detailed diagnostics output.
PS C:\laravel> |
```

2. Create a new Laravel project named `todoapp` using Composer?

➤ Composer create-project laravel/laravel todoapp



3. Run the Laravel project using `php artisan serve`



➤ php artisan serve

OUTPUT:

```
C:\laravel\todoapp>php artisan serve
[INFO] Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
2026-01-01 09:21:08 / ..... ~ 4s
2026-01-01 09:21:13 /favicon.ico ..... ~ 0.37ms
2026-01-01 09:24:46 /hello ..... ~ 502.10ms
2026-01-01 09:24:46 /favicon.ico ..... ~ 0.43ms
2026-01-01 09:24:49 /hello ..... ~ 0.31ms
2026-01-01 09:24:49 /favicon.ico ..... ~ 0.23ms
2026-01-01 09:25:22 /hello ..... ~ 2s
2026-01-01 09:25:24 /favicon.ico ..... ~ 0.78ms
```

4. Explore the default folder structure and understand the MVC architecture?


➤ OUTPUT:



5. **Create a route `/welcome` that returns a simple welcome Message?**

```
Route::get('/', function () {  
    return view('welcome');  
});
```

OUTPUT:




Hello Welcome

6. Create a route `/tasks` that returns a hardcoded array of tasks?

```
Route::get('/task', function () {  
    return ['NENSI','KANI','NIKUL'];  
});
```

➤ OUTPUT:




7. Create a route `/task/{name}` to return a dynamic task name via URL?

➤

```
Route::get('/task/{name}', function ($name) {  
    echo " Hello , My Name is : " . $name;  
});
```


OUTPUT:



8. Create a route `/task/ {name}/ {priority}` to accept multiple parameters?

```
➤ Route::get('/task/{name}/{email}', function ($name,$email) {  
    echo"My Name is " . $name."<br>";  
    echo"My email is " . $email;  
});
```

OUTPUT:



9. Create a Blade view `tasklist.blade.php` to display task names.

```
➤ Route::get('/showtask', function () {  
    $mytask = ['AC','MOBILE','TV'];  
    return view('tasklist',['tasks' => $mytask]);
```

```
});
```

OUTPUT



MY TASKS

- A C
- MOBILE
- TV

10. Use Blade ` {{ }} ` syntax to display values dynamically in the view?

```
Route::get('/showtasks', function () {  
    $taskA = "Complete the Assignment";  
    $taskB = "Saved";  
    return view('taskslis', ['task' => $taskA, 'status' => $taskB]);  
});
```

OUTPUT:

