



openFinance API Framework Extended Services Verification of Party (VOP)

Version 1.1

03 June 2025

License Notice

This Specification has been prepared by the Participants of the openFinance Taskforce¹. This Specification is published by the Berlin Group under the following license conditions:

- "Creative Commons Attribution-NoDerivatives 4.0 International Public License"



This means that the Specification can be copied and redistributed in any medium or format for any purpose, even commercially, and when shared, that appropriate credit must be given, a link to the license must be provided, and indicated if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. In addition, if you remix, transform, or build upon the Specification, you may not distribute the modified Specification.

- Implementation of certain elements of this Specification may require licenses under third party intellectual property rights, including without limitation, patent rights. The Berlin Group or any contributor to the Specification is not, and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights.
- Any right, title and interest in and to the copyright and all related rights in topic-related Scheme Rulebooks, belong to the respective Scheme Manager (amongst others, the European Payments Council AISBL – EPC).
- The Specification, including technical data, may be subject to export or import regulations in different countries. Any user of the Specification agrees to comply strictly with all such regulations and acknowledges that it has the responsibility to obtain licenses to export, re-export, or import (parts of) the Specification.

¹ The openFinance Taskforce brings together participants of the Berlin Group with additional European banks (ASPSPs), banking associations, payment associations, payment schemes and interbank processors.

Contents

Contents.....	ii
1 Introduction.....	1
1.1 From Core XS2A Interface to openFinance API	1
1.2 Verification of Payee Service as one single request use case of party verification	2
1.3 Document Structure.....	3
1.4 Document History.....	4
2 Business Processes and Operational Rules	5
2.1 Business Process.....	5
2.1.1 Dedicated VOP API.....	5
2.1.2 Integrated VOP Function for Single Payments	7
2.1.3 Dedicated VOP API for batch processing.....	8
2.1.4 Integrated VOP Function for Bulk Payments	10
2.2 Operational Rules.....	11
2.2.1 API Client and Corporate Authentication for Corporate Direct Access	11
2.2.2 Service Types	11
2.2.3 Consent model for dedicated VOP API	12
3 Dedicated VOP API Definition	13
3.1 Service Onboarding.....	13
3.2 Discovery Services	13
3.3 API Access Methods	13
3.4 Detailed API Service Definitions	15
3.4.1 Verification of Party Request.....	15
3.4.2 Bulk Verification of Party Request.....	20
3.4.3 Retrieve Bulk Verification of Party Request.....	23
3.4.4 Get Status of Bulk Verification of Party Request	26
4 Integration in Payment APIs	29
4.1 New codes for transaction status.....	29
4.2 Changes in Payment Initiation Request and Response Messages	29
4.3 Changes in Start Authorisation Requests and Update PSU Data Requests	32

4.4	Changes in Status Request	32
4.5	New Method for Confirmation of Creditor Name and Payment	34
5	Detailed Change Logs	37
5.1	Changes from Version 1.0 to Version 1.1	37
6	References	38
6.1	Normative References	38
6.2	Informative References	38

1 Introduction

1.1 From Core XS2A Interface to openFinance API

With [PSD2] the European Union has published a directive on payment services in the internal market. Among others [PSD2] contains regulations on services to be operated by so called Third Party Payment Service Providers (TPP) on behalf of a Payment Service User (PSU). These services are

- Payment Initiation Service (PIS) to be operated by a Payment Initiation Service Provider (PISP) TPP as defined by article 66 of [PSD2],
- Account Information Service (AIS) to be operated by an Account Information Service Provider (AISP) TPP as defined by article 67 of [PSD2], and
- Confirmation on the Availability of Funds Service (FCS) to be used by a Payment Instrument Issuing Service Provider (PIISP) TPP as defined by article 65 of [PSD2].

To implement these services (subject to PSU consent) a TPP needs to access the account of the PSU. The account is managed by another PSP called the Account Servicing Payment Service Provider (ASPSP). To support the TPP in accessing the accounts managed by an ASPSP, each ASPSP has to provide an "access to account interface" (XS2A interface). Such an interface has been defined in the Berlin Group NextGenPSD2 XS2A Framework.

This XS2A Framework is now extended to premium services. This interface is addressed in the following as **openFinance API**. This openFinance API differs from the XS2A interface in several dimensions:

- The extended services might not rely anymore solely on PSD2.
- Other important regulatory frameworks which apply are e.g. GDPR.
- The openFinance API can address different types of **API Clients** as access clients, e.g. TPPs regulated by an NCA according to PSD2, or corporates not regulated by an NCA.
- The extended services might require contracts between the access client and the ASPSP.
- While the client identification at the openFinance API can still be based on eIDAS certificates, they do not need to be necessarily PSD2 compliant eIDAS certificates.
- The extended services might require e.g. the direct involvement of the access client's bank for KYC processes.

Note: The notions of API Client and ASPSP are used because of the technical standardisation perspective of the openFinance API. These terms are analogous to "asset broker" and "asset holder" resp. in the work of the ERPB on a SEPA API access scheme.

Note: In implementations, the API services of several ASPSPs might be provided on an aggregation platform. Such platforms will be addressed in the openFinance API Framework as "API provider".

The following account access methods are covered by this framework:





Figure 1: Core XS2A interface and openFinance API

The ASPSP may restrict the access to the services offered at its openFinance API and require dedicated onboarding. The requirements for the rights to access to services offered at the openFinance API are out of scope of this document. These requirements will be described in a dedicated operational rules document [oFA-IG-ADM].

1.2 Verification of Payee Service as one single request use case of party verification

The agreed regulation on instant payments requires a verification of payee function under certain circumstances. The regulation addresses potentially all European credit transfers (not only SEPA variants).

The regulation addresses the interbank sphere and potentially also the initiation sphere. For this reason, it can be assumed in the following, that the related interface will be realised as an API. The following picture provides an overview on the situation.



This document introduces more generally a "verification of party" function (VOP), since the verification function could also be applied to direct debit services in future or more generally to counterparties as such. This document describes a Payment Initiation VOP API as an **extended service** within the NextGenPSD2 API V1.3.x as well as the V2 Compliance API defined in the openFinance API Framework. It makes use of data models, party authentication and error handling as provided by the openFinance API Framework, cp. Section 6.1. In the description, there are sometimes restrictions to the case of a "verification of payee" services, where appropriate.

Note: The openFinance API Framework is extended in 2025 to not only address TPP based scenarios, but also **direct access for corporates**. Thus, the Payment Initiation VOP API defined in this document will also be available in a direct access scenario for corporate customers as well as public sector customers, see the picture above. This is not further noted explicitly anymore in the text: In all diagrams "API Client" can be read as either "TPP" or "Corporate PSU".

1.3 Document Structure

This document first introduces business processes and operational rules for the VOP API in Section 2. Technical details are then specified in Section 3 resp. Section 4.

1.4 Document History

Version	Date	Changes
Version 0.5	2024-07-23	Draft for public market consultation
Version 1.0	2025-01-24	Version 1.0 after having included market and further internal feedback.
Version 1.1	2025-06-03	Allowing VOP integration in payment initiation also after a password entry. VOP result is now communicated always as an array to allow for harmonized reporting for single payments as well as bulk payments. The /status endpoint is extended to support also a VOP status overview. The /status endpoint enables the ASPSP also to transport challenge Data in the embedded SCA approach, if the API Client needs to wait for the asynchronous VOP result. Editorial enhancements to make the service integration better understandable.

2 Business Processes and Operational Rules

2.1 Business Process


The openFinance API Framework will offer two variants for verification of payees services in the payment initiation APIs in TPP as well as direct access scenarios:

- The first solution proposed is using a dedicated VOP API offered by the payer bank to the API Client, processing VOP as a pre-process. Depending on the result, the API Client then starts the payment initiation process, where the payment initiation might refer explicitly to the related VOP process.
- The alternate solution offers a fully integrated VOP process, where the interbank VOP API is addressed either after the payment data has been submitted or only after the entry of a password.
- For the latter variant, the full information about the VOP might be offered by the ASPSP via the extended status function, which is further extended for VOP related information, cp. Section 4.4. This extended status function is now also offered for single payments.

NOTE: As an extended service definition, this specification requires no details on implementation decision or variants in a compliance environment.

2.1.1 Dedicated VOP API

The following business process is supported for VOP Services within the openFinance API Framework for a dedicated VOP API:




Remark: The scenario, where the TPP as API Client is providing the creditor information on his/her own, is not explicitly covered since it is a payment initiation within a PSP merchant solution. In this case, the creditor is a customer of the TPP and the TPP knows the account owner name already. Nevertheless, also in this case, the VOP API could be addressed by the TPP if needed.

Remark: In the case, the API Client is a corporate or a public sector institution, the PSU is an employee in the diagram of logical roles above.

Note: This document is addressing the VOP API in the initiation sphere between TPP/Corporate Customer and ASPSP, here "Debtor Bank". The interbank VOP API above is only added for clarity of the overall process. This API is not addressed in this document.

2.1.2 Integrated VOP Function for Single Payments

The following business process for verification of payee is supported as an integrated open-Finance and core PSD2 function within Payment Initiation Services for (single) payments:



Note: The API Client might initiate the payment initiation with a flag indicating that VOP is not needed (e.g. opt out or account owner known since contract partner). In this case, there is no change/addition to the current payment initiation flows.


Note: The **ASPSP forwarding the VOP result** shown above is an abstract process view. For the semantics of the VOP related transactionStatus codes shown above cp. Section 4.1. This

can be handled differently in implementations, specifically in different SCA approaches implemented by the ASPSP. In the Embedded SCA Approach or Decoupled SCA Approach, the VOP result can be transported via the response message of the Start Authorisation Request as well as Update PSU Data Requests if not already provided directly after payment initiation, cp. Section 4. It can also be polled by the API Client via the status endpoint.


Note: The actions in the dotted box are not needed, if the VOP results in a match – in this case the payment processing can be handled as in the current definition of the payment services.

2.1.3 Dedicated VOP API for batch processing

For public sector and corporate customers, it might be needed for ASPSP in addition to offer a batch based VOP API. In such cases, the ASPSP might process the related bulk still in a synchronous mode, if there are only a few entries. In this case, the following flow would apply:



If there are many entries, it seems more appropriate to offer an asynchronous process, since the inter-bank VOP service usage might take some time if the related bulk is huge. Thus, the following flow would then apply:




NOTE: It is up to the ASPSP decision/implementation where the threshold of acting asynchronously is. It could also be an ASPSP decision to always provide an asynchronous process for bulk processing.

NOTE: In the above process, the API Client can always read the VOP bulk resource as soon as it has been created and the API Client has received the related resource identification. The content of the resource is then all requests and all the responses already received by the ASPSP from the related creditor banks up to the current point in time. That means that responses can be retrieved only partially if the final status of the VOP bulk resource has not been reached yet.

2.1.4 Integrated VOP Function for Bulk Payments

The following business process for verification of payee is supported as an integrated open-Finance function within Payment Initiation Services for bulk payments:



Note: The API Client might initiate the payment initiation with a flag indicating that VOP is not needed (e.g. opt out or account owner known since contract partner). In this case, there is no change/addition to the current payment initiation flows, if the ASPSP is recognising this attribute.

Note: The "ASPSP forwarding the VOP result if entry number is below threshold" shown above is an abstract process view. This can be handled differently in implementations, specifically in different SCA approaches implemented by the ASPSP. In the Embedded SCA Approach or Decoupled SCA Approach, the VOP result can be transported via the response message of the Start Authorisation Request as well as Update PSU Data Requests if not already provided directly after payment initiation, cp. Section 4. It can also be polled by the API Client via the status endpoint.

Note: The actions in the dotted box are not needed, if the VOP result is a match for **all** bulk entries – in this case the payment processing can be handled as in the current definition of the payment services.

2.2 Operational Rules

2.2.1 API Client and Corporate Authentication for Corporate Direct Access

If the VOP API is used in a Corporate Direct Access model, the following requirements apply on the certificate usage:

- The TLS web site certificate of the API Client is either a certificate of the corporate or of an ERP cloud provider. This certificate authenticates the API Client.
- If the ASPSP mandates message signing, the sealing certificate needs to be owned by the corporate to provide corporate authentication.

As a minimum, the ASPSP shall accept QWACs or QSEALs certificates as defined by [eIDAS]. The ASPSP might accept other certificates in bilateral agreements with the corporate.

2.2.2 Service Types

The following service types are supported for dedicated VOP services:

Service	Service Type	Technical Functionalities	PSU directly involved
Single VOP request	VOP-SNG	Initiation of a related synchronous VOP API request in the inter-bank sphere	No
VOP bulk request	VOP-BLK	Initiation of related VOP API requests in the inter-bank sphere.	No

Service	Service Type	Technical Functionalities	PSU directly involved
		Retrieval of related VOP API responses if not provided synchronously	No

2.2.3 Consent model for dedicated VOP API

The consent of the corporate is granted via corporate authentication on API level:

API Service	How the corporate grants consent	How consent of the corporate is verified
Single VOP request	The consent could be granted by applying corporate authentication.	By checking that the corporate authentication is valid.
VOP bulk request	The consent could be granted by applying corporate authentication.	By checking that the corporate authentication is valid.

3 Dedicated VOP API Definition

The technical definitions below make use of the data dictionary of the openFinance API Framework [oFA-DaD]. API Client authentication is handled as defined in [oFA-PFSM]. The service definition below is only taking care of requests which are responded positively with http response code 200 or 202. Processing errors are handled as defined in the openFinance API Framework definitions [oFA-PFSM].

3.1 Service Onboarding

The VOP Service is intended to be the first business service in an openFinance corporate direct access API. This API will support a service onboarding process. The actual service onboarding by the corporate customer will be performed via the onboarding API defined in [oFA-IG-ADM].

Note: Please note that a future version of the document [oFA-IG-ADM] will come with an endpoint for dedicated QSEAL onboarding, to avoid to transport and check the QSEAL in the business services all the time.

3.2 Discovery Services

The document [oFA-Disc] contains implementation details for VOP services and potential integration into payment initiation services.

3.3 API Access Methods

The following tables gives an overview on the HTTP access methods supported by the API endpoints and by resources created through this API.

Conditions in the following tables

It is further defined, whether this method support is mandated for the ASPSP by this specification or whether it is an optional feature for the ASPSP. Please note that this condition is given relative to the parent node of the path, i.e. the condition e.g. on a method on `/v2/payments/{payment-product}/{paymentId}` applies only if the endpoint `/v2/payments/{payment-product}` is supported at all.

Endpoints/Resources	Method	Condition	Description
<code>/v2/party-verification-endpoint</code>	POST	Mandatory	Initiates a verification of party request of type • payee-verifications, • payer-verifications or more generally • party-verifications. Section 3.4.1
<code>/v2/bulk-party-verification-endpoint</code>	POST	Optional	Initiates a verification of party request of type • bulk-payee-verifications, • bulk-payer-verifications or more generally • bulk-party-verifications for all entries of the related bulk. If the related requests cannot all be handled synchronously, the ASPSP will create a resource with identification <code>vopBulkId</code>. Section 3.4.2
<code>/v2/bulk-party-verification-endpoint/{vopBulkId}</code>	GET	Conditional	Read the details of vop bulk resource, if a related resource has been created. Section 3.4.3
<code>/v2/bulk-party-verification-endpoint/{vopBulkId}/status</code>	GET	Conditional	Read the vop bulk status of the vop bulk resource, if a related resource has been created.

Endpoints/Resources	Method	Condition	Description
			Section 3.4.4

3.4 Detailed API Service Definitions

3.4.1 Verification of Party Request

Call

POST /v1/{party-verification-endpoint}

Submits a Verification of Party Request.

NOTE: In contrast to the integrated version below, the dedicated VOP API can be set up more general by offering not only verification of payee service, but more generally verification of party services. For the requirement of the instant payment regulation, it is sufficient to make use of the verification of payee definitions as a subset. Thus, it is sufficient to support the /payee-verifications endpoint to fulfill the instant payment regulation. Nevertheless, the more generic definition was chosen to unify the data models for these different potential services.

NOTE: Different VOP API Access Schemes might come with different rules, e.g. whether a party name is mandated in the request or not. The implementation variant of the addressed VOP API following the openFinance API Work will be described in a related extension to the Discovery API, which will be covered in [oFA-Disc] in future also for VOP services.

Path Parameters

Parameter	Description
party-verification-endpoint	The following values are supported in this specification: - payee-verifications: A service to fulfil related verifications for payees. - payer-verifications: A service to fulfil related verifications for payers. - party-verifications: A general service independent of the underlying payment scheme just addressing a counterparty.

Note: This specification offers different endpoints for the usage of a party verification in different contexts. Dedicated endpoints for dedicated verifications (e.g. payee) are offered, since the access rights to the related services could differ e.g. to a generic party verification service. The data models for these potentially slightly different services are the same.

Note: The next version of this document will also cover an "account-verifications" endpoint, where the attribute "party" will not be applicable in the request body, see below. This request will come with an "accountMatch" attribute only. This new function needs still to be defined in detail by the technical committees of openFinance.

Note: The ASPSP might also offer a v1/pain.001-payee-verifications endpoint for the same need of a verification of payee request. Please note that this endpoint expects a pain.001 XML based body. The response will be a pain.002 response. This is not further specified here.

Query Parameters

No query parameter

Header Parameters

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.
Accept-language	String	Optional	The API Client may ask for a language for free text fields in the related response (e.g. in additionalInformation). This header might be ignored by the ASPSP, if the addressed language is not supported. If not supported the default language of the ASPSP will be used.
API-Contract-ID	UUID	Conditional	ID of the underlying service contract between API Client and API Server, if provided by the ASPSP in the related onboarding process as defined in [oFA-IG-ADM].

Remark: A detailed time stamp (X-Request-Timestamp/X-Response-Timestamp) is not added in the TPP / Payer ASPSP interface, since time definitions in VOP schemes are counted between Payer ASPSP and Payee ASPSP in case where the Payer ASPSP is the submitter of the VOP request in the related scheme.

Request Body

Tag	Type	Usage	Description
partyAccount	Account Reference	Mandatory	The data type might be restricted by the ASPSP to e.g. "iban" use only,

Tag	Type	Usage	Description
			which would be Account Reference2 as data type. NOTE; If IBAN or BBAN is not sufficient to identify the related account, e.g. an electronic money account, then the remittance information should be used in addition to fully identify the account.
partyAgent	Agent Description	Optional	
party	Party Description4	Mandatory	This structure shall contain the party name and/or a party identifier, Related API Access Schemes might define further requirements/restrictions, e.g. • Only support the usage of either name or identification. • Or only support organisation identification.
unstructuredRemittanceInformation	Array of Max140Text	Optional	This attribute may contain data to refer to electronic money accounts.
requestingAgent	Agent Description	n.a.	Only applicable in the inter-bank/inter-PSP sphere.

Response Code

The HTTP response code equals 200.

Response Header

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Response Body

Attribute	Type	Condition	Description
partyNameMatch	Party Name Match Code	Conditional	Only provided, if a party name has been provided.
partyIdMatch	Party Identification Match Code	Conditional	Only provided, if a party identification has been provided.
matchedName	Max140Text	Conditional	This attribute might be provided in case of a near match and contains the name as provided by the addressed party agent.
additionalInformation	Max500Text	Optional	Should be human readable text.

NOTE: Additional information might be structured in future. In this case, more optional attributes will be added to the response.

Example with Name Match

Request

```
POST https://www.testbank.com/openFinance/v1/payee-verifications/
Content-Type:      application/json
X-Request-ID:      99391c7e-ad88-49ec-a2ad-99ddcb1f7723
Date:              Sun, 27 Feb 2018 18:02:37 GMT
```

```
{
  "partyAccount": {"iban": "DE02100100109307118603"},
  "party": {
    "name": "Peter Miller Ltd"
  }
}
```

Response

HTTP/1.x 200
X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723
Date: Sun, 27 Feb 2018 18:02:39 GMT
Content-Type: application/json

```
{  
  "partyNameMatch": "MTCH"  
}
```

Example with Identification Match

Request

POST https://www.testbank.com/openFinance/v1/payee-verifications/
Content-Type: application/json
X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723
Date: Sun, 27 Feb 2018 18:02:37 GMT

```
{  
  "partyAccount": {"iban": "DE02100100109307118603"},  
  "party": {  
    "identification": {  
      "organisationId": {"lei": "PetMillTD"}}  
  }  
}
```

Response

HTTP/1.x 200
X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723
Date: Sun, 27 Feb 2018 18:02:39 GMT
Content-Type: application/json

```
{  
  "partyIdMatch": "MTCH"  
}
```

3.4.2 Bulk Verification of Party Request

Call

POST /v1/{bulk-party-verification-endpoint}

Submits a bulk of related party verification requests.

Path Parameters

Parameter	Description
bulk-party-verification-endpoint	The following values are supported in this specification: • bulk-payee-verifications: A service to fulfil related verifications for a bulk of payees. • bulk-payer-verifications: A service to fulfil related verifications for a bulk of payers. • bulk-party-verifications: A general service independent of the underlying payment scheme just addressing a bulk of counterparties.

Query Parameters

No query parameter

Header Parameters

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.
Client-Asynchronous-Process-Preferred	Boolean	Optional	true: Asynchronous process preferred. false: Synchronous process preferred. The ASPSP may ignore this flag.
API-Contract-ID	UUID	Conditional	ID of the underlying service contract between API Client and API Server, if provided by the ASPSP in the related onboarding process as defined in [oFA-IG-ADM].

Request Body

Tag	Type	Usage	Description
partyVerificationRequests	Array of Party Verification Request	Mandatory	A non-empty bulk of related party verification entries.
requestingAgent	Agent Description	n.a.	Only applicable in the inter-bank/inter-PSP sphere.

Response Code

The HTTP response code equals 200 in case of all results are available.

The HTTP response code equals 202 in case processing is not completed.

Response Header

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Response Body

Attribute	Type	Condition	Description
vopBulkId	UUID	Conditional	Only in case of http response code 202: Technical resource identification of the VOP bulk.
vopBulkStatus	VOP Bulk-Status	Mandatory	
partyVerificationResponses	Array of Party Verification Response	Conditional	If verification results (even partially) are available, then this attribute shall be provided. The content is a non-empty array.

Attribute	Type	Condition	Description
_links	Links	Conditional	Only in case of http response code 202. It will provide at least a hyperlink of href type "status".

Example

Request

POST https://www.testbank.com/openFinance/v1/bulk-payee-verifications/
 Content-Type: application/json
 X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723
 Date: Sun, 27 Feb 2018 18:02:37 GMT

```
{
  "partyVerificationRequests": [
    {
      "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f1234,
      "partyAccount": {"iban": "DE02100100109307118603"},
      "party": {
        "name": "Peter Miller Ltd"
      }
    },
    {
      "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f2345
      "partyAccount": {"iban": "DE02100100109307118612"},
      "party": {
        "identification": {"organisationId": {"lei": "PetMullTD"}}
      }
    }
  ]
}
```

Response in case of results are available:

HTTP/1.x 200
 X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723
 Date: Sun, 27 Feb 2018 18:02:39 GMT
 Content-Type: application/json

```
{
  "vopBulkStatus" : "completed",
  "partyVerificationResponses" : [
    {
      "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f1234,
```

```
    "partyNameMatch": "MTCH"
  },
  {
    "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f2345,
    "partyIdMatch": "MTCH"
  }
]
```

Response in case processing of batch processing at once decided:

HTTP/1.x 202

X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7723

Date: Sun, 27 Feb 2018 18:02:39 GMT

Content-Type: application/json

```
{ "vopBulkId": "dddd1c7e-ad88-49ec-a2ad-99ddcb1f7723",
  "vopBulkStatus": "received",
  "_links": {"status":
    { "href": "www.testbank.com/openFinance/v1/bulk-payee-verifications/dddd1c7e-ad88-49ec-a2ad-99ddcb1f7723/status"},
    "self": {" href": "www.testbank.com/openFinance/v1/bulk-payee-verifications/dddd1c7e-ad88-49ec-a2ad-99ddcb1f7723"}}
}
```

3.4.3 Retrieve Bulk Verification of Party Request

Call

GET /v1/{bulk-party-verification-endpoint}/{vopBulkId}

Retrieves the detailed status of a bulk of related party verification requests.

Path Parameters

Parameter	Description
bulk-party-verification-endpoint	The following values are supported in this specification: • bulk-payee-verifications: A service to fulfil related verifications for a bulk of payees. • bulk-payer-verifications: A service to fulfil related verifications for a bulk of payers. • bulk-party-verifications: A general service independent of the underlying payment scheme just addressing a bulk of counterparties.

Query Parameters

No query parameter

Header Parameters

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.
API-Contract-ID	UUID	Conditional	ID of the underlying service contract between API Client and API Server, if provided by the ASPSP in the related onboarding process as defined in [oFA-IG-ADM].

Request Body

n.a.

Response Code

The HTTP response code equals 200.

Response Header

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Response Body

Attribute	Type	Condition	Description
vopBulkId	UUID	Mandatory	
vopBulkStatus	VOP Bulk Status	Mandatory	
partyVerificationRequestsAndResults	Array of Party Verification Request and Response	Mandatory	A non-empty bulk of related party verification requests and related responses, if available.

Example

```
GET https://www.testbank.com/openFinance/v1/bulk-payee-verifications/ddd1c7e-ad88-49ec-a2ad-99ddcb1f7723
Content-Type: application/json
X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7726
Date: Sun, 27 Feb 2018 18:02:41 GMT
```

Response

```
HTTP/1.x 200
X-Request-ID: 99391c7e-ad88-49ec-a2ad-99ddcb1f7726
Date: Sun, 27 Feb 2018 18:02:43 GMT
Content-Type: application/json
```

```
{  "vopBulkId": "ddd1c7e-ad88-49ec-a2ad-99ddcb1f7723",
    "vopBulkStatus": "completed",
    "partyVerificationRequestsAndResults": [
      {
        "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f1234,
        "partyAccount": {"iban": "DE02100100109307118603"},
      }
    ]
  }
```

```
{
  "party": {
    "name": "Peter Miller Ltd"},
  "partyNameMatch": "MTCH",
},
{
  "uetr" : 98721c7e-ad88-49ec-a2ad-99ddcb1f2345
  "partyAccount": {"iban": "DE02100100109307118612"},
  "party": {
    "identification": {"organisationId": {"lei": "PetMullTD"}}
  },
  "partyIdMatch": "MTCH"
}
]
```

3.4.4 Get Status of Bulk Verification of Party Request

Call

GET /v1/{bulk-party-verification-endpoint}/{vopBulkId}/status

Retrieves the detailed status of a bulk of related party verification requests.

Path Parameters

Parameter	Description
bulk-party-verification-endpoint	The following values are supported in this specification: - bulk-payee-verifications: A service to fulfil related verifications for a bulk of payees. - bulk-payer-verifications: A service to fulfil related verifications for a bulk of payers. - bulk-party-verifications: A general service independent of the underlying payment scheme just addressing a bulk of counterparties.

Query Parameters

No query parameter

Header Parameters

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.
API-Contract-ID	UUID	Conditional	ID of the underlying service contract between API Client and API Server, if provided by the ASPSP in the related onboarding process as defined in [oFA-IG-ADM].

Request Body

n.a.

Response Code

The HTTP response code equals 200.

Response Header

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Response Body

Attribute	Type	Condition	Description
vopBulkId	UUID	Mandatory	
vopBulkStatus	VOP Bulk Status	Mandatory	
reasonCode	Status Reason Code	{Or Optional}	
reasonProprietary	Max35Text	Optional Or}	

Example

```
GET https://www.testbank.com/openFinance/v1/bulk-payee-verifica-
tions/dddd1c7e-ad88-49ec-a2ad-99ddcb1f7723/status
Content-Type:          application/json
X-Request-ID:          99391c7e-ad88-49ec-a2ad-99ddcb1f7727
Date:                  Sun, 27 Feb 2018 18:02:46 GMT
```

Response

```
HTTP/1.x 200
X-Request-ID:          99391c7e-ad88-49ec-a2ad-99ddcb1f7727
Date:                  Sun, 27 Feb 2018 18:02:47 GMT
Content-Type:          application/json
```

```
{  "vopBulkId": "dddd1c7e-ad88-49ec-a2ad-99ddcb1f7723",
    "vopBulkStatus": "completed"}
```

4 Integration in Payment APIs

A variant of a VOP functional support for initiating payments are a direct integration into existing payment APIs as they are defined in [XS2A-IG], [oFA-IG-Com] or [oFA-IG-EPIS].

NOTE: In the openFinance API Framework, the below extensions to Payment APIs are defined as an extended service, i.e. they are offered only if provided by the ASPSP, resp. agreed in a related API Access Scheme.

4.1 New codes for transaction status

The following External Payment Transaction Status codes as well as External Group Status codes have been into ISO20022 to deal with the situation,

- where the payment or bulk payment needs an explicit confirmation, or
- where the VOP service for a submitted bulk payment has been started already but is not yet finalised for all entries.

Thus, the below status codes will imply changes to the existing Payment Initiation APIs, if the VOP service addressed in this document is implemented by the ASPSP. The relevant changes are defined in the following sections.

Code	Name	Description
RVCM	ReceivedVerification-CompletedWithMis-matches	The verification of party request for the payment counterparty result requires an explicit confirmation by the payer.
RVNC	ReceivedVerification-NotCompleted	The verification of party request is not yet completed.
RCVC	ReceivedVerification-Completed	The verification of party request is completed, no further confirmation required.

NOTE: If the status of a single payment or bulk payment equals RVCM, the related payment or (full) bulk payment will not be processed. In the bulk payment scenario, this means that the PSU can only confirm (or not) the full bulk. A differentiation for several entries is not possible. The latter can only be achieved by cancelling the current bulk payment initiation and start a new one, taking out some of the entries.

4.2 Changes in Payment Initiation Request and Response Messages

The only change are new header parameters for the integrated VOP API function, indicating the request to the ASPSP to perform a VOP function: The interpretation is as described below. Please note that this service integration is defined as extended service. That means that these

headers will be ignored by the ASPSP if the integration of VOP services into the related payment initiation service is not supported. These headers could also be ignored only for some payment products².

Call

POST /{version}/{payment-service}/{payment-product}

Additional Path Parameter

Attribute	Type	Condition	Description
version	string	mandatory	version equals v1 or v2

Additional Request Header Parameter

Attribute	Type	Condition	Description
Client-VOP-Requested	Boolean	Optional	true: The client requests the ASPSP to perform a VOP check, where applicable.³ false: The API Client requests the ASPSP not to perform a VOP check. Reasons for this are e.g. that the API client has already performed the VOP check in a TPP scenario⁴ or is requiring an opt out in a direct access scenario. The related VOP check could have been performed up front via the dedicated VOP API defined in Section 3.4, if provided by the ASPSP. not used: The API Client does not request to perform a VOP request. An ASPSP may ignore this header.
Client-VOP-Request-ID	UUID	Conditional	This attribute contains the X-Request-ID of the related request on the dedicated VOP API.

² Please refer also to EU COM DG FISMA Q&A #135.

³ This VOP check could be processed by the ASPSP e.g. to fulfill the Instant Payment Regulation, Article 5c, 1.

⁴ As described in the Instant Payment Regulation, Article 5c 2,3).

Attribute	Type	Condition	Description
			This attribute might be ignored by the ASPSP. If the ASPSP offers the dedicated VOP API, it might mandate the usage of this attribute via the ASPSP documentation and then make the usage of this attribute mandatory, if applicable to the related payment product and if VOP has not been opted out.
API-Contract-ID	UUID	Conditional	ID of the underlying service contract between API Client and API Server, if provided by the ASPSP in the related onboarding process as defined in [oFA-IG-ADM]. This attribute is available starting from version 2 only.

NOTE: In case of bulk payment initiation, the ASPSP might mandate the usage of instructionId or utr for all entries in the bulk to be able to refer to the entries which might lead to the need of PSU confirmation due to a.o. the VOP outcome. This might be needed e.g. if the creditorAccount is not sufficient to identify a dedicated transaction in a bulk. Hence, ASPSPs **may** reject messages, where entries are contained which need a PSU confirmation and which come **without** the instructionId **and** the utr attribute.

Additional Response Header Parameter

Attribute	Type	Condition	Description
ASPSP-VOP-Supported	Boolean	Optional	<code>true</code>: The ASPSP supports the integrated VOP function. The outcome of the process is transported in additional attributes contained in the message body. <code>false</code>: The ASPSP does not support the integrated VOP function for the addressed payment product. <code>not used</code>: No information provided..

Additional Body Parameter for Single or Bulk Payment Initiation Response (if the VOP request is started directly after the payment initiation)

Tag	Type	Usage	Description
originalTransactionInformationAndVopStatus	Array of Original Transaction Information And Vop Status	Optional	Information about VOP result of the addressed transactions.
_links	Link	Conditional	In case of a no match, near match or not applied match even if requested by the TPP, no authorisation related links will be contained in the response. No authorisation sub-resource is yet created. Instead, the PSU is asked via the TPP to confirm that the payment shall be initiated anyhow. This confirmation is offered via a "creditorNameConfirmation" link element. In case of a match, the _links attribute is as currently defined.

NOTE: In difference to the dedicated VOP API, the data attributes for the party here are adapted to the situation of submitting credit transfers as payments, i.e. using creditorName-Match instead of partyNameMatch. The idea is to make the response more easy understandable to the API Client, when integrating it into the payment flow.

4.3 Changes in Start Authorisation Requests and Update PSU Data Requests


The authorisation related requests for submitting a password or selecting an SCA method specified in [oFA-PFSM] will support VOP result information in the response body. For version 1.3.x of the NextGenPSD2 API an analogous update will be provided.

4.4 Changes in Status Request

The transactionStatus comes with new values and with more potential attributes as follows.

Status Diagram extended by new codes

The transactionStatus is extended by more codes, which are used as follows.



Extended Response Body Parameter

The following attribute in the response will get an extended data type and a new description:

Tag	Type	Usage	Description
originalTransactionInformationAndVopStatus	Array of Original Transaction Information and VOP Status	Conditional	Provides Verification of Payee result information on the original transactions
challengeData	Challenge	Conditional	Challenge data might be contained, if only one authentication method is available, if the Embedded SCA approach is chosen by the ASPSP, and if the challenge could not be transported yet via the /authorisations endpoints yet due to ongoing VOP processing.

Tag	Type	Usage	Description
scaMethods	Array of Authentication Objects	Conditional	Might be contained, if several authentication methods are available and not yet selected (name, type), and if the related information could not be provided yet via the /authorisations endpoints yet due to ongoing VOP pro-cessing.

Note: The new version of [oFA-DaD] will extend the existing data model for the originalTransactionInformationAndStatus object to enable referencing to the transaction not only via payment identification attributes but also attributes like the creditor account or the creditor name.

4.5 New Method for Confirmation of Creditor Name and Payment

In case of no match, near match or no match applied, the PSU has still the right to initiate the payment, after an explicit confirmation towards the ASPSP. If such a confirmation in these cases is not provided, the payment is not initiated.

This explicit confirmation is defined technically as follows:

Call

```
PUT /v2/{payment-service}/{payment-product}/{paymentId}/creditor-confirmation
```

Submits a Confirmation of Creditor Name Request

NOTE: From a standards perspective, this access method applies also to v1/{payment-service}, i.e. to the existing NextGenPSD2 APIs.

Path Parameters

Attribute	Type	Condition	Description
payment-service	Max35Text	Mandatory	The payment service where the VOP has been integrated.
payment-product	Max70Text	Mandatory	The payment product which is addressed by the PSU/TPP and where the VOP has been integrated.
paymentId	Max70Text	Mandatory	The resource identification of the payment initiation, where the VOP has been integrated.

Query Parameters

No query parameter

Header Parameters

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Request Body

No body.

Response Code

The HTTP response code equals 200.

Response Header

Attribute	Type	Condition	Description
X-Request-ID	UUID	Mandatory	ID of the request, unique to the call, as determined by the initiating party.

Response Body

Attribute	Type	Condition	Description
transactionStatus	Transaction Status	Mandatory	
challengeData	Challenge	Conditional	Challenge data might be contained, if only one authentication method is available, and if the Embedded SCA approach is chosen by the ASPSP.
scaMethods	Array of Authentication Objects	Conditional	Might be contained, if several authentication methods are available and not yet selected. (name, type)

Attribute	Type	Condition	Description
_links	Links	Mandatory	The ASPSP is putting here all relevant authorisation related links, depending on the authorisation status, cp. [oFA-PFSM].

5 Detailed Change Logs

5.1 Changes from Version 1.0 to Version 1.1

Section	Change	Reason
2.1	More details are added regarding the verification of payees in TPP as well as in direct access scenarios.	Editorial clarifications
4.1	New codes for transaction status are added.	
4.2	Additional path parameter "version" is added to the POST call, with further adjustments to the nomenclatures and descriptions of other attributes.	Also version 1.3.x will be addressed by this specification
4.2	Response has been harmonised between single and bulk payment initiation.	Simplification of the specification.
4.2	The data structure originalTransactionInformationAndStatus has been changed to originalTransactionInformationAndVopStatus	Make evident that only VOP results are transported here.
4.3	New section to explain extension to authorisation endpoints.	Extensions needed to support VOP process integration after a password entry.
4.4	The transaction status code logic and diagrams have been harmonised between single and bulk payments.	Simplification of the specification. The attributes "challenges" and "scaMethods" have been added since this is needed, if the VOP result is provided asynchronously within the embedded SCA Approach.
4.5	Two new attributes "challengeData" and "scaMethods" are added to the response body to the creditor confirmation PUT call. In addition, the attribute "payment-product" is now specified as Max70Text as a correction to Max35Text.	This is needed for the embedded SCA Approach.

6 References

6.1 Normative References

The specification contained in this document make use of definitions in the related documentation.

- [oFA-DaD] openFinance API Framework, Data Dictionary, Version 2.2.5, 03 June 2025
- [oFA-PFSM] openFinance API Framework, Protocol Functions and Security Measures, Version 2.2, 03 June 2025
- [oFA-IG-ADM] openFinance API Framework, Administrative Services, Implementation Guidelines Version1.0, 21 February 2024
- [oFA-Disc] openFinance API Framework, Discovery Services, Version 1.1, 24 January 2025
- [PSD2] Directive (EU) 2015/2366 of the European Parliament and of the Council on payment services in the internal market, published 23 December 2015
- [eIDAS] Regulation (EU) No 910/2014 of the European Parliament and of the Council on Electronic Identification and Trust Services for Electronic Transactions in the Internal Market, 23 July 2014, published 28 August 2014

6.2 Informative References

- [oFA-IG-Com] openFinance API Framework, Implementation Guidelines, Compliance Services, Version 2.3, 03 June 2025
- [oFA-IG-EPIS] openFinance API Framework, Implementation Guidelines, Extended Payment Initiation Services, Version 2.1, 31 July 2024
- [oFA-IG-RTP] openFinance API Framework, Implementation Guidelines, Request to Pay Services, version 2.0, October 2023
- [XS2A-IG] NextGenPSD2 XS2A Interface, Implementation Guidelines, Version 1.3.14, 24 January 2025