GENERAL ASSEMBLY

JAVASCRIPT DEVELOPMENT

Sasha Vodnik, Instructor

THE COMMAND LINE

LEARNING OBJECTIVES

At the end of this class, you will be able to

- Use the most common commands to navigate and modify files / directories via the terminal window.
- Initialize a local Git repository and push/pull changes to a remote Git repository.
- Run basic JavaScript code on the command line using Node.

AGENDA

- JS and web technology
- The terminal
- Git and GitHub
- Command line JS

Homework checkin/questions

- The **most significant thing I learned** in the homework (or last class) is _____.
- My **biggest outstanding question** from the homework (or last class) is _____.

Think about last class:

- We installed software from the command line by typing commands
- We also installed software by downloading an installer, double-clicking it, and following the prompts

Think about the following questions:

- What are some disadvantages to using the command line?
- What are some advantages to using the command line?

Preview: we'll be doing this in about 10 minutes

With a partner, share

- An example of where you've previously seen/experienced something you just saw
- One thing about JavaScript that is new to you

WHAT CAN JAVASCRIPT DO?



front end tasks (animations, buttons, forms)

JS

APIs, databases, back end tasks

VERY FEW STEPS TO RUN



runs directly in browser within an HTML file

also runs in node.js

AND WORKS EVEN WHEN COMPUTERS ARE OFFLINE



runs directly in browser within an HTML file

also runs in node.js

HIGHLY RESPONSIVE INTERFACES



LOAD ADDITIONAL CONTENT WHEN USER NEEDS IT (AJAX)

WHAT ELSE CAN JAVASCRIPT DO?

- Determine your browser functional limitations and react accordingly (progressive enhancement)
- Power website backends and physical devices (node.js)

DRAWBACK: The environment in which JavaScript operates is unknown



DRAWBACK: JavaScript can be disabled



Node.js

Node.js

- A definition (from Wikipedia):
  - In software development, Node.js is an open-source, cross-platform runtime environment for developing server-side Web applications.
- Enables JavaScript on the server (the backend)
- Written in C, C++, and JS (so, not a JS framework)
- Interprets JS using Chrome's V8 engine
- Module driven; see Node Package Manager (npm)
- All about non-blocking, asychronous input/output

Node.js

- We will not be using Node.js as a web server (backend) - see Firebase
- We will be taking advantage of Node's command line interface
- Allows us to run JavaScript from our terminal applications
- More at the end of class...

JavaScript Frameworks and Libraries

A Library

- Set of predefined functions that your code calls
- Each call performs work and returns a result (and control) to your code
- Specific, well-defined operations
- Example: jQuery

A Framework

- Opinionated architecture for building software
- Control-flow exists, you fill in with your code
- Calls your code; is always in control
- Examples: Angular and Ember

Libraries vs Frameworks

- The primary difference (source):
  - You call library
  - Framework calls you
- Please Note:
  - JSD focuses on the foundations of JavaScript as a programming language
  - We will be using the jQuery library
  - Opportunity towards class end for a framework intro


2007
GWT
SO HOT RIGHT NOW


2009
EXTJS
SO HOT RIGHT NOW


2012
KNOCKOUT
SO HOT RIGHT NOW


2013
BACKBONE
SO HOT RIGHT NOW


2014
ANGULAR
SO HOT RIGHT NOW


2015
REACT
SO HOT RIGHT NOW

Share with a partner

- An example of where you've previously seen/experienced something you just saw
- One thing about JavaScript that is new to you

The Terminal

INTRODUCTION TO THE TERMINAL

- Terminal allows you to interact with your computer faster
- Terminal === Command Line === Console

UNIX

- Family of operating systems, including all Linux systems and OS X/ macOS

SHELL

- A generic name for the primary program that runs inside a terminal

BASH

- Bourne-again shell: a specific shell program

ANATOMY OF THE TERMINAL

ANATOMY OF THE TERMINAL

Host (computer) name



ANATOMY OF THE TERMINAL

Working directory (current folder)



ANATOMY OF THE TERMINAL

Username

ANATOMY OF THE TERMINAL

Bash prompt



ANATOMY OF THE TERMINAL

Command (program)



ANATOMY OF THE TERMINAL

Argument (input)



ANATOMY OF THE TERMINAL

Option



ANATOMY OF THE TERMINAL

Output

```
Sashas-MacBook-Pro:JS-SF-6 sasha$ ls -a 00-installfest
.                .DS_Store        index.html       slides.md
..               img              install.md
Sashas-MacBook-Pro:JS-SF-6 sasha$
```

(UNIX) COMMAND LINE BASICS

Command line codealong

Command line codealong

For Mac

Open the Terminal app (Applications > Utilities > Terminal)

For Windows

Open the Git BASH application

Configure Visual Studio Code so you can call it from the command line

For Mac

https://code.visualstudio.com/docs/setup/osx

For Windows

(no configuration required)

Command line exercise on your own

Introduction to Git/GitHub

Git is a tool that

- Was developed in the late 70s by same group of developers who made bash
- Primarily stores code, but can also store files like Dropbox or Google Drive does
- Maintains each file’s history (like Apple's Time Machine software)
- Is now commonplace in any company that employs engineers

Why is Git so popular with developers?

- Because Git stores a history of the code, it allows developers to roll code back to an earlier point in time if something breaks
- Git facilitates collaboration, and prevents developers from stepping on one another's toes
- Git tracks changes so you can see who worked on what

What is GitHub?

GitHub is a web app/platform that

- Facilitates the sharing and managing of code, making it easy for multiple engineers to collaborate on the same project
- Hosts files on the web so you can share the finished product with other people

Why is GitHub so popular with developers?

- Much like Dropbox or Google Drive lets multiple people collaborate on the same document, GitHub allows this for code.
- GitHub allows team members to provide feedback on the code, which potentially increases code quality
- Has project management features built in: issue tracking, delegation, etc

Git vs GitHub

- **Git** is version control software
- **GitHub** is a website and platform for utilizing Git in a collaborative way

Git/GitHub Vocabulary

- Repository
- Clone
- Commit
- Push

GitHub – Repository/Repo

- Basic element of GitHub
- Contains all of a project's files (all the code)
- One or more users can contribute to a single repository
- Repositories are either public or private
- By the end of class today, you will create your own repo

GitHub – Clone

- Copies/clones a **remote** repo to your machine
- This copy/clone is called a **local** repo
- Changes to the **local** repo will not affect the **remote**

GitHub – Commit

- A snapshot of changes to a repo
- Think of it as "saving" your changes
- Contains a message describing the changes made

GitHub – Push

- "Pushes" your commits (saved changes) to a **remote** repository
- Allows other developers to see your changes and "pull them down" to their own local repos

GitHub – How will we use it?

- You will clone the class repository for local access to homework, documentation, and project files
- You will submit your homework by pushing it to the repo and making a pull request
- The instructional team will provide feedback by commenting on your pull requests


Borgaard/JSD-homework
Remote
Pull request
(request that I pull your code)
<you>/JSD-homework
Remote fork (copy)
Fork
(copied just once)
Remote/web
Local/your computer
Clone
(copied just once)
fruits.js
git add fruits.js
specify file or entire folder
"add fruit"
git commit -m "add fruit"
describe what you are doing
ship box to origin link
add fruit to fruit repo at me/JSD-homework
default branch
git push origin master
your GitHub repo URL

GIT COMMANDS

GitHub exercise

Intro to Node.js and command line JS

The terminal

How is Node different from JS in the browser?

- No browser-specific functionality
- Same JS engine as Chrome

What is Node good for?

- Creating a backend server for a web application
- Running a script to do data analysis
- File management
- Making command line programs

Ways to run Node

- Interactive command line
- Run a file

Executing JavaScript code

Let’s write some JavaScript!

Variables

- Containers that allow us to store values
- Let us tell our program to remember values for us to use later on
- The action of saving a value to a variable is called **assignment**

Variable declaration

- Statement saying that we wish to create a variable

Variable assignment

- Specifying the value we wish to assign to a variable

Variable assignment and declaration

- We can do both in a single statement

`console.log`

- Logging to the console is how we print things out for our own inspection

Inspecting variables

```
console.log(y)
```

When do you use console.log?

- When you are developing a program and need help figuring out what's going on (aka debugging)
- When you want to print things to the command line

JS exercise

Exit the Node console

CTRL + c twice

REVIEW

What does GitHub do and why will we be using it?

What is Node and what did we use it for today?

Next class preview: Data Types

- Describe the concept of a "data type" and how it relates to variables.
- Declare, assign to, and manipulate data stored in a variable.
- Create arrays and access values in them.
- Iterate over and manipulate values in an array.

Exit Tickets!

Scheduling

- Snack rotation
- Happy Hour (GA buys the first round!)

See SFJS5 repo for

- Pre-reading (optional)
- Additional resources on today's topics

Q&A