


Practica Recuperacion de GitHub Borja Torres Tortillo

Parte de Git Bash

Bash del Repositorio de Bases de Datos:

- Init inicial
- Commit Inicial "Repositorio de Bases de Datos Creado"
- Creamos el Documento leeme.txt y lo añadimos



```
MINGW64:/c:/Users/Casa/Desktop/BBDD

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD
$ git init
Initialized empty Git repository in C:/Users/Casa/Desktop/BBDD/.git/

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "Repositorio base de datos creado"
On branch master

Initial commit


nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ |
```

- Commit Contenidos creados



```
MINGW64:/c/Users/Casa/Desktop/BBDD

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "Repositorio base de datos creado"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "contenidos creados"
[master (root-commit) 5e4259d] contenidos creados
1 file changed, 1 insertion(+)
 create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ |

MINGW64:/c/Users/Casa/Desktop/BBDD

$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "contenidos creados"
[master (root-commit) 5e4259d] contenidos creados
1 file changed, 1 insertion(+)
 create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git branch BBDD


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ mkdir contenidos

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ |
```

- Creamos la rama BBDD y creamos las carpetas contenedoras
- Añadimos las carpetas

- Hacemos el Correspondiente Commit "Directorios Creados"



```
MINGW64:/c/Users/Casa/Desktop/BBDD
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git branch BBDD

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ mkdir contenidos


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add contenidos

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "Directorios creados"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ |
```

- Cambiamos a la Rama BBDD y añadimos los contenidos (Los contenidos han sido añadidos sin comandos)



```
MINGW64:/c/Users/Casa/Desktop/BBDD

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git add contenidos

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git commit -m "Directorios creados"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git checkout BBDD
Switched to branch 'BBDD'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
$ git status
On branch BBDD
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    contenidos/
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
$ git add materiales
```

- Añadimos los Materiales y Ejercicios

```

MINGW64:/c/Users/Casa/Desktop/BBDD
On branch BBDD
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    contenidos/
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
c$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
$ git add contenidos
warning: in the working copy of 'contenidos/Mundial Qatar.sql', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'contenidos/developersok.sql', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'contenidos/tallerReparacionesOK(1).sql', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'contenidos/tienda.sql', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
$

```

- Cambiamos a la Rama Master, Hacemos el correspondiente Merge y eliminamos la rama BBDD

```


MINGW64:/c/Users/Casa/Desktop/BBDD
7 files changed, 1965 insertions(+)
create mode 100644 contenidos/Mundial Qatar.sql
create mode 100644 contenidos/developersok.sql
create mode 100644 contenidos/tallerReparacionesOK(1).sql
create mode 100644 contenidos/tienda.sql
create mode 100644 "materiales/BBDD. UT1. CAP\303\215TULO 3. SISTEMAS GESTORES DE BASES DE DATOS.pdf"
create mode 100644 "materiales/BBDD. UT4. CAP\303\215TULO 2. LA DECLARACI\303\23N SELECT.pdf"
create mode 100644 materiales/BBDD._U2._ACT6._ERD_marinaHercules.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (BBDD)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git merge BBDD
Updating 5e4259d..5839545
Fast-forward
 contenidos/Mundial Qatar.sql      | 94 ++
 contenidos/developersok.sql       | 141 ++
 contenidos/tallerReparacionesOK(1).sql | 79 +
 contenidos/tienda.sql             | 1651 +++++
 ...ULO 3. SISTEMAS GESTORES DE BASES DE DATOS.pdf" | Bin 0 -> 455648 bytes

```

- Mostramos el Git Log del repositorio



```
MINGW64:/c:/Users/Casa/Desktop/BBDD
$ git commit -m "Rama master fusionada con BBDD"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git branch -d BBDD
Deleted branch BBDD (was 5839545).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ git log
commit 5839545659b36a16d90e36baee13947a69e5351 (HEAD -> master)
Author: BorjaTorresTortillo1 <10014@cifpceuta.es>
Date: Tue Mar 21 19:24:03 2023 +0100

    Contenidos a adidos


commit 5e4259d3881da07d49bcc776e70b9b624d728c03
Author: BorjaTorresTortillo1 <10014@cifpceuta.es>
Date: Tue Mar 21 19:13:04 2023 +0100

    contenidos creados

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/BBDD (master)
$ |
```

Bash del Repositorio de Entorno de Desarrollo:


- Git Init Inicial



```
MINGW64:/c:/Users/Casa/Desktop/ED
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED
$ git init
Initialized empty Git repository in C:/Users/Casa/Desktop/ED/.git/

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$
```


- Creamos el fichero leeme.txt



```
MINGW64:/c/Users/Casa/Desktop/ED
GNU nano 7.1 leeme.txt Modified
Aqui iran los materiales para Entorno de Desarrollo

^G Help      ^O Write Out ^W Where Is  ^K Cut       ^T Execute   ^C Location
^X Exit      ^R Read File ^\ Replace   ^U Paste     ^J Justify   ^_ Go To Line
```

- Añadimos el fichero y hacemos el Primer Commit con el archivo añadido



```
MINGW64:/c/Users/Casa/Desktop/ED
Initial commit

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        leeme.txt

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git commit -m "Primer commit y fichero creado"
[master (root-commit) 6324f21] Primer commit y fichero creado
1 file changed, 1 insertion(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$
```

- Creamos los Directorios

```
MINGW64:/c/Users/Casa/Desktop/ED
nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git commit -m "Primer commit y fichero creado"
[master (root-commit) 6324f21] Primer commit y fichero creado
1 file changed, 1 insertion(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$
```

- Añadimos los Materiales y Ejercicios y hacemos el Commit

```
MINGW64:/c/Users/Casa/Desktop/ED

$ git commit -m "Primer commit y fichero creado"
[master (root-commit) 6324f21] Primer commit y fichero creado
1 file changed, 1 insertion(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git commit -m "Carpetas creadas"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ |
```

- Creamos la Rama ED y cambiamos a la Rama ED

```
MINGW64:/c/Users/Casa/Desktop/ED

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git commit -m "Carpetas creadas"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git branch ED

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git checkout ED
Switched to branch 'ED'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$
```

- Añadimos los Materiales

```
MINGW64:/c/Users/Casa/Desktop/ED

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git status
On branch ED
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   materiales/tema_1++/ED - Tema 1++.pdf
    new file:   materiales/tema_1/ED - Tema 1.pdf
    new file:   materiales/tema_1/Resumen Tema 1 Entorno de Desarrollo.pdf
    new file:   materiales/tema_2/ED - Tema 2.pdf
    new file:   materiales/tema_3/ED - Tema 3.pdf
    new file:   materiales/tema_4/ED - Tema 4.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$
```

- Hacemos el Commit de "Materiales Añadidos"


```

MINGW64:/c/Users/Casa/Desktop/ED
On branch ED
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   materiales/tema_1++/ED - Tema 1++.pdf
    new file:   materiales/tema_1/ED - Tema 1.pdf
    new file:   materiales/tema_1/Resumen Tema 1 Entorno de Desarrollo.pdf
    new file:   materiales/tema_2/ED - Tema 2.pdf
    new file:   materiales/tema_3/ED - Tema 3.pdf
    new file:   materiales/tema_4/ED - Tema 4.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git commit -m "Materiales Añadidos"
[ED d799dbd] Materiales Añadidos
 6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 materiales/tema_1++/ED - Tema 1++.pdf
 create mode 100644 materiales/tema_1/ED - Tema 1.pdf
 create mode 100644 materiales/tema_1/Resumen Tema 1 Entorno de Desarrollo.pdf
 create mode 100644 materiales/tema_2/ED - Tema 2.pdf
 create mode 100644 materiales/tema_3/ED - Tema 3.pdf
 create mode 100644 materiales/tema_4/ED - Tema 4.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$

```

- Añadimos los Ejercicios
- Hacemos el Commit de "Ejercicios Añadidos"

```

MINGW64:/c/Users/Casa/Desktop/ED
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git status
On branch ED
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   ejercicios/tema_1++/Ejercicios Tema 1++.pdf
    new file:   ejercicios/tema_1/Ejercicios Tema 1 Entorno de Desarrollo.pdf
    new file:   ejercicios/tema_2/Ejercicios Tema 2.pdf
    new file:   ejercicios/tema_3/Ejercicios Tema 3.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git commit -m "Ejercicios añadidos"
[ED 35520a6] Ejercicios añadidos
 4 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios/tema_1++/Ejercicios Tema 1++.pdf
 create mode 100644 ejercicios/tema_1/Ejercicios Tema 1 Entorno de Desarrollo.pdf
 create mode 100644 ejercicios/tema_2/Ejercicios Tema 2.pdf
 create mode 100644 ejercicios/tema_3/Ejercicios Tema 3.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git branch master
fatal: a branch named 'master' already exists

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (ED)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git merge ED
Updating 6324f21..35520a6
Fast-forward
 ejercicios/tema_1++/Ejercicios Tema 1++.pdf | Bin 0 -> 224046 bytes
 .../Ejercicios Tema 1 Entorno de Desarrollo.pdf | Bin 0 -> 69932 bytes
 ejercicios/tema_2/Ejercicios Tema 2.pdf | Bin 0 -> 37302 bytes
 ejercicios/tema_3/Ejercicios Tema 3.pdf | Bin 0 -> 4427914 bytes
 materiales/tema_1++/ED - Tema 1++.pdf | Bin 0 -> 1819491 bytes
 materiales/tema_1/ED - Tema 1.pdf | Bin 0 -> 7239785 bytes
 .../tema_1/Resumen Tema 1 Entorno de Desarrollo.pdf | Bin 0 -> 46158 bytes
 materiales/tema_2/ED - Tema 2.pdf | Bin 0 -> 4687855 bytes
 materiales/tema_3/ED - Tema 3.pdf | Bin 0 -> 19790849 bytes
 materiales/tema_4/ED - Tema 4.pdf | Bin 0 -> 1658661 bytes
 10 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios/tema_1++/Ejercicios Tema 1++.pdf
 create mode 100644 ejercicios/tema_1/Ejercicios Tema 1 Entorno de Desarrollo.pdf
 create mode 100644 ejercicios/tema_2/Ejercicios Tema 2.pdf
 create mode 100644 ejercicios/tema_3/Ejercicios Tema 3.pdf

```

- Hacemos el Correspondiente Git Log

```

MINGW64/c/Users/Casa/Desktop/ED
create mode 100644 materiales/tema_2/ED - Tema 2.pdf
create mode 100644 materiales/tema_3/ED - Tema 3.pdf
create mode 100644 materiales/tema_4/ED - Tema 4.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git log
commit 35520a68df09f54d879520d02193c124f37888d2 (HEAD -> master, ED)
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 17:39:41 2023 +0100

    Ejercicios a\u00f1adidos

commit d799dbda0f18e71ff3bf9e12434f0d9104d7f6da
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 17:07:41 2023 +0100

    Materiales A\u00f1adidos

commit 6324f21687eba878f383ebc6740bcc22ed2eab92
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 16:59:37 2023 +0100

    Primer commit y fichero creado

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git branch -d ED
Deleted branch ED (was 35520a6).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$ git log
commit 35520a68df09f54d879520d02193c124f37888d2 (HEAD -> master)
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 17:39:41 2023 +0100

    Ejercicios a\u00f1adidos

commit d799dbda0f18e71ff3bf9e12434f0d9104d7f6da
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 17:07:41 2023 +0100

    Materiales A\u00f1adidos

commit 6324f21687eba878f383ebc6740bcc22ed2eab92
Author: BorjaTorresTortillo1 <100148c1fpceuta.es>
Date: Tue Mar 21 16:59:37 2023 +0100

    Primer commit y fichero creado

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/ED (master)
$

```

Bash del Repositorio de Lenguaje de Marcas:

- Git init inicial
- Commit inicial "Commit Inicial"
- Fichero leeme.txt
- Creamos las Carpetas Materiales y Ejercicios

```

MINGW64/c/Users/Casa/Desktop/LMSGI

git
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI
$ git init
Initialized empty Git repository in C:/Users/Casa/Desktop/LMSGI/.git/

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git commit -m "Commit inicial"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ nano leeme.txt


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$

```

- Git Commit "Contenidos Añadidos"



```
MINGW64:/c/Users/Casa/Desktop/LMSGI
(use "git add <file>..." to include in what will be committed)
leeme.txt

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git commit -m "Contenidos Añadidos"
[master (root-commit) 32e6d0f] Contenidos Añadidos
1 file changed, 1 insertion(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ |
```

- Creamos la rama LMSGI
- Cambiamos a la Rama LMSGI



```
MINGW64:/c/Users/Casa/Desktop/LMSGI
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git commit -m "Contenidos Añadidos"
[master (root-commit) 32e6d0f] Contenidos Añadidos
1 file changed, 1 insertion(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git branch LMSGI

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git checkout LMSGI
Switched to branch 'LMSGI'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ |
```

- Añadimos los contenidos de las carpetas
- Git Add Ejercicios

- Git Add Materiales

```

MINGW64:/c/Users/Casa/Desktop/LMSGI
$ git branch LMSGI

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git checkout LMSGI
Switched to branch 'LMSGI'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git status
On branch LMSGI
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ejercicios/
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ |

```

- Hacemos un Git Status
- Hacemos un Git Commit

```

MINGW64:/c/Users/Casa/Desktop/LMSGI
$ git status
On branch LMSGI
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   ejercicios/Ejercicios Tema 3.pdf
    new file:   ejercicios/Ejercicios Tema 4.pdf
    new file:   materiales/DAW1-LenguajesDeMarcasSistemasGestoresInformacion-2019-2020.pdf
    new file:   materiales/LMSGI - Tema 3.pdf
    new file:   materiales/LMSGI - Tema 4.pdf
    new file:   materiales/MD-Cheatsheet.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git commit -m "Contenidos a adidos"
[LMSGI 782ccfe] Contenidos a adidos
6 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 ejercicios/Ejercicios Tema 3.pdf
create mode 100644 ejercicios/Ejercicios Tema 4.pdf
create mode 100644 materiales/DAW1-LenguajesDeMarcasSistemasGestoresInformacion-2019-2020.pdf

```

- Hacemos el Checkout y cambiamos a la Rama Master Y hacemos el correspondiente Merge

```
MINGW64:/c/Users/Casa/Desktop/LMSGI

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git commit -m "Contenidos a\u00f1adidos"
[LMSGI 782ccfe] Contenidos a\u00f1adidos
 6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios/Ejercicios Tema 3.pdf
 create mode 100644 ejercicios/Ejercicios Tema 4.pdf
 create mode 100644 materiales/DAW1-LenguajesDeMarcasSistemasGestoresInformacion-2019-2020.pdf
 create mode 100644 materiales/LMSGI - Tema 3.pdf
 create mode 100644 materiales/LMSGI - Tema 4.pdf
 create mode 100644 materiales/MD-Cheatsheet.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git status
On branch LMSGI
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (LMSGI)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ |
```

- Eliminamos la Rama LMSGI

```
MINGW64:/c/Users/Casa/Desktop/LMSGI

...sDeMarcasSistemasGestoresInformacion-2019-2020.pdf | Bin 0 -> 124513 bytes
materiales/LMSGI - Tema 3.pdf | Bin 0 -> 6061354 bytes
materiales/LMSGI - Tema 4.pdf | Bin 0 -> 2700910 bytes
materiales/MD-Cheatsheet.pdf | Bin 0 -> 293736 bytes
6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios/Ejercicios Tema 3.pdf
 create mode 100644 ejercicios/Ejercicios Tema 4.pdf
 create mode 100644 materiales/DAW1-LenguajesDeMarcasSistemasGestoresInformacion-2019-2020.pdf
 create mode 100644 materiales/LMSGI - Tema 3.pdf
 create mode 100644 materiales/LMSGI - Tema 4.pdf
 create mode 100644 materiales/MD-Cheatsheet.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git status
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git branch -d LMSGI
Deleted branch LMSGI (was 782ccfe).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ |
```

```

MINGW64:/c/Users/Casa/Desktop/LMSGI
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git merge LMSGI
Updating 32e6d0f..782ccfe
Fast-forward
 ejercicios/Ejercicios Tema 3.pdf      | Bin 0 -> 2414000 bytes
 ejercicios/Ejercicios Tema 4.pdf      | Bin 0 -> 1032953 bytes
 ...sDeMarcasSistemasGestoresInformacion-2019-2020.pdf | Bin 0 -> 124513 bytes
 materiales/LMSGI - Tema 3.pdf         | Bin 0 -> 6061354 bytes
 materiales/LMSGI - Tema 4.pdf         | Bin 0 -> 2700910 bytes
 materiales/MD-Cheatsheet.pdf          | Bin 0 -> 293736 bytes
 6 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 ejercicios/Ejercicios Tema 3.pdf
 create mode 100644 ejercicios/Ejercicios Tema 4.pdf
 create mode 100644 materiales/DAW1-LenguajesDeMarcasSistemasGestoresInformacion-2019-2020.pdf
 create mode 100644 materiales/LMSGI - Tema 3.pdf
 create mode 100644 materiales/LMSGI - Tema 4.pdf
 create mode 100644 materiales/MD-Cheatsheet.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/LMSGI (master)
$ git status

```

Bash del Repositorio de Programacion:

- Hacemos el Git Init correspondiente
- Creamos el Archivo leeme.txt
- Añadimos el Archivo
- Creamos las Carpetas y las Añadimos

```

MINGW64:/c/Users/Casa/Desktop/PROG
nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ mkdir ejercicios


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$

```

- Hacemos el siguiente Commit "Contenidos Añadidos"



```
MINGW64:/c/Users/Casa/Desktop/PROG

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git commit "Contenidos Añadidos"
error: pathspec 'Contenidos Añadidos' did not match any file(s) known to git

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git status
On branch master


No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git commit -m "Contenidos Añadidos"
[master (root-commit) 346812f] Contenidos Añadidos
 1 file changed, 1 insertion(+)
 create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ |
```

- Creamos la Rama PROG y cambiamos a esa Rama



```
MINGW64:/c/Users/Casa/Desktop/PROG

On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git commit -m "Contenidos Añadidos"
[master (root-commit) 346812f] Contenidos Añadidos
 1 file changed, 1 insertion(+)
 create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git branch PROG

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git checkout PROG
Switched to branch 'PROG'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ |
```


- Añadimos los Ejercicios Y Materiales

```
MINGW64:/c/Users/Casa/Desktop/PROG
$ git checkout PROG
Switched to branch 'PROG'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git status
On branch PROG
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ejercicios/
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git add ejercicios
warning: in the working copy of 'ejercicios/Programa_Numeros_Negativos_Repetir_Hasta.psc', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git status
bash: gi: command not found
```

- Commit Contenidos Añadidos

```
MINGW64:/c/Users/Casa/Desktop/PROG

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ gi status
bash: gi: command not found

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git commit -m "Contenidos Añadidos"
[PROG 8bc2b60] Contenidos Añadidos
13 files changed, 58 insertions(+)
create mode 100644 ejercicios/Programa_Numeros_Negativos_Repetir_Hasta.psc
create mode 100644 ejercicios/collatz.psc
create mode 100644 ejercicios/euclides.psc
create mode 100644 materiales/El lenguaje PHP.pdf
create mode 100644 materiales/Programacion_te1.pdf
create mode 100644 materiales/Resumen Examen Tema 1 Programacion .pdf
create mode 100644 materiales/Tema 2.0.pdf
create mode 100644 materiales/Tema 2.1.pdf
create mode 100644 materiales/Tema 2.2.pdf
create mode 100644 materiales/Tema 2.3.pdf
create mode 100644 materiales/estructura general de un programa T3.pdf
create mode 100644 materiales/tema 2.4_bases-del-lenguaje-php.pdf
create mode 100644 materiales/tema2_diagrama de flujo.pdf.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$
```



```
MINGW64:/c/Users/Casa/Desktop/PROG

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    ejercicios/
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git add ejercicios
warning: in the working copy of 'ejercicios/Programa_Numeros_Negativos_Repetir_Hasta.psc', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ gi status
bash: gi: command not found

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git commit -m "Contenidos Añadidos"
[PROG 8bc2b60] Contenidos Añadidos
 13 files changed, 58 insertions(+)
 create mode 100644 ejercicios/Programa_Numeros_Negativos_Repetir_Hasta.psc
```

- Cambiamos a la rama Master y hacemos un Merge y eliminamos la Rama PROG

```
MINGW64:/c/Users/Casa/Desktop/PROG

create mode 100644 ejercicios/euclides.psc
create mode 100644 materiales/El lenguaje PHP.pdf
create mode 100644 materiales/Programacion_te1.pdf
create mode 100644 materiales/Resumen Examen Tema 1 Programacion .pdf
create mode 100644 materiales/Tema 2.0.pdf
create mode 100644 materiales/Tema 2.1.pdf
create mode 100644 materiales/Tema 2.2.pdf
create mode 100644 materiales/Tema 2.3.pdf
create mode 100644 materiales/estructura general de un programa T3.pdf
create mode 100644 materiales/tema 2.4_bases-del-lenguaje-php.pdf
create mode 100644 materiales/tema2_diagrama de flujo.pdf.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git branch master
fatal: a branch named 'master' already exists

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (PROG)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git merge PROG
Updating 346812f..8bc2b60
Fast-forward
```

```
MINGW64:/c/Users/Casa/Desktop/PROG
create mode 100644 ejercicios/collatz.psc
create mode 100644 ejercicios/euclides.psc
create mode 100644 materiales/El lenguaje PHP.pdf
create mode 100644 materiales/Programacion_tel.pdf
create mode 100644 materiales/Resumen Examen Tema 1 Programacion .pdf
create mode 100644 materiales/Tema 2.0.pdf
create mode 100644 materiales/Tema 2.1.pdf
create mode 100644 materiales/Tema 2.2.pdf
create mode 100644 materiales/Tema 2.3.pdf
create mode 100644 materiales/estructura general de un programa T3.pdf
create mode 100644 materiales/tema 2.4_bases-del-lenguaje-php.pdf
create mode 100644 materiales/tema2_diagrama de flujo.pdf.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git branch -d PROG
Deleted branch PROG (was 8bc2b60).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ git commit -m "Contenidos Añadidos a las carpetas"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/PROG (master)
$ |
```

Bash del Repositorio de Sistemas Informaticos:

- Git Init Inicial
- commit Inicial
- Creamos el fichero.txt y las carpetas

```
MINGW64:/c/Users/Casa/Desktop/SI
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git commit -m "Repositorio Creado"
On branch master

Initial commit

nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ mkdir materiales


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ |
```

- Añadimos tanto carpetas como ficheros

- Y el correspondiente Commit



```
MINGW64:/c/Users/Casa/Desktop/SI
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git commit -m "Repositorios de Ejercicios creado"
[master (root-commit) cf3b19b] Repositorios de Ejercicios creado
1 file changed, 2 insertions(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$
```

- Creamos la Rama SI y cambiamos a esa Rama



```
MINGW64:/c/Users/Casa/Desktop/SI
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git commit -m "Repositorios de Ejercicios creado"
[master (root-commit) cf3b19b] Repositorios de Ejercicios creado
1 file changed, 2 insertions(+)
create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git branch SI

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git checkout SI
Switched to branch 'SI'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$
```

- Añadimos los materiales

```

MINGW64~/Users/Casa/Desktop/SI
nothing to commit (create/copy files and use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ nano leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ mkdir materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ mkdir ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add leeme.txt
warning: in the working copy of 'leeme.txt', LF will be replaced by CRLF the next time Git touches it

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git add ejercicios

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git commit -m "Repositorios de Ejercicios creado"
[master (root-commit) cf3b19b] Repositorios de Ejercicios creado
1 file changed, 2 insertions(+)
 create mode 100644 leeme.txt

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git branch SI

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git checkout SI
Switched to branch 'SI'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git status
On branch SI
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ |

```

- Commit de Materiales añadidos

```

MINGW64~/Users/Casa/Desktop/SI
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git status
On branch SI
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    materiales/

nothing added to commit but untracked files present (use "git add" to track)

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git add materiales

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git status
On branch SI
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   materiales/tema_1/Redes de ordenadores.pdf
    new file:   materiales/tema_1/Sistemas de Numeracion.pdf
    new file:   materiales/tema_1/Subneting.pdf
    new file:   materiales/tema_2/si-tema 2, 22-23.pdf
    new file:   materiales/tema_3/Resumen Tema 3.pdf
    new file:   materiales/tema_3/si-tema 3, 22-23.pdf
    new file:   materiales/tema_4/si-tema 4, 22-23.pdf
    new file:   materiales/tema_5/si-tema 5, 22-23.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git commit -m "Materiales Añadidos"
[SI eedf520] Materiales Añadidos
 8 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 materiales/tema_1/Redes de ordenadores.pdf
 create mode 100644 materiales/tema_1/Sistemas de Numeracion.pdf
 create mode 100644 materiales/tema_1/Subneting.pdf
 create mode 100644 materiales/tema_2/si-tema 2, 22-23.pdf
 create mode 100644 materiales/tema_3/Resumen Tema 3.pdf
 create mode 100644 materiales/tema_3/si-tema 3, 22-23.pdf
 create mode 100644 materiales/tema_4/si-tema 4, 22-23.pdf
 create mode 100644 materiales/tema_5/si-tema 5, 22-23.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git branch master
fatal: a branch named 'master' already exists

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ |

```

- Cambiamos a la Rama Master y hacemos el Merge y eliminamos la rama SI

```

MINGW64/c/Users/Casa/Desktop/SI
Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git commit -m "Materiales Añadidos"
[SI eedf520] Materiales Añadidos
 8 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 materiales/tema_1/Redes de ordenadores.pdf
 create mode 100644 materiales/tema_1/Sistemas de Numeracion.pdf
 create mode 100644 materiales/tema_1/Subnetting.pdf
 create mode 100644 materiales/tema_2/si-tema 2, 22-23.pdf
 create mode 100644 materiales/tema_3/Resumen Tema 3.pdf
 create mode 100644 materiales/tema_3/si-tema 3, 22-23.pdf
 create mode 100644 materiales/tema_4/si-tema 4, 22-23.pdf
 create mode 100644 materiales/tema_5/si-tema 5, 22-23.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git branch master
fatal: a branch named 'master' already exists

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (SI)
$ git checkout master
Switched to branch 'master'

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git merge SI
Updating cf3b19b..eedf520
Fast-forward
 materiales/tema_1/Redes de ordenadores.pdf | Bin 0 -> 1409826 bytes
 materiales/tema_1/Sistemas de Numeracion.pdf | Bin 0 -> 247815 bytes
 materiales/tema_1/Subnetting.pdf | Bin 0 -> 336459 bytes
 materiales/tema_2/si-tema 2, 22-23.pdf | Bin 0 -> 1216560 bytes
 materiales/tema_3/Resumen Tema 3.pdf | Bin 0 -> 55220 bytes
 materiales/tema_3/si-tema 3, 22-23.pdf | Bin 0 -> 1133125 bytes
 materiales/tema_4/si-tema 4, 22-23.pdf | Bin 0 -> 495930 bytes
 materiales/tema_5/si-tema 5, 22-23.pdf | Bin 0 -> 1817876 bytes
 8 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 materiales/tema_1/Redes de ordenadores.pdf
 create mode 100644 materiales/tema_1/Sistemas de Numeracion.pdf
 create mode 100644 materiales/tema_1/Subnetting.pdf
 create mode 100644 materiales/tema_2/si-tema 2, 22-23.pdf
 create mode 100644 materiales/tema_3/Resumen Tema 3.pdf
 create mode 100644 materiales/tema_3/si-tema 3, 22-23.pdf
 create mode 100644 materiales/tema_4/si-tema 4, 22-23.pdf
 create mode 100644 materiales/tema_5/si-tema 5, 22-23.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git branch -d SI
Deleted branch SI (was eedf520).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$

```

- Git log Corrspondiente

```

MINGW64/c/Users/Casa/Desktop/SI
Updating cf3b19b..eedf520
Fast-forward
 materiales/tema_1/Redes de ordenadores.pdf | Bin 0 -> 1409826 bytes
 materiales/tema_1/Sistemas de Numeracion.pdf | Bin 0 -> 247815 bytes
 materiales/tema_1/Subnetting.pdf | Bin 0 -> 336459 bytes
 materiales/tema_2/si-tema 2, 22-23.pdf | Bin 0 -> 1216560 bytes
 materiales/tema_3/Resumen Tema 3.pdf | Bin 0 -> 55220 bytes
 materiales/tema_3/si-tema 3, 22-23.pdf | Bin 0 -> 1133125 bytes
 materiales/tema_4/si-tema 4, 22-23.pdf | Bin 0 -> 495930 bytes
 materiales/tema_5/si-tema 5, 22-23.pdf | Bin 0 -> 1817876 bytes
 8 files changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 materiales/tema_1/Redes de ordenadores.pdf
 create mode 100644 materiales/tema_1/Sistemas de Numeracion.pdf
 create mode 100644 materiales/tema_1/Subnetting.pdf
 create mode 100644 materiales/tema_2/si-tema 2, 22-23.pdf
 create mode 100644 materiales/tema_3/Resumen Tema 3.pdf
 create mode 100644 materiales/tema_3/si-tema 3, 22-23.pdf
 create mode 100644 materiales/tema_4/si-tema 4, 22-23.pdf
 create mode 100644 materiales/tema_5/si-tema 5, 22-23.pdf

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git branch -d SI
Deleted branch SI (was eedf520).

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git status
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git commit -m "Rama SI eliminada"
On branch master
nothing to commit, working tree clean

Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$ git log
commit eedf520365afc13395954238e57ae17d734d1fdb (HEAD -> master)
Author: BorjaTorresTortillol <100148c1fpceuta.es>
Date: Tue Mar 21 19:46:18 2023 +0100

    Materiales Añadidos

commit cf3b19b85e53d4a4a79a1a2184c4051a4ea62320
Author: BorjaTorresTortillol <100148c1fpceuta.es>
Date: Tue Mar 21 19:31:14 2023 +0100

    Repositorios de Ejercicios creado


Casa@DESKTOP-9IABBM1 MINGW64 ~/Desktop/SI (master)
$

```


Parte de Git En Visual Studio Code

VS del Repositorio de Base De Datos:

- Añadimos la carpeta Practicas y la publicamos al Github




- Repositorio en Git Hub




VS del Repositorio de Entorno de Desarrollo:

- Añadimos la carpeta Practicas y la publicamos al Github




- Repositorio en Git Hub




VS del Repositorio de Lenguaje de Marcas:

- Añadimos la carpeta Practicas y la publicamos al Github





- Repositorio en Git Hub




VS del Repositorio de Programacion:

- Añadimos la carpeta Practicas y la publicamos al Github







- Repositorio en Git Hub




VS del Repositorio de Sistemas Informaticos:

- Añadimos la carpeta Practicas y la publicamos al Github





- Repositorio en Git Hub



Parte Creacion de Perfil En GitHub

- He reusado Materiales de la Practica antes de la recuperacion:

