



7 captures

02 Sep 2006 - 16 Oct 2021

Sep OCT May
◀ 14 ▶
2006 2007 2017

success

fail

About this capture

COLLECTED BY

Organization: [Alexa Crawls](#)

Starting in 1996, **Alexa Internet** has been donating their crawl data to the Internet Archive. Flowing in every day, these data are added to the **Wayback Machine** after an embargo period.

Collection: [52_crawl](#)

this data is currently not publicly accessible.

TIMESTAMPS



The Wayback Machine -

<https://web.archive.org/web/20071014022621/http://grmods.com:80/modchips/octopus/zero/installation/v9/v9.htm>



Playstation2 Plug&Play Hacking - Ok - **Worlds Exclusive!**
Playstation2/P\$two Minimum Soldering - **Soon - 1-1-2006!**
Xbox All models All modchips Plug&Play Hacking - Ok - **GRmods Exclusive!**

Cont



PS2**Lusifer mod***Worlds Exclusive Product!*

Octapus Zero
 Lusifer mod v7
 Lusifer mod v3
 Octapus 3D
 Octapus Rev
 Octapus Ice
 Octapus Plug-
 Ins
 PS2 models
 PS2 Forums

Installation Info

Only 10 minutes, one Philips type screwdriver and a pair of pincers required for the installation of Lusifer mod!
 With simple Plug&Play actions (**No-Sodlring**),
 you may now hack your brand new Play\$station2, allowing original
 mports and backups to be loaded
 with Swap Magic Disks and 1 easy swap!

XBOX

X-elixis Basic
 X-elixis Pro
 X-elixis Plus
 X-tasis Basic
 X-tasis Pro
 X-tasis Plus
 X-Adaptor
 X-Programmer
 Devil mod 1
 Devil mod 2
 Lpcmod

Are U gonna Risk it with Soldering?

The installation of Lusifer mod in V9/V10 consoles will be performed by a 15 years old girl, called **L1**:

'I managed to install L-mod V9 in less than 10 minutes
 and I will show you how easy it is!
 Meanwhile, for any damage you may cause in your PS2,
 you are responsible about that, Don't blame me..."

OCTAPUS zero**Installation Guide**

Use the Philips type screwdriver to unscrew the 8 screws that are
 hiding under the 8 plastic pads,
 from the bottom side of PS2 console.



Lift the Top cap of PS2.

Warning: By opening your PS2 console,
 you are voiding the quarantee shield!



Unscrew 2 screws that are holding Joystick/Memory socket.



Unscrew 2 screws that are holding the Ventilator.


Warning: 1 screw is hiding, underneath Power Switch!



Put the Top cap back in its place and remove the Bottom cap.



Now remove all parts metal parts and you will see 2 Ribbon Cables, where Octapus (G3 Plug-In) will be plugged into!



Disconnect those 2 Ribbon Cables from P\$2 mainboard and remove the one that is connected to Eject/Reset Buttons.



Plug the Ribbon Cable of to G3 Plug-In connector, keeping the right directions shown in the photo.



Plug G3 Plug-In to P\$2 mainboard, by pressing it smoothly into the connectors. Ensure that G3 Plug-In edges are properly connected.



Plug G3 Plug-In edge to Eject/Reset Buttons.



Put back all parts in their place and hold Eject Button continuously, to check Lusifer mod functionality.
If everything is ok, the DVD-Rom tray will automatically open and installation has successfully finished!

4 years GRmods...!
100% Safe Console Hacking!