Министерство науки и высшего образования Российской Федерации Федеральное государственное автономное образовательное учреждение высшего образования ...

«НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ ИТМО»

ФАКУЛЬТЕТ СРЕДНЕГО ПРОФЕССИОНАЛЬНОГО ОБРАЗОВАНИЯ

ОТЧЕТ О ЛАБОРАТОРНОЙ РАБОТЕ № 6

По теме: Создание интерфейсов к СУБД средствами php По дисциплине: Основы проектирования баз данных

Специальность 09.02.07«Информационные системы и программирование» Дисциплина «Технологии разработки и защиты баз данных»

Преподаватель:	Выполнил:
Говоров А.И.	Студент группы № Ү2339
Дата: «» 20г. Оценка	Карелова А. С.

Цель работы: овладеть практическими навыками разработки форм для вставки, выборки и редактирования данных.

Задание:

- 1. Изучить функции открытия соединения к базе данных средствами РНР.
- 2. Изучить основные функции для создания php-скрипта (на базе видео-уроков 1-7).
- 3. Создать сайт с использованием базовых возможностей РНР (в соответствии с содержанием видео-уроков 1-7).

На рисунках 1-3 изображены интерфейсы к таблицам пациентов, врачей и кабинетов клиники БД «Клиника». Интерфейс позволяет добавлять новые данные, изменять старые и удалять их. На рисунке 4 представлена главная страница, в которой пользователь выбирает тот или иной интерфейс к таблицам базы данных, а также представлены результаты нескольких запросов из 5 лабораторной работы.



Рисунок 1 – интерфейс к таблице «patient»



Рисунок 2 – интерфейс к таблице «doctor»



Рисунок 3 – интерфейс к таблице «cabinet»



Рисунок 4 – интерфейс БД




Рисунок 5 - результаты первого запроса



Рисунок 6 – результаты ещё 2 запросов




Рисунок 7 – результаты последних 2 запросов

Ниже представлен файл index.php

```
<link rel="stylesheet" href="style.css">
     ink
                                                         rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.cs
</head>
<body>
<div class="container">
     <h1 class="header-h1"> CLINIC </h1>
     <111>
     <form action="add.php" method="post">
          <button "btn btn-info" type="submit" name="pat">Patients</button>
          <button "btn btn-info" type="submit" name="doc">Doctors</button>
          <button "btn btn-info" type="submit" name="cab">Cabinets</button>
     </form>
</div>
<?php
$dbuser = 'postgres';
$dbpass = '1234';
$host = 'localhost';
$dbname = 'clinic';
$db = pg connect("host = $host port = 5432 dbname = $dbname user = $dbuser
password = $dbpass");
echo '
 Appointment ID, doctor name and patient name: 
<thead>
          >
                 APPOINTMENT ID 
                 DOCTOR NAME 
                 PATIENT NAME 
$query = "select a id, d full name, mc full name FROM clinic.appointment,
clinic.doctor, clinic.medical card WHERE a doctor = d id AND a patient = mc id
ORDER BY a id";
$result1 = pg query($db, $query);
while($result = pg fetch row($result1)) {
     echo '';
     foreach ($result as $value)
          echo '<input type="text" class="form-control" value="' . $value
. '" ';
     echo '';
```

```
}
echo '</thead>
١;
echo '
</br></br>
 For how long did miosis patient not paid the bill: 
<thead>
          PATIENT ID 
               PATIENT NAME 
               HOW LONG NOT PAID 
١;
$query
                      "select
                                    a patient, mc full name,
age(clinic.payment.p date closed,clinic.payment.p date opened)
FROM clinic.payment, clinic.medical card, clinic.appointment
WHERE a_diagnosis = 'miosis' AND a_patient = mc_id AND a_payment = p_id ORDER
BY mc id";
$result1 = pg_query($db, $query);
while($result = pg fetch row($result1)) {
    echo '';
    foreach ($result as $value)
         echo '<input type="text" class="form-control" value="' . $value
. '" ';
    echo '';
echo '</thead>
١;
echo '
</br></br>
 Bill was bigger than 1000 rubles: 
<thead>
     BILL NUMBER 
          BILL SUM
    $query = "select p id, max(p sum) from clinic.payment GROUP BY p id having
max(p sum) > 1000 ORDER BY p id";
    $result1 = pg_query($db, $query);
    while($result = pg fetch row($result1)) {
```

```
echo '';
         foreach ($result as $value)
             echo '<input type="text" class="form-control" value="' .
$value . '" ';
        echo '';
    echo '</thead>
    ١;
    echo '
    </br></br>
     All registered patients, that did not have an appointment yet: 
    <thead>
              PATIENT ID 
                   PATIENT NAME 
                   PATIENT GENDER 
                   PATIENT DOB
                   PATIENT ADDRESS 
                   PATIENT PHONE 
    ١;
    $query = "select distinct * from clinic.medical card WHERE not mc id =
any (SELECT a_patient FROM clinic.appointment)";
    $result1 = pg query($db, $query);
    while($result = pg fetch row($result1)) {
        echo '';
         foreach ($result as $value)
             echo '<input type="text" class="form-control" value="' .
$value . '" ';
        echo '';
    echo '</thead>
    ١;
    echo '
    </br></br>
     Doctors age at the day of the appointment: 
    <thead>
              DOCTOR NAME 
                  DOCTOR AGE (AT DAY OF APPOINTMENT)
```

```
١;
     $query = "select d_full_name, age (clinic.appointment.a_date,
clinic.doctor.d dob) from clinic.appointment,
      clinic.doctor WHERE a doctor = d id ORDER BY age";
     $result1 = pg query($db, $query);
     while($result = pg fetch row($result1)) {
          echo '';
           foreach ($result as $value)
                echo '<input type="text" class="form-control" value="' .
$value . '" ';
          echo '';
     }
     echo '</thead>
     ١;
     ?>
</body>
</html>
Ниже представлен файл add.php
<!DOCTYPE html>
<html lang="en">
<head>
     <title> CLINIC INTERFACE </title>
     <meta http-equiv="content-type" content="text/html; charset=utf-8">
     <link rel="stylesheet" href="style.css">
     <link rel="stylesheet"</pre>
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.cs
s">
</head>
<body>
<?php
 $dbuser = 'postgres';
 dpass = '1234';
 $host = 'localhost';
 $dbname = 'clinic';
 $db = pg connect("host = $host port = 5432 dbname = $dbname user = $dbuser
password = $dbpass");
 if (isset($ POST['pat'])) {
          echo 'PATIENTS
          <thead>
```

```
 ID 
      NAME 
      GENDER 
      DOB 
      ADDRESS 
      PHONE 
   ١;
     $query = "select * from clinic.medical card";
     $result = pg_query($db, $query);
     $count = pg_num_rows($result);
     for ($i = 1;$i <= $count; $i++) {
       echo '';
       $query = "select * from clinic.medical card where mc id = " .$i;
       $result = pg_query($db, $query);
       $result = pg fetch row($result);
       temp = 1;
       foreach($result as $value) {
         <form method="POST" action="insertfirst.php" >
          <input name="<?= $temp ?>"type="text" class="form-control"
            value="<?=$value?>" 
            <?php
            $temp++;
          }?>
                                d><button class="btn btn-danger"
type="submit" name="del">Delete</button> 
          <button class="btn btn-primary" type="submit"
name="ch">Change</button> 
         </form>
       <?php }
     if (\$i = \$count) {
        ?>
        <form method="POST" action="insertfirst.php" >
```

```
<input type="text" class="form-control" value="ID" name="mc id">
<input type="text" class="form-control" value="name"
name="mc full name"> 
       <input type="text" class="form-control"
value="gender"name="mc gender">
       <input type="text" class="form-control" value="DoB"
name="mc dob"> 
       <input type="text" class="form-control" value="address"
name="mc address">
      <input type="text" class="form-control"
value="phone"name="mc phone num"> 
       <input type="submit" class="btn btn-success" value="create"
name="sub">
    </form>
<?php
}
}
elseif (isset($ POST['doc'])) {
echo '
 DOCTORS: 
<thead>
 ID 
 NAME 
 GENDER 
 DOB 
 EDUCATION 
 PROFESSION 
 PHONE 
 ADDRESS 
١;
$query = "select * from clinic.doctor";
$result = pg_query($db, $query);
$count = pg_num_rows($result);
for ($i = 1;$i <= $count; $i++) {
    echo '';
```

```
$query = "select * from clinic.doctor where d id = " .$i;
     $result = pg query($db, $query);
     $result = pg fetch row($result);
     temp = 1;
     foreach($result as $value) {
           ?>
           <form method="POST" action="insertsecond.php" >
                <input name="<?= $temp ?>"type="text" class="form-
control"
                      value="<?=$value?>" 
                      <?php
                      $temp++;
                }?>
                <button class="btn btn-danger" type="submit"
name="del">Delete</button> 
                <button class="btn btn-primary" type="submit"
name="ch">Change</button> 
           </form>
     </t.r>
<?php }
if ($i = $count) {
 ?>
 <form method = "post" action="insertsecond.php" >
     <input type="text" class="form-control" value="ID" name="d id">
<input type="text" class="form-control" value="name"
name="d full name"> 
      <input type="text" class="form-control"
value="gender"name="d gender">
      <input type="text" class="form-control" value="DoB" name="d dob">
 <input type="text" class="form-control" value="education"</pre>
name="d education"> 
      <input type="text" class="form-control" value="profession"
name="d profession"> 
                <input type="text" class="form-control"
value="phone"name="d phone num"> 
      <input type="text" class="form-control" value="address"
name="d address">
```

```
 <input type="submit" class="btn btn-success" value="create"
name="sub">
   </form>
 <?php
}
elseif (isset($ POST['cab'])) {
echo '
      CABINETS: 
    <thead>
NUMBER 
 OPENS 
 CLOSES 
 PHONE 
١;
$query = "select * from clinic.cabinet";
$result = pg query($db, $query);
$count = pg num rows($result);
for ($i = 1;$i <= $count; $i++) {
    echo '';
     $query = "select * from clinic.cabinet where c_number = " .$i;
    $result = pg query($db, $query);
     $result = pg fetch row($result);
     temp = 1;
     foreach($result as $value) {
         <form method="POST" action="insertthird.php" >
               <input name="<?= $temp ?>"type="text" class="form-
control"
                    value="<?=$value?>" 
                    <?php
                    $temp++;
               }?>
```

```
<button class="btn btn-danger" type="submit"
name="del">Delete</button> 
                <button class="btn btn-primary" type="submit"
name="ch">Change</button> 
          </form>
     <?php }
if ($i = $count) {
 ?>
 <t.r>
   <form method = "post" action="insertthird.php" >
     <input type="text" class="form-control" value="number"</pre>
name="c_number"> 
     <input type="text" class="form-control" value="start"</pre>
name="c wt start"> 
      <input type="text" class="form-control"
value="end"name="c wt end">
      <input type="text" class="form-control" value="phone"
name="c phone num"> 
                 <input type="submit" class="btn btn-success"
value="create" name="sub">
   </form>
 </thead>
</body>
</html>
<?php
}
 ?>
```

Ниже представлен файл insertfirst.php

```
<?php
     $dbuser = 'postgres';
     $dbpass = '1234';
     $host = 'localhost';
     $dbname='clinic';
     $db = pg_connect("host=$host port=5432 dbname=$dbname user=$dbuser
password=$dbpass");
     if(isset($ POST['sub'])){
       $query2 = "insert into clinic.medical card values('$_POST[mc_id]',
'$ POST[mc full name]',
       '$ POST[mc phone num]')";
       $result = pg query($db, $query2);
     }
     if (isset($ POST['del'])) {
       $query ="delete from clinic.medical card where mc id = '$ POST[1]' ";
       $result = pg query($db, $query);
     if(isset($ POST['ch'])){
       $query = "update clinic.medical card set mc full name ='$ POST[2]',
mc gender = '$ POST[3]',
       mc_dob = '$_POST[4]', mc address = '$ POST[5]',
       mc_phone_num = '$_POST[6]' where mc_id = '$_POST[1]'";
       $result = pg query($db, $query);
     }
     Ниже представлен файл insertsecond.php
     <?php
     $dbuser = 'postgres';
     $dbpass = '1234';
     $host = 'localhost';
     $dbname='clinic';
     $db = pg connect("host=$host port=5432 dbname=$dbname user=$dbuser
password=$dbpass");
     if(isset($_POST['sub'])){
       $query2 = "insert into clinic.doctor values('$ POST[d id]',
'$ POST[d full name]',
       '$_POST[d_gender]', '$_POST[d_dob]', '$_POST[d education]',
'$ POST[d profession]', '$ POST[d phone num]', '$ POST[d address]')";
       $result = pg query($db, $query2);
```

}

```
if (isset($ POST['del'])) {
        $query ="delete from clinic.doctor where d id = '$ POST[1]' ";
       $result = pg query($db, $query);
      }
     if(isset($ POST['ch'])){
        $query = "update clinic.doctor set d full name ='$ POST[2]', d gender
= '$ POST[3]',
       d dob = '$ POST[4]', d education= '$ POST[5]', d profession =
'$ POST[6]', d phone num = '$ POST[7]',
       d address = '$ POST[8]' where d id = '$ POST[1]'";
       $result = pg query($db, $query);
      }
      ?>
     Ниже представлен файл insertthird.php
      <?php
      $dbuser = 'postgres';
      $dbpass = '1234';
      $host = 'localhost';
```

```
$dbname='clinic';
      $db = pg connect("host=$host port=5432 dbname=$dbname user=$dbuser
password=$dbpass");
      if(isset($ POST['sub'])){
        $query2 = "insert into clinic.cabinet values('$_POST[c_number]',
'$ POST[c wt start]',
        '$ POST[c_wt_end]', '$_POST[c_phone_num]')";
       $result = pg_query($db, $query2);
      if (isset($ POST['del'])) {
        $query ="delete from clinic.cabinet where c number = '$ POST[1]' ";
       $result = pg query($db, $query);
      if(isset($ POST['ch'])){
        $query = "update clinic.cabinet set c wt start ='$ POST[2]', c wt end
= '$ POST[3]',
       c phone num = '$ POST[4]' where c number = '$ POST[1]'";
       $result = pg query($db, $query);
      }
      ?>
```

Вывод: в ходе выполнения лабораторной работы были освоены практические навыки разработки форм для вставки, выборки и редактирования данных.