

Capture the Flag 6: Active or Inactive? Capture the Flag 6: Active or Inactive?

🚩 Flag 0 — Create Your Feature Branch

Objective: Create a new feature branch before adding conditional UI.

Create:

```
feature/conditional-ui
```


Screenshot:

```
C:\Users\Manes Christopher\Documents\manes\IT314AB_Artajo>git branch  
* feature/conditional-ui
```

🚩 Flag 1 — Show Active or Inactive

Objective: Change the Student Card based on whether a student is active or inactive.

```
student.isActive ? 'ACTIVE' : 'INACTIVE',
```




🚩 Flag 2 — Show or Hide

Objective: Display certain UI elements only when a condition is true.

Screenshot:

```
// warning, show lang if inactive
if (!student.isActive)
  Padding(
    padding: const EdgeInsets.only(bottom: 10),
    child: Text(
      '⚠ This student is currently inactive',
      style: TextStyle(
        color: Colors.grey[700],
        fontSize: 12,
        fontStyle: FontStyle.italic,
      ),
    ),
  )


// delete button, show lang if active
if (student.isActive) ...[
  const SizedBox(width: 10),
  ElevatedButton(
    onPressed: () {
      showDialog(
        context: context,
        builder: (context) => AlertDialog(
          title: const Text('Delete Student'),
          content: Text('Are you sure you want to delete $name?'),
        ),
      );
    },
  ),
]
```



🚩 Flag 3 — The Empty Directory

Objective: Handle situations where there are no students to display.

Screenshot:



```
// empty state icon
Icon(
  Icons.people_outline,
  size: 60,
  color: Colors.grey[400],
), Icon
const SizedBox(height: 8),
Text(
  'No students found.',
```


```
body: students.isEmpty
  ? Center(
    child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
```

🚩 Flag 4 — Loading the Directory

Objective: Display different UI while student data is being loaded.

Screenshot:

```
body: _isLoading
  ? const Center(
    child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
      children: [
        CircularProgressIndicator(),
        SizedBox(height: 16),
        Text('Loading students...'),
```



🚩 Flag 5 — Multiple States


Objective: Make your Student Directory handle multiple UI states correctly.

Screenshot:

```

body: _isLoading
  ? const Center(
    child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
      children: [
        CircularProgressIndicator(),
        SizedBox(height: 16),
        Text('Loading students...'),
      ],
    ), Column
  ) Center
  : students.isEmpty
  ? Center(
    child: Column(
      mainAxisAlignment: MainAxisAlignment.center,
      children: [
        // empty state icon
        Icon(
          Icons.people_outline,
          size: 60,
          color: Colors.grey[400],
        ), Icon
        const SizedBox(height: 8),
        Text(
          'No students found.',
          style: TextStyle(
            fontSize: 24,



```



Flag 6 — States Work Together

Objective: Make sure conditional UI does not break your existing interactions.

Screenshot:



🚩 Flag 7 — Save Your Progress

Objective: Commit and push your completed Conditional UI Student Directory.

Use a proper Git commit message.

Branch:

feature/conditional-ui

Screenshot:

```
C:\Users\Manes Christopher\Documents\mannes\IT314AB_Artajo\my_first_flutter_app>git push origin
git: 'credential-manager-core' is not a git command. See 'git --help'.
Enumerating objects: 11, done.
Counting objects: 100% (11/11), done.
Delta compression using up to 4 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 1.53 KiB | 522.00 KiB/s, done.
Total 6 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (4/4), completed with 4 local objects.
remote:
remote: Create a pull request for 'feature/conditional-ui' on GitHub by visiting:
remote:   https://github.com/BosconianManes/IT314AB_Artajo/pull/new/feature/conditional-ui
remote:
To https://github.com/BosconianManes/IT314AB_Artajo.git
* [new branch]      feature/conditional-ui -> feature/conditional-ui
```