

Lecture

Fs list file system

Fs sa (user id) - gives access rights to another user

Umask - user mask - default access right

Programming

Ctrl + z - stop

Ctrl + c -break

Ctrl + D -exit, redefine

40 different levels of priority

Every user commands runs in 0 level priority

Below zero levels has more priority

Use nice command to set priority

POSIX 4 -IEEE 1003

Real time kernel - introduced in 1993

Has 100 priority levels

" - characters

Filter - command can accept the previous command output

Wc - word count

Ls -l | wc outputs the lines, words, characters

Who sort -r parameter - reverse

who|sort|wc -l count of logged in users

who|sort -u?wc - l a user logged in twice is counted as two users

who|cut -c1-6|sort -u|wc -l - counts all logged in users once

Grep who grep iff

Who grep ivf370 - checks the number of times a user is logged into the server

Patterns, regular expressions - very important

Try examples at home

[a-z] -lower case characters

[^a-c] not a. Or b or c

We access at most 3 normal parameters

Lesson 8

Windows scripting

Windows Remote Desktop connection

Windows client

Power shell - window's version of bash

History

Personal Computer

IBM PC DOS - Disk operating system

1981 - MS DOS version released

1984 - Microsoft Windows appeared as the graphical extension of MS-DOS

1993 32 bit system, Windows NT (New Technology)

1995 - Windows 95 - client OS Windows 11 , Windows NT 4.0 -Server OS direction,
Windows Server 22

2024 client OS Windows 11, Windows Server 22

Script types in MS Windows

Batch program

Windows Script Host Appeared in 2000 server

Powershell

Bases of batch programs

Appeared as a part of MOS DOS system

Text commands

File extension: .bat

Remark: rem

Echo instruction

Call other.bat

Value of variable: %name%

WSH example

.vbs files

What next after WSH?

.net framework 2.0, 2005

Powershell

New generation of Microsoft script language has Powershell

Powershell core version runs on all OS - can download from Microsoft website

Powershell windows version Powershell ISE

Unix Commands are incorporated in Powershell as aliases.

Can access powershell from MS SQL
Safety Script execution
Get-Execution Policy
Set-Execution policy
Default: Restricted - execution is not permitted

Set execution policy parameter(if it is not given)
Set setting new version
Get family - get and write commands
Use the latest Microsoft documentation

Practice commands

Pipeline for getting username

Getent passwd | cut -d":" -f5 - gets the usernames

Gives second part of the username
Getent passwd | cut -d":" -f5

Make a script for getting the name

Wq - write quit in vim editor

0 - True

If fi
For each

Man test - check file types and compare values

\$# - gives the count of all the inputs
\$* - all the inputs separated by space “ “