ZUBJEC	- IR					
	STACK				*	
	AAATN/					
	11/11/	<i>B</i> 1 0		1		
	Funct	> Bothell O				
	func 1	Bottell 1				
	func 1	Bottell 2		Flea	0	
	func 1	Bothell 3		. June 1		
•	func 1	Bottell4	لاق بر	Lanc 2		
•	Janc 2	Seattle 0	O STANK	Luncs	······································	
	June 2	Seattle 1	XY 77		3/000	
	func 2	Seattle 2	remit s		٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠	13
•	func 2	Seattle 3	rizvi de	tore	cpy() 5 consert	1 2 ·
• `	June 2	Seattle 4	2 £3	/ fine		war gus) to
•	tanc 3	tacana 0	67.25.	/		₹ //
•	func 3	tacoma 1	3 5 587	1 , 3		200
•	Fune 3	tacoma 2	£ 30:	func 3 (tacoma)	5 secale	Coxiece Co
•	func 3	tacoma 3	\$ 8Pc			38
<u>.</u>	func 3	tacoma 4	2 (2)	func 2 (Seattle)	Salarm	Content
	fenc!	Bothell 5	\$ 58,		+ / - /	<u>/</u> ×
	fenc 1	Bottell 6		func 1	Ssee	
	func!	Bottell 7	B.5'	(Bottell)	Alam	
unction1	June 1	Bottell 8		MAIN		
nas ->	func 1	Bothell 9				
	func 2	Seattle 85	<u> </u>	-1.		
	Lync 2	Seattle 6	2904	ck grows u	NP T	
·	func 2	Seattlez				,
dion 2	func e	Seattle 8				
"ends->	tenc 2	Seattle 9				
	fune 3	Tacoma 5				
	tunc 3	tacoma 6				
	tane 3	Tacoma 7				
tion 5	func 3	tacoma 8				
ents	func 3	Tacoma 9				