



BOSSK PRODUCTIONS

LOADOUT

MODEL AGGREGATION TERMINAL

GETTING STARTED

SET UP IN TEN MINUTES. THEN MAKE YOUR FIRST SHOT.

Your account, your API keys and Higgsfield — then generating, prepping and finishing, one screen at a time.

VERSION 0.2.11 · WINDOWS & MAC · BOSSK PRODUCTIONS

HOW LOADOUT WORKS

One desktop app for the image and video models you already use. Four stages, in the order you work: set up, prep your material, generate, finish.

01

SET UP

Sign in with your licence, add the API keys for the services you use, and connect Higgsfield if you have a plan.

Account · API keys · Higgsfield · Projects

02

PREP

Tools that make the inputs better: motion guides, masks and mattes, multi-angle coverage, retiming.

Viz-Motion · Instance Plate · Mask & AI Roto · Coverage Studio · Retime

03

GENERATE

Stills and video from every major model — Nano Banana, GPT Image, Seedance, Kling, MiniMax H3, LTX, FLUX.

Images · Videos · Batch

04

FINISH

Get shots ready for the edit: upscale, convert to log for grading, add film texture, stitch long clips.

Upscale · Patina · Splice & Stitch

WHAT IT COSTS

\$10 / MONTH

Includes 300 GPU minutes for the engines that need a graphics card (MiniMax H3, LTX, Viz-Motion, AI Roto). Extra: \$10 for 500, never expire.

YOUR API KEYS

Cloud models bill your own account with each provider, at their price. LOADOUT adds nothing on top.

HIGGSFIELD

“Generate via Higgsfield” uses the credits on your own Higgsfield plan. You see the credit cost before anything is sent.

GOOD TO KNOW

The chip at the top right of the app is a running tally for the open project — dollars spent and seconds of video made. Click it for the full receipt.

CREATE YOUR ACCOUNT

Everything starts at bosskproductions.com/loadout.



Every AI image and video model, one app.

LOADOUT is a desktop studio for Seedance, Kling, MiniMax H3, LTX, FLUX, Nano Banana, GPT Image and more — with projects, batching, film finishing and a per-project receipt for every render.

\$10 / month

- **300 GPU minutes every month** on a rented graphics card: MiniMax H3 with audio, LTX-2.5, Viz-Motion, AI Roto. Extra minutes are \$10 for 500 and never expire.
- **Your keys, your bills.** Cloud models (Seedance, Kling, Nano Banana, GPT Image...) run on API keys from your own provider accounts and are billed by those providers directly. We never see those keys.
- **Only render time counts.** Waiting for a machine is never charged.
- **Why \$10?** It covers the rented GPU and the workflows we build and maintain. That is all it pays for — everything else is at cost, with no markup, no per-seat fees, no upcharges.

CREATE MY ACCOUNT


- 1 Download LOADOUT for **Windows** or **Mac** from bosskproductions.com/loadout and install it.
- 2 On the sign-up page, click **Create my account** and pay the \$10 on Stripe. Use the email you want the account under.
- 3 You come back to a page where you can add API keys (optional — you can do it in the app) and **download your licence file**, `LOADOUT-licence.lnk`. Keep it somewhere safe.

HEADS-UP

On Windows the first launch may show “Windows protected your PC”. Click **More info**, then **Run anyway**. It only asks once.

SIGN IN WITH YOUR LICENCE

The first time LOADOUT opens it asks who you are.




- 1 Open LOADOUT. Choose **I already have a licence**. (No account yet? **Create an account** opens the sign-up page.)
- 2 Click **Choose your licence file** and pick `LOADOUT-licence.ldk` — or paste the key from your email.
- 3 Click **Sign in**. That is the whole setup.

GOOD TO KNOW

Using LOADOUT on a second computer? It shows an approval code. Approve it from the first computer under **Edit > Settings > Devices**, or on the website.

ADD YOUR API KEYS

Keys connect LOADOUT to the AI services. You only need one to start — add others when you want those models.



- 1 Open **Edit > Settings**. **API keys** is at the top.
- 2 Click **Get key** next to a service to open its sign-up page. Copy the key it gives you, paste it in, click **Save**.
- 3 Click **Test**. A green box means the key works. Engines that key unlocks light up across the app.

GOOD TO KNOW
Your keys stay on your computer. Each service bills you directly at its own price — LOADOUT never adds a markup.

SERVICE	UNLOCKS	WHERE TO GET THE KEY
Replicate START HERE	Seedance 2.0 & 2.5, Kling, MiniMax H3 (cloud), Topaz upscale	replicate.com > Account > API tokens
Google AI Studio	Nano Banana Pro images — turn on billing in the project	aistudio.google.com > Get API key
OpenAI	GPT Image 2	platform.openai.com > API keys
fal.ai	Backup route for Seedance and Kling, Topaz on fal	fal.ai > Dashboard > Keys
WaveSpeed	Seedance 2.5 at 1080p	wavespeed.ai > API keys
Kling	Kling 3.0 direct	klngai.com > Developer > API keys

CONNECT HIGGSFIELD

Optional. If you have a Higgsfield plan, LOADOUT can render with your plan's credits.

HIGGSFIELD ACCOUNT

Connect your Higgsfield account so Higgsfield renders use your own credits.

Not connected yet.

1 Connect Higgsfield

► Advanced: paste a credentials file instead

- 1 Open **Edit > Settings** and scroll to **Higgsfield account**.
- 2 Click **Connect Higgsfield**. Your browser opens the Higgsfield sign-in.
- 3 Sign in and approve. Back in LOADOUT it says **Connected** with your credit balance.
- 4 Now every **Generate via Higgsfield** button uses those credits. A confirm window shows the refs and the credit cost before anything is sent.

GOOD TO KNOW

A Higgsfield render can be cancelled while it is still **In queue** — nothing has been sent and no credits are spent. Once it says **Rendering on Higgsfield**, it has started.

START A PROJECT

A project is a folder for one job. Everything you make is filed inside it and counted on its receipt.



LOADOUT

Open a project to begin. Everything you make is filed inside its folder.

1

New Project

Pick a folder. IMG GEN, VID GEN and ASSETS go inside it.

Open Project

A folder that already has a project.json.

Import Project

Adopt a folder of existing media. Nothing is moved.

RECENT


No projects yet. Create one to get started.

[Skip — use the whole gallery.](#)

- 1 On the start screen click **New Project** (or **File > New Project**). Name it and pick where it lives.
- 2 LOADOUT makes three folders: **IMG GEN** for stills, **VID GEN** for clips, **ASSETS** for everything tools produce and the references you upload.
- 3 Files are named after the project — `NightShift_Video_001.mp4` — so a folder you hand to an editor is already organised.

PREP: MOTION AND PEOPLE


Menu: Prep. Get your source material ready first — these make the inputs a video model follows.



VIZ-MOTION

Turns any clip into clean motion guides — a skeleton and a depth pass — that drive a restyle with your own characters and look.

- 1 Drop a clip (up to 15 seconds).
- 2 Pick the outputs you want, then **Extract Viz-Motion**.
- 3 Use the result as the reference video in Seedance Ref to video.



INSTANCE PLATE

For restyling a clip with two or more people. It keeps your real footage and paints each person their own colour, face blurred, so the model never mixes them up.

- 1 Drop the clip and scrub to a clear frame.
- 2 + **Add character**, click the middle of each person.
- 3 **Generate Instance Plate**.

PREP: FRAMES AND TIMING

Clean up a frame, get more angles from one image, change speed.

SOURCE (image or video)

Drop, click, or drag from the gallery

MODE

Blackout (matte-bl)

FILL COLOR (blackout)

Click and drag on the preview to draw a rectangle. Add as many as you like. **Apply** renders to the gallery as **loadout_masked_...** For **video**, regions paint on every frame at the same position (static logos / chest emblems) — first frame shown for picking.

Undo last

Clear all

APPLY

Grid overlay (image only)

MASK & AI ROTO

Drag boxes to black out or blur logos and details. **AI Roto** tracks a subject through a clip from one click and gives you a matte.

SOURCE IMAGE (one subject in a set)

Drop an image, click to browse, or drag from the gallery

A wide shot from above works best — the whole subject and the set in frame, so every angle has something to find.

SHOT DESCRIPTION (optional)

Describe the shots you want (optional)

STYLE

None

manage

For more accurate characters, type  to pick a tag.
No @tags yet — create one from a close-up in the Gallery.

CUT SENSITIVITY

Balanced

10-second 720p clip at 21.9, one second per camera angle. Leave the shot box

COVERAGE STUDIO

One wide image in, a short camera move out, then the ten sharpest frames saved as stills — a set of coverage angles from a single shot. Uses Seedance on your key.

SOURCE (video)

Drop a clip, click to browse, or drag from the gallery

MODE

Slow motion — more frames, clip gets longer

SPEED

0.5x — half speed, 2x lor

METHOD

Smooth (RIFE · AI)

MODEL

rife-v4.6

Local · free — RIFE on your GPU (Vulkan). Output stays at the source frame rate, so the clip gets longer. Audio is dropped.

RETIME

RETIME

Slow motion or smoother motion with AI frame interpolation. Free — runs on your computer. The first time, LOADOUT downloads its models on the splash screen.

MAKE AN IMAGE

Generate › Images. Nano Banana Pro is the one to reach for first.

The interface is a dark-themed control panel for image generation. At the top, there are two tabs: 'IMAGE' (selected) and 'VIDEO'. Below the tabs, the 'MODE' dropdown is set to 'Generate'. The 'ENGINE' dropdown is set to 'Nano Banana Pro' (callout 1). The 'PROMPT' text area contains the text 'Rain-soaked neon alley at night, a lone figure in a long coat under a flickering sign, 35mm, shallow depth of field' (callout 2). Below the prompt, the 'STYLE' dropdown is set to 'None' with a 'manage' button next to it. The 'REFERENCES' section has a '+ Add reference' button and a large dashed box for dropping images (callout 3). Below this, there is explanatory text about references. The 'ASPECT RATIO' dropdown is set to '1:1 — Square'. Below this, there is explanatory text about aspect ratios. The 'SIZE' dropdown is set to '2K'. Below this, there is explanatory text about sizes. The 'BATCH SIZE' input field is set to '1'. The 'TAG RESULT' input field contains 'e.g. hero (no @)'. At the bottom, there is a large orange 'GENERATE' button (callout 4). At the very bottom, there is small text about billing and saving.

MODE
Generate

ENGINE
1 Nano Banana Pro

PROMPT
2 Rain-soaked neon alley at night, a lone figure in a long coat under a flickering sign, 35mm, shallow depth of field

STYLE
None manage

REFERENCES (optional, up to 16) + Add reference
3 Drop, click, or drag from the gallery

Add references to compose or edit with them — the model combines all images + your prompt into one output. Leave empty and it generates from the prompt alone.

ASPECT RATIO
1:1 — Square

Nano Banana Pro renders this exactly. GPT Image 2 only has three real shapes (square / landscape / portrait) and snaps to the closest.

SIZE
2K

Nano Banana Pro renders at this exact pixel tier. GPT Image 2 has no size tiers — its actual resolution tops out around 1536px — so this instead picks its render quality (1K → low, 2K → medium, 4K → high).

BATCH SIZE
1

TAG RESULT (optional → @library)
e.g. hero (no @)

Billed per image to your OpenAI or Google account (per the Model selector). Renders save straight to the gallery.

4 GENERATE

- 1 **Engine** — Nano Banana Pro for the best stills, GPT Image 2 for fast edits with many references.
- 2 **Prompt** — describe the shot: subject, place, light, lens.
- 3 **References** (optional) — drag images in from the gallery on the right, or drop files. Up to 16.
- 4 Pick an **aspect ratio** and **size** further down, then click **Generate**. Results appear in the middle and in the gallery.

GOOD TO KNOW

Found a look you like? Save it as a **Style** (the **manage** button) and apply it to any prompt with one click.

MAKE A VIDEO

Generate > Videos. Pick the model, the version and how you want to drive it.

The interface is a dark-themed form for generating videos. At the top, there are two tabs: 'IMAGE' and 'VIDEO', with 'VIDEO' selected. Below the tabs, the 'ENGINE' section has a dropdown menu with 'Seedance' selected (callout 1). The 'VERSION' section has three buttons: '2.5', '2.0' (selected), '2.0 FAST', and '2.0 MINI' (callout 2). The 'MODE' section has three buttons: 'REF TO VIDEO' (selected), 'IMAGE TO VIDEO', and 'TEXT TO VIDEO' (callout 3). The 'Prompt' section has a text input field with the text '@Image1 walks slowly toward camera through drifting fog, handheld, harsh side light' (callout 4) and a 'Check refs' button. Below the prompt is a 'STYLE' dropdown menu with 'None' selected and a 'manage' button. A note below the style says: 'Reference-to-video: drive the shot from up to 9 reference images (plus video). Add them below or via @tags, then cite them in the prompt as @hero, @lair (sent to Seedance as [Image 1], [Image 2]...).' The 'REFERENCES' section has a '+ Add reference' button and a large dashed box with the text 'Drop, click, or drag from the gallery' (callout 5). The 'RESOLUTION' section has a dropdown menu with '720p' selected. The 'DURATION' section has a slider bar and a '5s' label. The 'ASPECT' section has a dropdown menu with '16:9' selected. The 'AUDIO' section has a checkbox that is checked. The 'BATCH' section has a dropdown menu with '1' selected and a note '(up to 3 renders in flight)'. At the bottom, there are three buttons: 'GENERATE VIDEO' (callout 6), 'Add to Batch' (callout 8), and 'GENERATE VIA HIGGSFIELD' (callout 7). A cost estimate at the bottom says: 'Estimated cost: ~\$0.75 per generation. ByteDance flagship - official API (BytePlus, or Replicate for US accounts) - up to 4K - ~\$0.37/s at 1080p (about half fal's price)'.


- 1 **Engine** — Seedance, Kling, MiniMax H3, LTX, FLUX...
- 2 **Version** of that model.
- 3 **Mode** — **Text to video**, **Image to video** (a start frame) or **Ref to video** (characters and places from reference images).
- 4 **Prompt.** `@Image1` means the first reference. The tag turns **green** when something is attached, **yellow** when it is not.
- 5 **References** — drag from the gallery or drop files. **Check refs** tells you if a tag points at nothing.
- 6 **Generate Video** renders on your API key.
- 7 **Generate via Higgsfield** renders on your Higgsfield credits instead.
- 8 **Add to Batch** queues it; stack several and click **Render All**.

GOOD TO KNOW

Up to three renders run at once, each in its own slot. A render still **In queue** has a **Cancel** button; a failed one stays on screen with the reason until you close it.

THE RECEIPT: COST, PROMPTS, REUSE

Click the tally in the top right. Every render in the project, with what it cost and exactly how it was made.



- 1 **Spent** so far, against the project's budget if you set one.
- 2 **Copy prompt** — click any render to open it, then copy its full prompt.
- 3 **Reuse** — puts that render's engine, prompt and references straight back into the Generate window, ready to tweak.
- 4 **Set budget** — the tally turns amber at 80% and red past it. It never stops a render; it just keeps you honest.

GOOD TO KNOW

CSV and **Printable receipt** give you the paper trail for a client invoice.

FINISH: UPSCALE AND STITCH

Menu: Finish. Get shots to delivery size and join long pieces.

SOURCE (image or video)

Drop image/video, click to browse, or drag from the gallery

ENGINE

1 Topaz (Replicate · cloud, paid · cheapest)

UPSCALE

2x

MODEL

Standard V2

Cost: billed by Replicate — image from \$0.05; video per second: 720p ~\$0.005, 1080p ~\$0.02, 4K ~\$0.075 (x2 at 60fps). Cheapest Topaz.

2

UPSCALE

UPSACLE

Topaz on Replicate is the default — the cheapest way to run Topaz. Images go 2×, 4× or 6×; for video pick the output size and frame rate. Local Real-ESRGAN is there too, free.

- 1 Drop an image or clip.
- 2 Pick the engine and size.
- 3 Upscale.

1 · SPLIT SOURCE INTO CHUNKS

Drop the long source clip. It's cut at exact frame boundaries so the restyled chunks butt together perfectly. Chunks land in your gallery as `loadout_seq_...`

Drop, click, or drag from the gallery

CHUNK LENGTH

5s

OVERLAP

0.75s (recommended)

Overlap makes adjacent chunks share the boundary window of source footage — both restyles render the same motion there, which is what lets Stitch flow-morph the seam invisibly instead of crossfading two unrelated moments.

1

SPLIT

2 · CONTINUE FROM A RESTYLED CHUNK

Drop restyled chunk N. LOADOUT pulls its last frame into the gallery and attaches it as an image ref on the Video tab — the anchor that keeps chunk N+1's look consistent.

Drop, click, or drag from the gallery

2

PULL LAST FRAME → VIDEO TAB


SPLICE & STITCH

For clips longer than a model can make in one go: split the source into overlapping chunks, restyle each, then stitch them back seamlessly.

- 1 Split the source.
- 2 Restyle each chunk; Pull last frame carries the look into the next one.
- 3 Stitch the restyled chunks.

PATINA: LOG AND FILM

Finish > Patina. Make AI footage behave like camera footage in the grade.



- 1 Drop a clip — from your computer or straight from the gallery. It plays in the preview.
- 2 Pick a **Log curve** (Sony S-Log3, ARRI LogC, V-Log...). The preview shows the log look instantly.
- 3 Choose bit depth and codec (ProRes 422 HQ is a safe default) and click **Convert to Log**.
- 4 Grade it like camera footage: set the matching input transform in Resolve or Premiere.

GOOD TO KNOW

Image → Film (the tab next to it) adds halation, grain, lens character and film-stock colour to stills, with a live preview.

A FEW THINGS WORTH KNOWING

UPDATES INSTALL THEMSELVES

When there's a new version, LOADOUT downloads it on the splash screen and reopens. No installer to run.

NOTHING BILLS BY SURPRISE

Every cost shows before you press Generate, Higgsfield asks you to confirm, and queued renders can be cancelled.

SHOW IN FOLDER

Every gallery item has a folder button, and **Download** asks where to save.

YOUR FILES STAY YOURS

Gallery, projects and API keys live on your computer. Only the GPU engines run on the rented graphics card.

DRAG AND DROP EVERYWHERE

Anything in the gallery can be dragged into any reference box, any tool, any slot.

BATCH OVERNIGHT

Add to Batch on any shot, then **Render All** from the Batch button in the header.



Questions or a problem? team@bosskproductions.com
bosskproductions.com/loadout