

SOFTWARE REQUIREMENTS SPECIFICATION FOR ONLINE FOOD DELIVERY SYSTEM (IMPROVED FOODPANDA)

Lecturer:

Nit Ratha

Version 1.0 Approved

Semester: **3**

Prepared by :

Chui Vanenteakbot - ID: 601007443

Table of Contents

1. Introduction	3
1.1. Purpose	3
1.2. Document Conventions	3
1.3. Intended Audience and Reading Suggestions	3
1.4. Product Scope	3
2. Overall Description	3
2.1. Product Perspective	3
2.2. Product Functions	4
2.3. User Classes and Characteristics	4
2.4. Operating Environment	5
2.5. Design and Implementation Constraints	5
2.6. Assumptions and Dependencies	5
3. External Interface Requirements	5
3.1. User Interfaces	5
3.2. Hardware Interface	7
3.3. Software Interface	8
3.4. Communication Interface	8
4. System Features	9
4.1. Functional Requirements	9
4.2. Non-Functional Requirements	11
5. Other Requirements	12
5.1. Language	12
5.2. Legal Compliance	12
5.3. Internet Connection	12
Appendix A: Elicitation Method	12
1. Observation	12
2. Document Analysis	13
Appendix B: Use Case Diagram and Product Use Cases	13
Appendix C: PLanguage	15
Appendix D: Prioritization and Release Plan	16
References	17

1. Introduction

1.1. Purpose

This document describes the software requirements for the Online Food Delivery System version 1.0. It's a mobile app and website for ordering food online in Cambodia. It covers all main parts such as what customers need, what restaurants need, what delivery drivers need, and what admins need. The system tries to solve common problems found in existing apps such as Foodpanda. For instance, restaurants pay high commissions and face unfair pricing from delivery apps (Ravindran, 2025) and delivery drivers face safety risks (Sinorn, 2024).

1.2. Document Conventions

All headings are written in bold. And all requirements use "The system shall..." format. Each requirement has a unique identifier like REQ-F01, REQ-F02, and so on. Also, Priorities are marked as High, Medium, or Low.

1.3. Intended Audience and Reading Suggestions

This document is for developers, testers, managers, and users. Developers read sections about features and requirements. Managers read section 2 for overview. Testers look at the non-functional requirements parts. Start with section 1 and 2, and then go to what you need most.


1.4. Product Scope

The Online Food Delivery System inspired by Foodpanda lets people in Cambodia order food from any restaurants using their device such as phone or computer. Customers can browse menus, place orders, track delivery driver, and pay easily through the app or pay cash after the order arrives. Restaurants can manage menu and orders. Delivery Drivers can accept jobs(deliver to whoever order) and deliver safely. And admins control everything. The goal is faster service, safer deliveries, and fairer fees for restaurants that will help the growing food delivery industry in Cambodia. The food service market is about USD 2.85 billion in 2025 and expected to grow to USD 5.39 billion by 2030 (Mordor Intelligence , 2025).

2. Overall Description

2.1. Product Perspective

This is a new Online Food Delivery System for Cambodia. It builds on existing apps but fixes their problems. Many restaurants say that high commission fees (15% to 30% or more) and deep discounts hurt their business (Ravindran, 2025). Studies also show that food delivery platforms hold significant power over restaurants, making it difficult for small businesses to stay profitable (Wharton Magazine, 2025). Delivery drive face road safety risks every day and low pay (Sinorn, 2024). Customers complain about late orders, missing items from what they ordered, and hard refunds. This system will add better tracking, lower fees where possible, safety alerts for delivery drivers, and easier support. It connects customers, restaurants, delivery drivers, and admins. It uses local maps and payments such as ABA, ACLEDA, or Wing.



2.2. Product Functions

The improved Foodpanda system will provide the following functions such as:

Customers can register and log in or use guest checkout option (no need to sign up) to browse nearby restaurants and menus, place food orders, track their delivery driver on a live map, pay using local payment methods like ABA Pay, ACLEDA Pay, or Wing, cancel orders easily, and leave ratings and reviews after the delivery.

Restaurants can manage their menu items and prices, receive and update order status, and view sales reports. In addition, they will also pay lower and benefit from a fairer commission system compared to current model.

Delivery drivers can receive job assignments automatically, navigate to pickup and drop off locations using a map inside the app, and receive safety alerts if they stop moving for too long during delivery.

Lastly, Admins can manage all user accounts, monitor orders, handle disputes and refund requests and view all system reports to improve in the future.

2.3. User Classes and Characteristics

There are four types of users in this app such as:

Customer: Regular people in Cambodia who want to order food using their device such as phone or computer. Most customers are familiar with basic smartphone use but may not have advanced technical skills. Some of them prefer Khmer language over English since they don't know English very well.

Restaurant: The restaurant here are related to all food businesses that sign up to receive online orders through the app or platform. Restaurant staff need a simple dashboard to see when the order comes in because they are busy with food preparation and can't spend much time learning complex software.

Delivery Driver: All the Delivery drivers who use the mobile app to find and complete delivery jobs. Delivery drivers are often on the road and need a simple, fast interface that works well even on lower version Android phones.

Admin: are Internal staff who manage the platform. Admins are technically familiar and will use a full web based control panel to look over the application.

2.4. Operating Environment

The system will operate as a mobile application for Android and iOS devices, and also as a web platform accessible through any modern browser such as Chrome, Brave, and Safari. It will use cloud based servers to ensure it can handle many users accessing the app at the same time. The system will use local map service for delivery driver navigation and tracking. It will also connect to Cambodian payment gateways including ABA Pay and Wing for local transactions.

2.5. Design and Implementation Constraints

The system must comply with Cambodia's laws on personal data protection to prevent data breaches. Payment processing must follow the security standards required by the National Bank of Cambodia. The application must function on Android version 8.0 and above since many delivery drivers and customers in Cambodia use older Android phones. Internet connectivity is required for most features, but the app should have a function to display a clear error message when the connection is lost.

2.6. Assumptions and Dependencies

It is assumed that all users have access to a smartphone with stable internet connection. And it is also assumed that restaurants have a staff member available to have responsibility to check and confirm orders during their operation hours. The system depends on third party services for map navigation and payment processing. If the third party services go down, some features of the system will be temporarily unavailable.

3. External Interface Requirements

3.1. User Interfaces

The improved Foodpanda system will have four main user interfaces depending on the type of user.

- Customer Interfaces (Mobile Application)

The customer interface is a mobile application available on Android and iOS. Figure 1 shows the current Foodpanda login screen, which allows users to sign in using Google (Gmail account), Apple (apple ID), email, or phone number. The improved system will keep those existing options that Foodpanda has but also add an OTP (one time password) login method that uses a temporary code sent by SMS, email, or app for users who prefer a faster and simpler way to log in.




Figure 1: Current Foodpanda login screen (Foodpanda Cambodia, 2026)




Figure 2: Current Foodpanda home screen showing food categories and promotions (Foodpanda Cambodia, 2026)

Figure 2 shows the current Foodpanda home screen. It displays the user's real time location, a search bar, food categories, promotions, and nearby restaurants. The improved system will keep this layout but add a Khmer language toggle button at the top of the screen, so it's easier for user who don't know English well and improve the home page loading speed to under 1 second as described in REQ-NF01.




Figure 3: Current Foodpanda grocery browsing screen (Foodpanda Cambodia, 2026)




Figure 4: Current Foodpanda search screen (Foodpanda Cambodia, 2026)

Figure 3 shows the grocery section of Foodpanda. The improved system will keep this feature but make the category filter easier to use. It will show product prices from multiple shops for easy comparison and add healthcare food and dietary filters for Halal, Vegetarian, and Organic items. And it will also display in stock status before users click into each shop and show shop promotions and delivery fees on main screen, too. And improved system will add better sorting options such as price and rating.

Figure 4 shows the search screen with popular cuisines, recent searches, and top brands. The improved system will add a smarter search that suggests results immediately as the user types and supports Khmer language text input.

- Restaurant Interfaces (Web Dashboard)

The restaurant interface will be a web based dashboard. Restaurant staff can log in to view incoming orders, update order status, manage their menu items and set prices, and view a simple sales report. The design will be kept simple so that staff who are busy with food preparation can use it quickly and easily without any training by just knowing how to read in English.

- Delivery Driver Interfaces (Mobile Application)


The Delivery Driver interface will be a mobile application showing available delivery jobs, a navigation map with turn by turn directions to where the customer set location for, current earnings and a safety alert notification if the rider stops moving for too long during a delivery.

- Admin Interface (Web Panel)

The admin interface will be a full web control panel. Admins can view and manage all user accounts, monitor active orders, handle disputes and refund requests by customers, and generate system reports.

3.2. Hardware Interface

The system will access the GPS sensor on the delivery driver's mobile phone to track their location during an active delivery. It will also use the phone camera for delivery drivers to upload required documents during account registration. The system will support Android 8.0. And iOS version 13 and above, which covers most of the devices currently used by Cambodia people.



3.3. Software Interface




Figure 5




Figure 6




Figure 7

The system connects to several external software services to work properly.

Figure 5 shows the current Foodpanda payment screen. The system currently supports Cash, Credit or Debit Card, and ABA Pay. The improved system will keep these options and also add Wing and ACLEDA Pay since these are two of the most widely used payment methods in Cambodia. All payments will be processed through their official APIs.

Figure 6 shows the checkout screen with ABA Pay selected. The improved system will keep this layout but display fees more clearly so customers always know exactly what they are paying for before confirming their order.

Figure 7 shows Google Maps being used inside Foodpanda for the customer to pin their delivery location. The improved system will keep this Google Maps integration but improve it by adding real time driver tracking so customers can see the driver moving toward them on the same map.

Apart from payments and maps the system will also connect to an SMS gateway service to send OTP verification codes to users during registration and login. All user data, order records, and delivery history will be stored securely in a cloud database using Firebase and MySQL hosted on a cloud serve.

3.4. Communication Interface

- The system will use HTTPS (Hypertext Transfer Protocol Secure) for all communication between the mobile application and the server to protect user data during transfer.
- Push notifications will be sent to users through Firebase Cloud Messaging to inform them about order status updates, promotions, and safety alerts.
- OTP codes will be sent through an SMS gateway using standard mobile network protocols.
- All payment transactions will follow the security standards required by the National Bank of Cambodia.

4. System Features

4.1. Functional Requirements

REQ-F01: User Registration

- The system shall allow new users such as customers, restaurants, and delivery drivers to create an account.
- Users must provide their full name, email address, phone number, and password to register.
- This is needed because every user must have their own account to use the system and keep their data separate with no dependencies.

REQ-F02: User Login and Authentication

- The system shall allow registered users to log in using their email and password, google account, Apple ID, or phone number.
- Users can also log in through a OTP (One time PIN) sent to their registered phone number for a faster and simpler option.
- This is needed because secure login protects user accounts. Multiple login options make it more convenient for different types of users in Cambodia.
- Depends on REQ-F01.

REQ-F03: Browse Restaurants and Menus

- The system shall allow customers to view a list of nearby restaurants and filter them by food category, price, or star rating.
- Each restaurant page will show the full menu with item names, descriptions, prices, photos and reviews.
- This is needed because customers need to find food quickly and easily through sort or filter functionality. Photos also help them to decide faster.
- Depends on REQ-F01.

REQ-F04: Place Food Order

- The system shall allow customers to select one or more items on the menu and choose the quantity for each to add to their carts.
- Customers can also add a special instruction note to let the restaurant know such as “no chili or no spicy stuff” before submitting the order.
- This is needed because special notes help reduce incorrect orders which is a common complaint in the current Foodpanda app.
- Depends on REQ-F03.

REQ-F05: Real Time Order Tracking

- The system shall show customers a live map with current location of the delivery driver.
- The map must update at least every 30 seconds from the moment the delivery driver picks up the order until delivery is complete.
- This is needed because live tracking is one of the most requested features by customers. Research shows it directly improves user satisfaction (Mărcuță & MoldStud Research Team, 2024). The current Foodpanda tracking updates too slow.
- Depends on REQ-F04.

REQ-F06: Payment Processing

- The system shall allow customers to pay using ABA Pay, ACLEDA Pay, Wing, credit or debit card, or cash on delivery.
- Payment must be confirmed successfully before the order is sent to the restaurant.
- This is needed because ABA Pay, ACLEDA Pay, and Wing are the most commonly used mobile payment methods in Cambodia (Mordor Intelligence , 2025). Cash on delivery is also important for users who don't use digital banking.
- Depends on REQ-F04.

REQ-F07: Order Cancellation and Refund

- The system shall allow customers to cancel their order within 3 minutes of placing it, only if the restaurant has not yet accepted it.
- If payment was made digitally, the system shall process a full refund within 3 to 5 operation days.
- This is needed because the current Foodpanda cancellation and refund process is unclear and slow. Clear policies build customer trust (Eat Fresh Tech, 2024).
- Depends on REQ-F04 and REQ-F06.

REQ-F08: Restaurant Order Dashboard

- The system shall provide restaurants with a dashboard to view all incoming orders in real time.
- Restaurant staff who has responsible for the order from application can mark each order as accepted, being prepared, or ready for pickup and update estimated preparation time.
- This is needed because restaurants need to manage multiple orders clearly. A simple dashboard reduces mistakes and helps delivery drivers know when to arrive for pickup.
- Depends on REQ-F01.

REQ-F09: Automatic Delivery Driver Assignment

- The system shall automatically assign the nearest available delivery driver to an order once the restaurant has accepted it.
- The driver will receive a notification with the restaurant address and the customer's delivery address.
- This is needed because automatic assignment reduces waiting time and removes the need for manual coordination between delivery drivers and restaurants.
- Depends on REQ-F04 and REQ-F08.

REQ-F10: Delivery Driver Safety Alert

- The system shall send an automated safety check notification to a delivery driver if their GPS location has not changed for more than 10 minutes during an active delivery.
- If the driver doesn't respond within 5 minutes, the system shall automatically notify the admin team to check on the delivery driver.
- This is needed because delivery drivers in Cambodia face real road safety risks every day (Sinorn, 2024). This feature helps detect possible accidents early so help can be arranged quickly.
- Depends on REQ-F09.

REQ-F11: Ratings and Reviews

- The system shall allow customers to submit a rating from 1 to 5 stars and write review for both the restaurant and the delivery driver.
- This must be done within 24 hours after the delivery is marked as completed.
- This is needed because ratings help other customers choose good restaurants and reliable delivery drivers. They also motivate restaurants and delivery drivers to maintain good service quality.

- Depends on REQ-F05.

REQ-F12: Customer Support Chat

- The system shall provide an in app live chat that connects customers to a support agent within 5 minutes during operation hours of 7:00 AM to 11:00 PM.
- Outside of these hours, an automated chatbot will handle common questions.
- This is needed because observation of Foodpanda found that contacting customer support is slow and unclear. Fast support helps resolve problems such as wrong or missing items quickly.
- Depends on REQ-F01.

4.2. Non-Functional Requirements

REQ-NF01: Performance

- The system shall load the home page and display nearby restaurants in under 1 second when the user has a stable 4G, 5G or Wi-Fi.
- The system shall confirm a completed payment within 5 seconds after the customer submits their order. This is needed because slow loading causes users to abandon the app. Fast response time is one of the most important factors in keeping users engaged on mobile applications (Mărcuță & MoldStud Research Team, 2024).
- Priority: High

REQ-NF02: Security

- The system shall encrypt all data sent between the app and the server always using HTTPS.
- All user passwords must be stored using secure hashing and must never be stored as plain text in the database avoiding cyberattack. And all payment transactions must follow the security standards required by the National Bank of Cambodia.
- This is needed because users share personal information and payment details through the app. Failing to protect users' data could lead to serious privacy violations and loss of user trust.
- Priority: High

REQ-NF03: Usability

- The system shall provide a Khmer language option that any user can switch to directly from the home screen. All main functions such as ordering food, tracking a delivery, and making a payment must be reachable within 3 taps from the home screen for better user experience.
- The app must work correctly on Android version 8.0 and above to support users in Cambodia who use older smartphones, so it's usable for every Cambodia citizen.
- This is needed because many users in Cambodia are more comfortable reading Khmer than English. A simple interface also helps users who are not familiar with technology to use the app without difficulty.
- Priority: High

REQ-NF04: Reliability

- The system shall maintain at least 99% uptime during peak operating hours from 7:00 AM to 11:00 PM every day.

- If a server error happens, the system shall display a clear and easy to understand error message to the user instead of crashing silently.
- This is needed because both customers and restaurants depend on the system being available during meal times. Any downtime during peak hours results in failed orders and damages the reputation of the platform.
- Priority: High

REQ-NF05: Availability

- The system shall be accessible 24 hours a day, 7 days a week.
- Any planned maintenance shall be scheduled between 2:00 AM and 4:00 AM to reduce the impact on active users.
- This is needed because some customers place late night orders and restaurant staff may need to update their menus or check sales reports outside of regular hours.
- Priority: Medium

5. Other Requirements

5.1. Language

The system shall support both English and Khmer languages. Users can switch between languages from the home screen at any time.

5.2. Legal Compliance

The system shall comply with Cambodia's laws on personal data protection. All user data collected must only be used for the purpose of providing the food delivery service.

5.3. Internet Connection

The system requires an active internet connection to use most features. If the connection is lost, the system shall display a clear error message to inform the user.

Appendix A: Elicitation Method

Two elicitation methods were used to gather requirements for this system.

1. Observation

The Foodpanda mobile app was downloaded and used directly on an IOS device (Iphone 13 pro max) in Phnom Penh, Cambodia. The app was observed across multiple sessions to identify usability problems and missing features. The following issues were found during observation such as:

- The order tracking map updates too slowly and is not smooth.
- There is no Khmer language option anywhere in the app.
- The refund and cancellation process is unclear and hard to find.
- Contacting customer support takes too long and the process is confusing.
- Restaurant commission fees are high and not transparent to restaurant owners.
- There is no safety feature for delivery drivers during active deliveries.


2. Document Analysis

Several online articles, news reports, and research papers were reviewed to understand the problems with existing food delivery platforms in Cambodia and the needs of each stakeholder group. Key findings include:

- Restaurants in Cambodia pay commission fees of 15% to 30% or more to food delivery platforms, which hurts small businesses (Ravindran, 2025).
- Delivery drivers face serious road safety risks every day with little protection from platforms (Sinorn, 2024)
- Real-time order tracking directly improves customer satisfaction in food delivery apps (Mărcuță & MoldStud Research Team, 2024).
- ABA Pay, Wing, and ACLEDA are the most widely used mobile payment methods in Cambodia (Mordor Intelligence , 2025).
- The Cambodia food service market is growing rapidly and expected to reach USD 5.39 billion by 2030 (Mordor Intelligence , 2025).

Appendix B: Use Case Diagram and Product Use Cases

The diagram below shows the system boundary of the Online Food Delivery System and all the actors that interact with it. There are four main users which are Customer, Restaurant, Delivery Driver, and Admin. There are also three external systems which are Google Maps for live tracking and navigation, Payment Gateway (ABA, Wing, ACLEDA) for processing payments, and SMS Gateway for sending OTP verification codes.



Product Use Case 1: Place Food Order

Use Case ID	PUC-01
Use Case Name	Place Food Order
Actor	Customer
Precondition	Customer is logged in and has selected a restaurant
Trigger	Customer taps Add to Cart on a menu item

Normal Flow:

Step 1: Customer browses the restaurant menu and selects the items they want.

Step 2: Customer sets the quantity for each item and adds a special instruction if needed such as "no chili" or "less sugar".

Step 3: Customer go to check out and the system shows the full order summary including item names, quantities, and total price.

Step 4: Customer confirms the delivery address.

Step 5: Customer selects a payment method such as ABA Pay, Wing, or cash on delivery.

Step 6: Customer places order and the system sends a notification to the restaurant.

Step 7: System shows a confirmation screen with the estimated delivery time.

Alternative Flow:

Step 5a: If the selected payment method fails, the system shows a clear error message and asks the customer to choose a different payment method before continuing.

Postcondition: Order is successfully placed and the restaurant receives a notification to start preparing.

Product Use Case 2: Track Delivery in Real Time

Use Case ID	PUC-02
Use Case Name	Track Delivery in Real Time
Actor	Customer
Precondition	Order has been accepted by the restaurant and assigned to a delivery driver
Trigger	Customer opens the Track Order screen

Normal Flow:

Step 1: Customer goes to My Orders in the app and selects the active order.

Step 2: System displays a live map showing the current location of the delivery driver.

Step 3: The map updates automatically every 30 seconds so the customer always sees the latest location.

Step 4: System shows the estimated arrival time based on the driver's current location.

Step 5: Once the driver completes the delivery and marks the order as delivered, the system sends a confirmation notification to the customer.

Step 6: System asks the customer to confirm receipt and submit a rating.

Alternative Flow:

Step 3a: If the GPS signal is lost, the system shows the last known location of the driver and displays a message saying "Location is updating, please wait."

Postcondition: Customer receives the order and is prompted to leave a rating for the restaurant and delivery driver.

Product Use Case 3: Delivery Driver Safety Alert

Use Case ID	PUC-03
Use Case Name	Delivery Driver Safety Alert
Actor	Delivery Driver, Admin
Precondition	Delivery driver has accepted an order and is currently on an active delivery
Trigger	The driver's GPS location has not changed for more than 10 minutes

Normal Flow:

Step 1: The system monitors the delivery driver's GPS location continuously during an active delivery.

Step 2: The system detects that the driver's location has not changed for more than 10 minutes.

Step 3: The system sends a push notification to the driver asking "Are you okay? Please respond."

Step 4: The driver sees the notification and taps "I am okay" to confirm they are fine.

Step 5: The system records the response and continues monitoring the delivery normally.

Alternative Flow:

Step 4a: If the driver does not respond within 5 minutes, the system automatically sends an alert to the Admin team.

Step 4b: The Admin contacts the driver directly to check on their safety. If the Admin cannot reach the driver, the platform's emergency protocol is followed.

Postcondition: Driver safety is confirmed or the Admin is notified to take action in case of a possible emergency.

Appendix C: PLanguage

PLanguage is a method used to write non functional requirements in a precise and measurable way so that they can be tested properly.

PL-01: Home Page Loading Speed

Type: Performance

Description: The system shall load the home page and display the list of nearby restaurants within 1 second, 95% of the time, when the user has a stable 4G, 5G and Wi-Fi.

Fit Criterion: Tested by loading the home page 20 times under a stable 4G, 5G connection. At least 19 out of 20 attempts must complete within 1 second.

Links to: REQ-NF01, REQ-F03

PL-02: Live Tracking Update Frequency

Type: Performance

Description: The system shall update the delivery driver's location on the customer's live tracking map at least every 30 seconds, 90% of the time, during an active delivery.

Fit Criterion: Tested by monitoring 10 active deliveries. The map location must update within 30 seconds for at least 9 out of 10 deliveries.

Links to: REQ-NF01, REQ-F05

PL-03: Customer Support Response Time

Type: Usability

Description: The system shall connect a customer to a live support agent within 5 minutes of starting a chat during operating hours of 7:00 AM to 11:00 PM, at least 90% of the time.

Fit Criterion: Tested by initiating 10 support chats during operating hours. At least 9 out of 10 must be connected to an agent within 5 minutes.

Links to: REQ-NF03, REQ-F12

Appendix D: Prioritization and Release Plan

The Cost and Value method by Karlsson and Ryan was used to prioritize the requirements. Value means how important the feature is to users and Cost means how difficult it is to build. Both are scored from 1 to 9 where 9 is the highest.

REQ-F01 User Registration has a value of 9 and cost of 3, priority is High.

REQ-F02 User Login and Authentication has a value of 9 and cost of 3, priority is High.

REQ-F03 Browse Restaurants and Menus has a value of 8 and cost of 3, priority is High.

REQ-F04 Place Food Order has a value of 9 and cost of 4, priority is High.

REQ-F06 Payment Processing has a value of 9 and cost of 7, priority is High.

REQ-F05 Real Time Order Tracking has a value of 8 and cost of 6, priority is Medium.

REQ-F10 Delivery Driver Safety Alert has a value of 7 and cost of 5, priority is Medium.

REQ-F11 Ratings and Reviews has a value of 6 and cost of 3, priority is Low.

Release 1: MVP

REQ-F01, REQ-F02, REQ-F03, REQ-F04, and REQ-F06 are included in the MVP because these are the core features the app cannot work without. Users need to register, login, browse restaurants, place an order, and make a payment before anything else makes sense.

Release 2: Version 2.0

REQ-F05, REQ-F10, and REQ-F11 are added in Version 2.0 because they improve the overall experience but are not needed on day one. Real time tracking and the safety alert feature also require the base system to be fully working first before they can be built properly. Ratings and reviews are less urgent but important for long term platform growth.

References

Eat Fresh Tech, 2024. *Eat Fresh Tech*. [Online]

Available at: <https://www.eatfresh.tech/blog/meal-prep-refund-and-cancellation-policies-5-best-practices>

[Accessed 23 February 2026].

Mărcuță, C. & MoldStud Research Team, 2024. *MoldStud*. [Online]

Available at: <https://moldstud.com/articles/p-food-delivery-app-real-time-tracking-enhancing-the-user-experience>

[Accessed 23 February 2026].

Mordor Intelligence , 2025. *Research and Markets*. [Online]

Available at: <https://www.researchandmarkets.com/reports/5854296/cambodia-foodservice-market-share-analysis>

[Accessed 22 February 2026].

Ravindran, S., 2025. *KHMER TIMES*. [Online]

Available at: <https://www.khmertimeskh.com/501627916/deep-discounting-by-food-delivery-apps-may-crush-restaurant-business>

[Accessed 22 February 2026].

Sinorn, T., 2024. *Business and Human Rights Centre*. [Online]

Available at: <https://www.business-humanrights.org/en/latest-news/cambodia-food-delivery-workers-risk-road-safety-and-insecure-employment-expert-urges-companies-to-take-steps-to-address-risks/>

[Accessed 22 February 2026].

Wharton Magazine, 2025. *Wharton Magazine*. [Online]

Available at: <https://magazine.wharton.upenn.edu/issues/fall-winter-2025/are-food-delivery-apps-hurting-restaurants/>

[Accessed 23 February 2026].