
P01 | reading view

Source PDF SHA256 222a4a4715a1c29a0f6d | measured body minimum 8.35 pt

SYNTHETIC DEMO | P01




Frozen display; no biological inference

P02 | reading view

Source PDF SHA256 c2c237367913c50542a2 | measured body minimum 8.35 pt


SYNTHETIC DEMO | P02



Frozen display; no biological inference

SYNTHETIC DEMO | P03


Within-unit change



12 complete pairs

Frozen display; no biological inference

SYNTHETIC DEMO | P04




All observations + median / IQR (summary only when n >= 5)

Frozen display; no biological inference

SYNTHETIC DEMO | P05


Raincloud distribution



Points: synthetic independent observations | cloud only n >= 20 and >= 5 distinct values

Frozen display; no biological inference

SYNTHETIC DEMO | P06




Frozen display; no biological inference

P07 | reading view


Source PDF SHA256 dedd628493aee68369ff | measured body minimum 8.02 pt

SYNTHETIC DEMO | P07



Frozen display; no biological inference


SYNTHETIC DEMO | P08



Frozen display; no biological inference

SYNTHETIC DEMO | P09

Volcano editorial



Labels supplied explicitly | FDR <= 0.05; |log2FC| >= 1


Frozen display; no biological inference

P10 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | P10

Volcano marginal




Frozen display; no biological inference

Source region 1,1




SYNTHET

Volcano marginal




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | P10




no biological inference

P11a | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P11a

Enrichment lollipop




Frozen display; no biological inference

P11a | detail 1 / 2


Source PDF SHA256 9f4a72f610df0c00b354 | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | P11a

Enrichment lollipop




Frozen display; no biological inference

P11a | detail 2 / 2


Source PDF SHA256 9f4a72f610df0c00b354 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | P11a

Enrichment lollipop




Frozen display; no biological inference

P11b | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P11b

Enrichment lollipop




Frozen display; no biological inference

P11b | detail 1 / 2


Source PDF SHA256 d098972acd64665a1792 | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | P11b

Enrichment lollipop




Frozen display; no biological inference

P11b | detail 2 / 2


Source PDF SHA256 d098972acd64665a1792 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | P11b

Enrichment lollipop




Frozen display; no biological inference

P12a | reading view

Source PDF SHA256 a93227d42e03b056d59a | measured body minimum 7.68 pt

SYNTHETIC DEMO | P12a




Frozen display; no biological inference

P12b | reading view


Source PDF SHA256 e9ac3366224b8caf9fb1 | measured body minimum 7.68 pt

SYNTHETIC DEMO | P12b




Frozen display; no biological inference

SYNTHETIC DEMO | P13



Frozen display; no biological inference

SYNTHETIC DEMO | P14




Frozen display; no biological inference

P15 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

Annotated heatmap




Frozen display; no biological inference

Source region 1,1




SYNTHETIC DEMO | F

Annotated heatmap




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | P15

ınotated heatmap




zen display; no biological inference

P16a | reading view


Source PDF SHA256 22910a844d5ae08ba715 | measured body minimum 8.17 pt

SYNTHETIC DEMO | P16a



Frozen display; no biological inference

SYNTHETIC DEMO | P16b




Frozen display; no biological inference

P17a | reading view

Source PDF SHA256 9b2c226b50b820b9d6b3 | measured body minimum 7.92 pt


SYNTHETIC DEMO | P17a



Frozen display; no biological inference

SYNTHETIC DEMO | P17b

Polished matrix




Frozen display; no biological inference

P17c | reading view

Source PDF SHA256 77f472ce8b2742f0c314 | measured body minimum 7.87 pt


SYNTHETIC DEMO | P17c



Frozen display; no biological inference

SYNTHETIC DEMO | P18


Association matrix



• supplied FDR ≤ 0.05; hatching = unavailable Synthetic matched-unit values; matched n in source table

Frozen display; no biological inference

SYNTHETIC DEMO | P19a




Illustrative supplied bounds

Frozen display; no biological inference

P19b | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | P19b




Illustrative supplied bounds

Frozen display; no biological inference

Source region 1,1







Illustrative supplied bounds

Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | P19b



rence

SYNTHETIC DEMO | P20a




Illustrative supplied bounds

Frozen display; no biological inference

P20b | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P20b




Illustrative supplied bounds

Frozen display; no biological inference


P20b | detail 1 / 2

Source PDF SHA256 5f839c0d870f880c15e2 | measured body minimum 7.50 pt

Source region 1,1




SYNTHETIC DEMO | P2




Illustrative supplied bounds

Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | P20b



istrative supplied bounds

ozen display; no biological inference

SYNTHETIC DEMO | P21a




Frozen display; no biological inference

P21b | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P21b




Frozen display; no biological inference

Source region 1,1




SYNTHETIC D




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | P21b

ntervals




ay; no biological inference

P22 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | P22

Score comparison





Frozen display; no biological inference

Source region 1,1




Score comparison






Frozen display; no biological inference


Source region 2,1



SYNTHETIC DEMO | P22




SYNTHETIC DEMO | P23



Frozen display; no biological inference

SYNTHETIC DEMO | P24


Composition panels



Fraction of all supplied cells per sample Each point = synthetic sample


Frozen display; no biological inference

SYNTHETIC DEMO | P25a




Frozen display; no biological inference

SYNTHETIC DEMO | P25b




Frozen display; no biological inference

SYNTHETIC DEMO | P25c




Frozen display; no biological inference

SYNTHETIC DEMO | P26a



Frozen display; no biological inference


SYNTHETIC DEMO | P26b



Frozen display; no biological inference

SYNTHETIC DEMO | P27


Calibration counts



Synthetic held-out units; Illustrative supplied bounds. Counts are within each model, not summed.

Frozen display; no biological inference

SYNTHETIC DEMO | P28




Demo normalized signal; common y scale; unprovided intervals are gaps, not zeros

Frozen display; no biological inference

P29 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | P29




synthetic independent-start summaries; Illustrative supplied bounds; frozen summaries, no smoothing.

Frozen display; no biological inference

Source region 1,1



SYNTH




synthetic independent-start summaries; Illustrative supplied bounds; frozen summaries, no smoothing.

Frozen display; no biological inference


P29 | detail 2 / 2

Source PDF SHA256 b64f145efde92c690f75 | measured body minimum 7.50 pt

Source region 2,1




SYNTHETIC DEMO | P29



dent-start summaries; Illustrative supplied bounds; frozen summaries, no smoothing.

biological inference


SYNTHETIC DEMO | P30



Synthetic chain A; artificial residues. Predicted local confidence; not experimental B-factor, dynamics, binding affinity or domain orientation.


Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO | P3(


Residue confidence




Synthetic chain A; artificial residues. Predicted local confidence; not experimental B-factor, dynamics, binding affinity or domain orientation.

Frozen display; no biological inference

Source region 2,1



Residue confidence




Synthetic chain A; artificial residues. Predicted local confidence; not experimental B-factor, dynamics, binding affinity or domain orientation.

Frozen display; no biological inference

SYNTHETIC DEMO | P31a

Recorded evidence




A counts: complete / dates unresolved / none. B cells: suspect / any.
N/A = index drug; ? = unavailable. Zero = not recorded; co-recording is not simultaneous exposure.

Frozen display; no biological inference

SYNTHETIC DEMO | P31b

Recorded evidence



A Linked therapy

	Complete	Dates unresolved	No linked record
Cluster A ; n=40	**22**	**10**	**8**
Cluster B ; n=32	**13**	**11**	**8**
Cluster C ; n=28	**9**	**11**	**8**
Cluster D ; n=21	**4**	**9**	**8**

B Co-recorded medication


	Drug A	Drug B	Drug C
Cluster A ; n=40	N/A	0 / 2	1 / 4
Cluster B ; n=32	2 / 6	2 / 8	3 / 10
Cluster C ; n=28	3 / 10	4 / 12	?
Cluster D ; n=21	2 / 8	3 / 10	0 / 0

A counts: complete / dates unresolved / none. B cells: suspect / any.
N/A = index drug; ? = unavailable. Zero = not recorded; co-recording is not simultaneous exposure.

Frozen display; no biological inference

SYNTHETIC DEMO | P31c

Recorded evidence




B Co-recorded medication

	Drug A	Drug B	Drug C
Cluster A ; n=40	N/A	0 / 2	1 / 4
Cluster B ; n=32	2 / 6	2 / 8	3 / 10
Cluster C ; n=28	3 / 10	4 / 12	?
Cluster D ; n=21	2 / 8	3 / 10	0 / 0

A counts: complete / dates unresolved / none. B cells: suspect / any.
N/A = index drug; ? = unavailable. Zero = not recorded; co-recording is not simultaneous exposure.

Frozen display; no biological inference

SYNTHETIC DEMO | P32




Availability, not assigned target-drug duration. Reports are not patients; clusters overlap. No risk estimate or confidence interval. All returned clusters and literature zeroes retained.

Frozen display; no biological inference

P33 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P33




Frozen display; no biological inference


P33 | detail 1 / 2

Source PDF SHA256 74913043a88d9a774d7e | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | P33




Frozen display; no biological inference

P33 | detail 2 / 2


Source PDF SHA256 74913043a88d9a774d7e | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | P33

Xy points




Frozen display; no biological inference

P34 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P34




Supplied illustrative interval

Frozen display; no biological inference


P34 | detail 1 / 2

Source PDF SHA256 5f8d2b7bdd3d60b74d1e | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | P34




Supplied illustrative interval

Frozen display; no biological inference

P34 | detail 2 / 2


Source PDF SHA256 5f8d2b7bdd3d60b74d1e | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | P34

Grouped estimates




Supplied illustrative interval

Frozen display; no biological inference

P35 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | P35




Frozen display; no biological inference

P35 | detail 1 / 2


Source PDF SHA256 614c75e67f2357a2d1ea | measured body minimum 7.50 pt

Source region 1,1




SYNTHETIC D

Binned distribution




Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | P35

distribution




›lay; no biological inference

Confusion counts



Frozen display; no biological inference

SYNTHETIC DEMO | P37




Frozen display; no biological inference

R01 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | R01

Annular profile




Frozen display; no biological inference

Source region 1,1




SYNTHE

Annular profile




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | R01

›file




› biological inference

R02 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | R02

Annular profile




Frozen display; no biological inference

Source region 1,1




SYNTHE

Annular profile




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | R02

›file




› biological inference

R03 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

State and marker overview




Dot area: supplied −log10(adjusted p)

Frozen display; no biological inference


Source region 1,1




State and marker overview




Source region 2,1




SYNTHETIC DEMO | R03



Source region 1,2







Dot area: supplied −log10(adjusted p)

Frozen display; no biological inference


Source region 2,2






R04 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.






Source region 1,1


Embedding atlas

A Embedding with aligned radial counts




B Categorical embedding, fixed coordinates

Source region 2,1



nts



- 01 Type 01
- 02 Type 02
- 03 Type 03
- 04 Type 04
- 05 Type 05
- 06 Type 06
- 07 Type 07
- 08 Type 08
- 09 Type 09
- 10 Type 10
- 11 Type 11
- 12 Type 12
- 13 Type 13
- 14 Type 14
- 15 Type 15
- 16 Type 16
- 17 Type 17
- 18 Type 18
- 19 Type 19
- 20 Type 20
- 21 Type 21
- 22 Type 22
- 23 Type 23
- 24 Type 24
- 25 Type
- 26 Type
- 27 Type
- 28 Type
- 29 Type
- 30 Type
- 31 Type
- 32 Type
- 33 Type
- 34 Type
- 35 Type
- 36 Type
- 37 Type
- 38 Type
- 39 Type
- 40 Type
- 41 Type
- 42 Type
- 43 Type
- 44 Type
- 45 Type
- 46 Type
- 47 Type
- 48 Type

ding: fixed coordinates


Source region 3,1




SYNTHETIC DEMO | R04

- 01 Type 01
- 02 Type 02
- 03 Type 03
- 04 Type 04
- 05 Type 05
- 06 Type 06
- 07 Type 07
- 08 Type 08
- 09 Type 09
- 10 Type 10
- 11 Type 11
- 12 Type 12
- 13 Type 13
- 14 Type 14
- 15 Type 15
- 16 Type 16
- 17 Type 17
- 18 Type 18
- 19 Type 19
- 20 Type 20
- 21 Type 21
- 22 Type 22
- 23 Type 23
- 24 Type 24
- 25 Type 25
- 26 Type 26
- 27 Type 27
- 28 Type 28
- 29 Type 29
- 30 Type 30
- 31 Type 31
- 32 Type 32
- 33 Type 33
- 34 Type 34
- 35 Type 35
- 36 Type 36
- 37 Type 37
- 38 Type 38
- 39 Type 39
- 40 Type 40
- 41 Type 41
- 42 Type 42
- 43 Type 43
- 44 Type 44
- 45 Type 45
- 46 Type 46
- 47 Type 47
- 48 Type 48
- 49 Type 49
- 50 Type 50
- 51 Type 51
- 52 Type 52
- 53 Type 53
- 54 Type 54
- 55 Type 55
- 56 Type 56
- 57 Type 57
- 58 Type 58
- 59 Type 59
- 60 Type 60
- 61 Type 61
- 62 Type 62
- 63 Type 63
- 64 Type 64
- 65 Type 65
- 66 Type 66
- 67 Type 67
- 68 Type 68
- 69 Type 69
- 70 Type 70

Source region 1,2




B Categorical embedding; fixed coordinates




C Supplied hierarchy, counts and marker matrix





Source region 2,2



- 19 Type 19
- 20 Type 20
- 21 Type 21
- 22 Type 22
- 23 Type 23
- 24 Type 24
- 43 Type
- 44 Type
- 45 Type
- 46 Type
- 47 Type
- 48 Type

ding; fixed coordinates



- Class 01
- Class 02
- Class 03
- Class 04
- Class 05
- Class 06
- Class 07
- Class 08
- Class 09
- Class 10
- Class 11
- Class 12
- Class 13
- Class 14
- Class 15
- Class 16

counts and marker matrix





Source region 3,2


- 19 Type 19
- 20 Type 20
- 21 Type 21
- 22 Type 22
- 23 Type 23
- 24 Type 24
- 43 Type 43
- 44 Type 44
- 45 Type 45
- 46 Type 46
- 47 Type 47
- 48 Type 48
- 67 Type 67
- 68 Type 68
- 69 Type 69
- 70 Type 70



- Class 01
- Class 02
- Class 03
- Class 04
- Class 05
- Class 06
- Class 07
- Class 08
- Class 09
- Class 10
- Class 11
- Class 12
- Class 13
- Class 14
- Class 15
- Class 16









Radial length: Recorded counts; zero at ring base

Frozen display; no biological inference


Source region 2,3
Class 16
counts and marker matrix
Class 04
Class 05
Class 06
Class 07
Class 08
Class 09
Class 10
Class 11
Class 12
Class 13
Class 14

Source region 3,3






R05 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | R05

Signed correlations with a neutral zero



Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO | I


Signed correlations with a neutral zero

	A	B	C	D	E	F	G
A							
B	-0.85						
C	-0.85	-0.90					
D	-0.78	-0.83	0.79				
E	-0.68	-0.70	-0.71	-0.45			
F	-0.87	-0.78	0.89	0.66	-0.71		
G	-0.42	-0.59	-0.43	-0.71	0.29	-0.37	

1.00
0.75
0.50
0.25
0.00
−0.25
−0.50
−0.75
−1.00

Frozen display; no biological inference

Source region 2,1



ɡned correlations with a neutral zero


	A	B	C	D	E	F	G
A							
B	-0.85						
C	-0.85	-0.90					
D	-0.78	-0.83	0.79				
E	-0.68	-0.70	-0.71	-0.45			
F	-0.87	-0.78	0.89	0.66	-0.71		
G	-0.42	-0.59	-0.43	-0.71	0.29	-0.37	

Correlation r: 1.00, 0.75, 0.50, 0.25, 0.00, −0.25, −0.50, −0.75, −1.00

ɜen display; no biological inference

SYNTHETIC DEMO | R06

Signed network




Frozen display; no biological inference

R07 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | R07

Mantel matrix




Frozen display; no biological inference

Source region 1,1



Mantel matrix




Frozen display; no biological inference


R07 | detail 2 / 2

Source PDF SHA256 88dce3feb013dd8e7e94 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | R07




Frozen display reading edition. Uniform scale; source values and all visible regions retained.
Detail tiles refer to the complete source context. Not a final manuscript layout or paper proof.

R08 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R08




Frozen display; no biological inference


R08 | detail 1 / 2

Source PDF SHA256 f98381431a396ed64473 | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | R08




Frozen display; no biological inference

R08 | detail 2 / 2


Source PDF SHA256 f98381431a396ed64473 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | R08

Joint




Frozen display; no biological inference

R09 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R09





Frozen display; no biological inference

R09 | detail 1 / 2

Source PDF SHA256 808f4db7077ea57754c2 | measured body minimum 7.50 pt

Source region 1,1






Frozen display; no biological inference


R09 | detail 2 / 2

Source PDF SHA256 808f4db7077ea57754c2 | measured body minimum 7.50 pt

Source region 2,1




SYNTHETIC DEMO | R09



R10 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R10




Frozen display; no biological inference

Source region 1,1




SYNTHETIC DEMO | R10




Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | R10


Contribution swarm




Frozen display; no biological inference

R11 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.





Source region 1,1




Multiclass contributions













Source region 2,1









Source region 3,1










Supplied absolute-contribution shares





Source region 1,2














Frozen display; no biological inference


Source region 2,2










Source region 3,2














R12 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Source region 1,1







Frozen display: no biological inference


Source region 2,1




SYNTHETIC DEMO | R12









Source region 1,2







Frozen display; no biological inference

Source region 2,2








R13 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R13




Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO | R




Frozen display; no biological inference

R13 | detail 2 / 2


Source PDF SHA256 928a720ae95c61b5de58 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | R13

ɔint




ɔzen display; no biological inference

R14 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R14


Training dashboard




Selected epoch supplied by upstream record; illustrative fixture only

Frozen display; no biological inference

Source region 1,1




Training dashboard




Selected epoch supplied by upstream record; illustrative fixture only


Frozen display; no biological inference


Source region 2,1



SYNTHETIC DEMO | R14









R15 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.



Source region 1,1




Activity dashboard





Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | R15






R16 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R16


Effect distribution forest




Supplied interval; n(k) labels are fixture values; meanings must be supplied

Frozen display; no biological inference


Source region 1,1




Effect distribution forest




Source region 2,1




SYNTHETIC DEMO | R16



Source region 1,2







Supplied interval; n(k) labels are fixture values; meanings must be supplied

Frozen display; no biological inference

Source region 2,2






R17 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R17



Frozen display; no biological inference


Source region 1,1



S'

Group beeswarm

- Supplied arithmetic mean




Frozen display; no biological inference

R17 | detail 2 / 2

Source PDF SHA256 8b06c715bafc02f41700 | measured body minimum 7.50 pt


Source region 2,1



SYNTHETIC DEMO | R17


ʳm

hmetic mean



ɡical inference

SYNTHETIC DEMO | R18




Supplied illustrative dispersion ellipse; no confidence claim

Frozen display; no biological inference

SYNTHETIC DEMO | R19

Pca



Supplied illustrative dispersion ellipse; no confidence claim


Frozen display; no biological inference

R20 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | R20

Facet bubble matrix




Frozen display; no biological inference

Source region 1,1




Facet bubble matrix




Supplied window / condition

Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | R20




R21 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R21


Strip effects




Displayed eligible feature records; all input records retained in TSV; padj <= 0.05; |effect| >= 1

Frozen display; no biological inference

Source region 1,1




Strip effects




Displayed eligible feature records; all input records retained in TSV; padj <= 0.05; |effect| >= 1

Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | R21




R22 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.



Source region 1,1



Aligned tracks




Recorded counts


Frozen display; no biological inference

R22 | detail 2 / 3

Source PDF SHA256 a528dc561ea0cd72a75e | measured body minimum 7.50 pt

Source region 2,1







R22 | detail 3 / 3

Source PDF SHA256 a528dc561ea0cd72a75e | measured body minimum 7.50 pt

Source region 3,1



SYNTHETIC DEMO | R22




R23 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | R23


Surface grid




Frozen display; no biological inference

Frozen display reading edition. Uniform scale; source values and all visible regions retained.
Detail tiles refer to the complete source context. Not a final manuscript layout or paper proof.

Source region 1,1




Surface grid




Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | R23



R24 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Source region 1,1




Process dashboard

a Process nodes, fixed geometry and aligned candidates




c Supplied object geometries with direct labels



Source region 2,1



ligned candidates




abels





Source region 3,1





SYNTHETIC DEMO | R24


















Source region 1,2



c Supplied object geometries with direct labels






Illustrative geometry only; replace with rendered PDB/mmCIF panels for real structures
b Supplied value landscapes
d Supplied stage counts

Frozen display; no biological inference


Source region 2,2





abels







or real structures

Source region 3,2












Combined surface











R25 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Source region 1,1



Frozen result


A



SYNTHETIC LAYOUT EXAMPLE component data and guides preserved

Frozen display; no biological inference

Source region 2,1



B


Entity shape
- community
- gene
- metabolite

Identity colour
- G1
- G2
- G3


Supplied relationship sign
- positive
- negative

Area: supplied display size
Edge width = supplied weight

Source region 3,1



SYNTHETIC DEMO | R25



Entity shape

- community
- gene
- metabolite

Identity colour

- G1
- G2
- G3

Supplied relationship sign

- positive
- negative

Area: supplied display size
Edge width = supplied weight