
SYNTHETIC DEMO | E03

Term effect circle



Supplied term direction score

−2 0 2

Supplied log2 fold change


−2 −1 0 1 2

Inner height -log10(adjusted p) 0 to 6
Outer radius Supplied log2 fold change -2 to 2
Each outer point is a named member; angular spacing is layout only.

Frozen display; no biological inference

SYNTHETIC DEMO | E04

Term effect circle



Supplied term direction score

−2 0 2

Supplied log2 fold change


−2 −1 0 1 2

Inner height -log10(adjusted p) 0 to 6
Outer radius Supplied log2 fold change -2 to 2
Each outer point is a named member; angular spacing is layout only.

Frozen display; no biological inference

SYNTHETIC DEMO | E05

Term effect circle



Supplied term direction score

−2 0 2

Supplied log2 fold change

−2 −1 0 1 2

Inner height -log10(adjusted p) 0 to 6
Outer radius Supplied log2 fold change -2 to 2
Each outer point is a named member; angular spacing is layout only.

Frozen display; no biological inference

Term key

ID	Description
BP01	component adhesion
BP02	intracellular signaling
BP03	response to external stimulus
BP04	matrix organization
BP05	cellular transport
BP06	regulation of growth

Frozen display; no biological inference

Term key

ID	Description
MF01	response to external stimulus
MF02	matrix organization
MF03	cellular transport
MF04	regulation of growth
MF05	response to stress
MF06	protein interaction

Frozen display; no biological inference

Term key

ID	Description
CC01	cellular transport
CC02	regulation of growth
CC03	response to stress
CC04	protein interaction
CC05	membrane trafficking
CC06	catalytic activity

Frozen display; no biological inference


Term key

ID	Description
PW01	response to stress
PW02	protein interaction
PW03	membrane trafficking
PW04	catalytic activity
PW05	binding affinity
PW06	ion transport

Frozen display; no biological inference

SYNTHETIC DEMO | E07

Two set overlap




Unique supplied feature IDs; percentages use union n=24. Circle areas are schematic.

Frozen display; no biological inference

SYNTHETIC DEMO | E08


Gene term membership chord



Ribbons encode membership; equal ribbon width does not encode strength.

Frozen display; no biological inference


SYNTHETIC DEMO | E09



The same member-term links

Frozen display; no biological inference


SYNTHETIC DEMO | E10



Frozen empirical cumulative steps

Frozen display; no biological inference


SYNTHETIC DEMO | E11



Matched quantiles

Frozen display; no biological inference


SYNTHETIC DEMO | E12



Distribution ridges

Frozen display; no biological inference


SYNTHETIC DEMO | E13



Covariate balance across stages
Diagnostic threshold = 0.1; not a causal validity test.

Frozen display; no biological inference

SYNTHETIC DEMO | E14




Agreement of paired measurements
Bias 0.35 Agreement limits [-1.2, 1.9]
One paired object per row; synthetic fixture; supplied summary, no new agreement fit.

Frozen display; no biological inference

E15 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

Survival steps at risk




	0	6	12	18	24
G1	6	5	4	2	0
G7	6	5	4	2	0

At risk (end of period)
Supplied illustrative pointwise uncertainty band; no Kaplan-Meier fit or log-rank test is performed.


Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO | E15

Survival steps at risk




	0	6	12	18	24
G1	6	5	4	2	0
G7	6	5	4	2	0

At risk (end of period)
Supplied illustrative pointwise uncertainty band; no Kaplan-Meier fit or log-rank test is performed.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E15

Survival steps at risk




	0	6	12	18	24
G1	6	5	4	2	0
G7	6	5	4	2	0

At risk (end of period)
Supplied illustrative pointwise uncertainty band; no Kaplan-Meier fit or log-rank test is performed.

Frozen display; no biological inference

SYNTHETIC DEMO | E16



The same twelve individual follow-up intervals


Frozen display; no biological inference

E17 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E17


Specification curve



Supplied illustrative estimate intervals; this display does not perform joint multiverse inference.


Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO

Specification curve




Supplied illustrative estimate intervals; this display does not perform joint multiverse inference.

Frozen display; no biological inference

E17 | detail 2 / 2

Source PDF SHA256 6ce1c2e2ff8208b77025 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E17


ecification curve



lied illustrative estimate intervals; this display does not perform joint multiverse inference.

n display; no biological inference

SYNTHETIC DEMO | E18




Given local directions on fixed coordinates
Frozen vectors Scale 1 No smoothing or stream integration

Frozen display; no biological inference

SYNTHETIC DEMO | E19

Bivariate tiles




Bounded bins, left-closed; final upper edge included. Two metrics share a 2D legend.

Frozen display; no biological inference

E20 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | E20



Explicit recorded availability
Multiple states may coexist; grey = explicit measured None


Frozen display; no biological inference

Source region 1,1



SYNTH

Multistate matrix



Explicit recorded availability
Multiple states may coexist; grey = explicit measured None


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E20

ıatrix



availability
ay coexist; grey = explicit measured None


biological inference

E21 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E21

Grouped forest




Full supplied intervals; illustrative fixture

Frozen display; no biological inference

E21 | detail 1 / 2


Source PDF SHA256 a2b97d572d906d23b255 | measured body minimum 7.50 pt

Source region 1,1



Grouped forest

Comparison	Estimate [interv
Before / Model 1	0.45 [0.21, 0.67
Before / Model 2	-0.30 [-0.54, -0.(
Before / Model 3	0.18 [-0.06, 0.40
Before / Model 4	0.64 [0.40, 0.86
After / Model 1	-0.25 [-0.49, -0.(
After / Model 2	0.32 [0.08, 0.54
After / Model 3	0.05 [-0.19, 0.27
After / Model 4	-0.10 [-0.34, 0.1




Full supplied intervals; illustrative fixture

Frozen display; no biological inference


E21 | detail 2 / 2

Source PDF SHA256 a2b97d572d906d23b255 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E21



Estimate [interval]
0.45 [0.21, 0.67]
-0.30 [-0.54, -0.08]
0.18 [-0.06, 0.40]
0.64 [0.40, 0.86]
-0.25 [-0.49, -0.03]
0.32 [0.08, 0.54]
0.05 [-0.19, 0.27]
-0.10 [-0.34, 0.12]

ative fixture


nference

E22 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E22


Grouped forest



Full supplied intervals; illustrative fixture


Frozen display; no biological inference

Source region 1,1



Grouped forest

Comparison	Estimate [interv
Before / Model 1	1.57 [1.23, 1.95
Before / Model 2	0.74 [0.58, 0.92
Before / Model 3	1.20 [0.94, 1.49
Before / Model 4	1.90 [1.49, 2.36
After / Model 1	0.78 [0.61, 0.97
After / Model 2	1.38 [1.08, 1.72
After / Model 3	1.05 [0.83, 1.31
After / Model 4	0.90 [0.71, 1.13




Full supplied intervals; illustrative fixture

Frozen display; no biological inference


E22 | detail 2 / 2

Source PDF SHA256 329b5d0bfdf845be192a | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E22




ative fixture

nference

Frozen display reading edition. Uniform scale; source values and all visible regions retained.
Detail tiles refer to the complete source context. Not a final manuscript layout or paper proof.

SYNTHETIC DEMO | E23


Typed network



Selected term redundancy
Constant term display area Edge width = supplied weight


Frozen display; no biological inference

SYNTHETIC DEMO | E24



Frozen display; no biological inference

SYNTHETIC DEMO | E25



Frozen display; no biological inference

E26 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E26

Feature facets




Same objects, fixed feature coordinates

Frozen display; no biological inference

E26 | detail 1 / 2

Source PDF SHA256 02d4366da96f58dd7ede | measured body minimum 7.50 pt

Source region 1,1



SYN

Feature facets




Same objects, fixed feature coordinates

Frozen display; no biological inference

E26 | detail 2 / 2


Source PDF SHA256 02d4366da96f58dd7ede | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E26

;




feature coordinates

logical inference

Frozen display reading edition. Uniform scale; source values and all visible regions retained.
Detail tiles refer to the complete source context. Not a final manuscript layout or paper proof.

SYNTHETIC DEMO | E27

Ternary composition



Three supplied fractions; composition closure is not a correlation or causal model.


Frozen display; no biological inference

E28 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E28


Genome association overview




Global association overview
Supplied thresholds Illustrative threshold: 1e-05
SYNTHETIC assembly; not a human build; no testing, clumping or automatic lead-variant selection.

Frozen display; no biological inference

Source region 1,1




SYNT



Global association overview
Supplied thresholds Illustrative threshold: 1e-05
SYNTHETIC assembly; not a human build; no testing, clumping or automatic lead-variant selection.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E28

sociation overview




overview
ds Illustrative threshold: 1e-05
mbly; not a human build; no testing, clumping or automatic lead-variant selection.

biological inference

E29 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


Local association tracks



Reference V2_34 Grey x: LD unavailable
SYNTHETIC assembly; supplied gene spans, no exon structure or colocalization inferred.


Frozen display; no biological inference

Source region 1,1



SYNTHETIC DEMO | E29

Local association tracks




Reference V2_34 Grey x: LD unavailable
SYNTHETIC assembly; supplied gene spans, no exon structure or colocalization inferred.

Frozen display; no biological inference

E29 | detail 2 / 2


Source PDF SHA256 71c8caae775cb3d8f2af | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E29

Local association tracks




Reference V2_34 Grey x: LD unavailable
SYNTHETIC assembly; supplied gene spans, no exon structure or colocalization inferred.

Frozen display; no biological inference

E30 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E30




Effect and precision
Supplied guide geometry; asymmetry alone does not establish publication bias.

Frozen display; no biological inference


E30 | detail 1 / 2

Source PDF SHA256 c1eece9b3ca0b4c24bea | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO |




Effect and precision
Supplied guide geometry; asymmetry alone does not establish publication bias.

Frozen display; no biological inference

E30 | detail 2 / 2


Source PDF SHA256 c1eece9b3ca0b4c24bea | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E30

nnel supplied results



ct and precision
plied guide geometry; asymmetry alone does not establish publication bias.


en display; no biological inference

E30b | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E30b

Grouped forest




Given illustrative estimate +/-1.96 SE

Frozen display; no biological inference

E30b | detail 1 / 2


Source PDF SHA256 d587e095e0788b2276f2 | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC D

Grouped forest




Given illustrative estimate +/-1.96 SE

Frozen display; no biological inference

E30b | detail 2 / 2

Source PDF SHA256 d587e095e0788b2276f2 | measured body minimum 7.50 pt


Source region 2,1



SYNTHETIC DEMO | E30b

d forest

ison




Estimate [interval]
0.27 [0.19, 0.35]
0.30 [0.19, 0.41]
0.24 [0.10, 0.39]
0.27 [0.09, 0.44]
0.30 [0.09, 0.52]
0.18 [-0.07, 0.42]
0.10 [-0.18, 0.37]
0.32 [0.01, 0.63]
0.48 [0.14, 0.83]
0.22 [-0.16, 0.60]
0.01 [-0.40, 0.42]
0.27 [-0.18, 0.71]
0.46 [-0.02, 0.94]
0.17 [-0.34, 0.68]
0.03 [-0.51, 0.58]
0.42 [-0.15, 1.00]
0.54 [-0.08, 1.15]
0.02 [-0.62, 0.67]

rative estimate +/-1.96 SE

lay; no biological inference

Hierarchy area partition




Leaf areas encode supplied additive quantities. Parent outlines encode hierarchy.
Supplied additive quantity; supplied layout, not a new clustering.

Frozen display; no biological inference

E32 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | E32




Nested uncertainty
Supplied illustrative nested prediction intervals; no new forecast or interval estimation.

Frozen display; no biological inference

Source region 1,1




SYNTHETIC DEMC



Nested uncertainty
Supplied illustrative nested prediction intervals; no new forecast or interval estimation.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E32

ted uncertainty fan




d uncertainty
ied illustrative nested prediction intervals; no new forecast or interval estimation.

ı display; no biological inference

SYNTHETIC DEMO | E33a

Registered spatial categorical




Registered spot categorical
Registered physical disks on supplied RGB background; no alignment or segmentation fit.

Frozen display; no biological inference

SYNTHETIC DEMO | E33b

Registered spatial continuous




Registered physical disks on supplied RGB background; no alignment or segmentation fit.

Frozen display; no biological inference

M01 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | M01




RNA and protein effects
Matched mapped features; axis signs refer to their declared contrasts.

Frozen display; no biological inference

Source region 1,1




SYNTHETIC DEMO | M01




RNA and protein effects
Matched mapped features; axis signs refer to their declared contrasts.

Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | M01



RNA and protein effects
Matched mapped features; axis signs refer to their declared contrasts.

Frozen display; no biological inference

SYNTHETIC DEMO | M02




Factor variance by view

Frozen display; no biological inference

SYNTHETIC DEMO | M03

Aligned matrix



Feature loadings, fixed factor order


Frozen display; no biological inference

M04 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | M04


Aligned coordinate views




Gutter links identify the same objects; separate view axes are not a shared metric space.

Frozen display; no biological inference

Source region 1,1




Aligned coordinate views



Gutter links identify the same objects; separate view axes are not a shared metric space.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | M04

ws




ects; separate view axes are not a shared metric space.

nce

SYNTHETIC DEMO | M05

Feature correlation projection



Cross-view selected feature correlations
Supplied feature-component correlations; radius is not a p-value or causal strength.


Frozen display; no biological inference

M06 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | M06


Mass spectrum mirror




Observed and reference peaks
No peak matching, compound identification, rescaling or deconvolution performed.

Frozen display; no biological inference

Source region 1,1




SYNTH



Observed and reference peaks
No peak matching, compound identification, rescaling or deconvolution performed.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | M06


um mirror



erence peaks
, compound identification, rescaling or deconvolution performed.

biological inference


Dynamics



Frozen chromatogram
Given software chromatogram; No uncertainty band: supplied bounds equal center; frozen summaries, no smoothing.

Frozen display; no biological inference

Genomic links and signal




Link alpha 0.25 + 0.65 score Arc height: layout No direction inferred
SYNTHETIC assembly; Common supplied display quantity, matched synthetic scale

Frozen display; no biological inference

SYNTHETIC DEMO | M09


Pathway quantity overlay



Known-map arrows encode supplied topology; node abundance does not encode flux.


Frozen display; no biological inference

SYNTHETIC DEMO | M10



Frozen display; no biological inference

SYNTHETIC DEMO | M11a




Frozen model: residual
Frozen diagnostics; no fitting, LOWESS, normality test or automatic case exclusion.

Frozen display; no biological inference

SYNTHETIC DEMO | M11b


Model diagnostic qq



Frozen model: qq
Frozen diagnostics; no fitting, LOWESS, normality test or automatic case exclusion.

Frozen display; no biological inference


SYNTHETIC DEMO | M11c



Frozen model: scale_location
Frozen diagnostics; no fitting, LOWESS, normality test or automatic case exclusion.

Frozen display; no biological inference

SYNTHETIC DEMO | M11d




Frozen model: influence
Area (pt2) 15 + 180 Cook Given Cook distance No exclusion rule
Frozen diagnostics; no fitting, LOWESS, normality test or automatic case exclusion.

Frozen display; no biological inference

E34 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


Membership ribbons




Equal-width lines = explicit membership. Dot area = displayed member count. Ratio = displayed members / 20 supplied background members

Frozen display; no biological inference

Source region 1,1




Membership ribbons




Equal-width lines = explicit membership. Dot area = displayed member count. Ratio = displayed members / 20 supplied background members

Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E34




0 supplied background members

E36 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


Hierarchy tracks



Given hierarchy, fixed leaf order and categorical strip; no clustering performed.


Frozen display; no biological inference

Source region 1,1



SYNT


Hierarchy tracks



Given hierarchy, fixed leaf order and categorical strip; no clustering performed.


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E36

ıcks



ɨed leaf order and categorical strip; no clustering performed.

ɔiological inference

E37 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


Radial hierarchy



Point area: Given fraction [0,1]
Outer height: Given quantity
Frozen hierarchy; no target ranking or binding prediction. Distances and channels use their supplied definitions.

Frozen display; no biological inference


Source region 1,1



SYNTHE

Radial hierarchy


Radial hierarchy with quantitative leaf tracks



Point area: Given fraction [0,1]
Outer height: Given quantity
Frozen hierarchy; no target ranking or binding prediction. Distances and channels use their supplied definitions.


Frozen display; no biological inference


Source region 2,1



rarchy

Radial hierarchy with quantitative leaf tracks






en fraction [0,1]
iven quantity
ıy; no target ranking or binding prediction. Distances and channels use their supplied definitions.

no biological inference

SYNTHETIC DEMO | E35

Split metric matrix




Two independent color keys; probability is not correlation magnitude. Supplied results only.

Frozen display; no biological inference

E43 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.



Arc width = supplied count 0.045 pt per count Arc lane = layout only
Synthetic segment; 0-based half-open intervals; increasing position, strand not inferred; Supplied coverage in a common scale for both samples; Supplied junction read count; zero counts retained; arc height is layout only


Frozen display; no biological inference

Source region 1,1



SYNTHETIC D

Coverage, splice junctions and isoforms




Arc width = supplied count 0.045 pt per count Arc lane = layout only
Synthetic segment; 0-based half-open intervals; increasing position, strand not inferred; Supplied coverage in a common scale for both samples; Supplied junction read count; zero counts retained; arc height is layout only

Frozen display; no biological inference

E43 | detail 2 / 2


Source PDF SHA256 00902745903a7813584a | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | E43

ge, splice junctions and isoforms



= supplied count 0.045 pt per count Arc lane = layout only
segment; 0-based half-open intervals; increasing position, strand not inferred; Supplied coverage in a common scale for both
Supplied junction read count; zero counts retained; arc height is layout only


lay; no biological inference

E44 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E44


Variant posteriors across supplied signals




Synthetic assembly and segment; supplied one-based variant positions; Frozen multi-signal PIPs and supplied credible-set membership; no probability normalization

Frozen display; no biological inference

Source region 1,1




Variant posteriors across supplied signals



Synthetic assembly and segment; supplied one-based variant positions; Frozen multi-signal PIPs and supplied credible-set membership; no probability normalizatio


Frozen display; no biological inference

Source region 2,1



SYNTHETIC DEMO | E44


ss supplied signals



:; supplied one-based variant positions; Frozen multi-signal PIPs and supplied credible-set membership; no probability normalization

ıce

Calibration counts




Synthetic held-out evaluation records; counts are per model and cannot be summed; Supplied illustrative bin bounds, not fitted confidence intervals. Counts are within each model, not summed.

Frozen display; no biological inference

SYNTHETIC DEMO | E46


Dynamics



Decision curves with declared reference strategies
Same synthetic evaluation cohort; G1/G7=model, G3=treat all, G4=treat none; No uncertainty supplied: bounds equal the frozen curves; opt-in decision convention; frozen summaries, no smoothing.

Frozen display; no biological inference

SYNTHETIC DEMO | E47




Frozen regulator activity by sample

Frozen display; no biological inference


SYNTHETIC DEMO | E48

Pathway redundancy in explicit term order




Frozen display; no biological inference

SYNTHETIC DEMO | E49



Frozen display; no biological inference


SYNTHETIC DEMO | E50



Returned trajectory blocks in physical time
Synthetic independent run IDs G1/G7; frames and time blocks are not independent runs; Supplied block ranges, not confidence intervals across independent trajectories; frozen summaries, no smoothing.

Frozen display; no biological inference

SYNTHETIC DEMO | E51




Synthetic Regulator A / S01 decomposition; complete additive weighted target terms; no attribution calculation

Frozen display; no biological inference

E38 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


Position-wise sequence logo




Frozen illustrative symbol heights in bits; no information-content estimation performed.

Frozen display; no biological inference

Source region 1,1




SYNTHETIC DEMO | E38




Frozen illustrative symbol heights in bits; no information-content estimation performed.

Frozen display; no biological inference

Source region 2,1




SYNTHETIC DEMO | E38



Frozen illustrative symbol heights in bits; no information-content estimation performed.

Frozen display; no biological inference


SYNTHETIC DEMO | E39



Synthetic segment, 0-based half-open bins; frozen upper-triangle measurements.; missing contacts are masked, not zero.

Frozen display; no biological inference

SYNTHETIC DEMO | E40



Frozen synthetic topology and branch lengths; distances are not linkage heights.


Frozen display; no biological inference

E41 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E41


Frozen orthogonal slice labels




Explicit supplied slice planes and u/v orientation; procedural background, not clinical anatomy.

Frozen display; no biological inference

Source region 1,1



Frozen orthogonal slice labels




Explicit supplied slice planes and u/v orientation; procedural background, not clinical anatomy.


Frozen display; no biological inference

E41 | detail 2 / 3

Source PDF SHA256 3fe0e0a23cffbf9d5caa | measured body minimum 7.50 pt


Source region 2,1






not clinical anatomy.

Source region 3,1



SYNTHETIC DEMO | E41




E42 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | E42


Registered image comparison




Checkerboard alternates supplied images; subtraction uses identical pixel coordinates and declared intensity scale.

Frozen display; no biological inference

Source region 1,1




Registered image comparison




Checkerboard alternates supplied images; subtraction uses identical pixel coordinates and declared intensity scale.

Frozen display; no biological inference


Source region 2,1






and declared intensity scale.

Source region 3,1




SYNTHETIC DEMO | E42



SYNTHETIC DEMO | AUX_marker_matrix

Stored subgroup-by-marker means




Frozen display; no biological inference

AUX_marker_coordinates | reading view

Source PDF SHA256 d9672f4de1457fe78200 | measured body minimum 8.43 pt

SYNTHETIC DEMO | AUX_marker_coordinates

Feature facets




Frozen display; no biological inference

AUX_point_interval | reading view

Source PDF SHA256 c07eba020fcc5054152e | measured body minimum 8.35 pt


SYNTHETIC DEMO | AUX_point_interval



All observations + median / IQR (summary only when n >= 5)

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_raincloud




Points: synthetic observation | cloud only n >= 20 and >= 5 distinct values

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_estimate_forest

Supplied effect intervals




Fixed illustrative demo bounds; not a research confidence interval.

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_marker_counts

Aligned matrix




Frozen display; no biological inference

AUX_marker_fraction | reading view

Source PDF SHA256 5c62fac9c10c7031abf2 | measured body minimum 8.54 pt

SYNTHETIC DEMO | AUX_marker_fraction



Frozen display; no biological inference