

SYNTHETIC DEMO | AUX_marker_profiles



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_subgroup_counts



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_subgroup_shares

Same object IDs: group shares



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_paired



48 complete paired subjects

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_paired_deltas




Points: same synthetic paired subject | cloud only n >= 20 and >= 5 distinct values

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_delta_estimate

Supplied effect intervals




Fixed illustrative demo bounds; not a research confidence interval.

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_bubble_hex


Hex density



Same XY objects; bubble size has separate meaning; descriptive occupied-bin counts; no regression or independence claim

Frozen display; no biological inference


SYNTHETIC DEMO | AUX_adjacency



Frozen display; no biological inference

SYNTHETIC DEMO | AUX_membership

Same explicit membership




Frozen display; no biological inference

AUX_membership_upset | reading view

Source PDF SHA256 7e75af104e1bcca2a5ab | measured body minimum 8.19 pt

SYNTHETIC DEMO | AUX_membership_upset




Supplied fixture features; complete membership, disjoint pattern counts; all-zero objects retained

Frozen display; no biological inference


SYNTHETIC DEMO | AUX_term_scores

Same terms, supplied condition scores



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_stage_composition



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_flow_matrix

Same supplied pair quantities




Frozen display; no biological inference

SYNTHETIC DEMO | AUX_hit_window



Frozen display; no biological inference


SYNTHETIC DEMO | AUX_event_counts



Frozen display; no biological inference

SYNTHETIC DEMO | AUX_c37_sets

Two set overlap




Unique supplied feature IDs; percentages use union n=20. Circle areas are schematic.

Frozen display; no biological inference

AUX_c37_terms | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


SYNTHETIC DEMO | AUX_c37_terms




Term scores by declared block
One nonzero category per term: G1=BP; G3=CC; G7=MF. Not a sum across tests.

Frozen display; no biological inference

Source region 1,1



Stacked values




Term scores by declared block
One nonzero category per term: G1=BP; G3=CC; G7=MF. Not a sum across tests.

Frozen display; no biological inference


AUX_c37_terms | detail 2 / 2

Source PDF SHA256 4873b431b67a4534fa28 | measured body minimum 7.50 pt

Source region 2,1




SYNTHETIC DEMO | AUX_c37_terms



; G7=MF. Not a sum across tests.

SYNTHETIC DEMO | AUX_c37_network

Typed network




Complete supplied network
Given display area Edge width = supplied weight

Frozen display; no biological inference

SYNTHETIC DEMO | AUX_c37_local


Typed network



Explicit induced subset: F02-F08
Given display area Edge width = supplied weight


Frozen display; no biological inference

SYNTHETIC DEMO | AUX_c38_fit




Frozen display; no biological inference

SYNTHETIC DEMO | AUX_c38_degree



Frozen display; no biological inference

SYNTHETIC DEMO | AUX_c38_scores




Frozen display; no biological inference

AUX_c39_stack | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | AUX_c39_stack




The same leaf IDs: component quantities
Given components share units and can be added; no normalization or binding interpretation.


Frozen display; no biological inference

AUX_c39_stack | detail 1 / 2

Source PDF SHA256 490d0bef81afcc46b0f7 | measured body minimum 7.50 pt

Source region 1,1






The same leaf IDs: component quantities
Given components share units and can be added; no normalization or binding interpretation.

Frozen display; no biological inference


AUX_c39_stack | detail 2 / 2

Source PDF SHA256 490d0bef81afcc46b0f7 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | AUX_c39_stack




ł; no normalization or binding interpretation.

AUX_c40_matrix | reading view

Source PDF SHA256 1a61dd15b4cca0c1eef2 | measured body minimum 7.70 pt

SYNTHETIC DEMO | AUX_c40_matrix

Aligned matrix




Given TOM-like matrix in frozen leaf order

Frozen display; no biological inference


SYNTHETIC DEMO | AUX_c40_network

Typed network



Given module-summary relationships
Given display area Edge width = supplied weight


Frozen display; no biological inference



Frozen results; synthetic donor | complete synthetic fixture


Frozen display; no biological inference

SYNTHETIC DEMO — deg_donut



Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference


QDE_pca_scores | reading view

Source PDF SHA256 4f341a7946ad55ea0357 | measured body minimum 8.71 pt




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference



Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference

QDE_sample_boxstats | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference


QDE_sample_boxstats | detail 1 / 2

Source PDF SHA256 2204dd9b4cd8c1fe75b0 | measured body minimum 7.50 pt

Source region 1,1



SYNTHETIC DEMO | QDE_sample_b




Frozen results; synthetic donor | complete synthetic fixture

Frozen display; no biological inference


QDE_sample_boxstats | detail 2 / 2

Source PDF SHA256 2204dd9b4cd8c1fe75b0 | measured body minimum 7.50 pt

Source region 2,1



SYNTHETIC DEMO | QDE_sample_boxstats




ı results; synthetic donor | complete synthetic fixture

ı display; no biological inference

SYNTHETIC DEMO | NEW_A01


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_A02


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_A03

Editorial rebuild




12 complete pairs

Frozen display; no biological inference

SYNTHETIC DEMO | NEW_A04


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_A05


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_A06


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_B01


Editorial rebuild



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_B02

Editorial rebuild




1 square = 1 event · total 60

Frozen display; no biological inference

SYNTHETIC DEMO | NEW_B03

Editorial rebuild




Folded bands · width 1; darker = larger magnitude

Frozen display; no biological inference

SYNTHETIC DEMO | NEW_B04


Editorial rebuild



Open marker = start; labels show supplied step

Frozen display; no biological inference


SYNTHETIC DEMO | NEW_B05



Frozen display; no biological inference

SYNTHETIC DEMO | NEW_B06

Editorial rebuild



SYNTHETIC COORDINATES; no biological assembly · gaps supplied upstream; chromosome starts excluded upstream


Frozen display; no biological inference

ALT_E41_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | ALT_E41_horizontal

Frozen orthogonal slice labels




Explicit supplied slice planes and u/v orientation; procedural background, not clinical anatomy.

Frozen display; no biological inference


ALT_E41_horizontal | detail 1 / 3

Source PDF SHA256 6b5dfa1b49f4cc46bd57 | measured body minimum 7.50 pt

Source region 1,1



Frozen orthogonal slice labels




Explicit supplied slice planes and u/v orientation; procedural background, not clinical anatomy.


Frozen display; no biological inference

ALT_E41_horizontal | detail 2 / 3

Source PDF SHA256 6b5dfa1b49f4cc46bd57 | measured body minimum 7.50 pt

Source region 2,1






not clinical anatomy.


ALT_E41_horizontal | detail 3 / 3

Source PDF SHA256 6b5dfa1b49f4cc46bd57 | measured body minimum 7.50 pt

Source region 3,1




SYNTHETIC DEMO | ALT_E41_horizontal




ALT_E41_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Source region 1,1




SYNTHETIC DEMO | ALT_E41_vertical


Frozen orthogonal slice labels




Source region 1,2









Explicit supplied slice planes and u/v orientation; procedural background, not clinical anatomy.


Frozen display; no biological inference

ALT_E42_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | ALT_E42_horizontal


Registered image comparison




Checkerboard alternates supplied images; subtraction uses identical pixel coordinates and declared intensity scale.

Frozen display; no biological inference

Source region 1,1




Registered image comparison




Checkerboard alternates supplied images; subtraction uses identical pixel coordinates and declared intensity scale.

Frozen display; no biological inference

Source region 2,1






and declared intensity scale.


ALT_E42_horizontal | detail 3 / 3

Source PDF SHA256 d11becd9f3cc33043f53 | measured body minimum 7.50 pt

Source region 3,1





SYNTHETIC DEMO | ALT_E42_horizontal



ALT_E42_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.







Source region 1,1


SYNTHETIC DEMO | ALT_E42_vertical


Registered image comparison







Source region 1,2





Source region 1,3





Checkerboard alternates supplied images; subtraction uses identical pixel coordinates and declared intensity scale.


Frozen display; no biological inference

K01 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K01

Subgroups and supplied marker matrix



All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20


B AUX_marker_matrix | volume 3, page 116

ALT_K01_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K01_horizontal

Subgroups and supplied marker matrix




All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20

B AUX_marker_matrix | volume 3, page 116

ALT_K01_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A T19 | volume 2, page 20


B AUX_marker_matrix | volume 3, page 116

K02 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K02

Subgroups and markers at the same stored coordinates



All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20

B AUX_marker_coordinates | volume 3, page 117

ALT_K02_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A T19 | volume 2, page 20


B AUX_marker_coordinates | volume 3, page 117

ALT_K02_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K02_vertical

Subgroups and markers at the same stored coordinates




All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20

B AUX_marker_coordinates | volume 3, page 117

K03 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T19 | volume 2, page 20

B AUX_marker_matrix | volume 3, page 116

C T10 | volume 2, page 11

ALT_K03_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T19 | volume 2, page 20

B AUX_marker_matrix | volume 3, page 116

C T10 | volume 2, page 11

ALT_K03_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T19 | volume 2, page 20

B AUX_marker_matrix | volume 3, page 116

C T10 | volume 2, page 11

K04 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_point_interval | volume 3, page 118


B AUX_raincloud | volume 3, page 119

ALT_K04_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K04_horizontal

Same observations: points-IQR and raincloud




All panels retain their own data, units and guides; no inferred shared axis.

A AUX_point_interval | volume 3, page 118

B AUX_raincloud | volume 3, page 119

ALT_K04_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_point_interval | volume 3, page 118

B AUX_raincloud | volume 3, page 119


K05 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K05


Distribution and stored estimate bounds

Raincloud



Points: synthetic observation | cloud only n >= 20 and >= 5 distinct values

Supplied effect intervals



Fixed illustrative demo bounds; not a research confidence interval.

All panels retain their own data, units and guides; no inferred shared axis.

A AUX_raincloud | volume 3, page 119

B AUX_estimate_forest | volume 3, page 120


ALT_K05_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K05_horizontal

Distribution and stored estimate bounds


Raincloud



Points: synthetic observation | cloud only n >= 20 and >= 5 distinct values

All panels retain their own data, units and guides; no inferred shared axis.

Supplied effect intervals



Fixed illustrative demo bounds; not a research confidence interval.

A AUX_raincloud | volume 3, page 119


B AUX_estimate_forest | volume 3, page 120

ALT_K05_vertical | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K05_vertical

Distribution and stored estimate bounds



Points: synthetic observation | cloud only n >= 20 and >= 5 distinct values



Fixed illustrative demo bounds; not a research confidence interval.

All panels retain their own data, units and guides; no inferred shared axis.

A AUX_raincloud | volume 3, page 119


B AUX_estimate_forest | volume 3, page 120


K06 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K06

Grouped condition estimates and ordered response





All panels retain their own data, units and guides; no inferred shared axis.

A T32 | volume 2, page 41


B T31 | volume 2, page 40


ALT_K06_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K06_horizontal

Grouped condition estimates and ordered response






All panels retain their own data, units and guides; no inferred shared axis.

A T32 | volume 2, page 41

B T31 | volume 2, page 40

ALT_K06_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T32 | volume 2, page 41

B T31 | volume 2, page 40

K07 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T19 | volume 2, page 20

B AUX_marker_coordinates | volume 3, page 117

C AUX_marker_matrix | volume 3, page 116

ALT_K07_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A T19 | volume 2, page 20

B AUX_marker_coordinates | volume 3, page 117

C AUX_marker_matrix | volume 3, page 116

ALT_K07_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A T19 | volume 2, page 20

B AUX_marker_coordinates | volume 3, page 117


C AUX_marker_matrix | volume 3, page 116

K08 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K08

Subgroups, stored marker means and recorded object counts



All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20


B AUX_marker_counts | volume 3, page 121

ALT_K08_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K08_horizontal

Subgroups, stored marker means and recorded object counts




All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20

B AUX_marker_counts | volume 3, page 121

ALT_K08_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A T19 | volume 2, page 20


B AUX_marker_counts | volume 3, page 121

K09 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K09

Coordinates plus same-object feature mean and detection fraction




All panels retain their own data, units and guides; no inferred shared axis.

A T19 | volume 2, page 20

B AUX_marker_fraction | volume 3, page 122

ALT_K09_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A T19 | volume 2, page 20

B AUX_marker_fraction | volume 3, page 122