
ALT_K34_vertical | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K34_vertical

多组学对象分数 + 特征相关投影



Gutter links identify the same objects; separate view axes are not a shared metric space.



Cross-view selected feature correlations
Supplied feature-component correlations; radius is not a p-value or causal strength.

All panels retain their own data, units and guides; no inferred shared axis.

A M04 | volume 3, page 65

B M05 | volume 3, page 68


K35 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K35


色谱读出 + 实测与参考碎片谱

Dynamics



Frozen chromatogram
Given software chromatogram; No uncertainty band: supplied bounds equal center; frozen summaries, no smoothing.

Mass spectrum mirror



Observed and reference peaks
No peak matching, compound identification, rescaling or deconvolution performed.

All panels retain their own data, units and guides; no inferred shared axis.

A M07 | volume 3, page 72

B M06 | volume 3, page 69


ALT_K35_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K35_horizontal


色谱读出 + 实测与参考碎片谱

Dynamics



Frozen chromatogram
Given software chromatogram; No uncertainty band: supplied bounds equal center; frozen summaries, no smoothing.

Mass spectrum mirror



Observed and reference peaks
No peak matching, compound identification, rescaling or deconvolution performed.

All panels retain their own data, units and guides; no inferred shared axis.

A M07 | volume 3, page 72

B M06 | volume 3, page 69


ALT_K35_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K35_vertical


色谱读出 + 实测与参考碎片谱

Dynamics



Frozen chromatogram
Given software chromatogram; No uncertainty band: supplied bounds equal center; frozen summaries, no smoothing.

Mass spectrum mirror



Observed and reference peaks
No peak matching, compound identification, rescaling or deconvolution performed.

All panels retain their own data, units and guides; no inferred shared axis.

A M07 | volume 3, page 72


B M06 | volume 3, page 69

K36 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | K36

通路数量底图 + 标记组成




All panels retain their own data, units and guides; no inferred shared axis.

A M09 | volume 3, page 74

B M10 | volume 3, page 75

ALT_K36_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A M09 | volume 3, page 74

B M10 | volume 3, page 75

ALT_K36_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A M09 | volume 3, page 74

B M10 | volume 3, page 75

K37 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c37_sets | volume 4, page 17

B AUX_c37_terms | volume 4, page 18


C E34 | volume 3, page 80

D AUX_c37_network | volume 4, page 21

E AUX_c37_local | volume 4, page 22

ALT_K37_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c37_sets | volume 4, page 17

B AUX_c37_terms | volume 4, page 18


C E34 | volume 3, page 80

D AUX_c37_network | volume 4, page 21

E AUX_c37_local | volume 4, page 22

ALT_K37_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c37_sets | volume 4, page 17

B AUX_c37_terms | volume 4, page 18


C E34 | volume 3, page 80

D AUX_c37_network | volume 4, page 21

E AUX_c37_local | volume 4, page 22

K38 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c38_fit | volume 4, page 23

B AUX_c38_degree | volume 4, page 24


C E36 | volume 3, page 83

D E35 | volume 3, page 89

E AUX_c38_scores | volume 4, page 25

ALT_K38_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c38_fit | volume 4, page 23

B AUX_c38_degree | volume 4, page 24


C E36 | volume 3, page 83

D E35 | volume 3, page 89

E AUX_c38_scores | volume 4, page 25

ALT_K38_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A AUX_c38_fit | volume 4, page 23

B AUX_c38_degree | volume 4, page 24


C E36 | volume 3, page 83

D E35 | volume 3, page 89

E AUX_c38_scores | volume 4, page 25

K39 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A E37 | volume 3, page 86

B AUX_c39_stack | volume 4, page 26

ALT_K39_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A E37 | volume 3, page 86

B AUX_c39_stack | volume 4, page 26

ALT_K39_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




A E37 | volume 3, page 86

B AUX_c39_stack | volume 4, page 26

K40 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A E36 | volume 3, page 83

B AUX_c40_matrix | volume 4, page 29


C AUX_c40_network | volume 4, page 30

D E35 | volume 3, page 89

E AUX_c38_scores | volume 4, page 25

ALT_K40_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A E36 | volume 3, page 83

B AUX_c40_matrix | volume 4, page 29


C AUX_c40_network | volume 4, page 30

D E35 | volume 3, page 89

E AUX_c38_scores | volume 4, page 25

ALT_K40_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



A E36 | volume 3, page 83

B AUX_c40_matrix | volume 4, page 29

C AUX_c40_network | volume 4, page 30

D E35 | volume 3, page 89


E AUX_c38_scores | volume 4, page 25

K41 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.


预测校准、评价支持量与决策价值

Calibration counts



Synthetic held-out evaluation records; counts are per model and cannot be summed; Supplied illustrative bin bounds, not fitted confidence intervals. Counts are within each model, not summed.

Dynamics



Decision curves with declared reference strategies
Same synthetic evaluation cohort; G1/G7=model, G3=treat all, G4=treat none; No uncertainty supplied: bounds equal the frozen curves; opt-in decision convention; frozen summaries, no smoothing.

All panels retain their own data, units and guides; no inferred shared axis.

A E45 | volume 3, page 96

B E46 | volume 3, page 97


ALT_K41_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K41_horizontal


预测校准、评价支持量与决策价值

Calibration counts



Synthetic held-out evaluation records; counts are per model and cannot be summed; Supplied illustrative bin bounds, not fitted confidence intervals. Counts are within each model, not summed.

Dynamics



Decision curves with declared reference strategies
Same synthetic evaluation cohort; G1/G7=model, G3=treat all, G4=treat none; No uncertainty supplied: bounds equal the frozen curves; opt-in decision convention; frozen summaries, no smoothing.

All panels retain their own data, units and guides; no inferred shared axis.

A E45 | volume 3, page 96

B E46 | volume 3, page 97


ALT_K41_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K41_vertical


预测校准、评价支持量与决策价值

Calibration counts



Synthetic held-out evaluation records; counts are per model and cannot be summed; Supplied illustrative bin bounds, not fitted confidence intervals. Counts are within each model, not summed.

Dynamics



Decision curves with declared reference strategies
Same synthetic evaluation cohort; G1/G7=model, G3=treat all, G4=treat none; No uncertainty supplied: bounds equal the frozen curves; opt-in decision convention; frozen summaries, no smoothing.

All panels retain their own data, units and guides; no inferred shared axis.

A E45 | volume 3, page 96

B E46 | volume 3, page 97

K42 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

调控活性矩阵与指定样本的完整贡献



All panels retain their own data, units and guides; no inferred shared axis.


A E47 | volume 3, page 98

B E51 | volume 3, page 102

ALT_K42_horizontal | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

调控活性矩阵与指定样本的完整贡献





All panels retain their own data, units and guides; no inferred shared axis.

A E47 | volume 3, page 98


B E51 | volume 3, page 102

ALT_K42_vertical | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC COMPOSITION | ALT_K42_vertical

调控活性矩阵与指定样本的完整贡献



Frozen regulator activity by sample



Synthetic Regulator A / S01 decomposition; complete additive weighted target terms; no attribution calculation

All panels retain their own data, units and guides; no inferred shared axis.


A E47 | volume 3, page 98

B E51 | volume 3, page 102

SYNTHETIC DEMO | PKG01


Gene set enrichment

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 1,1



SYNTH

Gene set enrichment

Illustrative condition B versus A / complete ranked universe: 240




Interf
respo
NES +
FDR (

Gene-
Bold:
leadir

Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 2,1



SYNTHETIC DEMO | PKG01

ene set enrichment

trative condition B versus A / complete ranked universe: 240



Interferon response
NES +1.92
FDR 0.0008


Gene-set hits
Bold: supplied leading edge

hetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.

SYNTHETIC DEMO | PKG02


Enrichment programmes · overlay

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 1,1



SYNTHETIC DEM


Enrichment programmes · overlay

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 2,1



SYNTHETIC DEMO | PKG02

Enrichment programmes · overlay


Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Enrichment programmes · facets

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 1,1



SYNTHETIC DEM


Enrichment programmes · facets

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 2,1



SYNTHETIC DEMO | PKG03

Enrichment programmes · facets

Illustrative condition B versus A / complete ranked universe: 240




Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.

SYNTHETIC DEMO | PKG04


Gene set enrichment

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 1,1



SYNTHETIC DEM


Gene set enrichment

Illustrative condition B versus A / complete ranked universe: 240



Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.


Source region 2,1



SYNTHETIC DEMO | PKG04

Gene set enrichment

Illustrative condition B versus A / complete ranked universe: 240



Oxidative metabolism
NES -1.76
FDR 0.003


Gene-set hits
Bold: supplied leading edge

Synthetic gene sets v2 (not MSigDB); ES, NES, adjusted probabilities and hit positions supplied unchanged.

SYNTHETIC DEMO | PKG05

Enrichment across contrasts

Colour: normalized enrichment / Area: gene-set size



Selected terms and contrasts retained; FDR and NES are separate supplied channels.


Source region 1,1



SYNTHETIC DEM

Enrichment across contrasts

Colour: normalized enrichment / Area: gene-set size



Selected terms and contrasts retained; FDR and NES are separate supplied channels.


Source region 2,1



SYNTHETIC DEMO | PKG05

Enrichment across contrasts

Colour: normalized enrichment / Area: gene-set size




Selected terms and contrasts retained; FDR and NES are separate supplied channels.

SYNTHETIC DEMO | PKG06

Leading-edge membership

Outlined cells identify the supplied leading-edge subset



Membership and gene effects supplied; no gene selection, clustering or inference.


Source region 1,1



SYNTHETIC DEMO

Leading-edge membership

Outlined cells identify the supplied leading-edge subset



Membership and gene effects supplied; no gene selection, clustering or inference.


Source region 2,1



SYNTHETIC DEMO | PKG06

Leading-edge membership

Outlined cells identify the supplied leading-edge subset




Membership and gene effects supplied; no gene selection, clustering or inference.

SYNTHETIC DEMO | PKG07


Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000



Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.


Source region 1,1



SYNTHETIC DEMO | PKG07


Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000



Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.

Source region 2,1



SYNTHETIC DEMO | PKG07

Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000




Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.

SYNTHETIC DEMO | PKG08


Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000



Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.


Source region 1,1



SYNTHETIC DEMO | PKG08


Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000



Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.


Source region 2,1



SYNTHETIC DEMO | PKG08

Over-represented programmes

Selected query n=180 / Synthetic universe n=1,000




Ratio = count / selected query; background and adjusted probabilities are explicit frozen inputs.

SYNTHETIC DEMO | PKG09

Core enrichment distributions

Illustrative frozen core-gene density profiles




Common height scale; supplied density profiles only. No KDE or core-gene selection performed.

SYNTHETIC DEMO | PKG10


Genes connecting biological programmes

membership / Explicit gene-to-programme membership



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 1,1



SYNTH


Genes connecting biological programmes

membership / Explicit gene-to-programme membership



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 2,1



SYNTHETIC DEMO | PKG10

ɛnes connecting biological programmes

ɯbership / Explicit gene-to-programme membership




logy, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

SYNTHETIC DEMO | PKG11

Enrichment map · selected programmes

overlap / Supplied gene-set similarity



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 1,1



SYNTH


Enrichment map · selected programmes

overlap / Supplied gene-set similarity



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 2,1



SYNTHETIC DEMO | PKG11

ırichment map · selected programmes

rlap / Supplied gene-set similarity




logy, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

SYNTHETIC DEMO | PKG12

Pathway scores across samples

Illustrative frozen GSVA score matrix / no z-scaling




Values and identities retained. No scaling, sample clustering or upstream activity estimation.

SYNTHETIC DEMO | PKG13


Transcriptome response

Illustrative DESeq2 result export / condition B versus A



Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.


Source region 1,1



SYNTHETIC DEMO | F

Transcriptome response

Illustrative DESeq2 result export / condition B versus A



Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.


Source region 2,1



SYNTHETIC DEMO | PKG13

Transcriptome response

Illustrative DESeq2 result export / condition B versus A




Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.

SYNTHETIC DEMO | PKG14


Gene-level differential effects

Illustrative limma export / supplied 95% confidence intervals



Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.


Source region 1,1



SYNTHETIC DEMO | PK


Gene-level differential effects

Illustrative limma export / supplied 95% confidence intervals



Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.


Source region 2,1



SYNTHETIC DEMO | PKG14

Gene-level differential effects

Illustrative limma export / supplied 95% confidence intervals




	Estimate [interval]
STAT1	+1.60 [+1.10, +2.10]
IRF7	+1.25 [+0.72, +1.78]
ISG15	+1.10 [+0.63, +1.57]
FN1	+0.80 [+0.25, +1.35]
SRSF1	+0.32 [-0.15, +0.79]
COX5A	-0.90 [-1.40, -0.40]
NDUFA1	-1.30 [-1.85, -0.75]
ATP5F1	-1.60 [-2.18, -1.02]

Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.

SYNTHETIC DEMO | PKG15


Protein abundance response

Illustrative MSstats result export / fixed protein-level effects



Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.


Source region 1,1



SYNTHETIC DEMO | F

Protein abundance response

Illustrative MSstats result export / fixed protein-level effects



Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.


Source region 2,1



SYNTHETIC DEMO | PKG15

Protein abundance response

Illustrative MSstats result export / fixed protein-level effects




Visual thresholds only; exact supplied fold changes and adjusted probabilities. Label selection declared.

SYNTHETIC DEMO | PKG16

Marker expression by cell identity

Fraction denominator: all displayed cells in each identity (synthetic)



Means and fractions supplied. No expression normalization, clustering or independent-subject inference.


Source region 1,1



SYNTHETIC DEMO | PKG16

Marker expression by cell identity

Fraction denominator: all displayed cells in each identity (synthetic)



Means and fractions supplied. No expression normalization, clustering or independent-subject inference.


Source region 2,1



SYNTHETIC DEMO | PKG16

Marker expression by cell identity

Fraction denominator: all displayed cells in each identity (synthetic)




Means and fractions supplied. No expression normalization, clustering or independent-subject inference.

SYNTHETIC DEMO | PKG17

Cell identities · Seurat

Illustrative frozen embedding geometry / not a fitted UMAP




Stored coordinates and explicit label anchors; no embedding fit, density estimate or donor-level inference.

SYNTHETIC DEMO | PKG18

Cell identities · Scanpy

Illustrative frozen embedding geometry / not a fitted UMAP




Stored coordinates and explicit label anchors; no embedding fit, density estimate or donor-level inference.

SYNTHETIC DEMO | PKG19


Module–trait relationships

Illustrative donor-level module–trait correlation matrix



Parentheses: supplied unadjusted probabilities (demo); module identities and independent sample context retained.

Source region 1,1



SYNTHETIC DEMO

Module–trait relationships

Illustrative donor-level module–trait correlation matrix

	Phenotype	Age	Severity	Response
ME turquoise	+0.78 (0.0003)	+0.12 (0.03)	+0.64 (0.1)	-0.55 (0.4)
ME blue	-0.68 (0.03)	+0.16 (0.1)	-0.56 (0.4)	+0.61 (0.0003)
ME brown	+0.31 (0.1)	+0.54 (0.4)	+0.22 (0.0003)	-0.16 (0.03)
ME yellow	-0.22 (0.4)	-0.43 (0.0003)	-0.35 (0.03)	+0.17 (0.1)
ME green	+0.45 (0.0003)	+0.08 (0.03)	+0.51 (0.1)	-0.42 (0.4)
ME red	-0.12 (0.03)	+0.38 (0.1)	+0.15 (0.4)	+0.09 (0.0003)

1
0
−1
Association

Cell text
Association
(probability)

Parentheses: supplied unadjusted probabilities (demo); module identities and independent sample context retained.

Source region 2,1




SYNTHETIC DEMO | PKG19

Module–trait relationships

Illustrative donor-level module–trait correlation matrix

	Phenotype	Age	Severity	Response
ME turquoise	+0.78 (0.0003)	+0.12 (0.03)	+0.64 (0.1)	-0.55 (0.4)
ME blue	-0.68 (0.03)	+0.16 (0.1)	-0.56 (0.4)	+0.61 (0.0003)
ME brown	+0.31 (0.1)	+0.54 (0.4)	+0.22 (0.0003)	-0.16 (0.03)
ME yellow	-0.22 (0.4)	-0.43 (0.0003)	-0.35 (0.03)	+0.17 (0.1)
ME green	+0.45 (0.0003)	+0.08 (0.03)	+0.51 (0.1)	-0.42 (0.4)
ME red	-0.12 (0.03)	+0.38 (0.1)	+0.15 (0.4)	+0.09 (0.0003)



Cell text
Association
(probability)

Parentheses: supplied unadjusted probabilities (demo); module identities and independent sample context retained.

SYNTHETIC DEMO | PKG20

Co-expression module · response genes


correlation / Selected weighted co-expression edges



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

Source PDF SHA256 ab7a808d04d4921738e7 | measured body minimum 7.50 pt


Source region 1,1



SYNTHETIC

Co-expression module · response genes


correlation / Selected weighted co-expression edges



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

Source PDF SHA256 ab7a808d04d4921738e7 | measured body minimum 7.50 pt


Source region 2,1



SYNTHETIC DEMO | PKG20

Co-expression module · response genes

correlation / Selected weighted co-expression edges




Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

SYNTHETIC DEMO | PKG21

Predicted cell–cell communication

predicted communication / Supplied aggregate communication weight



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 1,1



SYNTHETIC


Predicted cell–cell communication

predicted communication / Supplied aggregate communication weight



Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.


Source region 2,1



SYNTHETIC DEMO | PKG21

Predicted cell–cell communication

predicted communication / Supplied aggregate communication weight




Topology, coordinates and weights supplied. No layout optimization, edge inference or causal validation.

SYNTHETIC DEMO | PKG22

Transcription factor activity

Illustrative decoupleR export / supplied signed activity scores




Values and identities retained. No scaling, sample clustering or upstream activity estimation.

SYNTHETIC DEMO | PKG23

Signalling pathway activity

Illustrative PROGENy export / fixed score units and sample order




Values and identities retained. No scaling, sample clustering or upstream activity estimation.

SYNTHETIC DEMO | PKG24

Survival over follow-up

Synthetic outcome curves / no patient data or survival fitting




Illustrative supplied 95% confidence bands; risk convention: start_of_period. No survival fit or log-rank test.

SYNTHETIC DEMO | PKG25

Model discrimination

Illustrative held-out ROC coordinates / no model training




Curves and optional AUC text supplied by the analysis host; no AUC or uncertainty calculation.

GSEA01 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | GSEA01



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 1,1



SYNTHETIC DEMO |


GSEA · Response programme

Contrast: Synthetic B vs A | 20 ranked genes



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 2,1



SYNTHETIC DEMO | GSEA01

GSEA · Response programme

Contrast: Synthetic B vs A | 20 ranked genes




Response programme
NES +1.72
FDR 0.007 · n=8

Hits
Bold = supplied
leading edge

Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


GSEA02 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 1,1



SYNTHETIC DEMO |


GSEA · Repair programme

Contrast: Synthetic B vs A | 20 ranked genes



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 2,1



SYNTHETIC DEMO | GSEA02

GSEA · Repair programme


Contrast: Synthetic B vs A | 20 ranked genes



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


GSEA03 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.




Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.

Source region 1,1




SYNTHETIC DEMO |




Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.

Source region 2,1




SYNTHETIC DEMO | GSEA03




GSEA04 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.



Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 1,1



SYNTHETIC DEMO |

GSEA · two-pathway comparison

Contrast: Synthetic B vs A | 20 ranked genes




Response programme
NES +1.72
FDR 0.007 · n=8

Repair programme
NES -1.61
FDR 0.016 · n=8

Hits
Bold = supplied
leading edge

Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.


Source region 2,1



SYNTHETIC DEMO | GSEA04

GSEA · two-pathway comparison

Contrast: Synthetic B vs A | 20 ranked genes



Response programme
NES +1.72
FDR 0.007 · n=8

Repair programme
NES -1.61
FDR 0.016 · n=8


Hits
Bold = supplied
leading edge

Gene sets: Synthetic sets v1; no licensed gene-set content; exact supplied scores/hits; no GSEA recomputation.

GSEA05 | complete source overview

Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | GSEA05




Selected terms; no enrichment, clustering or automatic top-term selection.


Source region 1,1




SYNTHETIC DEMO



Source region 2,1




SYNTHETIC DEMO | GSEA05



Selected terms; no enrichment, clustering or automatic top-term selection.

SYNTHETIC DEMO | GSEA06




Supplied subset and gene effects; blank/unknown membership is rejected.

ORA01 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | ORA01




Query n=100; Synthetic background n=1000; no ORA calculated

Source region 1,1




SYNTHETIC DEMO | ORA0




Query n=100; Synthetic background n=1000; no ORA calculated

Source region 2,1



SYNTHETIC DEMO | ORA01




Query n=100; Synthetic background n=1000; no ORA calculated

ORA02 | complete source overview


Use the detail pages or linked standalone components; overview text is intentionally reduced.

SYNTHETIC DEMO | ORA02




Query n=100; Synthetic background n=1000; no ORA calculated

Source region 1,1




SYNTHETIC DEMO | ORA0




Query n=100; Synthetic background n=1000; no ORA calculated

Source region 2,1



SYNTHETIC DEMO | ORA02




Query n=100; Synthetic background n=1000; no ORA calculated

SYNTHETIC DEMO | VIS01

Distribution profiles and supplied summaries

Frozen gene-level display profiles / illustrative points and bounds



Illustrative outer/inner display bounds; probabilities unspecified; common density height scale, supplied curves and summaries. No KDE or interval estimation.


Source region 1,1



SYNTHETIC DEMO | VIS0


Distribution profiles and supplied summaries

Frozen gene-level display profiles / illustrative points and bounds



Illustrative outer/inner display bounds; probabilities unspecified; common density height scale, supplied curves and summaries. No KDE or interval estimation.


Source region 2,1



SYNTHETIC DEMO | VIS01

Distribution profiles and supplied summaries

Frozen gene-level display profiles / illustrative points and bounds




Illustrative outer/inner display bounds; probabilities unspecified; common density height scale, supplied curves and summaries. No KDE or interval estimation.

SYNTHETIC DEMO | VIS02


Pathway activity in a shared coordinate grid

Supplied pathway scores / predefined row and condition groups



Order and slice memberships supplied unchanged; no clustering, scaling, imputation or significance selection.


Source region 1,1



SYNTHETIC DEMO | VI


Pathway activity in a shared coordinate grid

Supplied pathway scores / predefined row and condition groups



Order and slice memberships supplied unchanged; no clustering, scaling, imputation or significance selection.


Source region 2,1



SYNTHETIC DEMO | VIS02

Pathway activity in a shared coordinate grid

Supplied pathway scores / predefined row and condition groups



Order and slice memberships supplied unchanged; no clustering, scaling, imputation or significance selection.

SYNTHETIC DEMO | VIS03

Compare profiles on aligned linear scales

Same frozen table as R02 / original category order and units



Same categories, values and area quantities as the annular source; linear axes and common area scale. No smoothing.


Source region 1,1



SYNTHETIC DEMO |

Compare profiles on aligned linear scales

Same frozen table as R02 / original category order and units



Same categories, values and area quantities as the annular source; linear axes and common area scale. No smoothing.


Source region 2,1



SYNTHETIC DEMO | VIS03

Compare profiles on aligned linear scales

Same frozen table as R02 / original category order and units




Same categories, values and area quantities as the annular source; linear axes and common area scale. No smoothing.

SYNTHETIC DEMO | VIS04


Compare estimates without filled bars

Same supplied estimates and intervals as P34



Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.


Source region 1,1



SYNTHETIC DEMO | V


Compare estimates without filled bars

Same supplied estimates and intervals as P34



Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.


Source region 2,1



SYNTHETIC DEMO | VIS04

Compare estimates without filled bars

Same supplied estimates and intervals as P34




Existing intervals only; no model fit, empirical-Bayes moderation or uncertainty estimation.

SYNTHETIC DEMO | VIS05

Distinct identities in stored coordinates

Same frozen coordinates as T19 / six distinguishable category colours




Stored coordinates and explicit label anchors; no embedding fit, density estimate or donor-level inference.

SYNTHETIC DEMO | REF01

Enrichment in compact aligned tracks


Illustrative condition B versus A / exact supplied enrichment tracks



Hit rugs retain exact ranks; bold hits are supplied leading edge. Synthetic gene sets v2 (not MSigDB). No ES, NES, FDR or membership recomputation.

Enrichment in compact aligned tracks

Illustrative condition B versus A / exact supplied enrichment tracks




Hit rugs retain exact ranks; bold hits are supplied leading edge. Synthetic gene sets v2 (not MSigDB). No ES, NES, FDR or membership recomputation.

SYNTHETIC DEMO | REF03

Training curves with supplied interval bands

Same loss rows as R14 / no model training




Illustrative supplied display bands; probability meaning unspecified. Supplied curves and interval bounds; no model fit, smoothing or interval estimation.

SYNTHETIC DEMO | REF04

Score comparison and change uncertainty

Same features, scores and difference intervals as P22




Supplied difference bounds; no new inference. Connections identify the same feature, not paired biological subjects. Supplied differences and bounds retained.

SYNTHETIC DEMO | REF05

Associations without crossing edges

Same pairwise and Mantel summaries as R07 / distinct measures



Two distinct association measures, separate guides; all supplied pairs retained. Raw p-values remain in the exact table; no testing, thresholding or causal arrows.