

❖ Mid FMT (35)

1) Bronchospasm and bronchorrhea in organophosphorus poisoning is due to the following action:

- a) Nicotinic action b) Muscarinic action
- c) Inadequate oxime therapy d) Delayed neuropathy

2) Neglecting tying the cord of a newborn may cause death from:

- a) Hemorrhage b) Air embolism
- c) Sepsis d) Amniotic fluid embolism

3) A ring of hyperemia appears around the base of the umbilical cord at:

- a) 1 week b) 2 weeks c) 3 days d) 1 day

4) In carbamate poisoning, oximes are life saving:

- a) True b) False

5) Not necessarily to take consent for examination in case of habitual sodomist:

- a) True b) False

6) Male patient comes to hospital with sulphuric acid ingestion, the first management is:

- a) Steroid b) Painkiller c) Emesis d) Gastric lavage

7) A policeman arrested a young male with a history of ingestion of drug packets while being arrested. The best method of gastric decontamination in this situation is:

- a) Gastric lavage b) Whole bowel irrigation
- c) Syrup of ipecac d) Activated charcoal

8) All are factors affecting formation of bruises except:

- a) Age b) Sex c) Color d) Force

9) AB father and heterogeneous A mother, their children will never be:

- a) A b) AB c) B d) O

10) Persistent vegetative state, loss of higher cerebral power with intact brain stem function persists for:

- a) 4 weeks b) 4 months c) 1 year d) 1 week

11) Cause of heat stroke is:

- a) Degeneration of heat regulatory centre

12) The time passed since death in warm and stiff body:

- a) Less than 3 hours b) 3–8 hours c) 8–36 hours d) More than 36 hours

13) All of the following drugs are eliminated by forced alkaline diuresis except:

- a) Salicylate b) Phenobarbital c) Lithium d) Strychnine

14) Which of the following causes everted edge of short rifling inlet:

- a) 25 cm b) 125 cm c) Buttock d) Multiple inlets

15) All are true about pond fracture except:

- a) Occur in children b) Take the shape of concave fracture
c) Caused by blunt instrument d) Fissure fracture

16) All of the following may contain foreign body except:

- a) Lacerated wound b) Contusion c) Chop wound d) Grazed abrasion

17) Single inlet and multiple exits are seen in the following except:

- a) Dumdumized bullet b) Tangential firing
c) Multiple bullets in same inlet d) Flattered bones

18) Subcutaneous hematoma is:

- a) Small, circumscribed limited by fibrous strands b) Confined to one bone
c) Large, diffuse d) Limited to occipitofrontalis muscle

19) Tardieu spots present in all of the following except:

- a) Drowning b) Hanging c) Throttling d) Choking

20) Ligature mark in hanging considered:

- a) Patterned abrasion b) Patterned intra-dermal bruise

21) Male with imperforate penis simulating an enlarged clitoris, a split scrotum and undescended testis:

- a) True hermaphrodite b) Masculine pseudo-hermaphrodite
c) Feminine pseudo-hermaphrodite d) A and B

22) Death may occur within 2 days from inorganic corrosive due to:

- a) Septic peritonitis b) Renal failure
c) Neurogenic shock d) Circulatory failure

23) One of the cardiovascular effects of cocaine:

- a) Hypotension b) Myocardial infarction
c) Bradycardia d) Vasodilatation of peripheral vessels

24) Receptor responsible for respiratory depression and physical dependence:

- a) Mu b) Kappa c) Sigma d) Delta
-

ANSWERS

1	2	3	4	5	6	7	8	9	10
B	A	D	B	B	B	B	C	D	A
11	12	13	14	15	16	17	18	19	20
A	B	D	C	D	B	B	A	A	A
21	22	23	24						
B	A	B	A						