Embryology:

1- All are true about miosis except:
a) One cell divides twice to form 4 daughter cells
b) Meiosis occurs through two stages (Miosis 1 followed by Miosis 2)
c) Miosis I produce 2 diaploid daughter cells
d) Miosis II produces 4 haploid daughter cells

2- All are true about human chromosomes except:
a) Each cell contains 23 pairs of chromosomes
b) Sex chromosomes are called autosomes
c) Sex chromosomes are one pair
d) Chromosomes are thread like structure

3- Chromosomal reduction during gametogenesis occurs due to:
a) Meiosis
b) Mitosis
c) Non disiunction
d) Amitosis

4- During formation of the notochord ..... appears as a temporary connection between the yolk sac and amniotic activity:
a) primitive pit
b) Notochordal canal
c) Neurenteric canal
d) Extra embryonic cavity

5-Definitive yolk sac named after:
a) Implantation
b) Folding
c) Allantois formation
d) Birth

6- After normal labor to a woman and placental separation and expulltion, this woman has severe bleeding the doctor examined her , and found small lobe of the placenta persists, this anomaly is called:
a) membranous placenta
b) Accessory placenta
c) Placenta accrete
d) Placenta previa

7- Following structures developed from mesoderm except:
a) skeletal muscles
b) gut muscles
c) gut mucosa d) Kidney

8- the most correct sequence of early development following fertilization:
a) zygote , blastomers, morula , blastocyst
b) oocyte , zygote, morula , blastocyst
c) zygote, conceptus , blastocyst
d) polar bodies , zygote , conceptus , blastocyst

9- Following structures are derived from ectoderm except:
a) Nasal mucosa
b) Nervous tissue
c) Adrenal cortex
d) Adrenal medulla

10- Following structures derived from endoderm except:
a) pancreas
b) lining of respiratory tract
c) limb muscles
d) lining of the biliary passages

11- Following events occur in the 3rd week except
a) gastrulation b) notochord formation
c) folding d) neural tube development

12- Regarding the placenta , following are true except
a) Circular of 15-25 cm diameter
b) 3cm thickness
c) 300-600 gm weight
d) it's maternal surface is smooth and shiny

13- ..... forms the floor of amniotic cavity
a) endoderm b) mesoderm
c) ectoderm d) trophoblast

14- in relation to the dizigotic twins, followings are true except:
a) Two ova are ovulated at the same time
b) Each ovum is fertilized by a separate septum
C) Have separate placenta , amnions and chorions
D) May lead to conjugated twins

15- the neural tube forms the..... from its cranial broad part and forms the ..... from its caudal narrower part
a) spinal cord , brain
b) Brain , spinal cord
c) brain , vertebral column
d) vertebral column , spinal cord

16- All of the following are result of folding except:
a) formation of gut tube
b) connecting stalk comes to lie ventral to the disc
c) embryo acquires shape
d) heart becomes dorsal in position

17- During Implantation, the ..... secrets HCG that maintains corpus luteum
a) Trophoblast b) Epiblast
c) Hypoblast d) Amniogenic cell

18- Mechanisms of folding include enlargement of the .....
a) Amniotic cavity
b) Yolk sac
c) Extra-embryonic cavity
d) Intra-embryonic cavity

19- The mesodermal somites originated from.....
a) Para-axial
b) Intermediate
c) somatopleuric
d) Splanchnopleuric

20- one of the following statement about primitive streak is false :
a) It is a transient structure
b) It appears as an elongating groove on the dorsal surface of the epiblast.
c) At the caudal end its cells proliferate to form the primitive knot
d) It is the 1st step in the formation of the mesodermal cells

21-Placenta previa means implantation in :
a) Uterine tube
b) Outer surface of ovary.
c) Lower uterine segment.
d) Abdominal cavity

22-full-term umbilical cord shows the disappearance of
a) left umbilical vein
b) right umbilical vein
c) right umbilical artery
d) left umbilical artery

23-All are false about corpus luteum EXCEPT
a) With fertilization it degenerates within 10 days of ovulation
b) Without fertilization it remains for 4-5 months.
c) secrete progesterone hormone
d) formed under effect of FSH

24-one of these structure has diploid number of chromosome :
a) 1ry oocyte
b) 1St polar body
c) 2ry oocyte
d) mature ovum

25- The lytic enzyme released by sperm is
a) Ligase b) Acrosome
c) Androgamone d) Hyaluronidase e) A and B

26- About gametogenesis all are true EXCEPT:
a) It is called spermatogenesis in males.
b) It is called oogenesis in females.
c) It is continuous process in male and female.
d) It begins with primitive sex cells.
e) It results in formation of mature gamets

27- The initial step during fertilization is
a. Penetration of sperm into egg
b. Fertilizin and antifertilizin reaction
c. Formation of fertilization membrane d. Formation of fertilization cone
e. None of the above

28- Ovulation takes place :
a. In the center of the ovary
B. Through the cortex of the ovary.
c. Isthmus of uterine tube
d. Ampulla of uterine tube.
e. In the uterus.

29- ligamentumteres of liver is a ligament which was..... in the embryo
a. Ductus arteriosus
b. Umbilical vein
c. Ductus venosus
d. Umbilical artery
e. c and d

30- Within which extra embryonic membrane are blood cells formed in the early stage of development ?
a. Yolk sac
b.Allantois
c. Chorion
d. Allantois
e. a and b

31- All are true about blastocyst EXCEPT
a. formed about the 6 day of fertilization
b. having a cavity called blastocoele
c. implanted into the uterine tube
d. Inner cell mass develop into embryoblast

32- The blood in intervillous space is .....
A. Maternal
B. Fetal
C. Mixed
D. from yolk sac

33- Process of cell division that results in two genetically identical daughter cells developing from a single parent cell is
A. cell division
B. mitosis
C. meiosis
D. binary division

34-About implantation all are true EXCEPT
a. Adhesion of blastocyst to the endometrium
b. Occurs by the end of the Ind week after fertilization
c. blastocyst invades the endometrium by the abembryonic pole
d. during it corpus luteum still secreting progesterone and oestrogen hormones

35- Which of the following does NOT take place during fertilization ?
a. Male pronucleus forms
b. Endometrial implantation occurs
c. Restoration of a diploid genome
d. Determination of genetic sex of the embryo
e. Cleavage initiated

36-The two layers of extraembryonic mesoderm are called :
a) Endoderm ; Mesoderm
b) Primary ; Secondary
c) Somatopleuric ; Splanchnopleuric
d) Mesenchyme ; Parachyme
e) Epiblast ; Hypoblast

37- A patient is being seen due to vaginal bleeding , four months into her pregnancy. High levels of hCG are found but no inner cell mass (embryo) is present. What is likely her diagnosis ?
a) Hydatidiform mole
b) Ectopic pregnancy
c) Placenta previa
d) Placenta abruption
e) Placenta accrete

38- All arteries, veins, and lymphatic channels form from
a) Ectoderm
b) Mesoderm
c) Endoderm
d) Chorionic Villi

39- The placenta has all of the following functions EXCEPT:
a) Deoxygenation of blood
b) Hormone production
c) Protection
d) Nutrition
e) Excretion

40- During labor, what membrane ruptures ("water breaks") ?
a) Decidua basalis
b) Decidua capsularis
c) Amnion
d) Yolk sac

41- At the fetomaternal junction, projections of decidua basalis towards the chorionic plate serve to divide the fetal placenta into irregular areas called :
a) Endometriums
b) Cotyledons
c) Anchoring villi
d) Smooth chorion

42- A sacrococcygeal teratoma is a tumor that arises from remnants of the
a) Neural plate
b) Cloacal membrane
c) Posterior neuropore d) Primitive streak
43- Which of the following statements is correct about the zona pellucida:
a. surrounds the oocyte in the ovary
b. protects oocyte in the uterine tube
c. is a specialized extracellular matrix
d. is important for fertilization
e. all of the above

44- A 26 year old woman experiences episodes of bright red vaginal bleeding at week 28, week 32 and week 34 of pregnancy. The bleeding spontaneously subsided each time. Using ultrasound, the placenta is located in the lower right portion of the uterus over the internal os. What is the diagnosis ?
A. Hydatidiform mole
B. Premature rupture of the amniotic membrane
C. Placenta previa
D. Toxemia of pregnancy E. Vasa previ

45- Gastrulation is the process of
a. mesoderm formation and occurs after neurulation.
b. ectomesenchyme formation and occurs before neurulation.
c. mesoderm formation and occurs before neurulation.
d. ectomesenchyme formation and occurs after neurulation

46- the part of the sperm containing proteolytic enzymes to digest the zonapellucida is the :
a. capacitor
b. head
c. corona
d. acrosome
e. cumulus

47- The second week of human development is characterized by formation of the :
A. inner cell mass
B. hypoblast
C. trophoblast
D. blastocyst
E. all of the above

48- Extra-embryonic mesoderm
a. called primary mesoderm
b. called secondary mesoderm.
c. called tertiary mesoderm
d. called definitive mesoderm

49- Heuser's membrane is related to the
A. yolk sac
B. uterine cavity
C. Amniotic cavity
D. Intraembryonic cavity.

50- Development of the placental membrane (Placental barrier) consists of all of the following EXCEPT:
a) Syncytiotrophoblast
b) Cytotrophoblast
c) Endothelium of the fetal vessels
d) Cotyledons

51- Median umbilical Ligament are results of
a) Umbilical veins
b) Umbilical arteries
c) Allantois
d) vitello-intestinal duct

52- The trophoblast forming the wall of the blastocyst becomes transformed into the chorion by the appearance of the.....
a) intra-embryonic mesoderm
b) intra-embryonic ectoderm
c) extra-embryonic mesoderm
d) extra-embryonic ectoderm

53- the Week of twos in which each structure gives two derivatives is is the name for .....week of development
a) 1
b) 2
c) 3rd
d) 4th

54-lutinizing cells of corpus luteum secrete :
a) estrogen
b) L.H
c) progesterone
d) F.S.H

55- Allantois is an extension from..... into the connecting stalk
a) Primary yolk sac
b) Secondary yolk sac
c) Amniotic cavity
d) Intrauterine cavity

56- Blood in the intervillous space is considered mother's circulatory system and adequate irrigation of chorionic villi an important factor in the development of thefetus.
a) Inside: Is not
b) Inside: Is
c) Outside; Is not
d) Outside; Is

57- Decidua parietalis :
a) Surrounds the fetus completely
b) Became fused with chorion
c)Shares in formation of placenta.
d) Became fused with decidua capsualris.
e) b and d

58- About mesoderm :
a) Intraembryonic mesoderm appear earlier than extraembryonic mesoderm.
b) Extraembryonic mesoderm became splitted completely into somatic and visceral layers.
c) The trophoblast becomes transformed into the chorion.
d) The extraembryonic mesoderm is outer to trophoblast
e) b and c

59- Muscles' and 'excretory' structures arises from;
a) Mesoderm
b) Ectoderm
c) Endoderm
d) Layer

60- The acrosome is formed from
a) Nucleus
b) Golgi bodies
c) Centrosome
d) Mitochondria

61- Which one of the following undergo meiotic division
a) Primordial germ cells
b) Spermatogonia
c) Primary spermatocytes
d) Spermatids

62- First polar body is formed from
a) Primordial germ cells
b) Oogonia
c) Primary oocyte
d) Secondary oocyte

63- Which one of the following undergo meiotic division
a) Primordial germ cells
b) Spermatogonia
c) Primary spermatocytes
d) Spermatids

64- First polar body is formed from
a) Primordial germ cells b) Oogonia
c) Primary oocyte d) Secondary oocyte

65- During implantation, the blastocyst:
a) implants in the endometrium
b) usually attaches to endometrial epithelium at its embryonic pole
c) usually implants in the posterior wall of the body of the uterus
d) causes change in the endometrial tissues
e) all of the above are correct

66- first two intraembryonic germ layers to differentiate are the : the
a) ectoderm and hypoblast
b) epiblast and hypoblast
c) ectoderm and endoderm d) ectoderm and mesoderm

67- Corpus leteum develops from
a) Oocyte b) Nephrostome
c) Graafian follicle d) none of the above

68- implantation of human embryos typically occurs :
a) about 1 day after fertilization
b) about one week (i.e. 7 days) after fertilization
c) about two weeks (i.e. 14 days) after fertilization
d) after gastrulation
e) at the same time as neural tube closure
f) NONE of the above

69- Correct sequence of hormone secretion from beginning of menstruation is
a) FSH. progesterone, estrogen
b) Estrogen, FSH, progesterone
c) FSH, estrogen progesterone
d) Estrogen, progesterone, FSH

70- Which process in the third week of development converts the embryonic disc into the trilaminar embryo ?
a) placentation
b) Gastrulation
c) Neuralation
d) somitogenesis

71- Corpus luteum develops under the influence of
a) Progesterone b) Estrogen
c) FSH d) LH

72- When released from ovary, human egg contains
a) One Y chromosome
b) Two X chromosomes
c) One X chromosome
d) XY chromosomes

73- Which are called sperm mother cells
a) Spermatids
b) Spermatogonia
c) Spermatocytes
d) Primordial germ cells

74- At the end of spermatogenesis each primary spermatocyte gives rise to
a) one spermatid
b) Two spermatids
c) Three spermatids d) Four spermatids

75- Name the special cells which provide nutrient materials to the matured spermatozoa in the testis

a) Spermatogonia b) Leydig's cells

c) Interstitial cells d) Sertoli cells

76- The function of Sertoli cells is

a) secrete hormones b) help in ejaculation

c) develop sperms d) provide nutrition to developing spermatozoa in the testis

77- Which of the following produces the male sex hormone ?

a) Rete testis

b) Seminiferous tubule

c) Leydig cell

d) Scrotum

e) Vas deference

78- Number of autosomes in human spermatogonia is

a-46 b-44

c-23 d-22 e-48

79- Human sperm moves with the help of

a- middle piece

b- Flagellum

c- Basal body

d- Nucleosome

e- Head

80- The floor of the notochordal canal becommes intercalated with the underlying ectoderm and gradually disappears with part of the hypoblast resulting in

a) the formation of a primitve pit

b) communication being established between the amniotic cavity and yolk sac

c) folding of the caudal end of the embryo

d) thickening of Henson's node

e) Formation of notochordal canal

81- With the light microscope, the zonapellucida appears as a translucent membrane surrounding the :

a) primary oocyte b) zygote

c) morula d) very early blastocyst

e) all of the above are correct

82- In ectopic pregnancy :

a) the placenta over bridges the internal os of the uterus

b) implantation is inside the uterus c-severe bleeding is present during vaginal delivery

c) the most common site is the uterine tube. d) All of the above

83- About decidua all are true EXCEPT:
a) It means changes in the endometrium after implantation
b) It is under effect of progesterone.
c) Arterio-venous shunts develop.
d) It has role in fetal nutrition
e) Changes occur in uterus at the same time of cleavage

84- The amnion is formed from
a) Endoderm
b) Ectoderm
c) cytotrophoblast
d) A and B
e) B and C

85-About placenta one answer is INCORRECT:
a) Has a foetal origin and a maternal origin
b) Its diameter is about 15-20 cm
c) Placental membrane separates maternal and foetal blood.
d) Membranes thickens when placenta gets old.
e) Deceduabasalis is one of the main components.

86- Functions of amnion are, EXCEPT:
a) Allows fetal movements
b) Maintains even temperature around fetus
C) Anti-shock
d) Dilates cervix at labor
e) Main source of nutrition of fetus

87- About chorionic villi of the placenta .all are true EXCEPT:
a) They belong to chorionfrondosum
b) They are attached to chorionic plate.
c) They are site of exchanging material between maternal and fetal blood
d) The mesoderm has maternal blood vessles
e) Anchoring villi are separated with spaces which have maternal blood

88- The anomaly which results from sharing chorion levea with chorionfrondosum in the placenta
a) Velamentous placenta
b) Battledore placenta
c) Diffuse placenta
d) Placenta accreta
e) Accessory placenta

89- The umbilical cord before birth has the following structures EXCEPT:
a) Umbilical arteries
b) Umblilcal vein
c) Allantois
d) Vitelline vessels
e) Wharton's jelly.

90 - What is a teratogen
a) measure of prenatal activity
b) type of ultrasound
c) stage of development
d) A physical deformity caused by harmful substances transmitted through the placentae
e) Any agent which can cause a birth deficit or have negative effects on behavioral or cognitive outcomes

91- Mesoderm gives rise to all the structures except
a) Gonads
b) Circulatory system
c) Nervous system
d) Muscular system

92- In human females, the fertilized eggs get implanted in the uterus after
a) One month of fertilization
b) Two months of fertilization
c) Seven days of fertilization
d) Three weeks of fertilization

93- Brain, nerve cells and spinal cord or the central nervous system develops from embryonic
a) Mesoderm
b) Endoderm
c) Ectoderm
d) Both (b) and (c)

94- Implantation is the process of
a) Attachment of blastocyst to the uterine wall
b) Egg movement
c) Degeneration of egg
d) Egg fertilization

114- occurs when sperm and egg interact.
a) Conjugation
b) Fertilization
c) Cleavage
d) Development
e) Differentiation

115- The anterior end of the neural tube develops into the
a) notochord
b) heart
c) brain
d) gut
e) gonads

116- give(s) rise to segmental muscles of the body and also produce(s) the vertebral bones.
a) The notochord
b) The archenteron
c) The neural tube
d) Somites
e) The coelom

117-Embryonic development includes the first of development in humans.
a) week
b) two weeks
c) month
d) two months
e) nine months

118- In humans, cleavage begins in the
a) ovary
b) oviduct
c) uterus
d) vagina
e) early stages of childbirth

119- An implantation that takes place in a site other than the uterus is called
a) amniotic
b) phytid
c) hyadatic
d) ectopic e) metopic

120- un fertilized ovum degenerate about.....hour after ovulation:
a) 12h b) 48h
c) 24h d) 32h

121- Sperms losses their power of penetration and fertilization after.....hour after ejaculation :
a) 24h
b) 48h
c) 32h
d) 72h

122- the process of cleavage has the following results except:
a) increase the number of blastomers
b) decrease in size of each cell
c) disappearance of zona pellucida
d) differentiation of cells into outer trophoblast&inner cell mass
e) formation of extra embryonic mesoderm

123- Which of the following is derivatives of ectoderm :
a) Connective tissue, cartilage and bone.
b) All types of muscles.
c) The whole cardiovascular system
d)The brain and spinal cord.

124- all of the following are derivatives of endoderm except :
a) lining of the gut (except inlet and outlet).
b) Pancreas and lining of the biliary passages.
c) The brain and spinal cord.
d) Lining of the respiratory tract

125- all of the following are result of folding except :
a) formation of gut tube
b) Buccopharyngeal membrane: comes to lie most cranial.
c) Cloacal membrane: comes to occupy the most
d) Connecting stalk: comes to lie caudal to the disc.

126-for fertilization all true except:
a-it means union of male & female gametes
b-its site is medial end of uterine tube c-one of its result initiation of cleavage
d-more than one sperm can pass through zona pellucida

127- morula reaches the uterine cavity about ..... days after fertilization:
a) 1day
b) 4days
c) 3days
d) 6days

128- What is the name of placenta attached to lower uterine segment:
a) placenta previa b) battledore placenta
c) membranous placenta d) placenta accrete

129- The normal site of implantation is one of the following :
a) Posterior wall of body.
b) Cervix.
c) Around internal os.
d) Fundus of the uterus.
e) Uterine tube.

130- After a difficult labor,a female received a twin babies that are fused at their sacral region : What is the name of such condition :
a) Conjoint twins
b) Vanishing twin
c) Twin to twin transfusion syndrome

131- Refer to the death of one fetus (The fetal tissue is absorbed by the other twin) this condition is:
a-conjoint twins
b- Vanishing twin
c- Twin to twin transfusion syndrome

132- Fetal part of the placenta is formed by the
a) Decidua basalis
b) Chorion leave
c) Chorion frondosum
d) Decidua parietalis

133- One of these structure has haploid number of chromosome (23 chromosome):
a) Sertoli cells b) 1ry spermatocyte
c) Spermatogonia d) 2ry spermatocyte

134- The outcome of mitosis:
a) Two cells with haploid number
b) Four cells with haploid number
c) Two cells different from the parent cell
d) Two cells identical the parent cell

135- In human, Cleavage begin in :
a) Ovary b) Fallopian tube
c) Uterus d) Vagina

136- About suspected pregnancy which hormone suspected to be elevated:
a) LH b) FSH c) HCG d) Estrogen

137- One statement is false regarding the oogenesis:
a) Start during fetal life and continue after puperty
b) Oogenesis take place in the cortex of the ovary
c) At fertilization secondary oocyte complete second mitotic division
d) At ovulation 1ry oocyte complete 1st mitotic division and enter 2nd mitotic division

138- The third layer formed in gastrulation is:
a) Ectoderm
b) Endoderm
c) Mesoderm
d) Blastocoel

139- The amniotic cavity appears on the eight day as a slit like space between the trophblast and the:
a) Extra embryonic mesoderm
b) Embryoblast
c) Exocoelomic membrane d) Connecting stalk

140- Name the special cells which secrete tostesterone in the testis:
a) Spermatogonia b) Leydig s cells
c) Rete testis d) Sertoli cell

141- The correct pathway about sperm transport:
a) vasa efferentia > epididymis > rete testis > duct deferens > ejaculatory duct > urethra
b) vasa efferentia > epididymis > rete testis > ejaculatory duct > duct deferens > urethra
c) rete testis > vasa efferentia > epididymis > duct deferens > ejaculatory duct > urethra
d) rete testis > vasa efferentia > duct deferens > epididymis > ejaculatory ducy > urethra

142- In menstrual cycle, …… stage is under effect of estrogen.
a) Menstural flow b) Proliferative
c) Secretory d) Luteal phase

143- In oogenesis, the second meiotic division is completed at the time of :
a) Ovulation b) Fertilization
c) Luteinization d) Implantation

144- About the notochord all are true except:
a) the first longituidinal midline axis of the embryo
b) around which the vertebral bodies are organized
c) develops from endodermal cells of primitive node
d) the notochordal process stops at the cloacal membrane

145- About the neural tube all are true except :
a) a ventral tubular structure in the embryo
b) cells of lateral margin of the plate form the neural crest
c) intra embryonic mesoderm share in its formation
d) cytotrophoblast share in its formation

146- About chorion all are true except:
a) it forms the wall of chorion vesicle
b) syncytiotrophoblast share in its formation
c) intra embryonic mesoderm share in its formation
d) cyto trophoblast share in its formation

147- When the placenta is fixed to the myometrium it is called:
a) Placenta membranacea b) Loped placenta
c) Accessory placenta d) Placenta accrete

148- The cells dissociated from lateral border of the neural folds will form:
a) Posterior neuropore
b) Neural plate
c) Anterior neuropore
d) Neural crest

149- Derivatives of yolk sac all are true except:
a) Blood cells are derived from mesoderm
b) Fimoridal sex cells migrate to gonads
c) The gut is derived from the floor of the sac
d) Allantois will share in bladder formation

150- Process of cell division that results in two genetically identical daughter cells developing from a single parent cell is:
a) Cell division b) Mitosis
c) Meiosis d) Binary fission

151- In monozygotic twins if separation occurs at two cell stage each twin will has:
a) 2 separate placenta and one common amnion
b) 2 separate amnion
c) One common chorion
d) One common amnion

152- Chromosome number in meiosis is:
a) doubled b) reduced by half
c) reduced by 2 d) reduced by 3

153- First polar body is formed from:
a) Primordial germ cells b) Oogonia
c) Primary oocyte
d) Secondary oocyte

154- Corona radia is made up of:
a) Zona pellucida around oocyte
b) Vitelline membrane
c) Follicular cells around the oocyte
d) Stratum functionalis

155- The process of fertilization has the following preparatory steps except:
a) sperm are estimated to vagina
b) sperm undergo process of capacitation
c) there is acrosomal reaction before sperm penetration
d) sperm reach uterus by uterine contraction
e) sperm start its meiotic division

156- Un fertilized ovum degenerates about …….. hours after ovulation.
a) 12 h b) 48 h c) 24 h d) 32 h

157- Sperms losses their power of penetration and fertilization after ……. hour of ejaculation.
a) 24 h b) 48 h c) 32 h d) 72 h

158- One of these statement is false about process of implantation:
a) it start by adhesion blastocyst as its embryonic pole to endometrium
b) trophoblast differentiate into syncytiotrophoblast and cytotrophoblast
c) outer layer erodes the underlying endometrium
d) uterine hole completely closed by uterine tissue

159- The main function if fimbriae of oviduct is:
a. Help in collection of ovum after ovulation
b. Make necessary changes in endometrium for implantation
c. Release ovum from Graafian follicle
d. Help in development of embryo
e.None of the above

160- In mammalian development, the embryo will form from which population of cells?
a. the blastocyst b. the inner cell mass
c. the trophectoderm d. the blastocoel
e. the extraembryonic membranes

161- Within which extra embryonic membrane are blood cells formed in the early stage of development?
a. Yolk sac b. Allantois
c. Chorion d. Allantois e. a and b

162-Which of the following is NOT derived from ectoderm?
a. Epidermis b. Enamel of teeth
c. Skeletal muscles d. Forebrain e .Mammary gland

163- The placenta has all of the following functions EXCEPT:
a) Deoxygenation of blood b) Hormone production
c) Protection d) Nutrition e) Excretiion

164- is the hormone that is the basis for the pregnancy test.
a. Estrogen
b. Human chorionic gonadotropic hormone (HCG)
c. Progesterone
d. Prostaglandin e. Prolactin

165- What is the correct developmental order for the following: 1: Neural crest; 2: Notochord; 3: Neural plate; 4: Neural tube; 5: Neural groove:
a) 3-2-5-4-1
b) 3-5-4-2-1
c) 2-3-5-4-1
d) 5-2-1-4-3
e) 2-3-5-1- 4

166- Which one of the following undergo meiotic division
A. Primordial germ cells
B. Spermatogonia
C. Primary spermatocytes D. Spermatids

167- Gastrulation is the process of
A) mesoderm formation and occurs after neurulation.
B) ectomesenchyme formation and occurs before neurulation.
C) mesoderm formation and occurs before neurulation.
D) ectomesenchyme formation and occurs after neurulation

168- The first week of human development is characterized by formation of the:
A. inner cell mass B. hypoblast
C. trophoblast D. blastocyst E. all of the above

169- Which are called sperm mother cells
A. Spermatids B. Spermatogonia
C. Spermatocytes D. Primordial germ cells

170-At the end of spermatogenesis each primary spermatocyte gives rise to
A.one spermatid B. Two spermatids
C. Three spermatids D. Four spermatids

171- The primary sex organ is known as _____
a- Regulate blood volume and composition b- Synthesize glucose
c- Regulate blood pressure d- Gonads e- Uterus

172- Which of the following produces the male sex hormone?
a- Rete testis b- Seminiferous tubule c- Leydig cell
d- Scrotum e- Vas deference

173- Which layer is enclosed in formation of urinary bladder :
a-Caudal part of amnion b-Cranial part of amnion
c- Caudal part of yolk sac d- Cranial part of yolk sac
e-None of the above

174- The floor of the notochordal canal becomes intercalated with the underlying ectoderm and gradually disappears with part of the hypoblast resulting in:
a- the formation of a primitve pit
b- communication being established between the amniotic cavity and yolk sac
c- folding of the caudal end of the embryo
d- thickening of Henson's node
e-Formation of notochordal canal

175- Chorionic vesicle has the following features EXCEPT:
a-The chorionic vesicle shows blood vessels in the connecting stalk.
b-It has three cavities
c-The embryo is in trilaminar germ disc
d-Vessels in yolk sac will form vitteline vessles
e-Villi share in placenta

176- What is the purpose of the chorion?
a-To protect the embryo and connect it to the maternal placenta
b- To contribute cells that form the gut in the fetus
c- To develop cells that become blood cells in the embryo
d- Respiratory part to the embryo
e-a and d

177- The function of Sertoli cells is
a- secrete hormones b- help in ejaculation c-develop sperms
d- provide nutrition to developing spermatozoa in the testis
e- None of the above

178- Which of the following statements about spermiogenesis is FALSE?
a- The mitochondria form the bulk of the sperm middle piece.
b- The condensed nucleus contains the haploid amount of DNA.
c- The Golgi zone becomes the acrosome.
d- When fully motile, sperm leaves the seminiferous tubules.
e-The centriole forms the tail of the sperm

179- Functions of amnion are, EXCEPT:
a- Allows fetal movements b- Maintains even temperature around fetus
C- Anti-shock d- Dilates cervix at labor
e- Main source of nutrition of fetus

180- About chorionic villi of the placenta .all are true EXCEPT:
a- They belong to chorionfrondosum
b- They are attached to chorionic plate.
c- They are site of exchanging material between maternal and fetal blood
d- The mesoderm has maternal blood vessles
e- Anchoring villi are separated with spaces which have maternal blood

181- The anomaly which results from sharing chorionleave with chorionfrondosum in the placenta:
a-Velamentous placenta b- Battledore placenta
c-Diffuse placenta d-Placenta accrete

182- About Spermatogenesis all are correct except ....
a. it occurs in somniferous tubules of testis
b. starts before Puberty
c. it takes about 74 days
d. sperms complete maturation in the epididymis

183- spermiogenesis means .....
a. process of development of sperm from spermatogonia
b. Process of development of sperm from primary spermatocyte
c. morphological changes of secondary spermatocyte to mature sperm
d. morphological changes of spermatid to mature sperm

184- About oogenesis all are correct EXCEPT .....
a. it starts intrauterine
b. primary oocyte complete the first meiosis division before Puberty
c. primordial follicle has only one raw of flat follicular cells
d. it occurs in the cortex of the ovary

185- All are true about corpus luteum EXCEPT
a. Without fertilization it degenerates within 10 days of ovulation
b. With fertilization it remains for 4-5 months
c. secrete progesterone hormone
d. formed under effect of FSH

186- About events during 3rd week of development all are true EXCEPT:
a. embryonic disc becomes bilaminar
b. chorionic villi become tertiary
c. notochord is completely developed
d. cardiovascular system starts its differentiation

187- Extra-embryonic mesoderm
a. called primary mesoderm
b. called secondary mesoderm
c. called tertiary mesoderm
d. called definitive mesoderm

188- Cavity ventral to the embryonic disc
a.amniotic cavity b.yolk sac
c.neural tube d.Notochord