
# ANATOMY

## Part 1

## MCQs



2026

بسم الله الرحمن الرحيم

والصلاة والسلام على خير المرسلين محمد بن عبد الله وعلى آله وصحبه وسلم أما بعد، نقدم بين يديك ملف **(General anatomy MCQ)**


| - | Title | Page |
|---|---|---|
| | **General Anatomy** | |
| 1 | Anatomical Position, terms, planes | 3 |
| 2 | Skin, Fascia | 9 |
| 3 | The Skeletal System | 13 |
| 4 | Joints | 21 |
| 5 | The Muscular System | 32 |
| 6 | Cardiovascular System (Circulatory system) | 37 |
| 7 | Respiratory system | 45 |
| 8 | Digestive system | 51 |
| 9 | Lymphatic system | 57 |
| 10 | The nervous system | 61 |
| 11 | Urinary system | 67 |
| 12 | Reproductive system (Female and Male) | 72 |


ابدأ مستعيناً بالله وكرر الحل ما استطعت واحرص على وقتك فهو رأس مالك وأغلى ما تملك

**حسابات الفريق على منصات التواصل الاجتماعي**


**جميع الحقوق محفوظة لفريق معوان**

**ولا نحلل بيعها بعائد ربحي أو سرقتها بأي شكل من الأشكال**

# Anatomy

## Anatomical Position, terms, planes

### Pre Exams & Formative

| 1- | Which plane of section would divide the body into anterior and posterior portions? (MID 31, Formative 33, Formative 32, FINAL 30) | | | | |
|---|---|---|---|---|---|
| A- | Horizontal | B- | Coronal | C- | Sagittal |
| D- | Parasagittal | E- | Medial | | |

| 2- | In anatomical position, the upper limbs are adducted? (FINAL 30) | | |
|---|---|---|---|
| A- | True | B- | False |

| 3- | A cut that only goes through a layer of skin would be called? (FINAL 31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Lateral | B- | Superficial | C- | Deep | D- | Superior | E- | Inferior |

| 4- | A vertical plane which passes through the body from anterior to posterior dividing the body into right and left parts? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Sagittal | B- | Coronal | C- | Transverse |
| D- | Horizontal | E- | None of the above | | |

| 5- | This term refers to position in which human lying with the face facing upward? (FINAL 31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Supine | B- | Prone | C- | Inferior | D- | Peripheral | E- | Lateral |

| 6- | Arms (FINAL 31) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Erect | B- | At the sides | C- | Flat on the floor | D- | Facing forward |

| 7- | Eyes (FINAL 31) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Erect | B- | At the sides | C- | Flat on the floor | D- | Facing forward |

| 8- | Feet (FINAL 31) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Erect | B- | At the sides | C- | Flat on the floor | D- | Facing forward |

| 9- | Body (FINAL 31) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Erect | B- | At the sides | C- | Flat on the floor | D- | Facing forward |

| 10- | The ankle is (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Superficial to the bones | B- | Inferior to the knee | C- | Lateral to the heart |
| D- | Medial to the ears | E- | Superior to the wrist | | |

| 11- | The nose is (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Superficial to the bones | B- | Inferior to the knee | C- | Lateral to the heart |
| D- | Medial to the ears | E- | Superior to the wrist | | |

| 12- | The elbow is (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Superficial to the bones | B- | Inferior to the knee | C- | Lateral to the heart |
| D- | Medial to the ears | E- | Superior to the wrist | | |

| 13- | The skin is (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Superficial to the bones | B- | Inferior to the knee | C- | Lateral to the heart |
| D- | Medial to the ears | E- | Superior to the wrist | | |

| 14- | The lungs are (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Superficial to the bones | B- | Inferior to the knee | C- | Lateral to the heart |
| D- | Medial to the ears | E- | Superior to the wrist | | |

| 15- | Which of the following planes divides the body into right and left halves? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Sagittal | B- | Coronal | C- | Parasagittal |
| D- | Transverse | E- | Horizontal | | |

| 16- | In anatomical position, the face looks upward? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | True | B- | False |

| 17- | Regarding the anatomical position all of the following is true except? (MID 33) | | |
|---|---|---|---|
| A- | palms facing posterior | B- | thumbs pointing lateral |
| C- | face pointing anteriorly | D- | body standing upright |

| 18- | Proximal means? (MID 33) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | In front | B- | In back | C- | Near the root | D- | Near the end |

| 19- | About Planes of the body all are true EXCEPT? (MID 34, MID 33) |
|---|---|
| A- | Transverse Plane divides the body into upper and lower parts |
| B- | Midsagittal plane dividing the body into right and left equal halves |
| C- | Sagittal planes dividing the body into right and left unequal halves |
| D- | Coronal Plane divides the body into a medial and lateral portion |

| 20- | **Medial means? (MID 33)** | | |
|---|---|---|---|
| A- | Near the midsagittal plane | B- | Near the sagittal plane |
| C- | Near the root | D- | Near the end |

| 21- | **In the anatomical position the thumb is directed? (MID 34)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Medially | B- | Laterally | C- | Superior | D- | Inferior |

| 22- | **Deepest structure of the followings is? (MID 34)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Deep fascia | B- | Skin | C- | Superficial fascia | D- | Bones |

| 23- | **All are true about the planes EXCEPT? (MID 36)** |
|---|---|
| A- | Median plane divides the body into right and left equal halves |
| B- | Transverse plane divides the body into upper and lower parts |
| C- | Sagittal plane is parallel to frontal plane |
| D- | Coronal plane divides the body into anterior and posterior |

| 24- | **From the following selections, identify the directional terms equivalent to ventral, posterior, superior, and inferior in the correct sequence? (MID 34, MID 36, MID 37, 2ND TRIAL 37)** | | |
|---|---|---|---|
| A- | Anterior, dorsal, cephalic, caudal | B- | Dorsal, anterior, caudal, cephalic |
| C- | Caudal, cephalic, anterior, posterior | D- | Cephalic, caudal, posterior, anterior |

| 25- | **What is false about anatomical position? (MID 36, 2ND TRIAL 37)** | | |
|---|---|---|---|
| A- | Eyes are lateral | B- | Palms are anterior |
| C- | The body is upward | D- | The face directs forward |

| 26- | **cranial means? (2ND TRIAL 36)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | inferior | B- | superior | C- | proximal | D- | lateral |

| 27- | **True about anatomical position? (MID 37)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Body is laying | B- | Laterally Eye | C- | Palm anterior | D- | Laterally face |

| 28- | **True about axial? (MID 37)** |
|---|---|
| A- | Frontal axial separate body into anterior and posterior |
| B- | transversal axial separate body into left and right parts |
| C- | axial separate body into medial and lateral |
| D- | coronal axial separate body into upper and lower parts |

| 29- | The anatomical position is characterized by all of the following EXCEPT: (Formative 33, Formative 32, Formative 35) | | |
|---|---|---|---|
| A- | Palms facing posterior | B- | Thumbs pointing laterally |
| C- | Face pointing anteriorly | D- | Body standing upright |

| 30- | In the anatomical position the thumb is directed: (Quiz 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Inferior | B- | Superior | C- | Laterally | D- | Medially |

| 31- | Which term means "toward the midline of the body"? (Formative SNU1, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Distal | B- | Superior | C- | Lateral | D- | Medial |

| 32- | Distal means: (MID 36, 2ND TRIAL 36, Formative 35, Formative SNU1, SNU Bank) | | |
|---|---|---|---|
| A- | Near the root | B- | In back |
| C- | In front | D- | away from the root |

| 33- | in the anatomical position the radius lies (Formative SNU1, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | anterior to ulna | B- | posterior to ulna | C- | Medial to ulna | D- | lateral to ulna |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | A | B | A | A | B | D | C | A | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D | E | A | C | A | B | A | C | D | A |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| B | D | C | A | A | B | C | A | A | C |
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| D | D | D | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Which of the following best describes the anatomical position? (SNU Bank) |
|---|---|
| A- | Standing with arms raised above the head, palms facing forward |
| B- | Standing upright, feet together, arms at the side, palms facing forward |
| C- | Standing with arms at the side, palms facing backward |
| D- | Lying flat on the back with arms across the chest |

| 2- | In anatomical position, the thumbs are (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Medially | B- | Laterally | C- | Posteriorly | D- | Superiorly |

| 3- | What does "anterior" mean? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Back | B- | Front | C- | Side | D- | Above |

| 4- | The term "proximal" refers to: (SNU Bank) | | |
|---|---|---|---|
| A- | Away from the trunk | B- | Toward the trunk |
| C- | Toward the head | D- | Toward the feet |

| 5- | Which of the following regarding the anatomical position is incorrect (SNU Bank) |
|---|---|
| A- | The body is in supine position. |
| B- | Head, eyes and toes directed anteriorly. |
| C- | Upper limbs by the sides with the palms facing anteriorly. |
| D- | Lower limbs close together. |

| 6- | Humerus is to radius (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Medial | B- | Lateral | C- | Proximal | D- | Distal |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | B | B | B | A | C | - | - | - | - |

## M3WAN Bank

| 1- | The standard anatomical position is best described as body standing with: (M3WAN - Core) |
|---|---|
| A- | Palms facing forward, feet parallel, and toes directed forward |
| B- | Palms facing backward and feet crossed |
| C- | Arms crossed over the chest |
| D- | Lying supine with palms facing upward |

| 2- | Posterior means: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Towards the head | B- | Towards the feet |
| C- | Towards the back | D- | Towards the front |

| 3- | The elbow is proximal to the wrist. This term means: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Away from the root | B- | Closer to the root |
| C- | Nearer the midsagittal plane | D- | Nearer the surface |

| 4- | The elbow is distal to: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | The wrist | B- | The hand | C- | The fingers | D- | The shoulder joint |

| 5- | Medial refers to a point that is: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Closer to the midsagittal plane | B- | Farther from the midsagittal plane |
| C- | Closer to the root | D- | Nearer the surface |

| 6- | The outer side of the elbow, compared with the inner side, is described as: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Medial | B- | Proximal | C- | Lateral | D- | Superficial |

| 7- | **Deep means: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Near the surface | B- | Away from the surface |
| C- | Towards the head | D- | Towards the root |

| 8- | **A plane dividing the body into anterior and posterior portions is the: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Transverse plane | B- | Median plane |
| C- | Sagittal plane | D- | Frontal (coronal) plane |

| 9- | **A plane dividing the body or limb into upper and lower parts is the: (M3WAN - Core)** | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| A- | Transverse plane | B- | Frontal plane | C- | Sagittal plane | D- | Median plane |

| 10- | **The vertical plane passing longitudinally through the centre of the body, dividing it into equal right and left halves, is the: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Parasagittal plane | B- | Frontal plane |
| C- | Median (midsagittal) plane | D- | Transverse plane |

| 11- | **Planes passing through the body parallel to the median plane are called: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Frontal planes | B- | Sagittal (parasagittal) planes |
| C- | Transverse planes | D- | Coronal planes |

| 12- | **Regional anatomy studies the body according to: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Systems performing a common function | B- | Embryological origin of tissues |
| C- | Physiological function only | D- | Parts such as head, neck, trunk and limbs |

| 13- | **Systemic anatomy organizes the body according to: (M3WAN - Core)** |
|---|---|
| A- | Collections of components serving a common function |
| B- | Regions such as the thorax and abdomen |
| C- | Age-related developmental stages |
| D- | Surface landmarks only |

| 14- | **All of the following are features of the standard anatomical position EXCEPT: (Important M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Feet parallel with toes directed forward | B- | Elbows flexed at ninety degrees |
| C- | Palms facing forward | D- | Upper limbs placed by the sides |

**Answers - M3WAN Bank**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| A | C | B | D | A | C | B | D | A | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | D | A | B | - | - | - | - | - | - |

# Skin, Fascia

## Pre Exams & Formative

| 1- | **Followings are sites of superficial fascia devoid of adipose tissue EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Eyelids | B- | Gluteal region | C- | Penis |
| D- | Scrotum | E- | Clitoris | | |

| 2- | **Superficial fascia contains the following EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Blood vessels | B- | Nerves | C- | Fat |
| D- | Muscles (platysma) | E- | Tendons | | |

| 3- | **Superficial fascia contains the following EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Lymph vessels | B- | Thymus gland | C- | Fibrous tissue |
| D- | Mammary gland | E- | Lymph nodes | | |

| 4- | **The layer of the body just under (or deep to) the skin is called? (MID 31, Department Qs)** | | | | |
|---|---|---|---|---|---|
| A- | deep fascia | B- | epimysium | C- | an aponeurosis |
| D- | superficial fascia | E- | epineurium | | |

| 5- | **All are true about the deep fascia EXCEPT? (MID 31)** |
|---|---|
| A- | It is a thin membrane located deep to the superficial fascia |
| B- | It is absent in the abdomen |
| C- | It is an inelastic sheath for the muscles |
| D- | It is thin in the palm of the hand |
| E- | More mobile |

| 6- | **Protective functions of the skin include all of the following EXCEPT protection? (MID 31)** | | |
|---|---|---|---|
| A- | against water loss | B- | against infections |
| C- | against harmful chemicals | D- | of the joints |
| E- | against temperature change | | |

| 7- | **Functions of the integumentary system (skin) include all of the following EXCEPT? (FINAL 31)** | | |
|---|---|---|---|
| A- | Maintenance of body temperature | B- | Synthesis of vitamin A |
| C- | Excretion of salts and wastes | D- | Proteection of underlying tissue |
| E- | sensation | | |

| 8- | **What type of tissue is the main component of the dermis? (FINAL 31)** | | | | |
|---|---|---|---|---|---|
| A- | Fatty tissue | B- | Connective tissue | C- | Soft tissue |
| D- | All of the above | E- | None of the above | | |

| 9- | Where are hair roots located within the skin? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | In the hypodermis | B- | In the epidermis | C- | In the dermis |
| D- | All of the above | E- | None of the above | | |

| 10- | Which layer is shedded and replaced continuously? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Hypodermis | B- | Epidermis | C- | Dermis |
| D- | All of the above | E- | None of the above | | |

| 11- | This means? (FINAL 31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| |  | | | | | | | | |
| A- | Epidermis | B- | Dermis | C- | Hypodermis | D- | A and B | E- | B and C |

| 12- | Concerning retinaculae, it is a thickened band of ..... around joints? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Ligaments | B- | Deep fascia | C- | Aponeuroses |
| D- | Bursae | E- | Sheath | | |

| 13- | Concerning superficial fascia, it is thick in? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Eyelids | B- | Gluteal region | C- | Penis |
| D- | Scrotum | E- | Clitoris | | |

| 14- | Not present in the superficial fascia? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Blood vessels | B- | Nerves | C- | Fat |
| D- | Mammary gland | E- | Cartilages | | |

| 15- | Regarding skin appendages, the following are true EXCEPT? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Nails | B- | Sebaceous glands | C- | Sweat glands |
| D- | Thyroid glands | E- | Hair follicles | | |

| 16- | The connective tissue that surrounds muscles, blood vessels, and nerves, binding those structures together is? (MID 33, MID 34, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Superficial fascia | B- | Internal fascia | C- | Deep fascia | D- | Dermis |

| 17- | About Skin all are true EXCEPT? (MID 33, Department Qs) | | |
|---|---|---|---|
| A- | superficial layer called the epidermis | B- | deep layer called the dermis |
| C- | dermis is avascular part | D- | dermis contains sweat glands |

| 18- | The type of fascia that fills the space between muscles is? (MID 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Deep | B- | Superficial | C- | Internal | D- | External |

| 19- | What is true about skin? (MID 36) | | |
|---|---|---|---|
| A- | The superficial layer is dermis | B- | The deep layer is epidermis |
| C- | The dermis is avascular | D- | The dermis contains sweat glands |

| 20- | one of the following is true about superficial fascia? (2ND TRIAL 36) | | |
|---|---|---|---|
| A- | superficial fascia is thin in the scalp | B- | supports muscles and nerves |
| C- | stores water and fat | | |

| 21- | Superficial fascia is present and dense in the? (MID 37, Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Ear | B- | Eyelid | C- | scrotum | D- | palm |

| 22- | Superficial fascia contain excess fat in (Quiz 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | ear | B- | scalp | C- | eyelids | D- | Scrotum |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | E | B | D | D | D | B | B | C | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D | B | B | E | D | B | C | A | D | C |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| D | B | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | Skin accounts for approximately what percentage of body weight? (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 5% | B- | 8% | C- | 20% | D- | 12% |

| 2- | The epidermis is best described as: (M3WAN - Core) |
|---|---|
| A- | A vascular layer rich in collagen fibers |
| B- | A keratinized, avascular epithelium nourished by underlying dermal vessels |
| C- | A layer of areolar and adipose tissue |
| D- | Dense irregular connective tissue |

| 3- | Hair follicles, sebaceous glands, and sweat glands are located in the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Dermis | B- | Epidermis | C- | Superficial fascia | D- | Deep fascia |

| 4- | Which of the following is NOT a listed function of the skin? (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Sensation | B- | Thermoregulation |
| C- | Muscle compartmentalization | D- | Storage of lipids and water |

| 5- | **Superficial fascia is composed of: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Dense irregular connective tissue only | B- | Keratinized epithelium |
| C- | Hyaline cartilage | D- | Areolar connective tissue and adipose tissue |

| 6- | **All of the following are functions of superficial fascia EXCEPT: (Important M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Storing water and fat | B- | Separating muscles into functional groups |
| C- | Reducing the rate of heat loss | D- | Providing mechanical protection against blows |

| 7- | **Superficial fascia is present but contains no fat in all of the following EXCEPT: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | The palm of the hand | B- | The eyelid |
| C- | The scrotum | D- | The penis |

| 8- | **Superficial fascia is described as very dense in all of the following EXCEPT: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | The scalp | B- | The sole of the foot |
| C- | The eyelid | D- | The palm of the hand |

| 9- | **Deep fascia is composed of: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Areolar and adipose tissue | B- | Keratinized epithelium |
| C- | Hyaline cartilage | D- | Dense irregular connective tissue |

| 10- | **A fascial layer that separates muscles into functional groups and lines the body wall and limbs is the: (Important M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Superficial fascia | B- | Deep fascia | C- | Epidermis | D- | Dermis |

| 11- | **Which of the following is a function of deep fascia? (M3WAN - Core)** |
|---|---|
| A- | Supporting nerves, blood vessels, and lymphatic vessels |
| B- | Storing water and fat |
| C- | Reducing the rate of heat loss |
| D- | Producing keratin |

| 12- | **The epidermis is nourished by vessels located in the: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Superficial fascia | B- | Deep fascia | C- | Dermis | D- | Subcutaneous fat |

**Answers - M3WAN Bank**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| D | B | A | C | D | B | A | C | D | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | - | - | - | - | - | - | - | - |

# The Skeletal System

## Pre Exams & Formative

| 1- | **Regarding chondrocyte which of the following is true? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Protein secreting cell | B- | Found inside lacuna | C- | Found in the perichondrium |
| D- | Both a \& b | E- | Multinucleated | | |

| 2- | **The axial skeleton includes all of the following EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Skull | B- | Humerus | C- | Vertebral column |
| D- | Sternum | E- | Ribs | | |

| 3- | **The cervical vertebrae are in number? (FINAL 30)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | 8 | B- | 7 | C- | 6 | D- | 5 | E- | 4 |

| 4- | **In bones, the is richly supplied by sensory nerves? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Epiphysis | B- | Diaphysis | C- | Metaphysis |
| D- | Periosteum | E- | Articular cartilage | | |

| 5- | **Coccygeal vertebrae are 4 in number? (FINAL 30)** | | |
|---|---|---|---|
| A- | True | B- | False |

| 6- | **Short bone (FINAL 30)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tarsal. | B- | Femur. | C- | Paranasal sinuses. | D- | Scapula. |

| 7- | **Long bone (FINAL 30)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tarsal. | B- | Femur. | C- | Paranasal sinuses. | D- | Scapula. |

| 8- | **Pneumatic bone (FINAL 30)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tarsal. | B- | Femur. | C- | Paranasal sinuses. | D- | Scapula. |

| 9- | **Flat bone (FINAL 30)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tarsal. | B- | Femur. | C- | Paranasal sinuses. | D- | Scapula. |

| 10- | **Which of the following is NOT a part of the axial skeleton? (MID 31, Formative 32, Formative 33)** | | | | |
|---|---|---|---|---|---|
| A- | Sternum | B- | Vertebral column | C- | Scapula |
| D- | Skull | E- | Ribs | | |

| 11- | **The correct term for the end of a bone is: (Formative 33, Formative 32, MID 31, Department Qs)** | | | | |
|---|---|---|---|---|---|
| A- | The terminal ileum | B- | The epiphysis | C- | The diaphysis |
| D- | The xiphoid | E- | Epiphyseal plate | | |

| 12- | **What does cartilage do? (FINAL 31)** | | |
|---|---|---|---|
| A- | Protects internal organs | B- | Allows bones to separate |
| C- | Allows bones to rub together | D- | Secretes fluids |
| E- | Acts as a shock absorber | | |

| 13- | **What body structure protects the lungs from outside harm? (FINAL 31)** | | | | |
|---|---|---|---|---|---|
| A- | Cartilage | B- | Tiny sacs | C- | The rib cage |
| D- | The diaphragm | E- | Trachea | | |

| 14- | **Patella is a large? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Flat bone | B- | Short bone | C- | Sesamoid bone |
| D- | Long bone | E- | Pneumatic bone | | |

| 15- | **Tarsal bones are in number? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Three | B- | Five | C- | Seven | D- | Nine | E- | Ten |

| 16- | **Regarding the bones, the following are true EXCEPT? (2ND TRIAL 30-31)** | | |
|---|---|---|---|
| A- | Form most of the adult skeleton | B- | About 206 bones |
| C- | Solid living tissue | D- | Avascularized connective tissue |
| E- | Dense connective tissue | | |

| 17- | **The sternum is a part of? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Skull | B- | Bones of the upper limb | C- | Vertebral column |
| D- | Axial skeleton | E- | Appendicular skeleton | | |

| 18- | **The number of the 1st row of carpal bones is? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Three | B- | Four | C- | Five | D- | Six | E- | Seven |

| 19- | **The number of thoracic vertebrae is? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Eight | B- | Seven | C- | Six | D- | Five | E- | Twelve |

| 20- | **The number of phalanges in the big toe is? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Two | B- | Three | C- | six | D- | five | E- | four |

| 21- | **Paranasal air sinuses are present in? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Short bone | B- | Sesamoid bone | C- | Irregular bone |
| D- | Bone diploe | E- | Pneumatic bone | | |

| 22- | **Ribs are true, false and floating (2ND TRIAL 30-31)** | | |
|---|---|---|---|
| A- | True | B- | False |

| 23- | **Bones, imbedded in a tendon are called? (MID 33)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Short Bones | B- | Long Bones | C- | Irregular Bones | D- | Sesamoid Bones |

| 24- | **About long bones all are true EXCEPT? (MID 33, MID 34)** |
|---|---|
| A- | The long shaft called the diaphysis |
| B- | outer part is made of cancellous bone |
| C- | interior part consists of the medullary cavity |
| D- | Ends of epiphyses are covered with a hyaline cartilage |

| 25- | **Bones that surround the spinal cord are classified as bones? (MID 34, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | irregular | B- | sesamoid | C- | flat | D- | short |

| 26- | **Shaft of long bone is? (MID 36)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | diaphysis | B- | Epiphysis | C- | compact | D- | endometrium |

| 27- | **forms protective external surface of all bones? (2ND TRIAL 36)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | compact bone | B- | spongy bone | C- | cancellous bone | D- | shaft of the bone |

| 28- | **Wrong about long bone? (MID 37)** |
|---|---|
| A- | Nutrient arteries pass through the epiphyses |
| B- | shaft of the bone is diaphysis |
| C- | inside is spongy bone |
| D- | The interior part of a long bone consists of the medullary cavity |

| 29- | **Fibrous tissue that covers the bones? (MID 37)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Periosteum | B- | Metaphysis | C- | Diaphysis | D- | Epiphysis |

| 30- | **Bones that surround the spinal cord are classified as: (Formative 34, 35)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Irregular bones | B- | Sesamoid bones | C- | Flat bones | D- | Short bones |

| 31- | **Which category of bone is among the most numerous in the skeleton? (Formative 35, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | short bone | B- | flat bone | C- | sesamoid bone | D- | long bone |

| 32- | **Which of the following is classified as a long bone? (Formative SNU1, SNU Bank)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Carpal bone | B- | skull bone | C- | Femur | D- | Scapula |

| 33- | Which of the following bones is a pneumatic bone? (Formative SNU1, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Humerus | B- | Femur | C- | paranasal sinus | D- | Clavicle |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | B | B | D | A | A | B | C | D | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | B | C | C | C | D | D | B | E | A |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| E | A | D | B | A | A | A | A | A | A |
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| D | C | C | - | - | - | - | - | - | - |

## Department Qs

| 1- | There are around how many bones in the adult skeleton? (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 106 | B- | 206 | C- | 66 | D- | 205 |

| 2- | Sesamoid bones are found embedded in (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | joints | B- | muscles | C- | ligaments | D- | tendons |

| 3- | Most of the bones of the arms and hands are long bones; however, the bones in the wrist are categorized as (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | flat bones | B- | short bones | C- | sesamoid bones | D- | irregular bones |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | D | B | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Which of the following is a short bone? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Humerus | B- | Carpals | C- | Sternum | D- | Tibia |

| 2- | Sesamoid bones are usually found: (SNU Bank) | | |
|---|---|---|---|
| A- | In the skull | B- | Within tendons |
| C- | In the vertebral couloumn | D- | within the joint cavity |

| 3- | The appendicular skeleton consists of all except: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Skull. | B- | Humerus. | C- | Radius. | D- | Femur. |

| 4- | Long bones include: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Carpal bones | B- | Tarsal bones | C- | Scapula | D- | Femur |

| 5- | The short bones include: (SNU Bank) | | |
|---|---|---|---|
| A- | Carpal and tarsal bones | B- | Skull |
| C- | Vertebra | D- | Humerus and femur |

| 6- | The flat bones include: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Scapula | B- | Radius | C- | Metacarpals | D- | Vertebra |

| 7- | The irregular bones includes: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Radius | B- | Metacarpals | C- | sacrum | D- | tibia |

| 8- | The is an example of sesamoid bone: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Carpal bones | B- | Patella | C- | Sternum | D- | Scapula |

| 9- | The vertebral column is formed of vertebrae (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 34 | B- | 37 | C- | 33 | D- | 32 |

| 10- | The vertebral column consists of (SNU Bank) | | |
|---|---|---|---|
| A- | 9 cervical vertebrae | B- | 12 thoracic vertebrae |
| C- | 6 lumber vertebrae | D- | 10 sacral vertebrae |

| 11- | Carpal bones consists of bones arranged in two rows: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 10 | B- | 8 | C- | 6 | D- | 12 |

**Answers - SNU Bank**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| B | B | A | D | A | A | C | B | C | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | - | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | All of the following bones belong to the axial skeleton EXCEPT: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Femur | B- | Vertebrae | C- | Sternum | D- | Skull |

| 2- | **The appendicular skeleton is formed of: (M3WAN - Core)** |
|---|---|
| A- | Skull, vertebrae and ribs |
| B- | Sacrum and coccyx only |
| C- | Sternum and costal cartilages |
| D- | The limbs, including the pectoral and pelvic girdles |

| 3- | **Which of the following is NOT listed as a function of bone? (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Support for the body | B- | Providing flexibility to the skeleton |
| C- | Storage of calcium | D- | Production of new blood cells |

| 4- | **Costal cartilage, which attaches the ribs to the sternum, is an example of cartilage providing: (M3WAN - Hard)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Rigidity | B- | Pain sensation | C- | Flexibility | D- | Hematopoiesis |

| 5- | **The fibrous connective tissue that surrounds bone is called: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Periosteum | B- | Perichondrium |
| C- | Endosteum | D- | Synovial membrane |

| 6- | **The fibrous connective tissue that surrounds a cartilage element is called: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Periosteum | B- | Synovial membrane |
| C- | Deep fascia | D- | Perichondrium |

| 7- | **Regarding pain sensation of the skeleton: (Important M3WAN - Core)** |
|---|---|
| A- | Both periosteum and bone are pain-sensitive |
| B- | Periosteum is richly supplied with pain fibers; bone itself is not sensitive to pain |
| C- | Bone is pain-sensitive; periosteum is not |
| D- | Neither periosteum nor bone is pain-sensitive |

| 8- | **All of the following are examples of long bones EXCEPT: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Humerus | B- | Femur | C- | Scapula | D- | Tibia |

| 9- | **The carpal bones of the hand are classified as: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Short bones | B- | Long bones | C- | Flat bones | D- | Sesamoid bones |

| 10- | **The classic example of a flat bone is the: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Patella | B- | Vertebra | C- | Carpal bone | D- | Scapula |

| 11- | The vertebrae and sacrum are examples of: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Long bones | B- | Irregular bones | C- | Sesamoid bones | D- | Pneumatic bones |

| 12- | The patella is classified as a sesamoid bone because it is: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Located inside a paranasal sinus | B- | Longer than it is wide |
| C- | Embedded within a tendon | D- | As wide as it is long |

| 13- | Bones enclosing the paranasal sinuses are classified as: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pneumatic bones | B- | Sesamoid bones | C- | Irregular bones | D- | Short bones |

| 14- | The shaft of a long bone is called the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Epiphysis | B- | Medullary cavity |
| C- | Articular cartilage | D- | Diaphysis |

| 15- | Spongy (cancellous) bone, compared with compact bone, is: (M3WAN - Core) |
|---|---|
| A- | Located outside compact bone and forms the protective surface |
| B- | Located inside compact bone and contains bone marrow |
| C- | Avascular and forms the articular surface |
| D- | Present only in short bones |

| 16- | The vertebral column is composed of 33 vertebrae distributed as: (Important M3WAN - Core) |
|---|---|
| A- | 8 cervical, 12 thoracic, 5 lumbar, 5 sacral, 3 coccygeal |
| B- | 7 cervical, 11 thoracic, 6 lumbar, 5 sacral, 4 coccygeal |
| C- | 7 cervical, 12 thoracic, 5 lumbar, 5 sacral, 4 coccygeal |
| D- | 7 cervical, 12 thoracic, 4 lumbar, 5 sacral, 5 coccygeal |

| 17- | Ribs 1 to 7, which attach directly to the sternum by their own costal cartilage, are called: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | True ribs | B- | False ribs |
| C- | Floating ribs | D- | Vertebrochondral ribs |

| 18- | Costal cartilage is found: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Only at the posterior ends of the ribs | B- | Along the whole length of the rib |
| C- | Only in floating ribs | D- | Only at the anterior ends of the ribs |

| 19- | **The skull is composed of 22 bones, of which: (M3WAN - Core)** |
|---|---|
| A- | All 22 are immobile |
| B- | 21 are immobile and 1 (the mandible) is mobile |
| C- | 20 are immobile and 2 are mobile |
| D- | 21 are mobile and 1 is immobile |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | D | B | C | A | D | B | C | A | D |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | C | A | D | B | C | A | D | B | - |

فهو سبحانه الذي يعيذ عبدَه، وينجّيه من بأسه الذي هو بمشيئته وقدرته، فمنه البلاء، ومنه الإعانة، ومنه ما يُطلب النّجاة منه، وإليه الالتجاء في النّجاة، فهو الذي يُلْجَأ إليه في أن ينجّي ممّا منه، ويستعاذ به ممّا منه، فهو ربُّ كلِّ شيءٍ، ولا يكون شيءٌ إلا بمشيئته.

﴿وَإِنْ يَمْسَسْكَ اللَّهُ بِضُرٍّ فَلَا كَاشِفَ لَهُ إِلَّا هُوَ﴾.

﴿قُلْ مَنْ ذَا الَّذِي يَعْصِمُكُمْ مِنَ اللَّهِ إِنْ أَرَادَ بِكُمْ سُوءًا أَوْ أَرَادَ بِكُمْ رَحْمَةً﴾».

- الإمام ابن القيم - رحمه الله.

# Joints

## Pre Exams & Formative

| 1- | **Some synovial joints don't have? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Articular cartilage | B- | Intra-articular ligaments | C- | Synovial membrane |
| D- | Fibrous capsule | E- | Synovial fluid | | |

| 2- | **The joints are synovial joints allowing for gliding movement only? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Plane | B- | Saddle | C- | Hinge |
| D- | Pivot | E- | Ball and socket | | |

| 3- | **The joints are uniaxial synovial joints allowing flexion and extension only? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Saddle | B- | Ellipsoid | C- | Hinge |
| D- | Pivot | E- | Ball and socket | | |

| 4- | **The joints are polyaxial synovial joints allowing flexion, extension, abduction, adduction, medial and lateral rotation? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Saddle | B- | Ellipsoid | C- | Condyloid |
| D- | Ball and socket | E- | Hinge | | |

| 5- | **is synonymous to secondary cartilaginous joint? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Gomphosis | B- | Synchondrosis | C- | Symphysis |
| D- | Syndesmosis | E- | Suture | | |

| 6- | **Intervertebral discs are of the synchondrosis joints? (FINAL 30)** | | |
|---|---|---|---|
| A- | True | B- | False |

| 7- | **Primary cartilaginous joint (FINAL 30)** |
|---|---|
| A- | Joint between epiphyses and diaphysis of long bones. |
| B- | Joint between bodies of the vertebrae. |
| C- | Suture of the skull. |
| D- | Gomphosis |
| E- | Shoulder joint. |

| 8- | **Secondary cartilaginous joint (FINAL 30)** |
|---|---|
| A- | Joint between epiphyses and diaphysis of long bones. |
| B- | Joint between bodies of the vertebrae. |
| C- | Suture of the skull. |

| | |
|---|---|
| D- | Gomphosis |
| E- | Shoulder joint. |

| 9- | **Fibrous joint (FINAL 30)** |
|---|---|
| A- | Joint between epiphyses and diaphysis of long bones. |
| B- | Joint between bodies of the vertebrae. |
| C- | Suture of the skull. |
| D- | Gomphosis |
| E- | Shoulder joint. |

| 10- | **Synovial joint (FINAL 30)** |
|---|---|
| A- | Joint between epiphyses and diaphysis of long bones. |
| B- | Joint between bodies of the vertebrae. |
| C- | Suture of the skull. |
| D- | Gomphosis |
| E- | Shoulder joint. |

| 11- | **Mrs. Smith has itching on her shoulder. She reaches her right hand over to her shoulder to "scratch that itch." Which movement is occurring at her ELBOW joint? (MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | Extension | B- | Flexion | C- | Circumduction |
| D- | Supination | E- | Pronation | | |

| 12- | **The shoulder and hip joints are of this type: (Formative 33, MID 31, Formative 34, Formative 32, Department Qs)** | | | | |
|---|---|---|---|---|---|
| A- | Ball-and-socket | B- | Pivot | C- | Saddle |
| D- | Gliding | E- | Hinge | | |

| 13- | **Where is a fixed (immovable) joint located? (Formative 32, Formative 33, MID 31, Department Qs)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Hip | B- | Knee | C- | Skull | D- | Finger | E- | Shoulder |

| 14- | **Which of the following joint classifications is the most moveable listed (synovial)? (MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | diarthrosis | B- | synarthrosis | C- | amphiarthrosis |
| D- | symphyses | E- | Synchondrosis | | |

| 15- | **This joint has a back and forth movement like a door? (FINAL 31)** | | | | |
|---|---|---|---|---|---|
| A- | Ball and socket | B- | Gliding | C- | Hinge |
| D- | Pivot | E- | Plane | | |

| 16- | The joint in which one part of a bone slides over another bone? (FINAL 31, Department Qs) | | | | |
|---|---|---|---|---|---|
| A- | Ball and socket | B- | Hinge | C- | Pivot |
| D- | Gliding | E- | Saddle | | |

| 17- | All are true about 1ry cartilaginous joints EXCEPT? (FINAL 33, FINAL 31) | | |
|---|---|---|---|
| A- | They are called (synchondrosis) | B- | They are united by hyaline cartilage |
| C- | They are permanent | D- | They are found in epiphyseal plate |

| 18- | About secondary cartilaginous joints, one is true? (FINAL 31, Department Qs) |
|---|---|
| A- | They are united by hyaline cartilage |
| B- | They are called synchondrosis |
| C- | They are called symphysis |
| D- | They are present where epiphysis unites with diaphysis |
| E- | They disappear after puberty |

| 19- | All of the following about pivot type of joints are true EXCEPT? (FINAL 31, FINAL 33) | | |
|---|---|---|---|
| A- | Their movements are permitted in one plane | B- | they are uniaxial joints |
| C- | They are present in superior radioulnar joints | D- | they are biaxial joints |
| E- | It has rotational movement | | |

| 20- | One is true about saddle type of joints? (FINAL 31) | | |
|---|---|---|---|
| A- | It is uniaxial joint | B- | It is rotational joint |
| C- | The surfaces are concavo-convex | D- | Both A and B |
| E- | Both B and C | | |

| 21- | To brush your hair what movement is done to shoulder and elbow joints? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Adduction and flexion | B- | Abduction and flexion | C- | extension and flexion |
| D- | Abduction and extension | E- | Circumduction | | |

| 22- | Intervertebral disc is an example of? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | Secondary cartilaginous joint | B- | Primary cartilaginous joint |
| C- | Pivot synovial joint | D- | Fibrous joint |
| E- | Hinge synovial joint | | |

| 23- | In supination the palm of the hand is directed? (2ND TRIAL 30-31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Forward | B- | Backward | C- | Medially | D- | Laterally | E- | Superior |

| 24- | As a definition, bursae are? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | A thick band of deep fascia | B- | Deep layer of dermis |
| C- | Closed fibrous sacs filled with synovial fluid | D- | Interosseous membrane |
| E- | Sheath around muscles | | |

| 25- | The following are present inside synovial joints EXCEPT? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Articular cartilage | B- | Intra-articular ligaments | C- | Synovial membrane |
| D- | Fibrous capsule | E- | Synovial fluid | | |

| 26- | Which of the following are uniaxial synovial joints? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Saddle | B- | Ellipsoid | C- | Hinge |
| D- | Ball and socket | E- | None of the above | | |

| 27- | Regarding features of synovial joints, the following are true EXCEPT? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | They are fixed joints | B- | They are the most common joints in the body |
| C- | They contain synovial fluid inside joint cavity | D- | They have several axes of movement |
| E- | They lie between two or more bones | | |

| 28- | About joints all are true EXCEPT? (MID 33, MID 34) |
|---|---|
| A- | Cartilaginous joints are immoveable |
| B- | Fibrous joints are unified by fibrous tissue |
| C- | Most common type is synovial joint |
| D- | Multiaxial permit movements around more than two axis |

| 29- | All statements about synovial membrane are correct except? (FINAL 33, MID 34) | | |
|---|---|---|---|
| A- | Secretes synovial fluid | B- | Covers the inner layer of the capsule |
| C- | Covers the articular cartilage | D- | Cover the inner parts of articular bones |

| 30- | All of the following about hinge type of joints are true EXCEPT? (MID 34, Department Qs) | | |
|---|---|---|---|
| A- | Their movements are permitted in one plane | B- | They are uniaxial joints |
| C- | They are present in elbow joint | D- | They are biaxial joints |
| E- | It has two movements | | |

| 31- | Inter-vertebral disc is? (MID 34) | | |
|---|---|---|---|
| A- | Synovial joint | B- | Fibrous joint |
| C- | Primary cartilaginous | D- | Secondary cartilaginous |

| 32- | The joint that allows movement in 2 axes? (MID 37, MID 36, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pivot joint | B- | Condyloid | C- | Hinge joint | D- | gliding joint |

| 33- | Type of growing bones is? (MID 36) | | |
|---|---|---|---|
| A- | Primary cartilaginous joint | B- | Secondary cartilaginous joint |
| C- | Synovial joint | D- | Fibrous joint |

| 34- | A bending movement that decreases the angle between two parts? (MID 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Flexion | B- | Extension | C- | Adduction | D- | Abduction |

| 35- | covers the inner layer of the capsule and bone but not covered with articular cartilage? (MID 37, 2ND TRIAL 36) | | |
|---|---|---|---|
| A- | synovial membrane | B- | articular cartilage |
| C- | synovial cavity | D- | joint capsule |

| 36- | What is false about synovial membrane? (FINAL 37, 2ND TRIAL 37) | | |
|---|---|---|---|
| A- | It secrets synovial fluid | B- | It covers articular cartilage |
| C- | It is in the inner aspect of synovial capsule | | |

| 37- | Which of the following joints is classified as a uniaxial joint? (MID SNU-M 1, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Shoulder joint | B- | Hip joint | C- | Wrist joint | D- | Elbow joint |

| 38- | Which of the following is an example of a synovial joint? (MID SNU-M 1) | | |
|---|---|---|---|
| A- | Intervertebral disc | B- | Pubic symphysis |
| C- | Knee joint | D- | Skull sutures |

| 39- | Which of the following is an example of a cartilaginous joint? (MID SNU-M 1, SNU Bank) | | |
|---|---|---|---|
| A- | Knee joint | B- | Intervertebral disc |
| C- | Shoulder joint | D- | Sutures of the skull |

| 40- | Which of the following types of joints are associated with the epiphyseal plate? (Formative 35, Formative 34, Department Qs) | | |
|---|---|---|---|
| A- | synovial | B- | fibrous |
| C- | Secondary cartilaginous | D- | primary cartilaginous |

| 41- | Which of the following is not characteristic of all synovial joints? (Formative 34, Department Qs) | | |
|---|---|---|---|
| A- | Meniscus | B- | Articular cartilage |
| C- | Joint capsule | D- | Synovial membrane |

| 42- | The greatest range of motion is provided by the (Formative 35, Department Qs) | | |
|---|---|---|---|
| A- | pivot joint | B- | condyloid joint |
| C- | saddle joint | D- | ball-and-socket joint |

| 43- | When a Student puts out his hand to receive money from his father, which pair of actions is involved? (Formative 35) | | |
|---|---|---|---|
| A- | extension and supination | B- | pronation and rotation |
| C- | flexion and abduction | D- | flexion and inversion |

| 44- | The type of joint that is distinguished by having a fluid-filled joint cavity is a (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | fibrous | B- | Suture | C- | cartilaginous | D- | synovial |

| 45- | All synovial joints are (Quiz 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | freely moveable | B- | immoveable | C- | patially movable | D- | slightly moveable |

| 46- | Which of the following is a symphysis joint? (Formative SNU1) | | |
|---|---|---|---|
| A- | Sutures of the skull | B- | Elbow |
| C- | Intervertebral disc | D- | Hip |

| 47- | Which of the following joints is of hinge type? (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Elbow | B- | Shoulder | C- | Wrist | D- | Hip |

| 48- | The synovial membrane does not cover which of the following? (Formative SNU1, SNU Bank) | | |
|---|---|---|---|
| A- | Bursae | B- | Fibrous capsule |
| C- | Tendon sheath | D- | Articular cartilage |

| 49- | Extension means? (MID 37, 2ND TRIAL 37, Formative 35, Department Qs) |
|---|---|
| A- | Decreasing the angle between two parts |
| B- | Moving away from the median plane of the body |
| C- | Moving toward the median plane of the body |
| D- | Increasing the angle between body parts |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | A | C | D | C | B | A | B | C | E |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | A | C | A | C | D | C | C | D | C |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| B | A | A | C | B | C | A | A | C | D |
| 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| D | B | A | A | A | B | D | C | B | D |
| 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 |
| A | D | A | D | A | C | A | D | D | - |

## Department Qs

| 1- | What is a joint? (Department Qs) | | |
|---|---|---|---|
| A- | The cushion between two bones | B- | Where two bones meet and move |
| C- | The outer coating of the bone | D- | The hard part of a skeleton |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A&B | - | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | The main function of the synovial fluid is: (SNU Bank) | | |
|---|---|---|---|
| A- | Lubrication | B- | Nourishment of cartilage |
| C- | Shock absorption | D- | All of the above |

| 2- | Which of the following is classified as an amphiarthrosis? (SNU Bank) | | |
|---|---|---|---|
| A- | Knee joint | B- | intervertebral disc |
| C- | Hip joint | D- | Elbow joint |

| 3- | Which of the following is a fibrous joint? (SNU Bank) | | |
|---|---|---|---|
| A- | gomphosis | B- | Elbow |
| C- | Hip | D- | Intervertebral disc |

| 4- | Which of the following is a synovial joint? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Syndesmosis | B- | Gomphosis | C- | Knee | D- | Suture |

| 5- | Which of the following is an immovable joint? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Synarthrosis | B- | symphysis | C- | Diarthrosis | D- | Synovial |

| 6- | Fibrous joint is (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Movable | B- | Immovable | C- | Partially movable | D- | Freely movable |

| 7- | Secondary Cartilaginous joint found: (SNU Bank) | | |
|---|---|---|---|
| A- | Between vertebrae | B- | Between the teeth and their sockets |
| C- | In shoulder | D- | In skull |

| 8- | Example of primary cartilaginous joint are: (SNU Bank) | | |
|---|---|---|---|
| A- | Growing bones | B- | Joints between tibia and fibula |
| C- | Joints between skull bones | D- | Intervertebral discs |

| 9- | Example of synovial joint are: (SNU Bank) | | |
|---|---|---|---|
| A- | Skull sutures and shoulder joints | B- | Intervertebral discs |
| C- | Hip | D- | Growing bones |

| 10- | All statements about synovial membrane are correct except: (SNU Bank) |
|---|---|
| A- | Secretes synovial fluid |
| B- | Covers the inner layer of the capsule and articular bones |
| C- | Covers the articular cartilage |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | B | A | C | A | B | A | A | C | C |

## M3WAN Bank

| 1- | Joints are classified into three types (fibrous, cartilaginous, synovial) according to: (M3WAN - Core) |
|---|---|
| A- | The manner or type of material uniting the articulating bones |
| B- | The number of bones articulating at the joint |
| C- | The blood supply of the joint |
| D- | The age at which the joint develops |

| 2- | Fibrous joints, which are immovable, are also known as: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Diarthrosis | B- | Amphiarthrosis | C- | Synarthrosis | D- | Symphysis |

| 3- | Sutures, a type of fibrous joint, are found between: (M3WAN - Core) | | |
|---|---|---|---|
| A- | The teeth and their bony sockets | B- | The bones of the skull |
| C- | The tibia and fibula | D- | The vertebral bodies |

| 4- | The joint by which the teeth are held in their bony sockets is called: (M3WAN - Core, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Suture | B- | Syndesmosis | C- | Symphysis | D- | Gomphosis |

| 5- | Syndesmosis, a fibrous joint united by fibrous tissue, is found at the: (M3WAN - Hard) | | |
|---|---|---|---|
| A- | Inferior tibiofibular joint | B- | Elbow joint |
| C- | Skull sutures | D- | Intervertebral discs |

| 6- | Cartilaginous joints, which are partially movable, are also known as: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Diarthrosis | B- | Synarthrosis | C- | Amphiarthrosis | D- | Syndesmosis |

| 7- | Primary cartilaginous joints (synchondrosis) are united by hyaline cartilage and permit: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Wide multiaxial movement | B- | Growth in the length of the bone |
| C- | Rotation around a vertical axis | D- | Side-to-side gliding |

| 8- | Secondary cartilaginous joints (symphyses), such as the intervertebral discs, are united by: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Hyaline cartilage | B- | Dense irregular connective tissue |
| C- | Synovial membrane | D- | Fibrocartilage |

| 9- | Synovial joints, the most common and freely moveable type, are also called: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Diarthrosis | B- | Synarthrosis | C- | Amphiarthrosis | D- | Synchondrosis |

| 10- | Synovial fluid functions to: (Important M3WAN - Core) |
|---|---|
| A- | Form the fibrous capsule of the joint |
| B- | Convert hyaline cartilage into bone |
| C- | Nourish the articular cartilage and lubricate the joint surfaces |
| D- | Attach ligaments to the periosteum |

| 11- | The bone ends within a synovial joint are covered by a layer of: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Fibrocartilage | B- | Hyaline cartilage (articular cartilage) |
| C- | Dense irregular connective tissue | D- | Periosteum |

| 12- | **The synovial membrane covers the inner layer of the joint capsule and secretes synovial fluid, but it does not cover: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | The fibrous capsule | B- | The ligaments within the joint |
| C- | The synovial cavity walls | D- | Surfaces covered with articular cartilage |

| 13- | **The fibrous joint capsule of a synovial joint is directly continuous with the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Periosteum of the articulating bones | B- | Synovial membrane only |
| C- | Articular cartilage | D- | Perichondrium |

| 14- | **A joint permitting movement in one plane around a transverse axis, such as the elbow, is : (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Pivot joint | B- | Saddle joint |
| C- | Hinge joint | D- | Ball and socket joint |

| 15- | **The superior and inferior radioulnar joints, which permit rotation of one bone around another, are examples of: (Important M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Hinge joints | B- | Pivot joints | C- | Condyloid joints | D- | Plane joints |

| 16- | **The wrist joint, permitting flexion, extension, abduction and adduction around two axes, is classified as a: (M3WAN - Core)** | | | | |
|---|---|---|---|---|---|
| A- | Hinge joint | B- | Pivot joint | C- | Ball and socket joint |
| D- | Condyloid (ellipsoid) joint | | | | |

| 17- | **The first carpometacarpal joint of the thumb, which additionally permits some rotation compared with a condyloid joint, is a: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Saddle joint | B- | Hinge joint |
| C- | Plane joint | D- | Pivot joint |

| 18- | **The shoulder joint, which permits flexion, extension, abduction, adduction, and internal and external rotation, is classified as a: (M3WAN - Core)** | | | | |
|---|---|---|---|---|---|
| A- | Condyloid joint | B- | Saddle joint | C- | Ball and socket joint |
| D- | Hinge joint | | | | |

| 19- | **The intercarpal joints, where the opposed bone surfaces are flat and permit side-to-side gliding, are classified as: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Uniaxial joints | B- | Plane (gliding, non-axial) joints |
| C- | Biaxial joints | D- | Multiaxial joints |

| 20- | The most important factor in maintaining the stability of synovial joints is: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | The shape of the articular bone ends | B- | The ligaments surrounding the joint |
| C- | The thickness of the articular cartilage | D- | The tone of the muscles acting on the joint |

| 21- | A bending movement that decreases the angle between two body parts is called: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Flexion | B- | Extension | C- | Abduction | D- | Circumduction |

| 22- | Moving a limb away from the median plane of the body is called: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Adduction | B- | Internal rotation | C- | Abduction | D- | External rotation |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | C | B | D | A | C | B | D | A | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | D | A | C | B | D | A | C | B | D |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| A | C | - | - | - | - | - | - | - | - |

عَنِ الحَسَنِ البصريِّ -رحمَهُ اللهُ- قالَ:

"ابنَ آدمَ إنَّما أنتَ أيَّامٌ كُلَّما ذهبَ يومٌ ذهبَ بعضُكَ."

-روضةُ الزاهدين 📖 .

# The Muscular System

## Pre Exams & Formative


| 1- | muscle; its fibers come from one side of a tendon? (FINAL 30) | | | | |
|---|---|---|---|---|---|
| A- | Fusiform | B- | Strap | C- | Unipennate |
| D- | Multipennate | E- | Bipennate | | |

| 2- | Contractile cells of tissues are called? (MID 31) | | | | |
|---|---|---|---|---|---|
| A- | Muscle fibers | B- | Muscle tissues | C- | Muscle protein |
| D- | Muscle contraction | E- | None of the above | | |

| 3- | A cord or strap of dense tissue that connects a muscle to bone is called | | |
|---|---|---|---|
| A- | : (Formative 32, Formative 33, MID 31) | B- | Tendon |
| C- | Ligament | D- | Bursa |
| E- | Arthritis | F- | Aponeurosis |

| 4- | Muscles which have two rows of muscle fibres, facing in opposite diagonal directions, with a central tendon are called: (Formative 32, Formative 33, MID 31) | | | | |
|---|---|---|---|---|---|
| A- | Unipennate muscles | B- | Bipennate muscles | C- | Multipennate muscles |
| D- | Fusiform | E- | A, B and C | | |

| 5- | This type of muscle present in? (MID 31)  | | | | |
|---|---|---|---|---|---|
| A- | Heart | B- | Muscles of upper limb | C- | Muscles of lower limb |
| D- | Muscles in wall of arteries | E- | Muscles of abdominal wall | | |

| 6- | This muscle (number 1) is? (FINAL 31)   | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Circular | B- | Unipennate | C- | Bipennate | D- | Convergent | E- | Parallel |

| 7- | Number 2 means? (FINAL 31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Fusiform | B- | Unipennate | C- | Bipennate | D- | Convergent | E- | Parallel |

| 8- | Regarding skeletal muscles, the following are true EXCEPT? (2ND TRIAL 30-31) |
|---|---|
| A- | They are voluntary |
| B- | They are controlled by autonomic nervous system |
| C- | They are striated |
| D- | They are attached to bones |
| E- | They are present in limbs |

| 9- | According to shape, deltoid muscle is? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Fusiform | B- | Arrector pili | C- | Pennate |
| D- | Triangular | E- | Strap | | |

| 10- | Which of the following has smooth muscle fibers? (2ND TRIAL 30-31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Eyeball | B- | Teeth | C- | Stomach | D- | Heart | E- | Cartilage |

| 11- | For the following muscle shapes, which one is fan shaped muscles? (MID 33, Formative 35, Quiz 36, MID 34) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Fusiform | B- | Parallel | C- | Convergent | D- | Pennate |

| 12- | Muscles present in the wall of blood vessels are? (MID 34) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Voluntary | B- | Striated | C- | smooth | D- | Skeletal |

| 13- | The muscle is non-striated and involuntary? (MID 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Cardiac | B- | Smooth | C- | Somatic | D- | Skeletal |

| 14- | the non-mobile end in the muscle? (MID 37, 2ND TRIAL 37) | | | | |
|---|---|---|---|---|---|
| A- | Origin | B- | Insertion | C- | Antagonist |

| 15- | Usually the non-mobile end of a skeletal muscle called (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | origin | B- | belly | C- | antagonist | D- | insertion |

| 16- | The structure that connects muscles to bones is the (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Fascicle | B- | Aponeurosis | C- | Tendon | D- | Ligament |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | A | A | B | D | D | A | B | C | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| C | C | B | A | A | C | - | - | - | - |

## Department Qs

| 1- | The smooth muscles are present all of the following EXCEPT: (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Urinary bladder. | B- | Limbs. | C- | Intestine. | D- | Gall bladder. |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | - | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Heart muscle is: (SNU Bank) | | |
|---|---|---|---|
| A- | Smooth muscle | B- | non striated muscle |
| C- | Carotid muscle | D- | Cardiac muscle |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | - | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | Skeletal muscle is characterized by being: (M3WAN - Core) |
|---|---|
| A- | Non-striated and involuntary |
| B- | Striated and voluntary, attached to the skeleton |
| C- | Striated and involuntary, found only in the heart |
| D- | Non-striated, found in viscera and blood vessels |

| 2- | Cardiac muscle is: (M3WAN - Core) |
|---|---|
| A- | Striated and voluntary |
| B- | Non-striated and involuntary |
| C- | Found in the walls of blood vessels |
| D- | Striated, involuntary, and found only in the heart |

| 3- | Smooth muscle, which is non-striated and involuntary, is found in: (M3WAN - Core) |
|---|---|
| A- | The digestive system, blood vessels, bladder, and respiratory organs |
| B- | The skeleton only |
| C- | The heart only |
| D- | Tendons and aponeuroses |

| 4- | Among the three muscle types, voluntary control applies to: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Cardiac muscle only | B- | Smooth muscle only |
| C- | Skeletal muscle only | D- | Both cardiac and smooth muscle |

| 5- | All of the following are basic functions of the muscular system EXCEPT: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Motion (body movement) | B- | Production of hormones |
| C- | Stabilizing body position | D- | Regulating organ volume |

| 6- | The point of attachment of a skeletal muscle that remains relatively fixed during contraction is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Insertion | B- | Tendon | C- | Aponeurosis | D- | Origin |

| 7- | The point of attachment of a skeletal muscle that moves during contraction is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Insertion | B- | Origin | C- | Periosteum | D- | Perichondrium |

| 8- | When muscle fibers extend as a broad flat layer rather than a dense cord, the insertion structure is called: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tendon | B- | Ligament | C- | Aponeurosis | D- | Fascia |

| 9- | Muscles that appear circular in shape and surround an opening, such as the mouth, are classified as: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Convergent muscles | B- | Circular muscles |
| C- | Fusiform muscles | D- | Pennate muscles |

| 10- | A muscle in which the origin is wider than the point of insertion is classified as: (M3WAN - Hard) | | |
|---|---|---|---|
| A- | Parallel | B- | Fusiform |
| C- | Circular | D- | Convergent (triangular) |

| 11- | Muscles with fibers running parallel to each other, sometimes called strap muscles, are classified as: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Parallel muscles | B- | Convergent muscles |
| C- | Pennate muscles | D- | Fusiform muscles |

| 12- | A spindle-shaped muscle, with the belly wider than its origin and insertion, is classified as: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Circular | B- | Convergent | C- | Fusiform | D- | Unipennate |

| 13- | A pennate muscle with two rows of fibres facing in opposite diagonal directions around a central tendon is: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Unipennate | B- | Bipennate | C- | Multipennate | D- | Convergent |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | D | A | C | B | D | A | C | B | D |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | B | - | - | - | - | - | - | - |

قال الإمام ابنُ القيم رَحِمَهُ اللَّه:

( وكُلَما أحدث النّاسُ ظُلمًا وفجُورًا ؛ أحدث لَهُم ربُّهم تَبارك وتعالى من الآفاتِ والعِلَلِ في:

أغذِيَتِهُم ، وفواكِهِهُم ، وأهوِيَتِهُم ، ومِياهِهُم . . . من النّقصِ والآفاتِ ؛ ما هُو موجِبُ أعمالِهُم ، وظُلمِهُم ، وفُجورِهُم . )

( زادُ المعادِ | | ٤/٣٣٢ )

# Cardiovascular System (Circulatory system)

## Pre Exams & Formative

| 1- | In comparison to the arteries, the veins? (FINAL 30) |
|---|---|
| A- | Have thicker walls |
| B- | Have narrower lumen |
| C- | Contain no valves |
| D- | Deeper than the arteries |
| E- | Carry poorly oxygenated blood except the pulmonary ones |

| 2- | The liver is related to the? (FINAL 30) | | | | |
|---|---|---|---|---|---|
| A- | Pulmonary circulation | B- | Systemic circulation | C- | Portal system |
| D- | Both B & C | E- | Both A & C | | |

| 3- | Following are end arteries EXCEPT? (2ND TRIAL 30-31, FINAL 30) | | |
|---|---|---|---|
| A- | Coronary | B- | Splenic |
| C- | Central artery of the retina | D- | Uterine |
| E- | Renal | | |

| 4- | The coronary sinus? (MID 31) |
|---|---|
| A- | Has oxygenated blood from the heart itself |
| B- | Opens in right atrium |
| C- | Opens in aorta |
| D- | Has non oxygenated blood from I'V'C |
| E- | Has non oxygenated blood from pulmonary veins |

| 5- | All are true about venules EXCEPT? (FINAL 31) | | |
|---|---|---|---|
| A- | They pass to the heart | B- | They merge to form veins |
| C- | They have non oxygenated blood | D- | They enlarge to form S'V'C and I'V'C |
| E- | None of the above | | |

| 6- | About pulmonary circulation? (FINAL 31) |
|---|---|
| A- | Non oxygenated blood passes from heart via pulmonary veins |
| B- | Oxygenated blood passes from right atrium to left atrium |
| C- | Pulmonary artery carries non oxygenated blood from right ventricle |
| D- | Pulmonary veins have oxygenated blood from the left atrium |
| E- | Aorta has oxygenated blood from left ventricle |

| 7- | **Right atrium (FINAL 31)** | | |
|---|---|---|---|
| A- | Mostly have oxygen | B- | push blood through Pulmonary artery |
| C- | Push blood through Aorta | D- | Has non oxygenated blood |
| E- | Receive pulmonary veins | | |

| 8- | **Left atrium (FINAL 31)** | | |
|---|---|---|---|
| A- | Mostly have oxygen | B- | push blood through Pulmonary artery |
| C- | Push blood through Aorta | D- | Has non oxygenated blood |
| E- | Receive pulmonary veins | | |

| 9- | **Right ventricle (FINAL 31)** | | |
|---|---|---|---|
| A- | Mostly have oxygen | B- | push blood through Pulmonary artery |
| C- | Push blood through Aorta | D- | Has non oxygenated blood |
| E- | Receive pulmonary veins | | |

| 10- | **Left ventricle (FINAL 31)** | | |
|---|---|---|---|
| A- | Mostly have oxygen | B- | push blood through Pulmonary artery |
| C- | Push blood through Aorta | D- | Has non oxygenated blood |
| E- | Receive pulmonary veins | | |

| 11- | **Arteries (FINAL 31)** | | |
|---|---|---|---|
| A- | Mostly have oxygen | B- | push blood through Pulmonary artery |
| C- | Push blood through Aorta | D- | Has non oxygenated blood |
| E- | Receive pulmonary veins | | |

| 12- | **Base of the heart is formed of? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Left atrium | B- | Left ventricle | C- | Right atrium |
| D- | Right ventricle | E- | Right and left atria | | |

| 13- | **Which of the following is NOT a tortuous artery? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Aorta | B- | Lingual | C- | Uterine | D- | Splenic | E- | Coronary |

| 14- | **The most important feature of vein is? (2ND TRIAL 30-31)** |
|---|---|
| A- | They have thin walls |
| B- | They have wide lumen |
| C- | Almost contain valves |
| D- | Almost are deeper than the arteries |
| E- | They carry non-oxygenated blood except the pulmonary veins |

| 15- | **Portal circulation is related to? (2ND TRIAL 30-31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Liver | B- | Lungs | C- | Heart | D- | Brain | E- | Kidney |

| 16- | **Splenic arteries are tortuous. (2ND TRIAL 30-31)** | | |
|---|---|---|---|
| A- | True | B- | False |

| 17- | **The left atrium receives newly oxygenated through? (MID 34, Quiz 36, MID 33)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pulmonary artery | B- | pulmonary veins | C- | Aorta | D- | coronary artery |

| 18- | **All are true about veins except? (MID 34, MID 33)** |
|---|---|
| A- | carry deoxygenated blood from the body to the heart |
| B- | All of which carry deoxygenated blood except the pulmonary veins |
| C- | At tissue level capillaries drain blood into venules |
| D- | Veins are valveless vessels |

| 19- | **What is the type of blood vessels? (MID 36, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 2 | B- | 3 | C- | 4 | D- | 1 |

| 20- | **The pulmonary circulation? (MID 37, 2ND TRIAL 36, 2ND TRIAL 37, MID 36, Department Qs)** |
|---|---|
| A- | Carries blood from the left ventricle to the body and back to the right atrium |
| B- | Carries blood from the right ventricle to the lungs and back to the left atrium |
| C- | Supplies blood with a high oxygen level to all tissues of the body |
| D- | Veins carry blood with a low oxygen level |

| 21- | **most widely known artery is? (2ND TRIAL 36)** | | |
|---|---|---|---|
| A- | aorta | B- | pulmonary veins |

| 22- | **The left atrium receives oxygenated blood directly from which of the following vessels? (MID SNU-M 1)** | | |
|---|---|---|---|
| A- | Superior vena cava | B- | Four pulmonary veins |
| C- | Pulmonary trunk | D- | Coronary sinus |

| 23- | **Which of the following valves is located between the right atrium and the right ventricle? (MID SNU-M 1)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Bicuspid valve | B- | Mitral valve | C- | Tricuspid valve | D- | Aortic valve |

| 24- | **The system transports nutrients and oxygen to cells and removes their waste: (Formative 32, Formative 33, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Digestive | B- | Circulatory | C- | Excretory | D- | Respiratory |

| 25- | The largest artery in the systemic circuit is the : (Formative 33, Formative 35, Formative 32, Department Qs) | | |
|---|---|---|---|
| A- | Anterior vena cava | B- | Pulmonary vein |
| C- | Aorta | D- | Femoral artery |

| 26- | Small arteries are called (Formative 35, Department Qs) | | |
|---|---|---|---|
| A- | pulmonary arteries | B- | venules |
| C- | Arterioles | D- | capillaries |

| 27- | The left ventricle consists of while the pulmonary artery consists of muscle (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | smooth,cardiac | B- | cardiac,cardiac | C- | smooth, smooth | D- | cardiac,smooth |

| 28- | which heart chamber pushes oxygenated blood to the body (Formative SNU1) | | | | |
|---|---|---|---|---|---|
| A- | LT.atrium | B- | RT.ventricle | C- | LT.ventricle |

**Answers - Pre Exams & Formative**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| E | C | D | B | E | C | D | E | B | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | E | A | E | A | A | B | D | A | B |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| A | B | C | B | C | C | D | C | - | - |

## Department Qs

| 1- | What is the circulatory system? (Department Qs) | | |
|---|---|---|---|
| A- | The body's breathing system | B- | The body's system of nerves |
| C- | The body's food-processing system | D- | The body's blood-transporting system |

| 2- | Regarding the artery, following are true except: (Department Qs) | | |
|---|---|---|---|
| A- | Has thick walls | B- | Contains oxygenated blood |
| C- | Contains valves | D- | Can anastomose with other arteries |

**Answers - Department Qs**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| D | C | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | **All are true about arteries except : (SNU Bank)** |
|---|---|
| A- | The wall of the arteries is thicker than the wall of the veins. |
| B- | The pulmonary arteries are the only arteries that Carry non oxygenated blood. |
| C- | The Aorta is the largest of all blood vessels and transports blood to the heart |
| D- | arterioles continue to branch into smaller vessels known as capillaries. |

| 2- | **All are true about veins except: (SNU Bank)** |
|---|---|
| A- | carry oxygenated blood from the heart to the body. |
| B- | All of which carry deoxygenated blood except the pulmonary veins. |
| C- | At tissue level capillaries drain blood into venules |
| D- | Some veins have valves. |

| 3- | **blood transported by the pulmonary veins returns to the (SNU Bank)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | left atrium | B- | right atrium | C- | right ventricle | D- | left ventricle |

| 4- | **The valve between the left atrium and left ventricle called (SNU Bank)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | bicuspid valve | B- | pulmonary valve | C- | tricuspid valve | D- | aortic valve |

| 5- | **regarding left atrium one of the following is true: (SNU Bank)** | | |
|---|---|---|---|
| A- | has oxygenated blood | B- | has non oxygenated blood |
| C- | aorta emerges from it | D- | pulmonary artery emerges from it |

| 6- | **Smallest blood vessels are: (SNU Bank)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Arteries | B- | Arterioles | C- | Venules | D- | Capillaries |

| 7- | **Which are the only veins to carry oxygenated blood? (SNU Bank)** | | |
|---|---|---|---|
| A- | Jugular veins | B- | Femoral veins |
| C- | Inferior venae cava | D- | Pulmonary veins |

| 8- | **Where would you find valves? (SNU Bank)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Arterioles | B- | Capillaries | C- | Veins | D- | Lungs |

**Answers - SNU Bank**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| C | A | A | A | A | D | D | C | - | - |

## M3WAN Bank

| 1- | **The heart functions as a double pump: the right side pumps blood to the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Lungs (pulmonary circulation) | B- | Body (systemic circulation) |
| C- | Coronary vessels only | D- | Liver only |

| 2- | **The left side of the heart pumps oxygenated blood to the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Lungs for oxygenation | B- | Coronary sinus |
| C- | Body (systemic circulation) | D- | Pulmonary veins |

| 3- | **Deoxygenated blood reaches the right atrium through all of the following EXCEPT: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Superior vena cava | B- | Pulmonary veins |
| C- | Inferior vena cava | D- | Coronary sinus |

| 4- | **Blood passes from the right atrium into the right ventricle through the: (Important M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Mitral valve | B- | Aortic valve | C- | Pulmonary valve | D- | Tricuspid valve |

| 5- | **Deoxygenated blood in the right ventricle is pumped through the pulmonary artery to the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Lungs, for re-oxygenation | B- | Body, for oxygen delivery |
| C- | Coronary sinus | D- | Left atrium directly |

| 6- | **The left atrium receives oxygenated blood from the lungs through the: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Superior and inferior venae cavae | B- | Coronary sinus |
| C- | Four pulmonary veins | D- | Pulmonary artery |

| 7- | **Blood passes from the left atrium into the left ventricle through the: (Important M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Tricuspid valve | B- | Mitral valve | C- | Pulmonary valve | D- | Coronary valve |

| 8- | **Oxygenated blood in the left ventricle is pumped through the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Pulmonary artery, to the lungs | B- | Superior vena cava, to the right atrium |
| C- | Coronary sinus, to the heart wall | D- | Aorta, to the different parts of the body |

| 9- | **The pericardium is best described as: (M3WAN - Core)** |
|---|---|
| A- | A double-walled fibroserous sac enclosing the heart and roots of the great vessels |
| B- | A single-layered muscular sac surrounding the lungs |
| C- | A valve regulating blood flow between chambers |
| D- | A network of coronary blood vessels |

| 10- | Arteries carry blood away from the heart and are oxygenated, with the exception of the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Aorta | B- | Coronary arteries | C- | Pulmonary artery | D- | Renal artery |

| 11- | The largest artery in the human body, which transports blood away from the heart, is the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Pulmonary artery | B- | Aorta |
| C- | Superior vena cava | D- | Coronary sinus |

| 12- | Vessels are classified as capillaries once their diameter decreases below: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 100 micrometers | B- | 50 micrometers | C- | 25 micrometers | D- | 10 micrometers |

| 13- | Veins carry deoxygenated blood toward the heart, with the exception of the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Pulmonary veins | B- | Superior vena cava |
| C- | Inferior vena cava | D- | Coronary sinus |

| 14- | A structural feature present in veins but absent in arteries is the presence of: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Thick muscular walls | B- | High internal pressure |
| C- | Internal valves preventing backflow | D- | Direct connection to capillaries only |

| 15- | Compared with veins, arteries have: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Thin walls and low pressure | B- | Thick muscular walls and fast blood flow |
| C- | Internal valves and slow blood flow | D- | No muscular tissue in their walls |

| 16- | The superior and inferior venae cavae ultimately return blood to the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Left atrium | B- | Left ventricle | C- | Right ventricle | D- | Right atrium |

| 17- | Pulmonary circulation is best defined as the pathway that: (M3WAN - Core) |
|---|---|
| A- | Transports deoxygenated blood to the lungs and returns oxygenated blood to the heart |
| B- | Transports oxygenated blood away from the heart to body organs |
| C- | Connects two arteries directly |
| D- | Connects an artery directly to a vein |

| 18- | Systemic circulation is best defined as the pathway that: (M3WAN - Core) |
|---|---|
| A- | Transports deoxygenated blood to the lungs |
| B- | Connects two veins directly |
| C- | Transports oxygenated blood away from the heart to the body and returns deoxygenated blood to the heart |
| D- | Occurs only within the coronary vessels |

| 19- | A direct connection between an artery and a vein is called: (M3WAN - Hard) | | |
|---|---|---|---|
| A- | Veno-venous anastomosis | B- | Arterio-venous anastomosis |
| C- | Arterio-arterial anastomosis | D- | Coronary anastomosis |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | C | B | D | A | C | B | D | A | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | D | A | C | B | D | A | C | B | - |



قال الإمام ابن القيم رحمه الله:

( المؤمن المخلص لله:

-من أطيب الناس عيشا ،

-وأنعمهم بالا ،

-وأشرحهم صدرا ،

-وأسرهم قلبا ،

وهذه جنة عاجلة قبل الجنة الآجلة. )

الداء والدواء (٤٥٩)



# Respiratory system

## Pre Exams & Formative

| 1- | Which type of cartilage is found in the larynx? (FINAL 30) | | | | |
|---|---|---|---|---|---|
| A- | Hyaline cartilage | B- | Elastic cartilage | C- | Fibrocartilage |
| D- | Both a \& b | E- | Both a \& c | | |

| 2- | Regarding differences between right and left lungs, the following are true EXCEPT? (FINAL 30) |
|---|---|
| A- | Right lung is shorter, wider, larger and heavier |
| B- | Right lung consists of 3 lobes while the left lung consists only of 2 lobes |
| C- | Right lung has 2 fissures while the left has only one fissure |
| D- | Base is more concave in the right lung |
| E- | Anterior border is notched in right lung |

| 3- | Regarding the pharynx, the following are true EXCEPT? (FINAL 30) |
|---|---|
| A- | 12 cm length |
| B- | Begins from base of skull |
| C- | Ends at the 6th cervical vertebra |
| D- | Continues as larynx |
| E- | Its parts are nasopharynx, oropharynx and laryngopharynx |

| 4- | What happens to the trachea, before it reaches the lungs? (MID 31, Formative 32, Formative 33) | | |
|---|---|---|---|
| A- | It branches in two directions | B- | It branches in three directions |
| C- | It vibrates and creates sounds | D- | It closes up so that no oxygen can escape |
| E- | None of the above | | |

| 5- | A structure above over the trachea that keeps out food and anything else that could clog the trachea: (Formative 33, MID 31, Formative 32) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Larynx | B- | Nasopharynx | C- | Oropharynx | D- | Laryngeopharynx |

| 6- | As you breathe, this contracts and flattens to give your lungs room to fill up with air? (MID 31) | | | | |
|---|---|---|---|---|---|
| A- | Larynx | B- | Diaphragm | C- | Lung balloon |
| D- | Bronchiole | E- | Trachea | | |

| 7- | All are true about the larynx EXCEPT? (FINAL 31) | | |
|---|---|---|---|
| A- | It begins at 3rd cervical vertebrae | B- | It is opened in deglutition |
| C- | It consists of cartilages | D- | Its function is protection of the airway |

| | |
|---|---|
| E- | The muscles come nearer to produce voice |

| 8- | About the trachea all are true EXCEPT? (FINAL 31) | | |
|---|---|---|---|
| A- | It is deficient posteriorly | B- | It lies anterior to the oesophagus |
| C- | It consists of incomplete rings | D- | it is closed it deglutition |
| E- | It ends by dividing to two bronchi | | |

| 9- | Larynx belongs to? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Digestive system | B- | Male genital system | C- | Respiratory system |
| D- | Cardiovascular system | E- | Urinary system | | |

| 10- | Regarding differences between right and left lungs, all are NOT true EXCEPT? (2ND TRIAL 30-31) |
|---|---|
| A- | Left lung is shorter, wider, larger and heavier |
| B- | Right lung consists of 3 lobes while the left lung consists of 2 lobes |
| C- | Left lung has 2 fissures while the right lung has one fissure |
| D- | Base is more concave in the left lung |
| E- | Anterior border is notched in right lung (cardiac notch) |

| 11- | Regarding the pharynx, the following are NOT true EXCEPT? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | About 12-14 inch length | B- | Begins from base of skull |
| C- | Ends at the 4th cervical vertebra | D- | Continues as larynx |
| E- | it is formed of one part | | |

| 12- | An organ is both for respiratory and digestive system? (MID 34, MID 33, Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | esophagus | B- | trachea | C- | intestine | D- | pharynx |

| 13- | Differences between right and left lungs all are true except? (MID 34, MID 33) |
|---|---|
| A- | The right lung has 2 lobes, but the left lung has 3 lobes |
| B- | The right lung is short and broad |
| C- | The left lung is long and narrow (the heart lies on the left side) |
| D- | The left lung has a cardiac notch on its anterior border |

| 14- | The three sections of the pharynx in order are? (FINAL 33) | | |
|---|---|---|---|
| A- | Nasopharynx / laryngopharynx / oropharynx | B- | Laryngopharynx/nasopharynx/ oropharynx |
| C- | Nasopharynx / oropharynx / laryngopharynx | D- | Nasopharynx/ oropharynx / larynx |

| 15- | Write the correct sequence of the pathway through which air travels after entering the body. (Formative 35, MID 37, Department Qs) | | |
|---|---|---|---|
| A- | Pharynx, larynx, bronchioles, trachea | B- | Pharynx, trachea, larynx, bronchioles |
| C- | Pharynx, larynx, trachea, bronchioles | D- | Larynx, pharynx, trachea, bronchioles |

| 16- | The trachea extends anatomically between which of the following vertebral levels? (MID SNU-M 1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | C4 to T2 | B- | C6 to T4 | C- | C7 to T6 | D- | C5 to T5 |

| 17- | What human organ system is responsible for exchanging gases with the outside environment? (Formative 35, Department Qs) | | |
|---|---|---|---|
| A- | circulatory system | B- | excretory system |
| C- | endocrine system | D- | respiratory system |

| 18- | The trachea consists of so it always opened. (Formative SNU1) | | |
|---|---|---|---|
| A- | bone | B- | cartilage |

| 19- | 3 years infant with complaining of cough due to foreign body aspiration, the doctor says it is mostly at the bronchus, as it is in line with trachea (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | posterior | B- | right | C- | left | D- | anterior |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | E | D | A | A | B | B | D | C | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | D | A | C | C | B | D | B | B | - |

## SNU Bank

| 1- | True arrangement of organs in respiratory system (SNU Bank) | | |
|---|---|---|---|
| A- | pharynx-larynx- nose-lungs | B- | nose-pharynx-larynx trachea |
| C- | trachea- lung- larynx-pharynx | D- | lungs- trachea-pharynx-larynx |

| 2- | pharynx is muscular tube (SNU Bank) | | |
|---|---|---|---|
| A- | Begins at c and ends at c6 | B- | Begins at the base of the skull and ends at c6 |
| C- | Begins at the base of the skull and ends at t2 | D- | Begins at the mouth and ends at the stomach |

| 3- | the pharynx is formed of (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Nasopharynx | B- | Oropharynx | C- | Laryngopharynx | D- | All of above |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | B | D | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | The nose, the upper part of the respiratory tract, is divided into right and left nasal cavities by the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Cricoid cartilage | B- | Epiglottis | C- | Hard palate | D- | Nasal septum |

| 2- | The pharynx extends from the base of the skull to the level of the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Fourth cervical vertebra | B- | Sixth cervical vertebra |
| C- | First thoracic vertebra | D- | Third cervical vertebra |

| 3- | The pharynx is divided into three sections: nasopharynx, oropharynx and: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Laryngopharynx | B- | Tracheopharynx |
| C- | Oesophagopharynx | D- | Glossopharynx |

| 4- | During swallowing, the larynx is closed by the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Vocal cords | B- | Cricoid cartilage | C- | Epiglottis | D- | Thyroid cartilage |

| 5- | The structures responsible for the production of voice within the larynx are the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Cartilaginous rings | B- | Epiglottis |
| C- | Arytenoid cartilages only | D- | Vocal cords |

| 6- | The larynx extends from the level of the third cervical vertebra to the level of the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Fourth thoracic vertebra | B- | Sixth cervical vertebra |
| C- | First thoracic vertebra | D- | Seventh cervical vertebra |

| 7- | The trachea is a fibrocartilaginous tube whose cartilaginous rings are: (M3WAN - Core) |
|---|---|
| A- | Incomplete, deficient posteriorly adjacent to the esophagus |
| B- | Complete circular rings throughout |
| C- | Absent, replaced entirely by smooth muscle |
| D- | Deficient anteriorly, adjacent to the sternum |

| 8- | The approximate length of the trachea is: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 5-7 cm | B- | 20-22 cm | C- | 12-14 cm | D- | 25-30 cm |

| 9- | **The trachea extends from the inferior end of the larynx at the level of C6 and ends by dividing into the main bronchi at the level of: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | The second thoracic vertebra | B- | The seventh cervical vertebra |
| C- | The first thoracic vertebra | D- | The fourth thoracic vertebra |

| 10- | **Each lung has a pyramidal shape, with an apex that: (M3WAN - Core)** |
|---|---|
| A- | Rests on the diaphragm |
| B- | Is directed upwards and projects into the root of the neck |
| C- | Is related to the pericardium |
| D- | Contains the cardiac notch |

| 11- | **The base of the lung is: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Concave and related to the diaphragm | B- | Convex and related to the neck |
| C- | Related to the vertebral column only | D- | Covered by the cardiac notch |

| 12- | **The right lung is divided into: (Important M3WAN - Core)** | | |
|---|---|---|---|
| A- | Two lobes (upper and lower) | B- | Four lobes |
| C- | Three lobes (upper, middle and lower) | D- | A single undivided lobe |

| 13- | **The left lung is divided into: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Three lobes (upper, middle and lower) | B- | Four lobes |
| C- | A single undivided lobe | D- | Two lobes (upper and lower) |

| 14- | **The right lung is shorter and broader than the left lung mainly because: (Important M3WAN - Core)** |
|---|---|
| A- | The heart lies on the right side |
| B- | The liver pushes the diaphragm upwards on the right side |
| C- | The right lung has fewer lobes |
| D- | The trachea deviates to the right |

| 15- | **The cardiac notch and the lingula are features found exclusively on the: (Important M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Left lung | B- | Right lung | C- | Trachea | D- | Pharynx |

| 16- | **The pleura is best described as: (M3WAN - Core)** |
|---|---|
| A- | A single serous sac shared by both lungs |
| B- | A fibrocartilaginous tube surrounding the trachea |
| C- | A closed serous sac, one surrounding each lung |
| D- | A muscular sac enclosing the heart |

| 17- | The left lung is longer and narrower than the right lung mainly because: (M3WAN - Core) | | |
|---|---|---|---|
| A- | It has three lobes | B- | The liver is located on the left side |
| C- | It lacks a pleural covering | D- | The heart lies on the left side |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | B | A | C | D | B | A | C | D | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | D | B | A | C | D | - | - | - |

قال ابن تيمية – رحمه الله:–

وإذا كان في المسلمين ضعف، وكان عدوهم مستظهراً عليهم، كان ذلك بسبب ذنوبهم وخطاياهم .


[مجموع الفتاوى (١١ / ٦٤٥) .]

# Digestive system

## Pre Exams & Formative

| 1- | **Following glands are associated with the digestive system EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Salivary glands | B- | Liver | C- | Thyroid |
| D- | Pancreas | E- | Gall bladder | | |

| 2- | **The oesophagus EXCEPT? (FINAL 31)** |
|---|---|
| A- | Extends from the pharynx to the cardiac orifice of stomach |
| B- | Consists of muscles |
| C- | Lies anterior to the trachea |
| D- | It has peristaltic movement |
| E- | Innervated by autonomic nerves |

| 3- | **Arrow 1 means? (FINAL 31)**   | | | | |
|---|---|---|---|---|---|
| A- | Stomach | B- | Duodenum | C- | Ascending colon |
| D- | Transverse colon | E- | Descending colon | | |

| 4- | **Arrow 2? (FINAL 31)** | | | | |
|---|---|---|---|---|---|
| A- | Ileum | B- | Caecum | C- | Appendix |
| D- | Jejunum | E- | Sigmoid colon | | |

| 5- | **Largest gland associated with the digestive system is? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Salivary glands | B- | Liver | C- | Thyroid |
| D- | Pancreas | E- | Gall bladder | | |

| 6- | **Large intestine consists of the following EXCEPT? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Duodenum | B- | Cecum | C- | Sigmoid colon |
| D- | Left colic flexure | E- | Transverse colon | | |

| 7- | Which three sections do the small intestine consists of? (FINAL 33) | | |
|---|---|---|---|
| A- | ileum duodenum, caecum | B- | colon, jejunum, duodenum |
| C- | rectum, ileum, duodenum | D- | ileum, duodenum, jejunum |

| 8- | Which of the following presents the structures through which food travels in the correct sequence? (FINAL 37, FINAL 33, 2ND TRIAL 37 FINAL 34) |
|---|---|
| A- | esophagus, ileum, duodenum, ileo-cecal valve, transverse colon, rectum |
| B- | stomach, duodenum, ileum, ascending colon, transverse colon |
| C- | stomach, duodenum, jejunum, ileum, ascending colon, transverse colon |
| D- | stomach, duodenum, transverse colon, ileum, jejunum, rectum |

| 9- | Which of the following best describes the anatomical characteristics of the duodenum? (MID SNU-M 1) | | |
|---|---|---|---|
| A- | It is 15 cm long and J-shaped | B- | It is 25 cm long and C-shaped |
| C- | It is 35 cm long and S-shaped | D- | It is 10 cm long and straight |

| 10- | The liver is located in the abdomen and performs many functions. Which of the following is NOT a function of the liver? (Formative 32, Formative 33) | | |
|---|---|---|---|
| A- | Storing food | B- | Manufacturing insulin |
| C- | Producing digestive juices | D- | Healing itself when it is damaged |

| 11- | The conducts the chewed bolus of food from the pharynx to the stomach. (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | esophagus | B- | Glottis | C- | trachea | D- | Intestine |

| 12- | The large intestine consists of the (Formative 35, Department Qs) | | |
|---|---|---|---|
| A- | rectum | B- | cecum |
| C- | colon, cecum, rectum, and anus | D- | colon |

| 13- | Fold of peritoneum covering the stomach is called (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | mesocolon | B- | omentum | C- | ligament | D- | mesentry |

| 14- | The cardiac orifice connects (Formative SNU1) | | |
|---|---|---|---|
| A- | pharynx to stomach | B- | pylorus to duodenum |
| C- | fundus to body | D- | esophagus to stomach |

| 15- | A sample of intestine has saculations, will be (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | jejunum | B- | ilium | C- | colon | D- | duodenum |

| 16- | The bile is secreted by (Formative SNU1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | duodenum | B- | pancreas | C- | liver | D- | gall bladder |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | C | A | C | B | A | D | C | B | B |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | B | D | C | C | - | - | - | - |

## Department Qs

| 1- | The lumen of the digestive tract is lined with (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | serosa | B- | mucosa | C- | submucosa | D- | muscularis |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | - | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Acessory glands of digestive system include: (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pancreas | B- | Salivary glands | C- | Liver | D- | All of above |

| 2- | The largest salivary gland is: (SNU Bank) | | |
|---|---|---|---|
| A- | Submandibular gland | B- | Parotid gland |
| C- | Sublingual gland | D- | None of the above |

| 3- | parotid gland lies in: (SNU Bank) | | |
|---|---|---|---|
| A- | Deep to the tongue | B- | Over the angel of the mandible |
| C- | In submandibular region | D- | Under the maxilla |

| 4- | The stomach is formed of (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Fundus | B- | Body | C- | Pyloric part | D- | All of above |

| 5- | The stomach lies in (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Hypogastrium | B- | Epigastrium | C- | Right iliac fossa | D- | Left iliac fossa |

| 6- | stomach bed is formed of: (SNU Bank) |
|---|---|
| A- | Spleen, pancreas, liver, left kidney splenic vessels and transverse colon |
| B- | Spleen, pancreas, left kidney, left supra renal gland, splenic vessels and transverse colon |
| C- | Spleen, pancreas, liver, right kidney splenic vessels and transverse colon |
| D- | Spleen, pancreas, right kidney, right supra renal gland, splenic vessels and transverse colon |

| 7- | legnth of the duodenum is (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 25cm | B- | 5cm | C- | 45cm | D- | 15cm |

| 8- | large intestine starts at (SNU Bank) | | |
|---|---|---|---|
| A- | llieo jejnal junction | B- | llieo cecal junction |
| C- | Duodno jejnal junction | D- | Anorectal junction |

**Answers - SNU Bank**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| D | B | B | D | B | B | A | B | - | - |

## M3WAN Bank

| 1- | The gastrointestinal tract begins at the mouth and ends at the: (M3WAN - Core, SNU Bank) | | |
|---|---|---|---|
| A- | Stomach | B- | Duodenum |
| C- | Anus | D- | Ileocaecal junction |

| 2- | The esophagus, which conveys food from the pharynx to the stomach by peristaltic contractions, measures approximately: (M3WAN - Core, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 25 cm | B- | 6 metres | C- | 40 cm | D- | 1.5 metres |

| 3- | The stomach occupies the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Right hypochondriac region | B- | Right iliac region |
| C- | Umbilical region | D- | Left hypochondriac region |

| 4- | The shape of the stomach is described as: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | U-shaped | B- | J-shaped | C- | S-shaped | D- | Circular |

| 5- | The opening by which the oesophagus communicates with the stomach is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pyloric orifice | B- | Ileocaecal orifice | C- | Cardiac orifice | D- | Duodenal orifice |

| 6- | The opening by which the stomach communicates with the duodenum is the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Pyloric orifice | B- | Cardiac orifice |
| C- | Ileocaecal junction | D- | Cardio-oesophageal orifice |

| 7- | The small intestine, which measures about 6 metres in length, is divided into three parts: duodenum, jejunum and: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Caecum | B- | Sigmoid | C- | Rectum | D- | Ileum |

| 8- | The fixed part of the small intestine, occupying the proximal 10 inches, is the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Jejunum | B- | Duodenum | C- | Ileum | D- | Caecum |

| 9- | **The jejunum forms approximately: (M3WAN - Hard)** |
|---|---|
| A- | The distal 3/5 of the free part of the small intestine |
| B- | The whole length of the small intestine |
| C- | The proximal 2/5 of the free part of the small intestine |
| D- | The proximal 10 inches of the small intestine |

| 10- | **The ileum, forming the distal 3/5 of the free part of the small intestine, joins the caecum at the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Ileocaecal junction | B- | Duodenojejunal junction |
| C- | Pyloric orifice | D- | Rectosigmoid junction |

| 11- | **The large intestine, measuring about 1.5 metres, consists of the caecum, appendix, colon, rectum and: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Duodenum | B- | Jejunum | C- | Ileum | D- | Anal canal |

| 12- | **All of the following are features that distinguish the large intestine from the small intestine EXCEPT: (Important M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Taeniae coli | B- | Villi projecting into the lumen |
| C- | Sacculations (haustrations) | D- | Appendices epiploicae |

| 13- | **The caecum, the most dilated part of the large intestine, is located in the: (M3WAN - Core)** |
|---|---|
| A- | Left side of the abdomen |
| B- | Pelvic cavity |
| C- | Right side, forming the beginning of the large intestine |
| D- | Left hypochondriac region |

| 14- | **The average length of the vermiform appendix is approximately: (M3WAN - Hard)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 10 cm | B- | 25 cm | C- | 2 cm | D- | 50 cm |

| 15- | **The colon is divided into four parts: ascending, transverse, descending and: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Rectal | B- | Anal | C- | Pelvic | D- | Sigmoid |

| 16- | **The transverse colon, extending from the right colic flexure to the left colic flexure, measures approximately: (M3WAN - Hard)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 15 cm | B- | 50 cm | C- | 25 cm | D- | 40 cm |

| 17- | **The sigmoid (pelvic) colon, which is S-shaped and continuous with the rectum, measures approximately: (M3WAN - Core)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 15 cm | B- | 25 cm | C- | 40 cm | D- | 50 cm |

| 18- | The rectum, whose lower part dilates to form the rectal ampulla, continues below as the anal canal, which measures approximately: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 4 cm | B- | 10 cm | C- | 15 cm | D- | 25 cm |

| 19- | The major salivary glands, which secrete amylase, are the parotid, sublingual and: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Lacrimal glands | B- | Buccal glands |
| C- | Palatine glands | D- | Submandibular glands |

| 20- | The parotid gland, the largest of the salivary glands, is wrapped around the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Hyoid bone | B- | Mandibular ramus | C- | Thyroid cartilage | D- | Zygomatic arch |

| 21- | The liver lies mainly in the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Left hypochondriac region | B- | Left iliac region |
| C- | Right hypochondriac region | D- | Umbilical region |

| 22- | The liver consists of a large right lobe and a smaller: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Left lobe | B- | Caudate lobe | C- | Quadrate lobe | D- | Posterior lobe |

| 23- | The pancreas is both an endocrine gland, producing insulin, and an exocrine gland, secreting: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Bile | B- | Gastric acid |
| C- | Amylase from salivary tissue | D- | Pancreatic juice containing digestive enzymes |

| 24- | The head of the pancreas occupies the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Hilum of the spleen | B- | Concavity of the duodenum |
| C- | Body of the stomach | D- | Left colic flexure |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | A | D | B | C | A | D | B | C | A |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D | B | C | A | D | B | C | A | D | B |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| C | A | D | B | - | - | - | - | - | - |

# Lymphatic system

## Pre Exams & Formative

| 1- | **Lymph vessels are present in all tissues and organs of the body EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Central nervous system | B- | Eyeball | C- | Teeth |
| D- | Lymph nodes | E- | Bone marrow | | |

| 2- | **The contain no lymphoid tissue? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Tonsils | B- | Spleen | C- | Kidneys |
| D- | Lymph nodes | E- | Cartilage | | |

| 3- | **All the following are important functions of the lymph nodes except: (Formative 32, FINAL 31)** |
|---|---|
| A- | They serve as sites for production of antibodies |
| B- | They remove foreign material phagocytized by macrophages |
| C- | They are the sites where antigens stimulate the immune system |
| D- | They function in the production of neutrophils, eosinophils, and basophils |

| 4- | **Following sites produce lymphocytes EXCEPT? (2ND TRIAL 30-31)** | | |
|---|---|---|---|
| A- | Thymus | B- | Lymph nodes |
| C- | Spleen | D- | Kidneys |
| E- | Myeloid tissue in red bone marrow | | |

| 5- | **Lymphatic vessels are found almost everywhere except? (MID 33)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | spleen | B- | tonsil | C- | bone marrow | D- | Liver |

| 6- | **All are true about The lymphatic system EXCEPT? (FINAL 33, MID 34)** |
|---|---|
| A- | Lymph nodes are through which lymph is filtered |
| B- | Lymphatic vessels are thick-walled vessels with valves |
| C- | Lymphoid tissue produce lymphocytes |
| D- | Lymph is the name for fluid inside the lymph vessels |

| 7- | **Lymphatic vessels are found almost everywhere except? (MID 34)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Spleen | B- | tonsil | C- | brain | D- | liver |

| 8- | **The lymphatic system consists of all the following except: (Formative 32, Formative 33)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Blood | B- | Lymph nodes | C- | Lymphatic vessels | D- | Lymph |

| 9- | **The lymphatic system (Formative 35, Department Qs)** |
|---|---|
| A- | takes up excess tissue fluid and returns it to the bloodstream |
| B- | helps to defend the body against disease |
| C- | absorbs fats in the intestinal villi and transports them to the bloodstream |
| D- | all of the above |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | E | D | D | C | B | C | A | D | - |

## Department Qs

| 1- | **As regard the lymph vessels: (Department Qs)** | | |
|---|---|---|---|
| A- | Thin walled and beaded | B- | Thick wall and beaded |
| C- | Carry the lymph to the spleen | D- | Carry the lymph to liver |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | - | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | **Which of the following is NOT one of the main functions of the lymphatic system? (M3WAN - Core)** |
|---|---|
| A- | Returning interstitial fluid and plasma proteins to the blood |
| B- | Producing red blood cells |
| C- | Absorbing lipids from the intestine |
| D- | Defending the body against disease via lymphocytes |

| 2- | **Lymphatic vessels are characterized by being: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Thick-walled with no valves | B- | Thick-walled with abundant valves |
| C- | Thin-walled with no valves | D- | Thin-walled with abundant valves |

| 3- | **Lymphatic vessels occur almost everywhere blood capillaries are found, EXCEPT in: (M3WAN - Hard)** |
|---|---|
| A- | Teeth, bone, bone marrow, and the entire central nervous system |
| B- | Skin and subcutaneous tissue |
| C- | The digestive tract walls |
| D- | Skeletal muscle |

| 4- | **Lymph is best defined as: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | The fluid component of blood plasma | B- | Bile secreted by the liver |
| C- | The fluid inside the lymph vessels | D- | Cerebrospinal fluid |

| 5- | **Lymph nodes function mainly to: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Produce red blood cells | B- | Filter lymph on its way to the venous system |
| C- | Store bile | D- | Secrete digestive enzymes |

| 6- | **Lymphoid tissue, which produces lymphocytes, is found in all of the following EXCEPT: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | The spleen | B- | The thymus |
| C- | Red bone marrow | D- | The liver parenchyma |

| 7- | **The spleen is best described as: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | A dense, avascular, fibrous organ | B- | A soft, very vascular, friable organ |
| C- | A hollow muscular organ | D- | A pair of small glands |

| 8- | **The spleen lies on the left side between the diaphragm and the: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Left lobe of the liver | B- | Left kidney |
| C- | Fundus of the stomach | D- | Descending colon |

| 9- | **All of the following are functions of the spleen EXCEPT: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Filtering and purifying the blood | B- | Producing digestive enzymes |
| C- | Removing worn-out red blood cells | D- | Producing white blood cells and antibodies |

| 10- | **The lymphatic system contributes to lipid absorption by: (M3WAN - Core)** |
|---|---|
| A- | Producing bile salts |
| B- | Filtering lipids in the lymph nodes |
| C- | Storing lipids in the spleen |
| D- | Absorbing lipids from the intestine and transporting them to the blood |

| 11- | **Return of interstitial fluid and plasma proteins to the blood by the lymphatic system helps maintain: (M3WAN - Core)** | | |
|---|---|---|---|
| A- | Fluid balance | B- | Blood pressure directly |
| C- | Body temperature | D- | Acid-base balance |

| 12- | **Lymph differs from blood mainly in that lymph is: (M3WAN - Hard)** | | |
|---|---|---|---|
| A- | Rich in red blood cells | B- | Contained within arteries |
| C- | Collected interstitial fluid, not blood plasma | D- | Produced only by the spleen |

| 13- | Lymphatic vessels run nearly body-wide in a pattern that: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Is unrelated to the blood vascular system | B- | Parallels the distribution of blood capillaries |
| C- | Is confined to the digestive tract only | D- | Follows only the venous system |

| 14- | Red bone marrow contributes to the lymphatic system by acting as a site of: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Bile production | B- | Lymph filtration |
| C- | Fat storage only | D- | Lymphocyte production (myeloid tissue) |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | D | A | C | B | D | B | C | B | D |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | B | D | - | - | - | - | - | - |

قال الإمام ابن القيّم –رحمه الله–:

فإنّ السُّنّة حصن الله الحصين الذي

مَن دخلهُ كان من الآمنين،

وبابهُ الأعظم الذي مَن دخله كان إليه

من الواصلين، تقوم بأهلها وإن قعدت

بهم أعمالهم،

ويسعى نورها بين أيديهم إذا طفئت

لأهل البدع والنفاق أنوارهم .

اجتماع الجيوش الاسلامية (١/٣٩)

# The nervous system

## Pre Exams & Formative

| 1- | **Parasympathetic nervous system? (FINAL 30)** | | |
|---|---|---|---|
| A- | Increases blood pressure | B- | Increases motility of gastrointestinal tract |
| C- | Decreases respiratory secretions | D- | Increases heart rate |

| 2- | **The cervical segments of spinal cord are in number? (FINAL 30)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | 8 | B- | 7 | C- | 6 | D- | 5 | E- | 4 |

| 3- | **Regarding sympathetic nervous system, the following are true EXCEPT? (FINAL 30)** | | |
|---|---|---|---|
| A- | Increases heart rate | B- | Produces bronchodilatation |
| C- | Decreases gastrointestinal tract secretions | D- | Produces sweat secretion |
| E- | None of the above | | |

| 4- | **Cranial nerves are 10 pairs? (FINAL 30)** | | |
|---|---|---|---|
| A- | True | B- | False |

| 5- | **What are the two structural divisions of the nervous system? (MID 31)** | | |
|---|---|---|---|
| A- | Sympathetic and parasympathetic | B- | motor and sensory |
| C- | Central and functional | D- | Central and peripheral |
| E- | now of the above | | |

| 6- | **Each spinal segment gives rise to? (MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | Four spinal nerves | B- | Three spinal nerves | C- | Two spinal nerves |
| D- | Five spinal nerves | E- | One spinal nerve | | |

| 7- | **Neurons come in which different type(s)? (MID 31)** | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Sensory | B- | Motor | C- | Skeletal | D- | A and B | E- | B and C |

| 8- | **System of motor pathways which is responsible for voluntary and conscious actions is classified as? (FINAL 31, MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | Autonomic nervous system | B- | Somatic nervous system | C- | Reflexive nervous system |
| D- | Ventral nervous system | E- | Peripheral nervous system | | |

| 9- | **What is the function of the nervous system? (Formative 32, Formative 33, FINAL 31)** |
|---|---|
| A- | Regulates the internal environment |
| B- | Controls and organizes all body activities |

| | |
|---|---|
| C- | Sends signals from one cell to the other or part of the body to another |
| D- | All of the above |

| 10- | Coordinators of central nervous system are? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Brain and spinal cord | B- | Pituitary glands | C- | Endocrine glands |
| D- | Skin and blood vessels | E- | Heart | | |

| 11- | Which system enables the body to react to changes in external and internal environment? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Respiratory system | B- | Cardiovascular system | C- | Nervous system |
| D- | Lymphatic system | E- | Urinary system | | |

| 12- | Spinal nerves carry? (FINAL 31) | | | | |
|---|---|---|---|---|---|
| A- | Motor signals | B- | Sensory signals | C- | Sympathetic signals |
| D- | Parasympathetic signals | E- | All of the above | | |

| 13- | Sympathetic and parasympathetic nerves? (FINAL 31) | | |
|---|---|---|---|
| A- | Always work in opposition | B- | Are parts of peripheral nervous system |
| C- | They form the same effect on muscles | D- | Generally work in opposition |
| E- | None of the above | | |

| 14- | The number of lumbar segments of spinal cord is? (2ND TRIAL 30-31) | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| A- | Eight | B- | Seven | C- | Six | D- | Five | E- | Four |

| 15- | Nerve plexuses present in pelvic cavity is? (2ND TRIAL 30-31) | | | | |
|---|---|---|---|---|---|
| A- | Cervical | B- | Brachial | C- | Intercostal |
| D- | Lumbar | E- | Sacro-coccygeal | | |

| 16- | Cervical spinal nerves are 4 pairs in number. (Cervical spinal nerves are 8 pairs)? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | True | B- | False |

| 17- | Cranial nerves are 31 pairs. (Cranial nerves are 12 pairs, while spinal nerves are 31 pairs)? (2ND TRIAL 30-31) | | |
|---|---|---|---|
| A- | True | B- | False |

| 18- | In the central nervous system, the brain and spinal cord are protected by membranes known as the? (MID 34, MID 33, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Vesicles | B- | Meninges | C- | tendons | D- | peritoneum |

| 19- | All are true about the nervous system EXCEPT? (FINAL 34, FINAL 33) |
|---|---|
| A- | enables the body to react only to changes in its external environment |
| B- | divided into central nervaus system and peripheral nervous system |
| C- | spinal nerves are mixed nerves |
| D- | the central nervous system made up of the brain and spinal cord |

| 20- | is active during normal situations. permits digestion and conservation of the energy? (2ND TRIAL 36, MID 36) | | |
|---|---|---|---|
| A- | sympathetic nervous system | B- | parasympathetic nervous system |

| 21- | What are the two divisions of the nervous system? (Formative 33, Formative 32) | | |
|---|---|---|---|
| A- | Central and peripheral | B- | Motor and sensory |
| C- | Central and functional | D- | Sympathetic and parasympathetic |

**Answers - Pre Exams & Formative**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| B | A | E | B | D | C | D | B | D | A |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| C | E | D | D | E | B | B | B | A | B |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| A | - | - | - | - | - | - | - | - | - |

## Department Qs

| 1- | Striated or skeletal muscle responsible for voluntary movement is under the control of the: (Department Qs) | | |
|---|---|---|---|
| A- | Somatic nervous system | B- | Sympathetic nervous system |
| C- | Parasympathetic nervous system | D- | All of the above |

| 2- | Which division of the nervous system initiates a response known as fight or flight? (Department Qs) | | |
|---|---|---|---|
| A- | The sympathetic nervous system | B- | The parasympathetic nervous system |
| C- | The somatic nervous system | D- | None of the above |

| 3- | There are .....pairs of cranial nerves and .....pairs of spinal nerves. (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 12,31 | B- | 13, 31 | C- | 13,32 | D- | 12,33 |

**Answers - Department Qs**

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|
| A | A | A | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Spinal nerves number are (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 30 | B- | 32 | C- | 33 | D- | 31 |

| 2- | Cranial nerves connected to (SNU Bank) | | |
|---|---|---|---|
| A- | brain | B- | spinal cord |
| C- | cebellum | D- | medulla oblongata |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| D | A | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | Neurons are specialized cells whose main function is to: (M3WAN - Core) |
|---|---|
| A- | Transmit information rapidly between parts of the body |
| B- | Store lipids |
| C- | Produce hormones |
| D- | Filter blood |

| 2- | The central nervous system (CNS) is composed of the: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Cranial and spinal nerves | B- | Meninges and cerebrospinal fluid only |
| C- | Brain and spinal cord | D- | Sympathetic and parasympathetic trunks |

| 3- | The peripheral nervous system (PNS) consists of nerve fibers and cell bodies outside the CNS, including: (M3WAN - Core) |
|---|---|
| A- | 10 pairs of cranial nerves and 33 pairs of spinal nerves |
| B- | 31 pairs of cranial nerves and 12 pairs of spinal nerves |
| C- | 12 pairs of cranial nerves only |
| D- | 12 pairs of cranial nerves and 31 pairs of spinal nerves |

| 4- | The average weight of the brain is approximately: (M3WAN - Hard) | | |
|---|---|---|---|
| A- | 800-900 grams | B- | 1300-1400 grams |
| C- | 1600-1700 grams | D- | 1000-1100 grams |

| 5- | The spinal cord, lying within the vertebral column, measures approximately: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 43-45 cm | B- | 25-30 cm | C- | 60-65 cm | D- | 15-20 cm |

| 6- | The meninges consist of three layers arranged, from outermost to innermost, as: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Pia mater, arachnoid mater, dura mater | B- | Arachnoid mater, dura mater, pia mater |
| C- | Dura mater, arachnoid mater, pia mater | D- | Dura mater, pia mater, arachnoid mater |

| 7- | The outermost layer of the meninges is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Pia mater | B- | Arachnoid mater | C- | Periosteum | D- | Dura mater |

| 8- | The innermost layer of the meninges, closely applied to the brain and spinal cord surface, is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Dura mater | B- | Pia mater | C- | Arachnoid mater | D- | Perichondrium |

| 9- | Cerebrospinal fluid (CSF) circulates in the space located: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Between the arachnoid mater and pia mater | B- | Between the dura mater and arachnoid mater |
| C- | Within the vertebral bodies | D- | Between the skull and the dura mater |

| 10- | Cerebrospinal fluid functions to: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Produce lymphocytes | B- | Filter blood |
| C- | Protect and nourish the brain and spinal cord | D- | Transmit motor signals to skeletal muscle |

| 11- | The number of pairs of cranial nerves that connect the brain to the head, neck, and trunk is: (M3WAN - Core, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 31 | B- | 8 | C- | 24 | D- | 12 |

| 12- | The 31 pairs of spinal nerves are distributed as: (Important M3WAN - Core) |
|---|---|
| A- | 12 cervical, 8 thoracic, 5 lumbar, 5 sacral, 1 coccygeal |
| B- | 8 cervical, 12 thoracic, 5 lumbar, 5 sacral, 1 coccygeal |
| C- | 7 cervical, 12 thoracic, 5 lumbar, 5 sacral, 2 coccygeal |
| D- | 8 cervical, 12 thoracic, 6 lumbar, 4 sacral, 1 coccygeal |

| 13- | A spinal nerve is described as "mixed" because it carries: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Motor, sensory, and autonomic signals | B- | Motor signals only |
| C- | Sensory signals only | D- | Autonomic signals only |

| 14- | The somatic nervous system (SNS) is the division that: (M3WAN - Core) |
|---|---|
| A- | Supplies smooth muscle and glands involuntarily |
| B- | Regulates heart rate only |
| C- | Is under voluntary control and supplies skeletal muscle |
| D- | Comprises the sympathetic and parasympathetic trunks |

| 15- | The autonomic nervous system (ANS) is the division that: (M3WAN - Core) |
|---|---|
| A- | Voluntarily controls skeletal muscle |
| B- | Carries pain sensation from the skin |
| C- | Consists only of cranial nerves |
| D- | Involuntarily supplies smooth muscle, glands, and viscera |

| 16- | Within the autonomic nervous system, the division that operates during normal situations, permitting digestion and conservation of energy, is the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Sympathetic system | B- | Parasympathetic system |
| C- | Central nervous system | D- | Somatic system |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | C | D | B | A | C | D | B | A | C |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D | B | A | C | D | B | - | - | - | - |

قال شيخ الاسلام ابن تيمية رحمه الله :

اعلم أن محركات القلوب إلى

الله عز وجل ثلاثة :

✺ المحبة

✺ والخوف

✺ والرجاء

وأقواها المحبة .

مجموع الفتاوى

# Urinary system

## Pre Exams & Formative

| 1- | **Followings are parts of male urethra EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Fundus | B- | Membranous | C- | Preprostatic |
| D- | Penile | E- | Prostatic | | |

| 2- | **Regarding the kidney, the following are true EXCEPT? (FINAL 30)** | | |
|---|---|---|---|
| A- | Related to muscles of posterior abdominal wall | B- | Lies in lower part of abdomen |
| C- | Filters urine from the blood | D- | Has cortex, medulla and sinus |
| E- | Its size is 11x6x3 cm | | |

| 3- | **Which of the following is NOT considered a part of the male urethra? (MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | Prostatic | B- | Membranous | C- | Vasapore |
| D- | Sponge | E- | A and B | | |

| 4- | **The kidneys lie at? (MID 31)** | | |
|---|---|---|---|
| A- | The anterior abdominal wall | B- | The posterior abdominal wall |
| C- | Anterior thoracic wall | D- | Posterior thoracic wall |
| E- | Superior mediastinum | | |

| 5- | **The urinary system has the following functions EXCEPT? (FINAL 31)** | | |
|---|---|---|---|
| A- | Eliminates wastes from the body | B- | Regulates blood volume |
| C- | Regulates blood pressure | D- | Control levels of electrolytes |
| E- | None of the above | | |

| 6- | **The adrenal gland lies? (FINAL 31)** | | | | |
|---|---|---|---|---|---|
| A- | Anterior to the kidneys | B- | Posterior to the kidneys | C- | Superior to the kidneys |
| D- | Inferior to the kidneys | E- | All of the above | | |

| 7- | **Not included in the formation of urinary system? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Kidneys | B- | Ureters | C- | Urinary bladder |
| D- | Urethra | E- | Uterus | | |

| 8- | **Regarding the kidney, the following are true EXCEPT? (2ND TRIAL 30-31)** | | |
|---|---|---|---|
| A- | Related to muscles of anterior abdominal wall | B- | Lies in upper part of abdomen |
| C- | Filter urine from the blood | D- | Has cortex, medulla and sinus |
| E- | Its size 12x6x3 cm | | |

| 9- | Male urethra is about cm Length while female urethra is cm? (MID 33) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 4\&20 | B- | 10\&4 | C- | 20\&4 | D- | 4\&10 |

| 10- | The tube that carries urine from the kidney to the urinary bladder? (MID 36) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Ureters | B- | Urethra | C- | Nephrons | D- | Penis |

| 11- | Urethra of female lies to vaginal orifice? (MID 36, 2ND TRIAL 36, MID 37) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Anterior | B- | Posterior | C- | Medial | D- | Lateral |

| 12- | Which of the following structures form the openings found at the trigone of the urinary bladder? (MID SNU-M 1) | | |
|---|---|---|---|
| A- | Two ureters and one urethra | B- | Two urethras and one ureter |
| C- | Two ureters and the ejaculatory duct | D- | One ureter and two urethras |

| 13- | In males, which of the following structures surrounds the neck of the urinary bladder? (MID SNU-M 1) | | |
|---|---|---|---|
| A- | Seminal vesicle | B- | Prostate gland |
| C- | Epididymis | D- | Bulbourethral gland |

| 14- | The kidneys are typically located in the posterior abdominal wall at which of the following vertebral levels? (MID SNU-M 1) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | T10 to L1 | B- | T12 to L3 | C- | L1 to L4 | D- | T8 to T12 |

| 15- | The convey(s) urine from the kidneys toward the bladder. (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | nephrons | B- | urethra | C- | ureters | D- | prostate gland |

| 16- | The glands lie on top of the kidneys. (Formative 35, Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | pituitary | B- | thyroid | C- | adrenal | D- | growth |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| A | B | C | B | E | C | E | A | C | A |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | A | B | B | C | C | - | - | - | - |

## Department Qs

| 1- | The ... extend(s) from the urinary bladder to an external opening. (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | ureter | B- | renal arteries | C- | urethra | D- | glomerulus |

| 2- | The female urethra is about .... cm long: (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 4. | B- | 10. | C- | 15. | D- | 20. |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | A | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | Urinary bladder lies in (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | abdomen | B- | pelvis | C- | thorax | D- | skull |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | - | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | The urinary system consists of the 2 kidneys, 2 ureters, the bladder, and the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Adrenal glands | B- | Urethra | C- | Prostate | D- | Seminal vesicles |

| 2- | Each kidney lies on the posterior abdominal wall, extending from the level of: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | L1 to L4 | B- | T10 to L1 | C- | T8 to T12 | D- | T12 to L3 |

| 3- | The gland resting on the upper end of each kidney is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Adrenal gland | B- | Thyroid gland | C- | Prostate gland | D- | Pancreas |

| 4- | The functional unit of the kidney, present in millions, is the: (M3WAN - Core, SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Renal pelvis | B- | Calyx | C- | Nephron | D- | Ureter |

| 5- | Nephrons lie mainly in the renal cortex, except for the collecting tubules, which lie in the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Renal pelvis | B- | Medulla | C- | Minor calyces | D- | Adrenal gland |

| 6- | The correct sequence of urine drainage from the collecting tubules is: (Important M3WAN - Core) |
|---|---|
| A- | Major calyces → minor calyces → renal pelvis → ureter |
| B- | Renal pelvis → minor calyces → major calyces → ureter |
| C- | Minor calyces → renal pelvis → major calyces → ureter |
| D- | Minor calyces → major calyces → renal pelvis → ureter |

| 7- | The length of each ureter is approximately: (M3WAN - Core) | | |
|---|---|---|---|
| A- | 25 cm (10 inches) | B- | 4 cm |
| C- | 20 cm | D- | 15 cm |

| 8- | The course of the ureter is such that: (M3WAN - Core) |
|---|---|
| A- | It lies entirely within the pelvis |
| B- | It lies entirely within the abdomen |
| C- | Its upper half is abdominal and its lower half is pelvic |
| D- | Its upper half is pelvic and its lower half is abdominal |

| 9- | The urinary bladder lies in the pelvic cavity directly: (M3WAN - Core) | | |
|---|---|---|---|
| A- | In front of the sacrum | B- | Behind the pubic bones |
| C- | Above the umbilicus | D- | Behind the rectum only |

| 10- | An empty urinary bladder is described as being: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Spherical in shape | B- | Cylindrical in shape |
| C- | Flattened in shape | D- | Pyramidal in shape |

| 11- | The mean capacity of the urinary bladder is approximately: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 250 ml | B- | 50 ml | C- | 1000 ml | D- | 700 ml |

| 12- | The neck of the bladder, the lowest and most fixed part, is continuous with the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Ureteric orifice | B- | Trigone apex |
| C- | Internal urethral orifice | D- | External urethral orifice |

| 13- | The male urethra, which extends from the internal to the external urethral orifice, measures approximately: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 4 cm | B- | 20 cm | C- | 25 cm | D- | 10 cm |

| 14- | The male urethra is divided into three parts: prostatic, membranous and: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Bulbar | B- | Penile only | C- | Cavernous | D- | Spongy |

| 15- | In males, the urethra serves as: (M3WAN - Core) | | |
|---|---|---|---|
| A- | A common pathway for urine and semen | B- | A pathway for urine only |
| C- | A pathway exclusively for seminal fluid | D- | Part of the ejaculatory duct only |

| 16- | The female urethra, which opens into the vestibule of the vagina, measures approximately: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | 20 cm | B- | 25 cm | C- | 4 cm | D- | 10 cm |

| 17- | The external urethral orifice of the female urethra lies: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Posterior to the vaginal orifice | B- | Directly in front of the vaginal orifice |
| C- | Lateral to the vaginal orifice | D- | Within the cervix |

| 18- | The internal urethral sphincter, which surrounds the internal urethral orifice and neck of the bladder, is: (M3WAN - Core) |
|---|---|
| A- | Voluntary skeletal muscle |
| B- | Absent in females |
| C- | Composed of smooth and skeletal muscle equally |
| D- | Involuntary |

| 19- | The external urethral sphincter, composed of voluntary skeletal muscle, surrounds the membranous urethra in the male and the intermediate part of the urethra in the: (M3WAN - Hard) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Female | B- | Fetus | C- | Elderly male only | D- | Neonate |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | D | A | C | B | D | A | C | B | D |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| A | C | B | D | A | C | B | D | A | - |

قال الإمام ابن قيّم الجوزية رحمه الله :

(مَن صَدَق توكُّله على الله في حصول شيءٍ ؛ ناله) .

مدارج السالكين (٢/١١٤)

# Reproductive system (Female and Male)

## Pre Exams & Formative

| 1- | **Following are parts of uterine tube EXCEPT? (FINAL 30)** | | | | |
|---|---|---|---|---|---|
| A- | Infundibulum | B- | Cervix | C- | Ampulla |
| D- | Isthmus | E- | Intramural | | |

| 2- | **Ovary (FINAL 30)** | | |
|---|---|---|---|
| A- | Primary sex organ. | B- | Site of fertilization. |
| C- | Site of implantation. | D- | Site of insemination. |

| 3- | **Uterine tube (FINAL 30)** | | |
|---|---|---|---|
| A- | Primary sex organ. | B- | Site of fertilization. |
| C- | Site of implantation. | D- | Site of insemination. |

| 4- | **Uterus (FINAL 30)** | | |
|---|---|---|---|
| A- | Primary sex organ. | B- | Site of fertilization. |
| C- | Site of implantation. | D- | Site of insemination. |

| 5- | **Vagina (FINAL 30)** | | |
|---|---|---|---|
| A- | Primary sex organ. | B- | Site of fertilization. |
| C- | Site of implantation. | D- | Site of insemination. |

| 6- | **Name the site of sperm maturation? (MID 31)** | | | | |
|---|---|---|---|---|---|
| A- | Epididymis | B- | Ductus deferens | C- | Spermatic cord |
| D- | Urethra | E- | Seminal vesicle | | |

| 7- | **The primary sex organ is known as? (FINAL 31)** | | |
|---|---|---|---|
| A- | Regulate blood volume and composition | B- | Synthesize glucose |
| C- | Regulate blood pressure | D- | Gonads |
| E- | Uterus | | |

| 8- | **Which one of the followings is incorrectly matched regarding male reproductive organ? (MID 34, Formative 32, MID 33, FINAL 31, Formative 33, Department Qs)** |
|---|---|
| A- | Testes: Sperm and sex hormones are produced |
| B- | Epididymis: Ducts where sperm mature |
| C- | Prostate gland: Contributes fluid to semen |
| D- | Urethra: Contributes nutrients and mucus-containing fluid to semen |
| E- | Seminal vesicle: provide secretion into ejaculatory duct |

| 9- | **The vas deferens? (FINAL 31)** |
|---|---|
| A- | Unites with the epididymis to form ejaculatory duct |
| B- | Opens in the urethra |
| C- | Unites with the seminal vesicle to form ejaculatory duct |
| D- | Unites with seminal vesicle to form urethra |
| E- | Unites with ejaculatory duct to form seminal vesicle |

| 10- | **Which of the following is NOT a part of male genital system? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Testes | B- | Epididymis | C- | Vas deferens |
| D- | Vulva | E- | Prostate | | |

| 11- | **Following are parts of female genital system EXCEPT? (2ND TRIAL 30-31)** | | | | |
|---|---|---|---|---|---|
| A- | Ovaries | B- | Scrotum | C- | Uterus |
| D- | Vagina | E- | Uterine tubes | | |

| 12- | **is the primary female sex organ? (FINAL 33, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | The uterus | B- | The ovary | C- | Fallopian tubes | D- | Vagina |

| 13- | **Which one of the followings is incorrectly matched regarding male reproductive organ? (FINAL 34)** | | |
|---|---|---|---|
| A- | Testes: Sperm and sex hormones are produced | B- | Epididymis: Ducts where sperm stored |
| C- | Prostate gland: Contributes fluid to semen | D- | Seminal vesicle Ducts where sperm mature |

| 14- | **A muscular tube that connects the cervix to the exterior of the body is? (MID 36)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Fallopian tube | B- | Endometrium | C- | Myometrium | D- | Vagina |

| 15- | **Ejaculatory duct is the union of? (MID 37, 2ND TRIAL 36, MID 36)** | | |
|---|---|---|---|
| A- | Urethra + seminal gland | B- | Epididymis + ejaculatory duct |
| C- | Vas deferens + seminal gland | D- | Urethra + vas deferens |

| 16- | **guide the mature ova to the uterine tube? (2ND TRIAL 36, FINAL 36, Department Qs)** | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | fimbrai | B- | zona pelucida | C- | corona radiata | D- | decidua |

| 17- | **Which of the following pairs of hormones is primarily secreted by the ovaries? (MID SNU-M 1)** |
|---|---|
| A- | Estrogen and testosterone |
| B- | Prolactin and oxytocin |
| C- | Estrogen and progesterone |
| D- | Luteinizing hormone and follicle-stimulating hormone |

| 18- | The main function of fimbriae of oviduct is: (Formative 33, Department Qs) |
|---|---|
| A- | Help in collection of ovum after ovulation |
| B- | Make necessary changes in endometrium for implantation |
| C- | Release ovum from Graafian follicle |
| D- | Help in development of embryo |
| E- | None of the above |

| 19- | Urethra of females lies .....to the vaginal orfice? (2ND TRIAL 37) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | anterior | B- | posterior | C- | medial | D- | lateral |

| Answers - Pre Exams & Formative | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | A | B | C | D | A | D | D | C | D |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| B | B | D | D | C | A | C | A | A | - |

## Department Qs

| 1- | The vas deferens empties sperm into the (Department Qs) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | urinary bladder | B- | urethra | C- | penis | D- | prostate gland |

| Answers - Department Qs | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| B | - | - | - | - | - | - | - | - | - |

## SNU Bank

| 1- | What is the primary male reproductive organ where spermatogenesis occurs? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Prostate gland | B- | Seminal vesicle | C- | Testis | D- | Epididymis |

| 2- | What is the primary female reproductive organ where oogenesis occurs? (SNU Bank) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Uterus | B- | Ovary | C- | Fallopian tube | D- | Cervix |

| Answers - SNU Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | B | - | - | - | - | - | - | - | - |

## M3WAN Bank

| 1- | The female internal reproductive organs include the ovaries, fallopian tubes, uterus, and: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Bladder | B- | Urethra | C- | Vagina | D- | Labia majora |

| 2- | The ovaries, almond-sized glands located on the pelvic side walls, produce ova as well as: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Estrogen and progesterone | B- | Testosterone and inhibin |
| C- | FSH and LH | D- | hCG and relaxin |

| 3- | The funnel-shaped structure at the end of the fallopian tube, covered with finger-like projections, is the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Fundus | B- | Cervix | C- | Cornu | D- | Infundibulum |

| 4- | The finger-like projections of the infundibulum that sweep over the ovary surface to pick up the released ovum are the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Cilia | B- | Fimbriae | C- | Villi | D- | Rugae |

| 5- | Inside the fallopian tube, the ovum is carried toward the uterus by the combined action of smooth muscle and: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Peristaltic waves of the ureter | B- | Ciliary action of the bladder |
| C- | Cilia lining the tube | D- | Contraction of the vagina |

| 6- | The uterus is described as a hollow, muscular organ that is: (M3WAN - Core) |
|---|---|
| A- | Pear-shaped, with the cervix forming its inferior part |
| B- | Spherical, with the cervix forming its superior part |
| C- | Tubular, with no distinct cervix |
| D- | Triangular, opening directly into the fallopian tubes |

| 7- | The inner lining of the uterus, which supports the embryo during early development and breaks down as menstruation when fertilization does not occur, is the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Myometrium | B- | Perimetrium | C- | Cervix | D- | Endometrium |

| 8- | The uterus is connected on its superior end to the fallopian tubes and on its inferior end, via the cervix, to the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Bladder | B- | Vagina | C- | Ovary | D- | Urethra |

| 9- | The vagina is best described as: (M3WAN - Core) |
|---|---|
| A- | A rigid cartilaginous tube |
| B- | A bony canal within the pelvis |
| C- | An elastic, muscular tube connecting the cervix to the exterior of the body |
| D- | A gland producing estrogen |

| 10- | The outer opening of the vagina lies posterior to the urethra and, in virgins, is closed by a thin membrane called the: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Hymen | B- | Fimbriae | C- | Zona pellucida | D- | Corona radiata |

| 11- | The scrotum, a sac-like organ made of skin and muscle that houses the testes, is composed of: (M3WAN - Core) | | |
|---|---|---|---|
| A- | A single central pouch | B- | Three separate pouches |
| C- | A pouch shared with the bladder | D- | Two side-by-side pouches, one testis in each |

| 12- | The scrotum is located outside the body cavity mainly to: (M3WAN - Core) |
|---|---|
| A- | Protect the testes from trauma |
| B- | Keep the testes below the average body temperature for normal sperm production |
| C- | Allow direct communication with the peritoneal cavity |
| D- | Support the epididymis |

| 13- | The testes are the male gonads responsible for the production of sperm and: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Estrogen | B- | Progesterone | C- | Testosterone | D- | Relaxin |

| 14- | The approximate length of each testis is: (M3WAN - Hard) | | |
|---|---|---|---|
| A- | 1.5 to 2 inches | B- | 3 to 4 inches |
| C- | Less than half an inch | D- | 5 to 6 inches |

| 15- | The epididymis, a sperm storage area that wraps around the superior and posterior edge of the testis, is divided into head, body and: (M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Cauda equina | B- | Neck | C- | Ampulla | D- | Tail |

| 16- | Within the epididymis, sperm undergo: (M3WAN - Core) |
|---|---|
| A- | Formation from spermatogonia |
| B- | Maturation before being passed on through the reproductive organs |
| C- | Meiosis I and meiosis II |
| D- | Production of testosterone |

| 17- | The ductus (vas) deferens, a muscular tube approximately 30-45 cm long, carries sperm from the tail of the epididymis to the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Rete testis | B- | Seminiferous tubules |
| C- | Ejaculatory duct | D- | Urethral orifice directly |

| 18- | The ejaculatory duct is formed by the union of the ductus deferens with the duct of the: (Important M3WAN - Core) | | |
|---|---|---|---|
| A- | Seminal vesicle | B- | Prostate gland alone |
| C- | Bulbourethral gland | D- | Epididymis |

| 19- | The ejaculatory duct, approximately 2 cm long, opens during ejaculation into the: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Ductus deferens | B- | Epididymis | C- | Bladder | D- | Urethra |

| 20- | The accessory glands that pour their secretions over the sperm to help form the seminal fluid are the seminal vesicles, prostate, and: (M3WAN - Core) | | |
|---|---|---|---|
| A- | Adrenal glands | B- | Bulbourethral glands |
| C- | Parotid glands | D- | Thymus |

| 21- | In the male, the urethra is described as a common pathway for: (Important M3WAN - Core) | | | | | | |
|---|---|---|---|---|---|---|---|
| A- | Bile and semen | B- | Lymph and urine | C- | Urine and semen | D- | Blood and semen |

| 22- | The correct sequence of sperm transport through the male reproductive ducts, from the epididymis onward, is: (Important M3WAN - Core) |
|---|---|
| A- | Epididymis → ductus deferens → ejaculatory duct → urethra |
| B- | Epididymis → ejaculatory duct → ductus deferens → urethra |
| C- | Ductus deferens → epididymis → ejaculatory duct → urethra |
| D- | Epididymis → ductus deferens → urethra → ejaculatory duct |

| Answers - M3WAN Bank | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| C | A | D | B | C | A | D | B | C | A |
| 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| D | B | C | A | D | B | C | A | D | B |
| 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |
| C | A | - | - | - | - | - | - | - | - |

تم بفضل الله ، هذا وما كان من توفيق فمن الله وحده وما كان من خطأ أو زلل فمن أنفسنا ومن الشيطان ، وفقنا الله وإياكم لخيري الدنيا والآخرة وأعاننا على طاعته .

نسألكم الدعاء لكل من سبقنا من إخواننا إلى الله أن يتغمدهم بواسع رحمته وأن يرفع قدرهم ويتجاوز عن سيئاتهم وأن يجمعنا بهم في جناته .