CNS
MICROBIOLOGY

Questions For 3rd year




SMSA
Sohag Medical Students' Association

SCOME
Medical Education

Content

1. Meningitis.....1
2. Encephalitis.....7
3. Brain abscess, Poliomyelitis, Rabies 11
4. Tetanus, Botulism and Prion diseases.....17
5. Eye & Ear infections 30



1 Meningitis

Previous exams & Formative:

1- Which of the following organisms causes epidemic meningitis cases at college campuses:

a. Hemophilus influenzae type b
b. Neisseria meningitidis
c. Streptococcus pneumoniae
d. Listeria monocytogenes. E. M. tuberculosis

2- Which procedure is most likely used to test for meningitis:

a. Throat culture.
b. Lumber puncture.
c. Tuberculin skin test
d. None of the above.
e. CAMP test

3- All of the followings are examples of bacterial meningitis Except:

a. Streptococcus pneumonia
b. Neisseria meningitides
c. Listeria monocytogenes
d. Cryptococcus

4- The commonest cause of neonatal meningitis is E. coli Select one:

a. True
b. False

1-b 2-b 3- d 4- a

5- Acute lymphocytic meningitis is usually of viral origin Select one:

a. True
b. False

6- Meningitis due to Cryptococcus neoformans occurs most frequently in Select one:

a. Pregnant women.
b. Children under 6 years.
c. Immunosuppressed patients.
d. Infants under 3 months.
e. Adults

7- All of the following statements refer to Neisseria meningitidis EXCEPT Select one:

a. It enters the body via the upper respiratory tract.
b. It establishes in the membranes of the nasopharynx.
c. Capsular polysaccharides contribute to the virulence.
d. The endotoxins are basically similar to those of other gram-negative bacteria.
e. A presumptive diagnosis of meningococcal infection cannot be made from finding the characteristic gram-negative diplococci in stained smears of the spinal fluid

8- CSF of septic meningitis is characterized by Select one:

a. Lymphocytosis, low glucose, increased proteins and high pressure.
b. Lymphocytosis, high glucose, low proteins and lower pressure.
c. PMNCs, high glucose, low proteins and high pressure.
d. PMNCs, low glucose, increased proteins and high pressure.
e. Lymphocytosis, normal glucose, normal proteins and normal pressure.

5- a 6-c 7-e 8-d

9- For diagnosis of Cryptococcal meningitis, you should find Select one:

a. Gram positive bacilli in CSF.
b. Gram positive Staphylococci in CSF.
c. Gram negative diplococcic in CSF.
d. Gram negative bacilli in CSF
e. Capsulated yeast cells by India ink stain in CSF

Extra:

10- Meningitis is inflammation of the membranes surrounding the:

a. Stomach
b. Small and large intestine
c. Brain and spinal cord
d. Lungs

11- Meningitis is caused only by viruses; bacterial and fungi do not cause meningitis:

a. True
b. False

12- Meningitis is usually a non-contagious disease:

a. True
b. False

13- Hemophilus influenza type b is a virus that causes meningitis:

a. True
b. False

9-e 10-c 11-b 12-b 13-b

14- Cryptococcal meningitis is a fungal meningitis that is more common in AIDS patients:

a. True
b. False

15- Headache and stiff neck are the classical features of meningitis in adults:

a. True
b. False

16- Meningitis is also called meningococcal disease:

a. True
b. False

17- The most definitive diagnostic procedure for meningitis is:

a. Blood test
b. ECG
c. EEG
d. Spinal tap

18- All of the following can cause neonatal meningitis Except:

a. L. Monocytogenes
b. Neisseria meningitidis
c. Streptococcal agalactia
d. E. coli

14-a 15-a 16-b 17-d 18-b

19- Test of identification of .... Neisseria:

a. Catalase test
b. Oxidase test
c. Sugar fermentation test
d. Coagulation test

20- Test for differentiation between the types of Neisseria:

a. Catalase test
b. Oxidase test
c. Sugar fermentation test
d. Coagulation test

21- The bacterial capsule is:

a. Serotyping
b. Antiphagocytic
c. used for vaccination and diagnosis
d. All of the above

22-.....cause more than 80% of cases of bacterial meningitis in persons over 2 months of age Except:

a. H. influenza Type B
b. H. influenza Type A
c. Strept.pneumoniae
d. N. meningitidis

23- The most common type of meningitis:

a. Viral meningitis
b. Bacterial meningitis
c. Fungal meningitis
d. None of the above

19-b 20-c 21-d 22-b 23-a

24- Viral meningitis includes:

a. Coxsackievirus
b. Coxsackievirus
c. Echoviruses
d. All of the above

25- A couple presents to the emergency department with their 5month-old son. The parents report that their son has never been fussy. However, last night he began to cry incessantly. This morning he had become very lethargic and warm, and his temperature reached 39.4° C .The physician examines the baby and notices some rigidity in his nuchal region. A lumbar puncture reveals an elevated opening pressure, elevated protein level, decreased glucose level, and numerous polymorphonuclear cells. What is the most likely cause of this patient's symptoms Select one:

a. Cytomegalovirus.
b. Escherichia coli.
c. Cryptococcus neoformans.
d. Hemophilus influenza.
e. Enterovirus.

26- Tuberculosis of the brain always takes the form of tuberculous Meningitis Select one:

a. True
b. False

24-d 25- b 26-b

2 Encephalitis

Previous exams & Formative:

1- All the following viruses can cause encephalitis except:

a. Arboviruses
b. Arenaviruses
c. Hepatitis viruses
d. Herpes viruses

2- All the following bacteria can cause encephalitis except:

a. Rickettsia
b. Mycoplasma
c. Bordetella
d. Mycobacterium tuberculosis

3- Encephalitis is most commonly:

a. Secondary to meningitis
b. Viral
c. Fungal
d. Autoimmune
e. None of the above

1- c 2- c 3- b

Extra:

1- What is Encephalitis?

a. An inflammation in brain
b. It causes swelling or irritation in brain
c. It is also known as Chamki Fever
d. All of the above

2- What causes Encephalitis or Acute Encephalitis Syndrome (AES)?

a. Inflammation caused by an infection in the brain
b. The main causative agents of this disease are the viruses
c. Both a &b
d. Only b

3- What are the symptoms of Encephalitis?

a. High fever
b. Vomiting
c. Confusion
d. All of the above

4- What is affected from Encephalitis?

a. Children below age 15 years
b. Gangetic plain areas in India
c. Only a
d. Both a & b

1- d 2- c 3- d 4- d

5- Treatments given to Encephalitis are?

a. Corticosteroids
b. Mechanical ventilation
c. Anticonvulsants
d. All of the above

6- Different types of Encephalitis are:

a. Primary Encephalitis
b. Secondary Encephalitis
c. Tertiary Encephalitis
d. Only a & b

7- After a patient sustains a bite from an animal infected with the rabies virus, the virus is initially transported to the brain through which of the following?

a. Circulatory system
b. Lymphatic system
c. Peripheral nervous system
d. Spinal cord

8- Which of the following is the diagnostic test of choice for a patient with suspected rabies?

a. PCR study of tissue
b. PCR study of saliva
c. Rabies antibody testing of cerebrospinal fluid
d. Rabies antibody testing of skin specimen from the nape of the neck

5- d 6- d 7- c 8-d

9- Which of the following is true for rabies?

a. Rabies is prevented by pre-exposure prophylaxis
b. The death rate is highest in the elderly
c. All the vaccines can be used intradermally
d. Deaths have occurred post-transplant

10- The risk of rabies is in?

a. Dogs more than bats, worldwide.
b. Greater in children than adults
c. Dogs in Asia more than Europe
d. All the above

11- Rabies Immunoglobulin?

a. Is only manufactured as a human immunoglobulin
b. At least half the dose should be infiltrated around the wound
c. Can only be given within 1 week of a bite

d. If you are really concerned can be given IV in very high-risk cases

12- The rabies vaccine?

a. Is a live vaccine
b. Is cell cultured, freeze dried and reconstituted prior to administration
c. Is a polysaccharide vaccine derived from culture on human diploid cells
d. Cannot be given to breast feeding mothers

13- Which of the following is false regarding the rabies vaccine?

a. The rabies vaccine should never be given intravenously
b. The dosage is the same for children as it is for adults
c. Human diploid cell vaccine can lead to ulceration if given intradermally
d. The vaccine is safe to give with live vaccines

14- The clinical disease?

a. The incubation period is proportional to the time the virus takes to travel from the inoculation site to the brain and/or spinal cord
b. The incubation period is normally 3-6 months
c. The autonomic nervous system is usually spared
d. The clinical disease mostly begins as a flu-like illness

15- Rabies virus?

a. Is a flavivirus
b. Is transmitted by aerosolized secretions
c. Is a reverse-zoonosis
d. Is more likely to cause paralytic rabies in dogs than in other non-human animals

9- d 10- d 11- b 12-b 13- c 14- a 15-b

3 Brain abscess, poliomyelitis, rabies

Previous exams & Formative:

1- Which of the following is false regarding rabies virus:

a. The majority of cases world-wide result from bat bites
b. Infection may be prevented by active and passive immunization
c. Human Rabies vaccine is inactive vaccine
d. The animal reservoir differ from country to country

2- Regarding poliomyelitis virus:

a. The virus reaches the brain through blood
b. Asymptomatic infections lead to protective antibody production
c. The enveloped virus particles are released from infected cells by lysis
d. Herd immunity can result from vaccination with salk vaccine

3- As regarding the pathogenesis of rabies, which of the following is true?

a. Viraemia typically occurs in this disease.
b. The clinical disease typically has flu-like manifestations only.
c. The disease is transmitted only by animal bite so none bite transmission not occur.
d. Infected neurons contain eosinophilic cytoplasmic inclusions called Negri bodies.
e. None of the above.

4- Which of these is TRUE for the Sabin pollo vaccine?

a. Requires four injections
b. Can be administered safely to immune- compromised patients.
c. Affords secondary protection by spread to others.
d. It is an inactivated vaccine

e. Cannot induce Intestinal IgA.

Answers :

1. a 2. b 3. d 4.c

II- EXTRA

1- Which of the following is true for rabies?

a. Rabies is prevented by pre-exposre prophylaxis
b. The death rate is highest in the elderly
c. All the vaccines can be used intradermally
d. Deaths have occurred post transplant

2- Which of the following is true regarding intradermal rabies vaccine versus intramuscular routes?

a. ID gives lower antibody titres using the same time schedule (days 0, 7, and 28) as IM administered vaccines
b. An ID schedule is less effective in the long term than an IM one
c. ID vaccine is less effective in post-exposure prophylaxis than IM vaccine
d. Five injections of ID vaccine are required (days 0, 3, 7, 14 and 28) compared to two IM injections (days 0 and 3) in post-exposure cases where the traveller has had a full pre-exposure prophylaxis by either the ID or the IM routes.

3- The clinical disease?

a. The incubation period is proportional to the time the virus takes to travel from the inoculation site to the brain and/or spinal cord
b. The incubation period is normally 3-6 months
c. The autonomic nervous system is usually spared
d. The clinical disease mostly begins as a flu-like illness

4- The rabies virus is passed on by contact with what part of an infected animal?

a. Skin
b. Saliva
c. Blood
d. b&c

5- In which animal is rabies more likely to be found?

a. Dog
b. Cat
c. Bat
d. Raccoon
e. All of the above

6- If you have been bitten or scratched by a wild animal, what should you do?

a. Clean the wound with soap and water to remove any saliva
b. Call your health care provider as soon as possible
c. Call your state or local health department as soon as possible
d. All of the above

7- IP of rabies varies according to:

a. Severity of the bite
b. Site of the wound
c. Amount of the virus
d. All of the above

8- Rabies is identified by:

a. Guarneri bodies
b. Negri bodies
c. Cowdry A bodies
d. Cowdry B bodies

Answers: 1.d 2.a 3.a 4.b 5.e 6.d 7.d 8.b

9- Rabies is a disease caused by rabies virus. This disease is characterized by:

a. It is a severe form of encephalitis
b. It is a zoonotic disease
c. It has a long incubatory period
d. All of the above

10- The best route of rabies virus to reach the spinal cord and CNS of the host is:

a. Blood due to high level of viremia
b. Along the afferent peripheral neurons
c. Being carried by macrophages
d. All of the above

11- Treatment of rabies includes the followings EXCEPT:

a. Post-exposure vaccination
b. Passive immunization
c. Cleaning of the wound with tetanus prophylaxis
d. Antiviral drugs

12- The presence of Negri bodies in host cell is characteristic of:

a. Mumps
b. Rabies
c. Infectious mononucleosis
d. Aseptic meningitis

13- Poliovirus causes paralysis of voluntary muscles. It replicates in:

a. Tonsils
b. Peyer s patches and small intestine
c. Voluntary muscles
d. a & b

14- Sabin vaccine is superior to salk vaccine in prevention or poliomyelitis because:

a. It replicates in the intestine with production of secretary IgA
b. It reaches to blood with productior of IgM& IgG
c. It is given to immune- deficient children
d. All of the above

15- The epidemics of poliovirus occurred in:

a. Summer
b. Fall
c. Spring
d. a&b
e. a&c

16- All of the following statements are true regarding poliovirus except:

a. It is transmitted by feco-oral route
b. Asymptomatic infections are common in children
c. There is a single serotype causing infection
d. Live attenuated vaccine produces herd immunity

17- Poliomyelitis is caused by a virus belonging to the family:

a. Flaviviridae
b. Picornaviridae
c. Reoviridae
d. Rhabdoviridae

Answers:

9.d 10.b 11.d 12.b 13.d 14.a 15.d 16.c 17.b

18- _____is generally contraindicated in the presence of raised intracranial pressure, given the risk of uncal herniation in cases of brain abscess:

a. Lumbar puncture
b. Skin biopsy from the back of neck
c. Blood culture
d. Brain biopsy

19- Brain abscess caused by:

a. Bacteria
b. Fungi
c. Virus
d. a&b
e. a&c

20- Symptoms of brain abscess is:

a. Differences in mental processes
b. Increased confusion
c. Decreased responsivenes
d. All of the above
e. None of the above

Answers

18.a 19.d 20.d

4 Tetanus, botulism and prion diseases

Previous exams & Formative:

1- Which is the most common source of infection that leads to tetanus?

a. Chronic skin ulcers
b. Intranasal inhalation
c. Minor wounds
d. Corneal abrasions

2- Kuru and Creutzfeldt-Jakob disease (CJD) are thought to be caused by which of the following?

a. Slow viruses
b. Prions
c. Cell wall deficient bacteria
d. Environmental toxins

3- C.tetani causes lockjaw paralysis because:

a. The organism enters muscle cells and blocks contraction.
b. b. The organism enters muscle cells and stimulates contraction.
c. Its neurotoxin blocks the release of inhibitory mediator leading to generalized muscle spasm.
d. Its neurotoxin stimulates therelease of Inhibitory mediator leading to localized muscle spasm.
e. Its neurotoxin inhibitsrelease of acetyl choline.

4- Death from botulinum food poisoning is commonly due t o :

a. Electrolyte imbalance.
b. Marked fluid loss.
c. Cardiacfailure.

d. Renal failure.
e. Respiratory fallure.

Answers

1. c 2. b 3. c 4. e

II-EXTRA

1- Botulism prevents the release of the neurotransmitter: Select one:

a. Acetylcholine.
b. Glycine.
c. Dopamine.
d. GABA.
e. Norepinephrine.

2- The neurotoxin released by Clostridium tetani is: Select one:

a. Tetanolysin.
b. Tetanospasmin.
c. Aflatoxin.
d. Cyanotoxin.
e. Bacteriocin.

3- Cl. Teteni cause alpha heamolysis on blood agar

a. True
b. False

4- DTP is contraindicated for 10-year-old childs

a. True
b. False

5- Cl. Teteni

a. is gram negative bacilli with drum stick apperance
b. secrete endotoxin
c. its neurotoxin blocks the release of glycine and GABA causing spastic paralysis
d. the organism can be detect in blood sample

6- Food poisoning due to Clostridium botulinum is most often caused by:

a. Contaminated poultry products
b. Canned food.
c. Dairy products and custards.
d. Contaminated and poorly cooked seafood

7- Food poisoning that NOT manifested by gastrointestinal symptoms is caused by:

a. Staph. aureus.
b. Clostridium perfringens
c. clostridiumbotulinum
d. Salmonella typhimurium.

8- Death from clostridium botulinum food poisoning is due to:

a. Respiratory and cardiac failure.
b. Electrolyte imbalance.
c. Marked fluid loss.
d. All of the above.

9- Which of the following statements is INCORRECT regarding active immunization against tetanus?

a. DPT vaccine is used.
b. It is toxin losses its toxicity and retains its anti-genicity .
c. No need for booster doses
d. It is given in combination with diphtheria toxoid and pertussis vaccine.

10- The microscopic appearance of Clostridium tetani is

a. Drumstick
b. Fusifom
c. Pleomorphic
d. Bipolar.

Answers

1.a 2.b. 3.d 4.a 5.c 6.b 7.c 8.a 9. c 10.a

11- C. tetani causes lockjaw paralysis because:

a. The organism enters muscle cells and blocks contraction
b. The organism enters muscle cells and stimulates contraction
c. Its neurotoxin blocks the release of inhibitory mediator leading to generalized muscle spasm
d. Its neurotoxin stimulate the release of inhibitory mediator leads to localized muscle spasm

12- The mechanism of action of C. botulinum toxin that cause food poisoning is :

a. Acts on vomiting centers
b. Interfere with the release of acetyl choline from nerve endings
c. Block the release of inhibitory mediators in spinal cord
d. Acts directly on intestinal mucosal cells

13- The manifestations of Cl. botulinum food poisoning are :

a. flaccid paralysis
b. Spastic paralysis
c. Vomiting and diarrhea
d. None of the above

14- The manifestations of Cl. tetani are :

a. flaccid paralysis
b. Spastic paralysis

c. Vomiting and diarrhea
d. None of the above

15- The most important protective function of the antibody stimulated by tetanus immunization is :

a. To prevent growth of the pathogen
b. To prevent adherence of the pathogen
c. To neutralize the toxin of the pathogen
d. All of the above

16- Infectious protein with no detachable 'nucleic acid' are knownas

a. Virion
b. Prions
c. Viroid
d. Proteins

17- A disease, muscle twitching and lack of coordination, occurs due to a prion, known as

a. Marasmus
b. Kuru disease
c. Cancer
d. Tetanus

18- Neurotoxic Clostridia include:

a. Clostridium perfringens.
b. B. Clostridium botulinum.
c. C. Clostridium tetani.
d. b &c.
e. All of the above.

19- Each of the following statements concerning Clostridium telani is correct EXCEPT:

a. It is a Gram-positive, spore-forming rod.
b. Pathogenesis is due to the production of an exotoxin that blocks inhibitory nero-transmitters.
c. It is a facultative organism it will grow on a blood agar plate in the presence of room air.
d. its natural habitat is primarily the soil.

20- Classic tetanic triad include:

a. Trismus
b. Risus sardonicus
c. Opisthotonus
d. all of above

Answers

11.C. 12.b. 13.a. 14.b 15.c 16.b 17.b 18.d 19.c 20.d

21- Classic triad of botulism include:

a. symmetric, descending flaccid paralysis with prominent bulbar palsies.
b. Afebrile.
c. Clear sensorium.
d. all of the obove

22- Spores of cl. Tetani are:

a. Terminal
b. Spherical
c. Projecting
d. all of the above

N.B: Projecting means that its diameter > diameter of vegetative cells

23- Spores of cl. Botulinum are:

a. Subterminal
b. oval

c. not projecting
d. all of the above

24- Botulinum vaccine is trivalent toxoid

a. True
b. False

25- Infants with botulism will present with floppy baby syndrome.

a. True
b. False

26- Prions:

a. Contain DNA as genetic element
b. May cause infections involving the upper respiratory tract
c. Are easily inactivated by low concentrations of disinfectants
d. Cause degenerative diseases of the nervous system
e. Cause diseases characterized by short incubation period

27- Mad cow disease is caused by

a. prion
b. A virus
c. Rickettsiae
d. An autoimmune reaction
e. A bacterium with a defective cell wall

28- Symptoms of botulism are due to:

a. Invasion of the gut epithelium by c. botulinun
b. Secretion of an enterotoxin
c. Ingestion of a neurotoxin
d. Endotoxic shock e Activation of cyclic AMP

29- The prion diseases are known as

a. AIDS
b. TSEs
c. Hepatitis
d. Cancer

30- The prions contain

a. nucleic acid
b. proteins
c. carbohydrate
d. fats

Answers

21.d. 22.d. 23.d. 24.b 25.a 26.d 27.a 28.c 29.b 30.b

31- The normal protein form of prion is designated as

a. PrPc
b. Prnp
c. PrPSc
d. PrPres

32- Which of the following is the prion disease of sheep and goats?

a. Scrapie
b. Cancer
c. Encephalopathy
d. Tumor

33- After receiving a corneal transplant, a woman developed dementia and loss of motor function; she then became comatose and died. Cultures were negative. Serological tests were negative.

Autopsy revealed spongiform degeneration of her brain. She most likely had

a. Rabies
b. tetanus
c. Creutzfeldt- Jakob disease Leprosy
d. botulism

34- A 67-year-old man, who is an avid gardener, presents at an emergency department. He is suffering from spastic paralysis, which began in his right hand and now extends to his jaw muscles. The causative agent of this infection produces a virulence factor with which of the following activities?

a. Overstimulation of T cells with resulting massive release of cytokines
b. Blockage of the release of the neurotransmitter acetylcholine from synaptic vesicles
c. Adenosine diphosphate–ribosylation of EF-2,
d. Blockage of the release of the inhibitory neurotransmitter glycine
e. Glucosylation of Rho-family GTPases

35- GSS is the disease of

a. rats
b. Humans
c. cattle
d. Milk

36- The Creutzfeld-Jacob disease attacks the

a. heart
b. lungs
c. kidney
d. brain

37- Which of the following organisms produces neurotoxin as a virulence factor?

a. Bacillusanthracis
b. Clostridium tetani
c. Streptococcus pneumoniae
d. Staphylococcus aureus

38- Booster immunizations should be given every 10 years to maintain an adequate level of antitoxin to protect against tetanus.

a. True
b. False

39- Patients with botulism are treated with monovalent antitoxin.

a. True
b. False

40- Which type of toxin is tetanus toxin?

a. enterotoxin
b. neurotoxin
c. cytotoxin
d. endotoxin

Answers

31.a. 32.a. 33.c. 34.d 35.b 36.d 37.b 38.a 39.b 40.b

41- Which of the following is a plasmid-encoded toxin?

a. diphtheria toxin
b. botulism toxin
c. tetanus toxin

42- Which of the following microorganism is in canned foods?

a. Mycobacterium tuberculosis

b. Coxiella burnetii
c. Clostridiumbotulinum
d. Lactobacillus

43- Clostridium tetani releases which type of toxins which further cause tetanus?

a. Botulinum toxin
b. Muscarin
c. Dioxin
d. Tetanospasmin

44- Which of the following is the combined vaccine given to children for protection against Tetanus, Whooping cough and Diphtheria?

a. DPTvaccine
b. BCG vaccine
c. TAB vaccine
d. HIB vaccine

45- What is the first sign or symptom of tetanus?

a. Stiffness of neck
b. Swelling in neck
c. Paralysis
d. Numbness in fingers

46- Prion diseases are characterized by the following EXCEPT:

a. Long incubation period
b. Confined to the CNS
c. Progressive cerebellar syndrome
d. Acute onset of disease
e. No evidence of host immune response

47- Specifid/antitoxin is the most important part of treatment in:

a. Gas/ gangrene

b. Tetanus
c. Enteritis necroticans
d. Pseudomembranous dolitis
e. Bacteroides infections

48- Which of the following properties are the characteristics of tetanospasmin?

a. It is a heat-labile protein
b. It is a neurotoxin
c. It can be toxoided
d. All of these

49- Types of exotoxin, most commonly associated with botulism in man, is/are?

a. Type A
b. Type B
c. Type E
d. All of these

50- Clostridium botulinum food poisoning is due to

a. invasion of bacteria in the intestine
b. preformed toxin
c. both (a) and (b)
d. none of the above

Answers

41.c. 42.c. 43.d. 44.a 45.a 46.d 47.b 48.d 49.d 50.b

51- Typical drumstick appearance of bacilli is generally seen in

a. Cperfringens
b. C botulinum

c. C tetani
d. C histolyticum

52- Therapeutic uses of Botulinum toxin include:

a. Blepharospasm (focal dystonia)
b. Strabismus
c. Cervical dystonia
d. Hyperhidrosis
e. Pain management
f. all of the above

53- The diagnosis of tetanus and botulism depends primarily upon the clinical manifestation.

a. True
b. False

54- Growth of C.tetani is completely local (not invasive organism).

a. True
b. False

55- Food poisoning is commonly caused by which species of Clostridium?

a. Clostridium butyricum
b. Clostridium tetani
c. Clostridium perfringes
d. Clostridium botulinum

56- DPT is a combination vaccination.

a. True
b. False

Answers: 51.c. 52.f. 53.a. 54.a 55d. 56.a

5 Infections of Eye & Ear

Previous exams & Formative:

1- As regarding ocular trachoma; choose the wrong answer:

a. This disease is endemic in Egypt
b. The disease is characterized by acute conjunctivitis only and the cornea is not involved
c. It caused by chlamydia trachomatis biovar TRIC, serotype A,B and C
d. Infection is transmitted from eye to eye by fingers, flies
e. None of above

2- All are true about adenoviruses except:

a. It not a latent virus
b. It is transmitted by contract, ingestion and inhalation
c. It is used as a vector in gene therapy
d. It can produce infection in immunocompromised patients
e. It is one of the viral causes of conjunctivitis

3- Adenoviruses are characterized by which of the following:

a. Latent infection
b. Contain ss RNA
c. Have lipid envelope
d. Are antigenic type

1- b 2- a 3- a

Extra:

1- What serotypes of Chlamydia trachomatis is associated with inclusion conjunctivitis seen in adults and neonates?

a. Serotypes D to K
b. Serotypes L1,2 and 3
c. Serotypes A, B, and C
d. Serotypes A and C

2- What type of methods are important laboratory approaches for the diagnosis of genital Chlamydia infections?

a. Specimen culture in McCoy cell tissue culture
b. Direct fluorescent antibody and Enzyme-linked immunoassay
c. Serological tests
d. Nucleic acid amplification test
e. all of the above

3- Which of the following statements are NOT the distinguishing features of the family Chlamydia?

a. They are seen on Gram stain
b. They are obligate intracellular bacteria
c. They cannot make ATP
d. They consist of two forms elementary and reticulate body

4- Regarding Chlamydia Trachomatis, false statement is:

a. Elementary body is metabolically active
b. It is biphasic
c. Reticulate body divides by binary fission
d. Inside the cell it evades phagolysosome

5- Human obligate intracellular pathogens that depend on the host cell for ATP production are:

a. Bacteriophages
b. Mycoplasma species
c. Prions
d. Chlamydia species

6- Lymphogranuloma venereum is caused be Serotypes:

a. L1
b. L2
c. L 3
d. All of the above

7- Trachoma inclusion conjunctivitis has .... Serotypes

a. 15
b. 47
c. 12
d. 32

8- Inclusion conjunctivitis characterized by:

a. Affect adults
b. Involved cornea
c. Healing with scar formation
d. All of the above

9- Which of the following types of adenoviruses induce tumor:

a. 12
b. 18
c. 32
d. All of the above

10- Which of the following Serotypes caused trachoma:

a. A
b. J
c. B
d. both a and c

1- a 2- e 3- a 4- a 5- d 6- d 7- c 8- a 9- d 10- d

CHECK OUR
PLATFORMS

