Respiratory



MCQ

بسم الله الرحمن الرحيم

والصلاة والسلام على خير المرسلين محمد بن عبد الله وعلى آله وصحبه وسلم أما بعد، نقدم بين يديك

ملف أسئلة (Respiratory system)


-	Title	Page
1	Anatomy	3
2	Histology	17
3	Physiology	38
4	Biochemistry	41
5	Microbiology	65
6	Parasitology	86
7	Pathology	89
8	Pharmacology	109

ابدأ مستعيناً بالله وكرر الحل ما استطعت واحرص على وقتك فهو رأس مالك وأغلى ما تملك

حسابات الفريق على منصات التواصل الاجتماعي	
	https://t.me/m3wan0
	https://www.facebook.com/profile.php?id=100086098727519
	www.youtube.com/channel/UC6kkzDhPDOgR3Vjy4SLs03Q

جميع الحقوق محفوظة لفريق معوان

ولا نحلل بيعها بعائد ربحي أو سرقتها بأي شكل من الأشكال


Anatomy

❖ Previous exams

1-	**All the following are true about pleura Except?**
A-	Pleural cavity is a potential space
B-	Cervical pleura is above clavicle
C-	The parietal and visceral pleura are continuous together at the root
D-	Diaphragmatic pleura is supplied by intercostal nerves

2-	**All of the following can distinguish right lung from left lung except?**		
A-	it is longer	B-	it is heavier
C-	it has no cardiac notch	D-	it has 2 fissures

3-	**Which of the following is true about intercostal muscles?**
A-	they are 12 pairs of muscle arise from the Inferior surface of the rib to thesuperior surface of the rib below
B-	the external intercostal muscle is thinner than the anterior intercostal muscle
C-	the direction of fibers of external intercostal muscle is posterio-anterior while that of the internal intercostal muscle is antero-posterior
D-	They are supplied by lateral thoracic nerve

4-	**The first artery of the posterior intercostal arteries arises from?**		
A-	Descending Thoracic aorta	B-	costocervical trunk
C-	internal thoracic artery	D-	Ascending Aorta

5-	**Sensory innervation of larynx above Vocal cords is by?**		
A-	Recurrent laryngeal nerve	B-	Superior laryngeal nerve
C-	Glossopharyngeal nerve	D-	Pharyngeal branch of vagus nerve

6-	**All of the following muscles elevate the larynx except?**						
A-	Sternohyoid	B-	Stylohyoid	C-	Mylohyoid	D-	Digastric

7-	**Which of the following is in the oropharynx?**		
A-	Palatine tonsils	B-	Pharyngeal tonsils
C-	Lingual tonsils	D-	Tubal tonsils

8-	**All of the following open in the middle meatus except?**		
A-	Frontal air sinus	B-	Maxillary air sinus
C-	Anterior ethically air sinus	D-	Sphenoidal air sinus

9-	**Recurrent laryngeal nerve supplies the following laryngeal muscles, Except?**		
A-	Cricothyroid	B-	Posterior cricoarytenoid
C-	Vocalis	D-	Lateral cricoarytenoid

10-	**Opening into the inferior meatus of the nose is for?**		
A-	Frontal air sinus	B-	Nasolacrimal duct
C-	Maxillary air sinus	D-	Sphenoidal air sinus

11-	**Regarding the pharynx, one statement is wrong?**
A-	Starts at level of C3
B-	Palatine tonsil is present in lateral wall of oropharynx
C-	Pharyngeal tonsil lies in the nasopharynx
D-	Eustachian tube opens in the nasopharynx

12-	**Following structures are related to mediastinal surface of right lung Except?**		
A-	Superior vena cava	B-	Inferior vena cava
C-	Right atrium	D-	Arch of aorta

13-	**At the level of the sternal angle?**		
A-	Upper border of left atrium	B-	Bifurcation of pulmonary trunk
C-	Bifurcation of trachea	D-	Formation of superior vena cava

14-	**Regarding costo-diaphragmatic recesses, followings are true, Except?**
A-	Between costal and diaphragmatic pleura
B-	Normally separated by pus in pleural cavity
C-	During inspiration lower margins of lungs descend into it
D-	During expiration lower margins of lungs ascend so that costal and diaphragmatic pleurae come together again

15-	**Regarding pleura followings are true, Except?**
A-	Pulmonary ligament, loose fold hangs down from pleural cuff
B-	Pulmonary ligament allows movement of pulmonary vessels and large bronchi during respiration
C-	Pleural fluid is a small amount of synovial fluid
D-	Pleural fluid allows 2 layers of pleura to move on each other with minimum friction

16-	**Development o diaphragm from the followings, Except?**		
A-	Body wall ectoderm	B-	Pleuro-peritoneal membranes
C-	Dorsal mesentery of the esophagus	D-	Septum transversum

17-	**Not one of congenital anomalies of lung?**		
A-	Hyaline membrane disease	B-	Premature lungs
C-	Ectopic lung lobes	D-	Congenital cysts of the lung

❖ Thoracic wall

18-	**What are the actions of the intrinsic muscles of the thorax?**		
A-	Only depress the ribs	B-	Only elevate the ribs
C-	Depress and elevate the ribs	D-	Lateral movements of the thoracic wall

19-	**What muscles attach on the sternum?**		
A-	Pectoralis minor	B-	The aponeuroses of internal oblique
C-	Anterior scalene muscle	D-	Transversus thoracis (sternocostalis)

20-	**The innervation of the intrinsic muscles of the thorax is done by?**
A-	Posterior rami of the thoracic spinal nerves for all of them
B-	Intercostal nerves for external only
C-	Branches of the anterior rami of the thoracic spinal nerves for all of them
D-	Branches of the posterior rami of the thoracic spinal nerves for all of them
E-	Posterior rami of the thoracic spinal nerves only for levatorescostarum

21-	**What are the characteristics of the intercostals muscles?**
A-	The external intercostals muscles are thinner than the internal intercostals muscles
B-	They are innervated by the lateral thoracic nerve
C-	There are twelve pairs that extend from the inferior margin of one rib to the superior margin of the one inferior to it
D-	There are eleven pairs that extend from the inferior margin of one rib to the superior margin of the one inferior to it
E-	The external intercostals muscles fibbers have a antero-posterior direction while the muscular fibbers of the internal intercostals have a postero-anterior direction

22-	**The body of the sternum has the following features?**
A-	The junction between the body and the xiphoid process, the Louis angle
B-	On the lateral border, there are four articulated facets for the second till the fifth rib
C-	On the lateral border, there are four articulated facets for the third till the sixth rib and a demi facet for articulation with the second rib
D-	The junction between the manubrium and the body, the Louis angle

23-	**What are the features of the first rib?**
A-	It has a superior and inferior surface
B-	It has a superior and inferior border
C-	The superior surface is marked by three grooves
D-	Through the groove located anterior to the scalene tubercle travels the subclavian vein
E-	Both a & d

24-	**What are the features of a typical rib?**
A-	Concave surface facing laterally
B-	Convex surface facing laterally
C-	The head of the rib is located at the level of the sternal end
D-	On the inferior border, there is a groove for the intercostal bundle
E-	Both b & d

25-	**What is the weakest point in the rib?**								
A-	Head	B-	Neck	C-	Angle	D-	Tubercle	E-	Shaft

26-	**Which part of the rib is the most posterior part?**								
A-	Head	B-	Neck	C-	Angle	D-	Tubercle	E-	Shaft

27-	**Which part of the rib is share in costo-transverse joint?**								
A-	Head	B-	Neck	C-	Angle	D-	Tubercle	E-	Shaft

28-	**At level of which of the rib parts , the collateral intercostal nerve arises?**								
A-	Head	B-	Neck	C-	Angle	D-	Tubercle	E-	Shaft

29-	**Which is not true about intercostal nerve?**
A-	It lies above intercostal vessels in the costal groove
B-	It gives a collateral branch
C-	It is anterior primary rami of the corresponding thoracic spinal nerve
D-	Is supply the external intercostal muscle

30-	**Which of the following is not one of the intercostal nerve branches?**				
A-	Muscular branch	B-	Cutaneous (lateral)	C-	Collateral branch
D-	Cutaneous (anterior)	E-	Anterior rami		

31-	**Number of the typical ribs?**								
A-	3 – 9	B-	1-9	C-	1-8	D-	2-8	E-	3-11

32-	**Which of the following ribs do not articulate directly with sternum?**						
A-	5th	B-	6th	C-	7th	D-	8th

33-	**Which of the following is true about 11th & 12th ribs?**		
A-	one articulating facet	B-	No neck
C-	No tubercle	D-	No costo – transverse joint
E-	All the above		

34-	Type of the first costosternal joint (1st rib & the manubrium sterni)?				
A-	Fibrocartilaginous	B-	2ndry cartilaginous	C-	Plane synovial
D-	Pivot	E-	Saddle		

35-	Type of manibriu-sterni & xiphi-sternal joint is?				
A-	Fibrocartilaginous	B-	2ndry cartilaginous	C-	Plane synovial
D-	Pivot	E-	Saddle		

36-	All the following are ligament in vertebral column EXCEPT?		
A-	Anterior longitudinal	B-	Posterior longitudinal
C-	Ligamentum flava	D-	Intra – articular ligament

37-	Origin of upper 6 anterior intercostal artery is?				
A-	Internal mammary artery	B-	Internal thoracic artery	C-	Musculophrenic artery
D-	Both a & c	E-	Both a & b		

38-	Origin of the posterior superior intercostal artery?		
A-	Costocervical trunk	B-	Musculophrenic artery
C-	Internal mammary artery	D-	Descending aorta

39-	Which of the following artery is the artery of epistaxis?		
A-	Spheno-ethmoidal	B-	Greater palatine
C-	Spheno-palatine	D-	Anterior ethmoidal

40-	The right superior intercostal vein is direct drain into?		
A-	Right brachiocephalic vein	B-	Arch of azygous
C-	Superior hemi azygous	D-	Inferior hemi azygous

41-	The left superior intercostal vein is direct drain into?		
A-	left brachiocephalic vein	B-	azygous vein
C-	Superior hemi azygous	D-	Inferior hemi azygous

42-	What is the sensory nerve supply of the diaphragm?				
A-	Phrenic nerve (C3,4,5)	B-	Lower 6 intercostal nerve	C-	Lower 7 intercostal nerve
D-	Both a & b	E-	Both a & c		

43-	Level of aortic opening in diaphragm?						
A-	T10	B-	T8	C-	T12	D-	L1

44-	**Which of the following pass with I.V.C in diaphragm?**				
A-	Left phrenic nerve	B-	Right phrenic nerve	C-	Thoracic duct
D-	Left gastric artery	E-	Azygous vein		

45-	**Which of the following pass with esophagus in diaphragm?**				
A-	Left phrenic nerve	B-	Right phrenic nerve	C-	Thoracic duct
D-	Left gastric artery	E-	Azygous vein		

إِنَّ اللَّهَ سيُخَلِّصُ رجلًا من أمَّتي على رؤوسِ الخلائقِ يومَ القيامةِ فينشُرُ عليهِ تسعةً وتسعينَ سجلًّا ، كلُّ سجلٍّ مثلُ مدِّ البصرِ ثمَّ يقولُ : أتنكرُ من هذا شيئًا ؟ أظلمَكَ كتبتي الحافظونَ ؟ يقولُ: لا يا ربِّ، فيقولُ : أفلَكَ عذرٌ ؟ فيقولُ : لا يا ربِّ ، فيقولُ : بلَى ، إنَّ لَكَ عندَنا حسنةً ، وإنَّهُ لا ظُلمَ عليكَ اليومَ ، فيخرجُ بطاقةٌ فيها أشهدُ أن لا إلَهَ إلَّا اللَّهُ ، وأشهدُ أنَّ محمَّدًا عبدُهُ ورسولُهُ ، فيقولُ : احضُر وزنَكَ فيقولُ يا ربِّ ، ما هذهِ البطاقةُ مع هذهِ السِّجلَّاتِ ؟ فقالَ : فإنَّكَ لا تُظلَمُ ، قالَ : فتوضَعُ السِّجلَّاتُ في كفَّةٍ ، والبطاقةُ في كفَّةٍ فطاشتِ السِّجلَّاتُ وثقُلتِ البطاقةُ ، ولا يثقلُ معَ اسمِ اللَّهِ شيءٌ

الراوي: عبدالله بن عمرو

❖ Airway

46-	Which of the following artery share in blood supply of roof of nasal cavity?				
A-	Anterior sphenoid	B-	Greeter palatine artery	C-	Anterior ethmoidal
D-	Posterior ethmoidal	E-	Both c & d		

47-	Which of the following artery share in blood supply of lower septal nasal cavity?				
A-	Anterior sphenoid	B-	Greeter palatine artery	C-	Anterior ethmoidal
D-	Posterior ethmoidal	E-	Both c & d		

48-	All the following artery are share in littles area EXCEPT?				
A-	Anterior sphenoid	B-	Greeter palatine artery	C-	Anterior ethmoidal
D-	Posterior ethmoidal	E-	Both c & d		

49-	Lymphatic drainage of nostrils?						
A-	Submental	B-	Sublingual	C-	Mandibular	D-	Submandibular

50-	Which of the following share in nasal septa?						
A-	Sphenoid bone	B-	Vomer	C-	Frontal bone	D-	Soft palate

51-	Which of the following open in the middle nasal meatus?				
A-	Frontal sinus	B-	Maxillary sinus	C-	Anterior ethmoidal sinus
D-	Middle ethmoidal	E-	All the above		

52-	Posterior nasal opening called?						
A-	Nostrils	B-	Choanae	C-	Meatus	D-	Conchae

53-	All are single laryngeal cartilage EXCEPT?						
A-	Thyroid	B-	Hyoid	C-	Cricoid	D-	Epiglottis

54-	Which of the following infrahyoid laryngeal muscle?				
A-	Stylopharyngeus	B-	Stylohyoid	C-	Omohyoid
D-	Geniohyoid	E-	Mylohyoid		

55-	Which of the following suprahyoid laryngeal muscle?						
A-	Omohyoid	B-	Sternothyroid	C-	Sternothyroid	D-	Digastric

56-	Which of the following intrinsic laryngeal muscle?		
A-	Stylopharyngeus	B-	Posterior crico-arytenoid
C-	Geniohyoid	D-	Palatopharyngeal

57-	**Which of the following muscle abduct the vocal cords?**		
A-	Stylopharyngeus	B-	Posterior crico-arytenoid
C-	Geniohyoid	D-	Palatopharyngeal

58-	**Which of the following muscle is singing muscle?**		
A-	Posterior crico-arytenoid	B-	Crico-thyroid
C-	Vocalis	D-	Lateral crico-arytenoid

59-	**Which of the following muscle is safety muscle of larynx?**		
A-	Posterior crico-arytenoid	B-	Crico-thyroid
C-	Vocalis	D-	Lateral crico-arytenoid

60-	**What is the lateral border of laryngeal inlet?**		
A-	C3 –C6	B-	Aryepiglottic membrane
C-	Crico-thyroid muscle	D-	Crico-thyroid membrane

61-	**What is the arterial supply below vocal cords?**		
A-	Superior thyroid artery	B-	Middle thyroid artery
C-	Inferior thyroid artery	D-	Laryngeal artery

62-	**What is the sensory nerve supply above the vocal cord?**		
A-	Internal laryngeal nerve	B-	External laryngeal nerve
C-	recurrent laryngeal nerve	D-	All the above

63-	**Lateral boundary of preforms fossa?**		
A-	Aryepiglottic fold	B-	Thyro-hyoid membrane
C-	Cricoid cartilage	D-	None of the above

64-	**What is the nerve supply of the crico-thyroid muscle?**		
A-	Internal laryngeal nerve	B-	External laryngeal nerve
C-	recurrent laryngeal nerve	D-	Glossopharyngeal neve

65-	**Termination of trachea at level of?**						
A-	Sternal angle	B-	T4	C-	C6	D-	Both a & b

66-	**Parasympathetic nerve supply of trachea is through?**		
A-	Recurrent laryngeal nerve	B-	External laryngeal nerve
C-	Sympathetic chained	D-	All the above

❖ Lung

67-	All the following are mediastinal structures in right lung EXCEPT?						
A-	I.V.C	B-	S.V.C	C-	Esophagus	D-	Aortic arch

68-	All the following are mediastinal structures in left lung EXCEPT?		
A-	Aortic arch	B-	I.V.C
C-	Left subclavian artery	D-	Esophagus

69-	Which nerve pass anterior to lung helium?		
A-	Vagus	B-	Recurrent laryngeal
C-	Phrenic	D-	External laryngeal

70-	What is the most superior structure in the right lung hilum?		
A-	Right main bronchus	B-	Pulmonary artery
C-	Superior lobar bronchus	D-	Superior pulmonary vein

71-	What is the most superior structure in the left lung hilum?		
A-	Right main bronchus	B-	Pulmonary artery
C-	Superior lobar bronchus	D-	Superior pulmonary vein

72-	All the following about right lung is true EXCEPT?						
A-	Wider	B-	Larger	C-	Shorter	D-	2 lobes

73-	Blood supply of right lung arise from?		
A-	2 bronchial artery from descending aorta	B-	2nd posterior intercostal artery
C-	3rd posterior intercostal artery	D-	Superior intercostal artery

74-	Veinous drainage of left lung is through?		
A-	2 left bronchial vein to superior hemiazygos	B-	Left Superior intercostal vein
C-	Both a & b	D-	None of the above

75-	The sympathetic nerve supply of the lung & visceral pleura is through?		
A-	Upper 4 thoracic spinal nerve	B-	L2 – L5
C-	Vagus	D-	Upper 5 thoracic spinal nerve

76-	All are points of surface anatomy of right lung EXCEPT?		
A-	1st point = one inch above clavicle	B-	2nd point = at sternal angle
C-	3rd point = at level of 4th costal cartilage	D-	4th point = at level of 8th costal cartilage

77-	**All are points of surface anatomy of right lung EXCEPT?**		
A-	3rd point = at level of 4th costal cartilage	B-	4th point = at level of 6th costal cartilage
C-	5th point – at level of T6 spine	D-	7th point = at level of T10 spine

78-	**What are the main features of the right lung?**
A-	It is structured in two lobes
B-	It is structured in three lobes
C-	Two fissures are visible on its surface: oblique (separates the inferior from the middle lobes) and horizontal (separated the superior from the inferior lobe)
D-	Three fissures are visible on its surface
E-	The hilum is located on its lateral surface

79-	**What are the main features of the left lung?**
A-	It is structured in two lobes
B-	It is structured in three lobes
C-	It has only one fissure, the oblique one, it separates the superior from the inferior lobe
D-	The hilum is located on its lateral surface
E-	Both a & c

80-	**What impressions can we find on the mediastinal surface of the right lung?**		
A-	The groove of the arch of the aorta	B-	Cardiac impression
C-	The groove for the subclavian artery	D-	The groove for the brachiocephalic vein
E-	Both b & d		

81-	**All these impressions can we find on the mediastinal surface of the left lung EXCEPT?**		
A-	The groove of the azygos vein arch	B-	The groove for the subclavian artery
C-	Cardiac impression	D-	The groove of the esophagus

82-	**Name the different regions of the parietal pleura?**				
A-	Costal pleura	B-	Mediastinal pleura	C-	Diaphragmatic pleura
D-	Cervical pleura	E-	All the above		

83-	**Nerve supply of parietal pleura?**				
A-	Phrenic nerve	B-	Intercostal nerve	C-	Vagus
D-	Both a & b	E-	Both b & c		

84-	**What is the beginning of the thoracic duct?**		
A-	Cisterna chyli	B-	Left innominate vein
C-	Left subclavian vein	D-	Both a & b

85-	Thoracic duct drains the lymph from all body part EXCEPT?		
A-	Right upper limb	B-	Right side of head & neck
C-	Right side of the thorax	D-	All the above

86-	What is pleural cavity?
A-	A virtual space between the inner thoracic wall and pleura
B-	Being a virtual space is an empty space
C-	A virtual space filled up with a large quantity of fluid
D-	A virtual space filled up with a small quantity of fluid
E-	The thoracic cavity has two pleural sacs

87-	Name the characteristics of the right pulmonary veins?
A-	Three main pulmonary veins exit the pulmonary parenchyma, each from the corresponding lobe, the superior and middle one usually joins and form a common trunk
B-	two main veins exit the hila of the right lung and drain blood inside the left atrium
C-	two main veins exit the hila of the right lung and drain blood inside the right atrium
D-	The right superior pulmonary vein is located anterior and superior in regard with the right pulmonary artery
E-	At the level of the hila the right pulmonary vein is the most inferior structure

لا يُصنع الأبطال إلا *** في مساجدنا الفساح

في روضة القرآن، في *** ظل الأحاديث الصحاح

شعبٌ بغير عقيدةٍ *** ورقٌ تذريّه الرياح

من خان حيَّ على الصلاة *** يخون حيَّ على الكفاح

❖ Embryology

88-	**Which of the following is the first sign of development of the respiratory system?**		
A-	Primitive foregut	B-	Hypobranchial eminence
C-	Tracheoesophageal fistula	D-	Laryngotracheal (respiratory) diverticulum

89-	**Trachea is lined with pseudostratified columnar ciliated epithelium derived from which of the following?**		
A-	Ectoderm	B-	Endoderm
C-	Visceral mesoderm	D-	Mesoderm of the 4th and 6th aortic arches

90-	**At which stage respiratory bronchioles & alveolar ducts developed?**						
A-	Pseudoglandular	B-	Canalicular	C-	Termina sac	D-	Alveolar period

91-	**At which stage capillary of respiratory system developed?**						
A-	Pseudoglandular	B-	Canalicular	C-	Terminal sac	D-	Alveolar period

92-	**At which stage terminal sac (primitive alveoli) developed?**		
A-	5 – 16th week	B-	16 – 26th week
C-	26 – birth	D-	8th month – childhood

93-	**At which stage respiratory bronchioles & alveolar ducts developed?**		
A-	5 – 16th week	B-	16 – 26th week
C-	26 – birth	D-	8th month – childhood

94-	**At which stage respiratory capillary endothelial matured?**		
A-	5 – 16th week	B-	16 – 26th week
C-	26 – birth	D-	8th month – childhood


95-	**Primary site of diaphragm?**						
A-	Neck	B-	thorax	C-	Abdomen	D-	Back

96-	**Diaphragmatic hernia is more common in which side?**						
A-	Left	B-	Right	C-	Both a & b	D-	Superior

ANSWERS – Anatomy									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
D	A	C	B	B	A	A	D	A	B
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
A	D	C	B	C	A	A&B	C	D	C
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
D	D	E	E	C	A	D	C	A	E
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**
A	D	E	A	B	D	E	A	C	B
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
A	E	C	B	D	E	B	D	D	E
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
E	B	B	C	D	B	B	C	A	B
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
C	A	B	B	D	A	D	B	C	C
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
D	D	C	C	D	D	C	B	E	E
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
A	E	D	A	D	D	B	D	B	B
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
C	C	B	D	A	A	-	-	-	-

يقول ابن القيم – رحمه الله تعالي –:

فما أذنب عبد ذنبًا إلا نزالت عنه نعمة من الله بحسب ذلك الذنب، فإن تاب وراجع رجعت إليه أو مثلها، وإن أصر لم ترجع إليه، ولا تزال الذنوب تزيل عنه نعمه حتى تسلب النعم كلها، قال الله تعالى: ﴿إِنَّ اللَّهَ لَا يُغَيِّرُ مَا بِقَوْمٍ حَتَّى يُغَيِّرُوا مَا بِأَنفُسِهِمْ﴾ [الرعد: ١١]


Histology

❖ Previous exams

1-	**Which one of the following is lined by respiratory epithelium?**						
A-	Nasopharynx	B-	Vestibule	C-	Vocal cords	D-	Oropharynx

2-	**What are Heart failure cells?**		
A-	Cells with phagocytosed particles	B-	progenitor cells for type I and II pneumocytes
C-	present in blood air barrier	D-	Secrete surfactant like substance

3-	**Septal cell is called?**		
A-	Great alveolar cell	B-	Dust cell
C-	Type I pneumocyte	D-	Clara cell

4-	**Which of the following is hyaline cartilage?**		
A-	Epiglottis and thyroid	B-	Thyroid & cricoid
C-	Cricoid and corniculate	D-	Asteroid & corniculate

5-	**Which structure is part of the respiratory portion of the airway?**				
A-	Bronchi	B-	Trachea	C-	Terminal bronchioles
D-	Alveolar sacs	E-	Extrapulmonary bronchus		

6-	**What type of epithelium lines the nasal vestibule?**
A-	Simple squamous epithelium
B-	Simple columnar epithelium
C-	Stratified squamous epithelium
D-	Ciliated pseudostratified epithelium with goblet cells
E-	Transitional epithelium

7-	**which structure is a part of the conductive portion of respiratory system?**				
A-	Alveolar duct	B-	Alveoli	C-	Alveolar sac
D-	Respiratory bronchiole	E-	Terminal bronchiole		

8-	**Which cell is a respiratory macrophage?**				
A-	Kupffer cells	B-	Histiocyte	C-	Dust cell
D-	Langerhans cell	E-	Microglia		

9-	**The olfactory epithelium contains the following cells?**						
A-	Clara cells	B-	Goblet cells	C-	Brush cells	D-	Septal cells

10-	**The true vocal cords are covered by?**		
A-	Olfactory epithelium	B-	Respiratory epithelium
C-	Stratified squamous epithelium	D-	Simple squamous epithelium

11-	**Goblet cells are present in?**		
A-	Alveolar duct	B-	Bronchi
C-	Oropharynx	D-	Respiratory bronchioles

12-	**Which of the following is considered as part of conducting system within the lung?**		
A-	alveoli	B-	terminal bronchioles
C-	main bronchi	D-	all of the above

13-	**The bony chonchae is lined by?**		
A-	stratified epithelium	B-	respiratory epithelium
C-	olfactory epithelium	D-	b&c

14-	**which of the following statements is true?**
A-	the portion above vocal cords is lined by respiratory epithelium
B-	the vocal cords and the whole epiglottis are lined by stratified non keratinized epithelium
C-	the portion below the vocal cords is lined by respiratory epithelium
D-	no answer

15-	**all of the following are considered as hyaline cartilages except?**						
A-	thyroid	B-	cricoid	C-	arytenoid	D-	none of the above

16-	**Mixed glands of primary bronchi found on?**		
A-	lamina propria	B-	submucosa
C-	between cartilage layer and adventitia	D-	adventitia

17-	**which of the following structures is shared between intra-pulmonary bronchi and bronchioles?**						
A-	goblet cells	B-	clara cells	C-	bronchial glands	D-	muscle fibers

18-	**which of the following secrete surfactant?**		
A-	type2 pneumocytes	B-	clara cells
C-	type1 pneumocytes	D-	a&b

19-	**characteristic feature of great alveolar cells is that?**		
A-	possess 97% of epithelial cells	B-	contain pinocytotic vesicles
C-	can divide	D-	none of the above

20-	**Lamellar bodies are present in?**				
A-	Type I alveolar cells	B-	Alveolar macrophages	C-	Clara cells
D-	Type II alveolar cells	E-	Capillary endothelial cells		

21-	**The pleura is?**
A-	lined by stratified squamous non-keratinized epithelium
B-	A mucous membrane
C-	Lined with mesothelium
D-	Composed of visceral layer only
E-	Composed of pariet

22-	**Which cell is a type of neuron?**		
A-	Hasal cells	B-	Brush cells
C-	Olfactory cells	D-	Sustentacular cells

23-	**Type I pneumocytes are?**
A-	Full of pinocytic vesicles
B-	Dome-shaped project into the lumen of the alveolus
C-	Contain membrane-bound lamellar bodies
D-	None of the above

24-	**Which cartilage of the larynx is made of elastic cartilage?**		
A-	Thyroid cartilage	B-	Cricoid cartilage
C-	Corniculate cartilage	D-	All the above

25-	**Which of the following is a part of the respiratory portion?**		
A-	Trachea	B-	Larynx
C-	Terminal bronchioles	D-	Respiratory bronchioles

26-	**What cell types are found in the respiratory mucosa?**						
A-	Ciliated cells	B-	Goblet cells	C-	Brush cells	D-	All the above

27-	**Paranasal sinuses are lined by?**		
A-	Stratified squamous epithelium	B-	Olfactory epithelium
C-	Respiratory epithelium	D-	Simple squamous epithelium

28-	**Interalveolar septum contains the following cells?**
A-	Type 1 and 2 alveolar cells
B-	Endothelial cells
C-	Interstitial cells, including fibroblast and mast cells
D-	All of the above

29-	**Cell undergo mitosis as progenitors for type I and type II pneumocytes?**		
A-	Pneumocyte type 1	B-	Pneumocyte type 2
C-	Alveolar endothelial	D-	Alveolar macrophages

30-	**Podocyte is?**		
A-	epithelial cell	B-	lines the visceral layer of Bowman's capsule
C-	non branched cell	D-	a & b

31-	**Medullary rays represent?**						
A-	Collecting tubules	B-	Collecting ducts	C-	Distal tubules	D-	Loop of Henel

32-	**Regarding EM characters of proximal convoluted tubule, which is wrong?**		
A-	No apical microvilli	B-	Numerous apical microvilli
C-	Basal infoldings	D-	Basal mitochondria

33-	**Brush cells present in?**						
A-	Alveoli	B-	oral cavity	C-	Alveolar duct	D-	tracheal mucosa

34-	**Alveolar duct?**		
A-	Lined by low cuboidal cells	B-	Surrounded by smooth muscle fibers
C-	Arise from terminal bronchioles	D-	Lined by tall columnar cells

35-	**Surfactant secreting cell?**		
A-	Pneumocyte type 1	B-	Goblet cells
C-	Brush cells	D-	Pneumocyte type 2

36-	**The Nasopharynx is lined by?**		
A-	Stratified squamous epithelium	B-	Olfactory epithelium
C-	Respiratory epithelium	D-	Simple cuboidal epithelium

37-	**Which epithelial cell surface specialization is used to move mucous and particles along the surface?**				
A-	Cilia	B-	stereocilia	C-	Desmosomes
D-	Microvilli	E-	villi		

38-	**Pseudostratified columnar, ciliated epithelium is found lining?**		
A-	the nasal cavity	B-	crypts of pharyngeal tonsils
C-	Bronchi	D-	Trachea
E-	all the above		

39-	**The cell type in the olfactory epithelium whose nuclei are most apically is the?**				
A-	olfactory receptor cell	B-	goblet cell	C-	sustentacular cell
D-	Clara cell	E-	basal cell		

40-	**The most numerous cell type in the olfactory epithelium, whose nuclei are at several levels in the upper portion of the epithelium, is the?**				
A-	olfactory receptor cell	B-	goblet cell	C-	sustentacular cell
D-	Clara cell	E-	basal cell		

41-	**Olfactory receptor cells?**
A-	have several extremely long cilia (olfactory vesicle)
B-	can be replaced by basal cell division, when worn out or damaged
C-	nerve cells with axons extending through basement membrane into the olfactory nerve
D-	are supported by sustentacular cells
E-	all of the above

42-	**Nasal mucosa includes?**		
A-	pseudostratified, ciliated columnar epithelium	B-	lamina propria
C-	seromucous glands	D-	venous plexuses
E-	all of the above		

43-	**Small Sero-mucous glands may be found in the mucosa of the?**				
A-	nasal cavity	B-	nasal sinuses	C-	Trachea
D-	Bronchi	E-	all of the above		

44-	**In which of the following are goblet cells most frequent?**
A-	Trachea
B-	Bronchus
C-	Bronchiole
D-	alveolus
E-	The frequency of goblet cells in each of the above is about equal

45-	**As respiratory passages branch from trachea to bronchioles, the epithelium gradually changes from?**
A-	simple squamous to ciliated pseudostratified columnar
B-	simple columnar to simple squamous
C-	simple cuboidal to simple columnar
D-	stratified squamous to simple squamous
E-	ciliated, pseudostratified columnar to simple cuboidal

46-	**Simple squamous epithelium lines the?**		
A-	nasal cavities	B-	crypts of pharyngeal tonsils
C-	Bronchi	D-	trachea
E-	Alveoli		

47-	**Alveolar type I cells are?**
A-	cuboidal cells that secrete surfactant
B-	squamous cells involved in gas exchange
C-	ciliated cells that move mucous
D-	columnar cells that secrete mucous
E-	amoeboid, phagocytic cells that clean the alveolar surface

48-	**Alveolar type II cells are?**
A-	cuboidal cells that secrete surfactant
B-	squamous cells involved in gas exchange
C-	ciliated cells that move mucous
D-	columnar cells that secrete mucous
E-	amoeboid, phagocytic cells that clean the alveolar surface

49-	**Alveolar dust cells (macrophages) are?**		
A-	cuboidal cells that secrete surfactant	B-	squamous cells involved in gas exchange
C-	ciliated cells that move mucous	D-	columnar cells that secrete mucous
E-	amoeboid that clean the alveolar surface		

50-	**The entire alveolar wall or septum (separating adjacent alveoli) consists of?**		
A-	surface epithelium	B-	blood vessels
C-	connective tissue	D-	all of the above

51-	**Non-ciliated cuboidal cells in bronchiole epithelium that are thought to be involved in glycoprotein secretion are called?**				
A-	chief cells	B-	club cells (Clara)	C-	goblet cells
D-	basal cells	E-	Type I cells		

52-	**The lining of the pleural cavity is?**		
A-	Endothelium	B-	Mesothelium
C-	pseudostratified columnar epithelium	D-	type I pneumocytes
E-	type II pneumocytes		

53-	C-shaped rings that form the framework of the trachea and help keep it open are composed of
A-	Bone
B-	fibro-elastic tissue
C-	trachealis muscle
D-	skeletal muscle
E-	hyaline cartilage

54-	**Which of the following is devoid of hyaline cartilage?**				
A-	Trachea	B-	Bronchus	C-	Larynx
D-	bronchiole	E-	None of the above		

قَالَ رَسُولَ اللَّهِ صَلَّى اللهُ عليه وسلَّمَ: مَن أَنْفَقَ زَوْجَيْنِ فِي سَبِيلِ اللَّهِ، نُودِيَ مِن أَبْوَابِ الجَنَّةِ: يا عَبْدَ اللَّهِ هذا خَيْرٌ، فَمَن كَانَ مِن أَهْلِ الصَّلَاةِ دُعِيَ مِن بَابِ الصَّلَاةِ، ومَن كَانَ مِن أَهْلِ الجِهَادِ دُعِيَ مِن بَابِ الجِهَادِ، ومَن كَانَ مِن أَهْلِ الصِّيَامِ دُعِيَ مِن بَابِ الرَّيَّانِ، ومَن كَانَ مِن أَهْلِ الصَّدَقَةِ دُعِيَ مِن بَابِ الصَّدَقَةِ، فَقالَ أبو بَكْرٍ رَضِيَ اللَّهُ عَنْهُ: بأَبِي أَنْتَ وأُمِّي يا رَسولَ اللَّهِ ما علَى مَن دُعِيَ مِن تلكَ الأَبْوَابِ مِن ضَرُورَةٍ، فَهلْ يُدْعَى أَحَدٌ مِن تلكَ الأَبْوَابِ كُلِّهَا، قالَ: نَعَمْ وأَرْجُو أَنْ تَكُونَ منهمْ.

الراوي: أبو هريرة

❖ General feature of mucosa

55-	**Respiratory epithelium is?**
A-	Simple squamous
B-	Simple columnar
C-	Simple columnar ciliated
D-	Pseudostratified columnar
E-	Pseudostratified columnar ciliated with goblet cells

56-	**How many cell types lining the respiratory epithelium?**								
A-	One	B-	Two	C-	Three	D-	Four	E-	Five

57-	**All of the following cells share in the respiratory lining epithelium EXCEPT?**				
A-	Goblet	B-	Basal	C-	Kulchitsky (DNES)
D-	Chief	E-	Brush		

58-	**Which of the following cells of respiratory epithelium can differentiate into another type of cells?**				
A-	Goblet	B-	Basal	C-	Kulchitsky
D-	Ciliated columnar	E-	Brush		

59-	**Which of the following cells of respiratory epithelium are mitotically active?**				
A-	Goblet	B-	Basal	C-	Kulchitsky
D-	Ciliated columnar	E-	Brush		

60-	**Which of the following cells of respiratory epithelium lie on the basal lamina and don't reach the surface?**				
A-	Goblet	B-	Basal	C-	Kulchitsky
D-	Ciliated columnar	E-	Brush		

61-	**Which of the following cells of respiratory epithelium act as chemosensory receptor?**				
A-	Goblet	B-	Basal	C-	Kulchitsky
D-	Ciliated columnar	E-	Brush		

62-	**Which of the following cells of respiratory epithelium are hormone secreting cells?**		
A-	Goblet	B-	Basal
C-	Kulchitsky (APUD)	D-	Ciliated columnar

63-	**Which of the following is considered a function of ciliated columnar cells of respiratory epithelium?**		
A-	Expel mucus and dust particles	B-	Secrete mucin
C-	Secrete serotonin	D-	Secrete gastrin-releasing peptide
E-	Chemoreceptors		

64-	The histological structure of respiratory columnar cells is characterized by which of the following?		
A-	Apical cilia	B-	Apical microvilli
C-	Apical membrane bound granules	D-	Basal secretory granules
E-	Their bases are related to nerve fibers		

65-	structure of respiratory goblet cells is characterized by which of the following?		
A-	Apical cilia	B-	Abundant apical microvilli
C-	Apical membrane bound granules	D-	Basal secretory granules
E-	Their bases are related to nerve fibers		

66-	Which of the following cells are characterized by the presence of apical membrane bounded granules?				
A-	Basal	B-	Goblet	C-	Kulchitsky
D-	Ciliated columnar	E-	Brush		

67-	Both of the following cells in the respiratory epithelial lining are characterized by the presence of basal afferent nerve fibers?				
A-	Basal & Goblet	B-	Goblet & ciliated columnar	C-	Kulchitsky & brush
D-	Ciliated columnar & basal	E-	Brush & basal		

يقول الرَّبّ تبارك وتعالى: «وعِزَّتِي وجَلالِي، لا يَكُونُ عَبْدٌ مِن عَبِيدِي عَلى ما أُحِبُّ، ثُمَّ يَنْتَقِلُ عَنْهُ إلى ما أكْرَهُ، إلّا انْتَقَلْتُ لَهُ مِمّا يُحِبُّ إلى ما يَكْرَهُ، ولا يَكُونُ عَبْدٌ مِن عَبِيدِي عَلى ما أكْرَهُ، فَيَنْتَقِلُ عَنْهُ إلى ما أُحِبُّ، إلّا انْتَقَلْتُ لَهُ مِمّا يَكْرَهُ إلى ما يُحِبُّ» .

❖ Conducting portion

68-	The lining epithelium of the vestibule of the nose is?		
A-	Stratified squamous keratinized	B-	Stratified squamous non keratinized
C-	Simple columnar ciliated	D-	Stratified columnar
E-	Pseudostratified columnar		

69-	The lining of the vestibule of the nose is?		
A-	Modified thin skin	B-	Stratified squamous non keratinized
C-	Simple columnar ciliated	D-	Stratified columnar
E-	Pseudostratified columnar		

70-	Which of the following structures is responsible for filtration of the inspired air in the vestibule?				
A-	Cilia	B-	Stereocilia	C-	Microvilli
D-	Stiff hairs (vibrase)	E-	Macrophages		

71-	At which site within the nose, the stratified squamous keratinized epithelium undergoes a transition to pseudo-stratified columnar ciliated with goblet cells?		
A-	Begging of the vestibule	B-	Middle part of the vestibule
C-	End of the vestibule	D-	Respiratory area of the nasal fossae
E-	Olfactory area of the nasal fossae		

72-	The olfactory epithelium is located at which of the following sites?		
A-	Anterior portion of the nasal cavity	B-	Vestibule
C-	Superior conchae	D-	Middle conchae

73-	The lamina propria of the mucous membrane of olfactory area most characterized by?		
A-	Highly vascularized	B-	Thin
C-	Contains Bowman's glands	D-	Contains mucus glands
E-	Being loose areolar connective tissue		

74-	Sustentacular cells of the olfactory epithelium is characterized by?
A-	Being bipolar nerve cell type
B-	Cytoplasmic yellowish pigments
C-	Capability of differentiation
D-	Ciliated
E-	Binding with adjacent olfactory cells by gap junctions

75-	olfactory cells of the olfactory epithelium are characterized by?
A-	Being bipolar nerve cell type
B-	Cytoplasmic yellowish pigments
C-	Capability of differentiation
D-	Ciliated
E-	Binding with adjacent olfactory cells by gap junctions

76-	Basal cells of the olfactory epithelium are characterized by?
A-	Being bipolar nerve cell type
B-	Cytoplasmic yellowish pigments
C-	Capability of differentiation
D-	Ciliated
E-	Binding with adjacent olfactory cells by junctions

77-	Sustentacular cells are characterized by which of the followings?
A-	Have narrow apices and broad bases
B-	They are ciliated
C-	bound with adjacent cells by junctional complex
D-	cytoplasm contains secretory granules
E-	Their free surfaces are covered with mucus film

78-	Olfactory neurons can be replaced postnatally?		
A-	TRUE	B-	FALSE

79-	The lining epithelium of superior conchae is?		
A-	Stratified squamous keratinized	B-	Stratified squamous non keratinized
C-	Stratified columnar	D-	Olfactory epithelium
E-	Respiratory epithelium		

80-	Which of the following structures in the nose is responsible for clearing olfactory cilia?				
A-	Bowman's glands	B-	Swell bodies	C-	Yellowish pigments
D-	Olfactory vesicles	E-	Olfactory bulb		

81-	Coarse (big) particles of dust trapped by which of the following structures in the nose?		
A-	Hairs of the vestibule	B-	Mucus secreted by goblet cells
C-	Combined muco-serous secretions	D-	Venous plexus
E-	Bowman's gland secretion		

82-	Fine particles of dust are trapped by which of the following structures in the nose?		
A-	Hairs of the vestibule	B-	Mucus secreted by goblet cells
C-	Combined muco-serous secretions	D-	Venous plexus
E-	Bowman's gland secretion		

❖ Paranasal sinuses, Nasopharynx, larynx

83-	**Which of the following is Not considered one of the paranasal sinuses?**								
A-	Ethmoidal	B-	Frontal	C-	Dural	D-	Maxillary	E-	Sphenoidal

84-	**Which of the following is the lining epithelium of the paranasal sinuses?**
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with few goblet cells

85-	**A young boy suffered from a runny, stuffy nose that lasts more than a week, headache, bad breath, and thick green mucus draining from your nose or down the back of your throat (postnasal drip) , what is the diagnosis?**								
A-	Tonsillitis	B-	Sinusitis	C-	Bronchitis	D-	Adenoids	E-	Laryngitis

86-	**Which of the following is the lining epithelium of the nasopharynx?**
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with few goblet cells

87-	**Which of the following is the lining epithelium of the larynx?**
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

88-	**Which type of the following epithelia lines the true vocal cords?**
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

89-	Which type of the following epithelia lines the lingual (anterior) surface of epiglottis?
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

90-	Which of the following laryngeal cartilages is considered a hyaline cartilage?				
A-	Epiglottis	B-	Corniculate	C-	Cuneiform
D-	Cricoid	E-	Tip of arytenoids		

91-	Which of the following laryngeal cartilages is considered an elastic cartilage?		
A-	Epiglottis	B-	
C-	shaped cartilage of trachea	D-	Thyroid
E-	Cricoid	F-	Arytenoids except their tips

92-	Which type of epithelium covers the upper part of the laryngeal surface of epiglottis?
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

93-	Which type of epithelium covers the basal part of the laryngeal surface of epiglottis?
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

94-	Which type of epithelium covers the false vocal cords?
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

﴿الَّذِينَ آمَنُوا وَتَطْمَئِنُّ قُلُوبُهُمْ بِذِكْرِ اللَّهِ أَلَا بِذِكْرِ اللَّهِ تَطْمَئِنُّ الْقُلُوبُ﴾

❖ Trachea

95-	**Which of the following structures is responsible for keeping lumen of trachea open?**		
A-	Mucus glands	B-	C-shaped Rings of hyaline cartilage
C-	Trachealis muscle	D-	Fibroelastic ligament
E-	Respiratory epithelium		

96-	**Which of the following is the lining epithelium of the trachea?**
A-	Stratified squamous keratinized
B-	Stratified squamous non keratinized
C-	Pseudo-stratified columnar
D-	Pseudo-stratified columnar ciliated
E-	Pseudo-stratified columnar ciliated with goblet cells

97-	**Which of the following glands are present in the submucosa of the trachea?**				
A-	Serous	B-	Mucous	C-	Muco-serous
D-	Endocrinal	E-	Sebaceous		

98-	**C shaped rings present in the trachea is considered?**		
A-	elastic lamina	B-	elastic cartilage
C-	fibro-elastic connective tissue	D-	hyaline cartilage
E-	Fibrocartilage		

99-	**Intrapulmonary bronchus differs from trachea in which of the following?**		
A-	Wider lumen	B-	Epithelium is rich in goblet cells
C-	Mucosa heavily folded	D-	Lymphocytes
E-	Elastic fibers		

100-	**Which of the following glands are present in the adventitia of the intra-pulmonary bronchus?**				
A-	Serous	B-	Mucous	C-	Sero-mucous
D-	Endocrinal	E-	Sebaceous		

101-	**Which part of the respiratory tract epithelium have Club (CLARA) cells?**				
A-	Trachea	B-	Bronchus	C-	Large bronchioles
D-	Small bronchioles	E-	Alveoli		

102-	**Last part of the conducting system of respiratory tract is the?**				
A-	Bronchus	B-	Large bronchioles	C-	Small bronchioles
D-	Terminal bronchioles	E-	Alveolar sacs		

103-	Which of the following types of epithelium lines terminal bronchioles?
A-	Pseudo-stratified columnar ciliated
B-	Pseudo-stratified columnar ciliated with goblet cells
C-	Simple columnar ciliated
D-	Simple columnar partially ciliated with club cells
E-	Simple cuboidal ciliated with non-ciliated club cells

104-	All the following features characterizes Clara cells EXCEPT?		
A-	Tall dome shaped cells	B-	Non ciliated
C-	Numerous mitochondria	D-	Basal electron dense granules
E-	Blunt microvilli		

105-	Exocrine bronchiolar cells (CLARA - CLUB) are characterized by?				
A-	Cilia	B-	Apical secretory granules	C-	Few Golgi apparatus
D-	Few mitochondria	E-	Absent SER		

106-	Which of the following cells prevent collapse of bronchioles?								
A-	Brush	B-	Goblet	C-	Clara	D-	Kulchitsky	E-	Basal

107-	Which of the followings is considered a part of the conducting portion of the respiratory system?				
A-	Respiratory bronchioles	B-	Terminal bronchioles	C-	Alveolar ducts
D-	Alveolar sacs	E-	Alveoli		

108-	All the followings are parts of respiratory portion of the respiratory system EXCEPT?				
A-	Terminal bronchioles	B-	Respiratory bronchioles	C-	Alveolar ducts
D-	Alveolar sacs	E-	Alveoli		

109-	Which of the followings structures is considered a part of the respiratory portion of the respiratory system?				
A-	Terminal bronchioles	B-	Trachea	C-	Bronchi
D-	Large bronchioles	E-	Alveolar duct		

110-	Which the following structure's epithelium resemble those of the terminal bronchioles?				
A-	Alveolar sacs	B-	Alveolar duct	C-	Respiratory bronchioles
D-	Trachea	E-	Bronchi		

قَالَ الْحَسَنُ الْبَصْرِيُّ: هَانُوا عَلَيْهِ فَعَصَوْهُ، وَلَوْ عَزُّوا عَلَيْهِ لَعَصَمَهُمْ، وَإِذَا هَانَ الْعَبْدُ عَلَى اللَّهِ لَمْ يُكْرِمْهُ أَحَدٌ، كَمَا قَالَ اللَّهُ تَعَالَى: ﴿وَمَنْ يُهِنِ اللَّهُ فَمَا لَهُ مِنْ مُكْرِمٍ﴾

111-	**The terminal bronchioles resemble respiratory bronchioles in all the followings EXCEPT?**
A-	Lined by simple cuboidal ciliated epithelium
B-	Club cells are present among their lining epithelium
C-	Presence of elastic fibers in the lamina propria
D-	Presence of smooth muscle fibers in the lamina propria
E-	Alveoli open in its wall

112-	**Between which of the following structures the alveolar ducts are located?**		
A-	Alveolar sacs & alveoli	B-	Respiratory bronchioles & Alveolar sacs
C-	Terminal & respiratory bronchioles	D-	Terminal bronchioles & alveolar sacs
E-	Terminal & small bronchioles		

113-	**The alveolar ducts are lined by which of the following types of epithelium?**
A-	Simple squamous
B-	Simple cubical
C-	Simple columnar ciliated
D-	Pseudo stratified columnar ciliated
E-	Pseudo stratified columnar ciliated with goblet cells

114-	**Which of the following fibers is responsible for expansion and recoil of the alveoli?**				
A-	Collagen	B-	Reticular	C-	Elastic
D-	Smooth muscles	E-	Skeletal muscles		

115-	**The alveolar sacs are lined by which of the following types of epithelium?**
A-	Simple squamous
B-	Simple cubical
C-	Simple columnar ciliated
D-	Pseudo stratified columnar ciliated
E-	Pseudo stratified columnar ciliated with goblet cells

116-	**Which of the following structures is considered the basic structural and functional unit of gas exchange in the lung?**				
A-	Alveolar sacs	B-	Alveolar duct	C-	Respiratory bronchioles
D-	Alveoli	E-	Bronchi		

117-	**Which of the following types of epithelium best describes the lining epithelium of the functional unit of gas exchange in the lung?**								
A-	Olfactory	B-	Respiratory	C-	Glandular	D-	Neuro	E-	Alveolar

118-	Interalveolar septa is located between which of the following structures?				
A-	Alveolar sacs	B-	Alveolar duct	C-	Alveoli's
D-	Respiratory bronchioles	E-	Terminal bronchioles		

119-	Between which of the following structures the interalveolar septa are located?		
A-	Adjacent Alveoli	B-	Alveoli & Alveolar sacs
C-	Alveoli & respiratory bronchioles	D-	Alveolar sacs & respiratory bronchioles

120-	The type I pneumocytes belong to which of the following epithelial types?		
A-	Simple squamous	B-	Simple cuboidal
C-	Simple columnar	D-	Pseudostratified columnar
E-	Pseudostratified columnar ciliated		

121-	Which of the following types of epithelium constitute most of the alveolar epithelium?		
A-	Simple squamous	B-	Simple cuboidal
C-	Simple columnar	D-	Pseudostratified columnar
E-	Pseudostratified columnar ciliated		

122-	Which of the following cells are responsible for gas exchange in the lung?				
A-	Type I pneumocytes	B-	Type II pneumocytes	C-	Clara cells
D-	Brush cells	E-	Ciliated cells		

123-	Which of the following types of epithelium best describes type II pneumocytes?								
A-	Olfactory	B-	Respiratory	C-	Glandular	D-	Neuro	E-	Secretory

124-	Which of the following epithelial lining cells of the lung is described as secretory?				
A-	Pneumocyte I	B-	Pneumocyte II	C-	Brush
D-	Ciliated columnar	E-	Olfactory		

125-	All the following statements about type II pneumocytes are true EXCEPT?
A-	Present at points where 2 or more alveolar walls unite
B-	Represent the majority of lining epithelium of alveoli
C-	Cuboidal cells bulging into the lumen
D-	Their cytoplasm shows multivesicular bodies
E-	Their cytoplasm contain membrane bound lamellar bodies

126-	Which of the following cells are responsible for reducing the tension and preventing lung collapse?				
A-	Brush	B-	Kulchitsky	C-	Ciliated columnar
D-	Type I pneumocytes	E-	Type II pneumocytes		

127-	Which of the following cells are responsible for regeneration of the lining epithelial alveolar cells?				
A-	Brush	B-	Kulchitsky	C-	Ciliated columnar
D-	Type I pneumocytes	E-	Type II pneumocytes		

128-	Dust trapped particles in the alveoli are removed by which of the following cells?				
A-	Brush	B-	Macrophages	C-	Ciliated columnar
D-	Type I pneumocytes	E-	Type II pneumocytes		

129-	All the following structures are components of the interalveolar septa EXCEPT?		
A-	Alveolar epithelium	B-	Capillary network
C-	Basal lamina of endothelial cells	D-	Connective tissue fibers and cells
E-	Club cells (CLARA)		

130-	Fusion of basal lamina of which of the following cells forms the alveolocapillary basement membrane?		
A-	Macrophages and type I pneumocytes	B-	Macrophages and type II pneumocytes
C-	Type I and type II pneumocytes	D-	Endothelial and alveolar lining
E-	Fibroblasts and endothelial		

131-	All the following structures are part of the blood air barrier EXCEPT?
A-	Pulmonary surfactant
B-	Type I pneumocytes
C-	Type II pneumocytes
D-	Fused basal laminae of type I pneumocytes and endothelium
E-	Endothelium of the blood capillaries

132-	Which of the following is considered a function of the blood air barrier?		
A-	Surfactant secretion	B-	Gas exchange
C-	Prevention of gaseous exchange	D-	Dust trapping
E-	Keep the alveoli patent		

133-	Which of the following cells are the mother cells of alveolar Macrophages?		
A-	Undifferentiated mesenchymal cells	B-	Pericytes
C-	Fibroblasts	D-	Monocytes
E-	Lymphocytes		

134-	The following cells are types of the alveolar macrophage?								
A-	Langerhans	B-	Schwan	C-	Dust	D-	Kupffer's	E-	Microglia

135-	The following cells are types of the alveolar macrophages?				
A-	Langerhans	B-	Histiocytes	C-	Hear failure (hemosiderin)
D-	Kupffer's	E-	Microglia		

136-	All the following structures characterize pleura EXCEPT?		
A-	Simple squamous mesothelium	B-	Thin layer of connective tissue
C-	Rich in collagen and elastic fibers	D-	Contains blood vessels and lymphatics
E-	Mucus secreting glands		

137-	Visceral layer of the pleura is lined by?
A-	Simple cubical
B-	Simple columnar
C-	Pseudo stratified columnar ciliated with goblet cells
D-	Mesothelium
E-	Endothelium

138-	The connective tissue of the pleura is characterized by?		
A-	Aggregation of lymphoid follicles	B-	Richly innervated
C-	Contains mucus secreting glands	D-	Rich collagen fibers
E-	Avascular		

عن أَنَسِ بن مالك – رضي الله عنه – قَالَ: قَالَ رَسُولُ اللَّهِ ﷺ:

«لَمَّا عُرِجَ بِي مَرَرْتُ بِقَوْمٍ لَهُمْ أَظْفَارٌ مِنْ نُحَاسٍ يَخْمِشُونَ وُجُوهَهُمْ وَصُدُورَهُمْ، فَقُلْتُ: مَنْ هَؤُلَاءِ يَا جِبْرِيلُ؟ فَقَالَ: هَؤُلَاءِ الَّذِينَ يَأْكُلُونَ لُحُومَ النَّاسِ وَيَقَعُونَ فِي أَعْرَاضِهِمْ.»

ANSWERS – Histology									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
A	A	A	B	D	C	E	C	B	C
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
B	B	D	C	D	B	D	D	C	D
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
C	C	A	C	D	D	C	D	B	D
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**
A	A	D	A	D	C	A	E	C	C
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
E	E	E	A	E	E	B	A	E	D
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
B	B	E	D	E	E	D	B	B	B
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
C	C	A	B	C	B	C	B	B	D
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
C	C	C	B	A	C	C	A	D	A
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
A	B	C	E	B	E	E	B	B	D
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
A	B	E	E	B	E	B&C	D	C	B
101	**102**	**103**	**104**	**105**	**106**	**107**	**108**	**109**	**110**
D	D	E	D	B	C	B	A	E	C
111	**112**	**113**	**114**	**115**	**116**	**117**	**118**	**119**	**120**
E	B	B	C	B	D	E	C	A	A
121	**122**	**123**	**124**	**125**	**126**	**127**	**128**	**129**	**130**
B	A	E	B	A	E	E	B	E	D
131	**132**	**133**	**134**	**135**	**136**	**137**	**138**	**139**	**140**
C	B	D	C	C	E	D	D	-	-


Biochemistry

❖ Biochemistry

1-	**As a rule for arterial blood gases clinical Interpretation we look at PH, Paco2, and HCO3. If PH=7.31, Paco2, is low, and HCO3, is also low so the case is?**		
A-	Primary metabolic acidosis	B-	Primary respiratory acidosis
C-	Primary respiratory alkalosis	D-	None of the above

2-	**Male patient presented with the following arterial blood gas PH 7.34 (7.35 – 7.45) PCO2 60 (35 - 45) HCO3 31 (22 - 26) He is a case of?**
A-	Metabolic Acidosis with Respiratory partial Compensation
B-	Metabolic Alkalosis with partial compensation
C-	Respiratory acidosis with metabolic compensation
D-	Metabolic Alkalosis with complete compensation

3-	**Female patient presented with the following arterial blood gas PH 7.50 (7.35 – 7.45) pCO2 48 (35 - 45) HCO3 36 (22 - 26) She is a case of?**
A-	Metabolic Acidosis with Respiratory partial Compensation
B-	Metabolic Alkalosis with partial compensation
C-	Respiratory acidosis with metabolic compensation
D-	Metabolic Alkalosis with complete compensation

4-	**Male patient presented with the following arterial blood gas. pH 7.34(7.35-7.45) pCO2 60(35-45) HCO3 31(22-26) He is a case of?**
A-	Metabolic Acidosis with Respiratory partial Compensation
B-	Metabolic Alkalosis with partial compensation
C-	Respiratory acidosis with metabolic compensation
D-	Metabolic Alkalosis with complete compensation

5-	**Arterial, blood gas of a patient revealed: pH=7.2, PCO2=50 mmHg, and HCO3, level higher than normal. The acid-base status of this patient is best described as?**
A-	Respiratory acidosis without renal compensation
B-	Respiratory acidosis with partial renal compensation
C-	Metabolic acidosis with partial respiratory compensation
D-	Metabolic acidosis without respiratory compensation

6-	**As a rule for arterial blood gases clinical Interpretation we look at PH, Paco2, and HCO3. If PH=7.31, Paco2, is low, and HCO3 is also low so the case is?**		
A-	Primary metabolic acidosis	B-	Primary respiratory acidosis
C-	Primary respiratory alkalosis	D-	Primary Metabolic alkalosis


7-	**Female patient presented with the following arterial blood gase. pH 7.50(7.35-7.45) pCO2 48(35-45) HCO3 36(22-26) She is a case of?**
A-	Metabolic Acidosis with Respiratory partial Compensation
B-	Metabolic Alkalosis with partial compensation
C-	Respiratory acidosis with metabolic compensation
D-	Metabolic Alkalosis with compelete compensation

8-	**Male patient presented with the following arterial blood gas PH 7.50, pCO2 48, HCO3 36. This is a case of?**
A-	Metabolic Acidosis with Respiratory partial Compensation
B-	Metabolic Alkalosis with partial compensation
C-	Respiratory acidosis complete Compensation
D-	Metabolic Alkalosis with complete compensation

ANSWERS – Biochemistry									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
A	C	B	C	B	A	B	B	-	-

قَالَ رَسُولُ اللَّهِ ﷺ:

«يُوشِكُ أَنْ تَتَدَاعَى عَلَيْكُمُ الْأُمَمُ مِنْ كُلِّ أُفُقٍ، كَمَا تَتَدَاعَى الْأَكَلَةُ عَلَى قَصْعَتِهَا، قُلْنَا: يَا رَسُولَ اللَّهِ، أَمِنْ قِلَّةٍ بِنَا يَوْمَئِذٍ ؟ قَالَ: أَنْتُمْ يَوْمَئِذٍ كَثِيرٌ، وَلَكِنَّكُمْ غُثَاءٌ كَغُثَاءِ السَّيْلِ، تُنْزَعُ الْمَهَابَةُ مِنْ قُلُوبِ عَدُوِّكُمْ، وَيُجْعَلُ فِي قُلُوبِكُمُ الْوَهَنُ، قَالُوا وَمَا الْوَهَنُ؟ قَالَ: حُبُّ الْحَيَاةِ وَكَرَاهَةُ الْمَوْتِ» .


Physiology

❖ Physiology

1-	**A 34-year-old man sustains a bullet wound to the chest that causes a pneumothorax. What best describes the changes in lung volume and thoracic volume in this man compared with normal?**
A-	lung volume decrease, thoracic volume increase
B-	lung volume increase, thoracic volume decrease
C-	lung volume decrease, thoracic volume doesn't change
D-	lung volume increase, thoracic volume doesn't change

2-	**Airway resistance?**
A-	increases by constricting bronchial smooth muscles
B-	represents 80% of the work of breathing
C-	has no effect on work of breathing
D-	is increased if lung is removed and filled with saline

3-	**which of the following is true about diffusion capacity?**
A-	slow with substances that have low water solubility
B-	indirectly proportional to surface area of the membrane
C-	CO2 diffuses slower than O2 due to high molecular weight
D-	edema doesn't affect diffusion capacity

4-	**Which of the following is true about surfactant?**
A-	prevent lung collapse
B-	Secreted by type 1 alveolar cells into the alveolar space
C-	Glycolipid

5-	**The most important buffer in the ECF and plasma is?**		
A-	Bicarbonate buffer	B-	Phosphate buffer
C-	Protein buffer	D-	Hemoglobin

6-	**According to peripheral chemoreceptors, one of the following is true?**
A-	mild sensitive to Hypercapnia and increase H+ ion concentration
B-	Stimulated Only by hypoxia
C-	Stimulated by increase H+ ion concentration only
D-	Stimulated Mainly by increase CO2 concentration

7-	**Chloride shift results in the following changes in the blood Except?**
A-	Cl concentration is decreased in plasma and increased in RBCs
B-	The HCO3 concentration is increased in both RBCs and plasma
C-	The osmotic pressure inside the red cells increases
D-	Shrinkage of RBC

8-	**Decreased O2 affinity to hemoglobin?**		
A-	Favors O2 uptake by the lung	B-	Indicated by decreasimg P50
C-	Caused by increase H+ concentration	D-	Is called Haldane effect

9-	**All the following shifts O2 dissociation curve to right except?**		
A-	Increase body temperature	B-	Acidosis
C-	Decrease 2,3 DPG	D-	Increase CO2

10-	**According to the diffuse capacity of lung?**
A-	More regarding O2 than CO2
B-	Increase by raise of tchicking of membrane
C-	Increase by decreasing surface area
D-	Increase when partial pressure gradient increases

11-	**A preterm infant has a surfactant deficiency, which causes collapse of many alveoli at the end of each expiration. Which changes present in this infant compared with a normal infant?**
A-	Decreased alveolar tension and decreased pulmonary compliance
B-	Decreased alveolar tension and increased pulmonary compliance
C-	Decreased alveolar tension and no change pulmonary compliance
D-	Increased alveolar tension and de- creased pulmonary compliance

12-	**The anatomic dead space?**		
A-	Varies with minute ventilation	B-	Is typically 150 ml
C-	Will increase in COPD	D-	Is alveolar minus the pathological dead space
E-	All the above		

13-	**If the physiological dead space of a person is greater than his anatomical dead space, this indicates that this person?**
A-	Is totally normal regarding his respiratory system
B-	Has a bronchial asthma
C-	Has pulmonary embolism
D-	Lives in high altitude

14-	**Normal PO2 in arterial blood equals about?**						
A-	40 mmHg	B-	46 mmHg	C-	100 mmHg	D-	159 mmHg

15-	**For diagnosis of obstructive lung diseases, which of the following pulmonary function test is the best?**		
A-	Vital capacity	B-	Forced expiratory volume 1
C-	Pulmonary ventilation	D-	Alveolar ventilation

16-	**CO2, diffuse through the pulmonary membrane better than O2 , due to CO2?**
A-	Has a pressure gradient higher than that of oxygen
B-	Diffuses through larger surface area
C-	Has a less molecular weight than oxygen
D-	Has water solubility better than that of oxygen

17-	**Concerning the mechanism of inspiration during normal resting breathing, the pump handle movement of ribs?**
A-	is due to contraction of the internal intercostal muscles
B-	is due to contraction of the diaphragm
C-	results in increase in the antero-posterior diameter of the chest
D-	results in increase in the side-to-side diameter of the chest

18-	**The average normal value of the Lung thoracic compliance is about?**						
A-	100 ml/cm water	B-	110 ml/cm water	C-	150 ml/cm water	D-	200 ml/cm water

19-	**The surfactant reduces surface tension in the lungs by?**
A-	Pulling the liquid molecules together
B-	Creating a negative pressure inside the alveoli
C-	Disrupting the intermolecular forces between liquid molecules
D-	(a and b)

20-	**Which of the following statements is FALSE about the work of breathing?**
A-	The elastic work represents the major % of the work of breathing
B-	It is performed by the respiratory muscles only during inspiration
C-	It is increased in a case of bronchial asthma
D-	It cannot be increased physiologically

21-	**2, 3-DPG causes shifting of Oxygen- Hb dissociation curve to the right because?**		
A-	It increases Oxygen affinity for Hemoglobin	B-	It combines to Hb in the deoxygenated form
C-	Its concentration is high in adults	D-	It lacks Hb binding sites

22-	**Bohr's effect decreases in the affinity of Hb to O2?**		
A-	To help Hb to give its 02 easily to tissues	B-	To increase 02 concentration
C-	To decrease CO2 concentration	D-	To decrease the pH of blood

ولـمْ تُخلَقِ لتَعْمُرَها، ولكن *** لِتَعْبُرها فَجِدِّلما خُلِقتا

23-	**Regarding the hypoxic hypoxia?**
A-	It is decreased 02 supply to tissues 2ry to a drop in arterial 02 tension
B-	There no enough 02 is getting into the alveoli
C-	There is cyanosis
D-	All of the above

24-	**Haldane effect refers to?**
A-	Displacement of CO2 from the blood 2ry to binding of O2 with Hb
B-	Increased O2 tension 2ry to binding of CO2 with Hb
C-	Decreased CO2 tension
D-	Decreased O2 tension

25-	**Chloride shift results in the following changes in the blood Except?**
A-	Cl- concentration is decreased in plasma and increased in RBCs
B-	The HCO3 concentration is increased in both RBCs and plasma
C-	The osmotic pressure inside the red cells increases
D-	Shrinkage of RBCs

26-	**Obstructive lung diseases are characterized by?**						
A-	↓ TLC	B-	↓ FEVI/FVC	C-	↓ RV	D-	↑FVC

27-	**The basic rhythm of respiration is generated in?**		
A-	apneustic center	B-	ventral respiratory group
C-	pneumotaxic center	D-	dorsal respiratory group

28-	**In a person standing upright, which region of the lungs has the highest ventilation?**						
A-	Apex	B-	Middle parts	C-	Base	D-	Hilum

29-	**CO2 diffuses more than oxygen through the respiratory membrane because CO2 has?**		
A-	More pressure gradient	B-	More water solubility
C-	Less molecular weight	D-	More available surface area

30-	**Which of the following statements is CORRECT?**
A-	The IPP becomes positive in case of Muller's maneuver
B-	The IPP helps the exchange of gases between the alveolar air and blood
C-	In the mid thoracic position of the lungs the trans pulmonary equals pleural pressure
D-	The venous return decreases as a result of negative alveolar pressure

31-	**Pulmonary surfactant?**
A-	Decreases the lung compliance
B-	Increases the work of breathing
C-	Its lipoprotein content prevents the attractive force between water molecules
D-	Its effect is inversely proportion to the surface area of fluid

32-	**The following factors can shift the O2 dissociation curve to the right EXCEPT?**
A-	Acidosis
B-	A decrease in the concentration of 2,3-DPG inside RBC
C-	High levels of PCO2 in blood
D-	Increase in the body temperature

33-	**Chloride shift results in the following changes in the blood EXCEPT?**
A-	CI concentration is decreased in plasma and increased in RBCs
B-	The HCO3 concentration is increased in both RBCs and plasma
C-	The osmotic pressure inside the red cells increases
D-	Shrinkage of RBCs

34-	**Which of the following statements is FALSE regarding the Haldane effect?**
A-	More important in promoting CO2 transport than is the Bohr effect in promoting O2 transport
B-	More important in promoting O2 transport than is the Bohr effect
C-	It results secondary to binding of O2 to hemoglobin
D-	It results in more transport of CO2 from tissues to blood

35-	**Which of the following statements is CORRECT?**
A-	The IPP becomes positive in case of Muller's maneuver
B-	The IPP helps the exchange of gases between the alveolar air and blood
C-	In the midthoracic position of the lungs the transpulmonary equals pleural pressure
D-	The venous return decreases as a result of negative alveolar pressure

36-	**in a healthy individual breathing spontaneously which of the following pressure is positive with reference to atmospheric pressure?**		
A-	Alveolar pressure during inspiration	B-	Alveolar pressure during expiration
C-	Intrapleural pressure during inspiration	D-	Intrapleural pressure during expiration

37-	**The maximum amount of gas that can be exhaled after full inspiration is called?**		
A-	Expiratory reserve volume	B-	Vital capacity
C-	Total lung capacity	D-	Functional residual capacity

38-	**The largest volume of gas that can be moved into and out of the lung in 1 minute by voluntary effort called?**		
A-	Respiratory minute volume	B-	Minute ventilation
C-	Maximum voluntary ventilation	D-	Vital capacity

39-	**Intrapleural pressure is normally negative because?**
A-	chest wall and lung recoil in opposite direction at FRV

40-	**What is the effect of 2,3 BPG on affinity of Hg for oxygen?**		
A-	Increase affinity	B-	decrease affinity

41-	**which of the following has the highest p50?**				
A-	Myoglobin	B-	Hbf	C-	Hba

42-	**All of the following shift oxyhemoglobin dissociation curve to the right except?**
A-	Co

43-	**decrease in o2 affinity of Hb called?**
A-	Bother effect

44-	**Which of the following reduce synthesis of 2,3 BPG?**						
A-	Acidosis	B-	At exercises	C-	Anemia	D-	In high attitude

45-	**The amount of oxygen dissolved in plasma?**
A-	Po2

46-	**Pleural pressure is?**
A-	is the pressure in pleural cavity
B-	more +ve during expiration than inspiration
C-	it = -3:-4 at the rest (time between inspiration and expiration)
D-	all of the above

47-	**Increased the lung compliance is due to?**		
A-	Pneumothorax	B-	old age
C-	Increasing the lung elasticity	D-	Lung fibrosis

48-	**regarding Decreased lung compliance all the following except?**				
A-	Lung fibrosis	B-	Pleural effusion	C-	emphysema

49-	**patient 50years old ..has increase volume of intrapulmonary &decrease in pressure...which the following is diagnosis?**				
A-	emphysema	B-	pleural effusion	C-	pneumothorax

50-	**new born in emergency ,has cyanosis &Flaring of the nostrils, Tachypnea. Which the following is diagnosis?**		
A-	emphesma	B-	respiratoy distress syndrome
C-	pleural effusion		

51-	**The smaller the radius of alveoli?**
A-	greater the pressure created by surface tension
B-	smaller pressure created by surface tension
C-	non of the above

52-	**The resistance of 4th generation of bronchi is ....the resistance of 3th generation?**				
A-	less than	B-	more than	C-	equal

53-	**The resistance in alveolar ducts is very slight because of?**		
A-	the parallel branching shape	B-	its little number
C-	the large radius	D-	all of the above

54-	**Dead space increases in the following condition?**		
A-	Expiration	B-	parasympathetic activity
C-	young age	D-	inspiration

55-	**angle of Louis?**
A-	lies at level of intervertebral disc between T4-T5
B-	marks bifurcation of trachea
C-	considered as secondary cartilaginous joint
D-	all of the above

56-	**In pneumothorax there is?**
A-	Decreased lung volume, decreased thoracic volume
B-	No change in lung volume, decreased thoracic volume
C-	Decreased lung volume, increased thoracic volume
D-	Decreased lung volume, no change in thoracic volume

57-	**Pulmonary surfactant?**
A-	Decreases lung compliance
B-	Its effect is inversely proportion to the surface area of fluid lining the alveoli
C-	Increases the work of breathing
D-	Smoking stimulates its formation

58-	Obstructive lung diseases are characterized by?						
A-	↓ TLC	B-	↓ FEV1/FVC	C-	↓ RV	D-	↑ FVC

59-	Administration of an agonist for which of the following autonomic receptors would lead to decrease airway resistance?		
A-	Muscarinic-cholinergic	B-	Nicotinic-cholinergic
C-	Alpha-adrenergic	D-	Beta2-adrenergic

60-	In a person standing upright, which region of the lungs has the highest ventilation?						
A-	Apex	B-	Base	C-	Middle parts	D-	Hilum

61-	The basic rhythm of respiration is generated in?		
A-	Apncustic center	B-	Ventral respiratory group
C-	Pneumotaxic center	D-	Dorsal respiratory group

62-	CO2 diffuses more than oxygen through the respiratory membrane because CO2 has?		
A-	More pressure gradient	B-	Less molecular weight
C-	More water solubility	D-	More available surface area

63-	Regarding dead space one of the following is correct?
A-	It increases by vagal stimulation
B-	Decreased with aging
C-	Physiological dead space equals to alveolar dead space
D-	The alveolar dead space always pathological

64-	Concerning pulmonary surfactant which of the following is correct?
A-	It is formed by vascular endothelium of pulmonary capillaries
B-	Secreted by type II alveolar epithelium
C-	It is composed of protein only
D-	It increases the surface tension of alveolar fluid

65-	Oxygen therapy is most beneficial in which of the following situations provided?						
A-	Cyanide poisoning	B-	High altitude	C-	Anemia	D-	CO2 retention

66-	Regarding lung compliance one of the following is correct?		
A-	Increased with pulmonary fibrosis	B-	Decreased in emphysema
C-	Increased in pneumothorax	D-	Decreased with pulmonary congestion

﴿ وَتَوَكَّلْ عَلَى اللَّهِ وَكَفَى بِاللَّهِ وَكِيلًا ﴾ [الأحزاب: ٣]

67-	**Which of these statements about intrapulmonary pressure and intrapleural pressure is true?**
A-	The intrapulmonary pressure is always subatmospheric
B-	The intrapleural pressure is always greater than the intrapulmonary pressure
C-	The intrapulmonary pressure is greater than the intrapleural pressure
D-	The intrapulmonary pressure is lower than the intrapleural pressure

68-	**Which of these would be most affected by a decrease in the affinity of hemoglobin for oxygen?**		
A-	Arterial PO 2	B-	Arterial percent oxyhemoglobin saturation
C-	Venous oxyhemoglobin saturation	D-	Arterial P CO 2

69-	**If a person with normal lung function were to hyperventilate for several seconds, there would be a significant?**
A-	increase in the arterial PO2
B-	decrease in the arterial PCO 2
C-	increase in the arterial percent oxyhemoglobin saturation
D-	decrease in the arterial pH

70-	**If the transpulmonary pressure equals zero?**		
A-	a pneumothorax has probably occurred	B-	the lungs cannot inflate
C-	elastic recoil causes the lungs to collapse	D-	all of these apply

71-	**The affinity of hemoglobin for oxygen is decreased under conditions of?**		
A-	acidosis	B-	fever
C-	anemia	D-	acclimatization to a high altitude
E-	all of these		

72-	**The chemoreceptors in the medulla are directly stimulated by?**		
A-	CO2 from the blood	B-	H+ from the blood
C-	H+ in CSF that is derived from blood CO2	D-	decreased arterial P O2

73-	**Concerning expiration in normal quiet respiration which of the following is correct?**
A-	Caused by contraction of external intercostal muscles
B-	Makes the intrapleural pressure more negative
C-	It is an active process
D-	Makes the intrapleural pressure less negative

74-	**Regarding lung volumes and capacities one of the following is correct?**
A-	Not all lung volumes can be measured by spirometers
B-	Tidal volume equal to 800 ml in adult man
C-	Vital capacity equals to tidal volume + residual volume
D-	Residual volume equals to 1100 ml

75-	**Concerning hypoxia which of the following is correct?**
A-	Carbon monoxide poisoning causes anemic hypoxia
B-	Oxygen therapy is very useful in histotoxic hypoxia
C-	The arterial 02 content in anemic hypoxia is normal
D-	Heart failure can cause hypoxic hypoxia

76-	**Regarding Orthopnea one of the following is correct?**		
A-	Caused by decrease pulmonary blood flow	B-	Caused by right heart failure
C-	Caused by chronic obstructive lung disease	D-	Caused by left ventricular failure

77-	**Concerning work of breathing which of the following is correct?**		
A-	Decreased in bronchial asthma	B-	Decreased in lung fibrosis
C-	Increased with increasing compliance	D-	Decreased with increasing surfactant

78-	**Regarding Caisson's disease one of the following is correct?**
A-	Results from sudden compression
B-	Relived spontaneously without treatment
C-	Causes pain in joint and muscles
D-	Caused by excessive solubility of carbon dioxide

79-	**Concerning regulation of arterial blood pressure which of the following is correct?**
A-	CNS ischemic response concerned with long term mechanism
B-	Respiratory reflexes concerned with short term mechanism
C-	The arterial baroreceptors concerned with intermediate term mechanism
D-	The rennin-angiotensin system concerned with intermediate and long term

80-	**The physiological dead space is?**
A-	Sometimes measured using the arterial po2
B-	Generally smaller than the anatomic dead space
C-	Often increased in lung disease
D-	Equal to alveolar dead space

81-	**Stagnant hypoxia is due to?**		
A-	Ascending to high altitude	B-	CO poisoning
C-	An increase in blood flow	D-	A decrease in blood flow

إِنَّ اللهَ عزَّ وجلَّ يبسُطُ يدَهُ باللَّيلِ ليتوبَ مسيءُ النَّهارِ ، ويبسُطُ يدَهُ – يعني بالنَّهارِ – ليتوبَ مسيءُ اللَّيلِ ، حتَّى تطلُعَ الشَّمسُ من مغربِها

82-	**Which of the following is NOT a function of the lungs?**
A-	Metabolism
B-	Serves as a reservoir of blood for the left ventricle
C-	It is a filter to protect the systemic vasculature
D-	Facilitates the exchange of O2 and CO2 between air and blood
E-	All of the above are considered lung function

83-	**Which of the following is the first branching of the bronchial tree that has gas exchanging capabilities?**		
A-	Terminal bronchioles	B-	Respiratory bronchioles
C-	Alveoli	D-	segmental bronchi

84-	**Which of the following represents the pressure difference that acts to distend the lung?**				
A-	Alveolar pressure	B-	Airway opening pressure	C-	Transthoracic pressure
D-	Transpulmonary pressure	E-	Esophageal pressure		

85-	**If a patient had a progressive lung disease that required an ever increasingpressure to fill the same volume of lung, how would the lung's compliance be?**		
A-	It would increase it	B-	It would stay the same
C-	It would decrease it	D-	These variables do not affect lung compliance

86-	**An asthma sufferer finds she has to breathe at twice her normal rate How does that affect her dynamic compliance?**
A-	It stays the same
B-	It decreases
C-	It increases
D-	Static compliance, not dynamic, is the variable affected by asthma

87-	**According to the Law of Laplace, air should flow from the smaller alveoli to the larger, collapsing them In the lungs, several factors counter that tendency, and stabilize the alveolar structures Which of the following is NOT one of them?**
A-	Surfactant lowers surface tension to a greater degree when it is on a smaller surface area, allowing the smaller alveoli to stay open
B-	Mechanical stability is given by surrounding alveoli
C-	Transpulmonary pressure is lower for smaller alveoli, allowing them to stabilize in comparison to the bigger ones
D-	Surface tension at the gas-liquid interface increases as alveolar surface area increases

"ما لا يُدرَكُ كُلُّه لا يُترَكُ جُلُّه".

88-	**Which of the following is FALSE concerning the production and role of lung surfactant?**
A-	It is part of a lipoprotein called Lecithin
B-	It is synthesized by alveolar type II cells
C-	As the alveolar surface area decreases during the compression curve, the surfactant decreases the surface tension at a constant rate
D-	When surfactant density is decreased during expansion, surface tension initially rises rapidly, then slows down until it reaches the starting point

89-	**Which the following is NOT true concerning respiratory distress syndrome in premature infants?**
A-	Their ability to synthesize Lecithin is limited
B-	Higher pressures are required to ventilate the lungs
C-	Lung compliance is low
D-	Positive pressure respirators are often used to assist them in breathing
E-	Alveoli tend to overexpand and sometimes burst at the end of inspiration

90-	**Features of mild carbon monoxide poisoning include?**		
A-	decreased arterial PO2	B-	decreased hemoglobin-oxygen affinity
C-	increased alveolar ventilation	D-	decreased arterial O2 concentration

91-	**Stagnant hypoxia is due to?**		
A-	ascending to high altitude	B-	CO poisoning
C-	an increase in blood flow	D-	a decrease in blood flow

92-	**In a patient with stable chronic lung disease elevated PaCo2 and decreased PaO2?**
A-	CSF Ph is near the normal value (7.32)
B-	the ventilator response to CO2 is reduced
C-	changes in PaO2 are more important in determining the level of ventilation than in normal people
D-	arterial (H+] is slightly above normal

93-	**Which of the following is the first branching of the bronchial tree that has gas exchanging capabilities?**		
A-	terminal bronchioles	B-	respiratory bronchioles
C-	trachea	D-	two main bronchi

94-	**Which of the following could NOT be part of respiratory zone?**		
A-	alveolar sacs	B-	alveolar ducts
C-	terminal bronchioles	D-	respiratory bronchiole

95-	**Which of the following concerning average lung volumes and capacities of a person at rest is TRUE?**						
A-	TLC>VC>TV>FRC	B-	TLC>FRC>VC>TV	C-	TLC>VC>FRC>TV	D-	TLC>FRC>TV>VC

96-	**Which of the following does NOT happen during inspiration?**
A-	The ribs move upward
B-	The diaphragm lifts up
C-	The antero-posterior dimensions of the chest are increased
D-	The transverse dimensions of the thorax are increased

97-	**During inspiration, how does alveolar pressure compare to atmospheric pressure?**
A-	Alveolar pressure is greater than atmospheric
B-	Alveolar pressure is less than atmospheric
C-	Alveolar pressure is the same as atmospheric
D-	Alveolar pressure is one of the pressures where the reference pressure is not atmospheric

98-	**Which of the following represent the pressure difference that acts to distend the lungs?**		
A-	Alveolar pressure	B-	Airway opening pressure
C-	Tran thoracic pressure	D-	Trans pulmonary pressure

99-	**Which of the following is NOT true concerning respiratory distress syndrome in premature infants?**
A-	Their ability to synthesize surfactant is limited
B-	Higher pressures are required to ventilate the lungs
C-	Lung compliance is low
D-	Alveoli tend to overexpand and sometimes burst at the end of inspiration

100-	**Which of the following is NOT a function of dead space?**
A-	Warms expired air to body temperature
B-	Saturates inspired air with water vapor
C-	Removes bacteria and other particulate matter
D-	Conducts the warmed air to the respiratory membranes

101-	**Which of the following definitions is FALSE?**
A-	02 content of blood is the actual amount of O2 in one deciliter of blood
B-	02 saturation of blood is the ratio of O2 content to its 02 capacity
C-	The O2 uptake curve of blood is the functional relationship between 02 saturation and PO2
D-	The O2 content of blood depends completely on the amount of Hb in the blood

102-	**Forced expiration requires contraction of?**		
A-	The internal intercostals	B-	Serratus posterior superior
C-	The abdominal muscles	D-	All of e above

103-	**The affinity of Hb for O2 is influenced by?**		
A-	PH	B-	Temperature
C-	Concentration of 2,3, DPG	D-	All of the above

104-	**Dyspnea is usually present when the dyspneic index is?**						
A-	Less than 90%	B-	Less than 80%	C-	Less than 70%	D-	Less than 60%

105-	**The solubility of CO2 in the blood is about?**		
A-	05 times that of 02	B-	times that of 02
C-	20 times that of O2	D-	10 times that 02

106-	**Decompression sickness or Caisson's disease is due to bubbling of?**		
A-	Oxygen in the tissues	B-	CO2 in the tissue
C-	Hydrogen in the tissues	D-	Nitrogen in the tissues

107-	**Compensatory mechanism due to acclimatization at high attitude involves?**		
A-	Increased alveolar ventilation	B-	Increased production of red blood cells
C-	Production of alkaline urine	D-	All of the above

108-	**In histotoxic hypoxia?**		
A-	02 tension in blood is low	B-	02 content of blood is low
C-	O2 utilization by tissues is excessive	D-	O2 utilization by tissues is defective

109-	**Chemical regulation of respiration is maximally affected by?**						
A-	02	B-	CO2	C-	Bicarbonate	D-	Lactic acid

110-	**Respiration during exercise is regulated by?**		
A-	Cerebral cortex	B-	Hypoxia in the muscles
C-	Joint proprioceptors	D-	All of the above

111-	**The respiratory center?**
A-	Is situated in the reticular substance of lower part of pons
B-	Is influenced by higher centers
C-	Is inhibited during swallowing
D-	All of the above statements are true

112-	**Herring-Breuer reflex is activated during?**		
A-	Early inspiration	B-	Maximal inspiration
C-	Late expiration	D-	None of the above

113-	**Which of the following is FALSE concerning the airflow in the lungs?**
A-	During inspiration and expiration, the flow in the trachea and larger bronchi is turbulent
B-	Towards the middle of the bronchial tree, the flow is turbulent at the branches and laminar in between
C-	Near the end of the bronchial tree, the flow is laminar
D-	The acini have very small radii which significantly increases the total air flow resistance of the bronchial tree

114-	**Which of the following is NOT true at FRC (functional residual capsid)?**
A-	It is about 75% TLC
B-	The elastic recoil of the chest wall is outward
C-	The elastic recoil of the lung is inward
D-	The relaxation pressure of the lung and chest wall combined is at atmospheric pressure

115-	**Which of the following is FALSE concerning airway resistance?**
A-	Up to 50% is in the nose
B-	The maximum resistance in the bronchial tree occurs at the middle-sized bronchi
C-	In the later generations, the radii are smaller, increasing the total resistance at each successive generation
D-	Airway resistance increased by loss of elasticity and contraction of bronchial smooth muscles

116-	**Which of the following is FALSE concerning the effect of effort on airflow and volume during inspiration and expiration?**
A-	During inspiration, greater effort always results in greater flow
B-	Peak expiratory flow occurs at the beginning of expiration
C-	At low and moderate lung volumes, the greater the effort above threshold, the greater the airflow in expiration
D-	Portions of the expiration curve are effort independent

117-	**Which of the following does NOT apply to the alveoli at the base of the lungs?**
A-	They are less elastic than the alveoli at the apex
B-	The pleural pressure is lower
C-	At FRC they are less inflated than the alveoli at the apex
D-	They are closed at RV
E-	They have a greater volume change than alveoli at the apex during inspiration

118-	**Which of the following is TRUE if a patient breathes slower than normal with increased tidal volumes?**		
A-	More resistive work is done	B-	The total work done decreases
C-	More elastic work is done	D-	Compliance is decreased

119-	**A 140 lb woman would have approximately how much dead space in her lungs?**						
A-	140 ml	B-	70 ml	C-	280 ml	D-	35 ml

120-	If a patient's blood carries 10 grams of Hb per deciliter, what is the 02 carrying capacity of his blood?		
A-	18 milliliters per deciliter	B-	20 milliliters per deciliter
C-	10 milliliters per deciliter	D-	13 milliliters per deciliter

121-	Which of the following definitions is FALSE?
A-	02 content of blood is the actual amount of O2 in one deciliter of blood
B-	O2 saturation of blood is the ratio of O2 content to its 02 capacity
C-	The O2 dissociation curve of blood is the functional relationship between 02 saturation and PO2
D-	The O2 content of blood depends completely on the amount of Hb in the blood

122-	The partial pressure of O2 in arterial blood is?						
A-	46 mm Hg	B-	40 mm Hg	C-	95 mm Hg	D-	130 mm Hg

123-	Acute hypoxia has all these effects, EXCEPT?		
A-	Hyperventilation	B-	Bone marrow stimulation
C-	Vasoconstriction in tissues	D-	Cardiac stimulation

124-	Normal arterial PCO2 (PaCO2) is?						
A-	38 mmHg	B-	46mmHg	C-	52 mmHg	D-	40 mmHg

125-	In Cheyne-stokes breathing apnea results from?						
A-	Hypoxia	B-	Hypercapnia	C-	Acidosis	D-	Hypocapnia

126-	Valsalva maneuver is?		
A-	Forced expiration against closed glottis	B-	Deep inspiration with closed glottis
C-	Both	D-	Neither

127-	In airway obstruction, which of these occurs?		
A-	The FEV1 is larger	B-	The residual volume is increased
C-	Neither	D-	Both

128-	Haldane effect relates?		
A-	CO2 uptake on 02 dissociation	B-	O2 uptake on CO2 dissociation
C-	02 uptake and 2,3 DPG	D-	02 delivary and (H')

129-	Peripheral chemoreceptors are located in?				
A-	Carotid sinus	B-	Aortic sinus	C-	Aortic body
D-	A and C	E-	in the blood		

130-	**Which the following has the greatest effect on the ability of blood to transport oxygen?**		
A-	capacity of the blood to dissolve oxygen	B-	amount of hemoglobin in the blood
C-	pH of plasma	D-	CO2 content of red blood cells

131-	**An increase in which of the following increases the O2 affinity of hemoglobin?**		
A-	Carbon monoxide added to the blood	B-	Temperature
C-	H+ concentration	D-	2,3-DPG

132-	**The physiological dead space is?**
A-	Sometimes measured using the arterial PO2
B-	Generally smaller than the anatomic dead space
C-	Often increased in lung disease
D-	Equal to alveolar dead space

133-	**Which of the following is NOT a form by which CO2 can be transported in the blood?**		
A-	As bicarbonate	B-	Dissolved in the blood
C-	Bound to the amino end groups in proteins	D-	Bound to glutamate

134-	**It is correct to say?**
A-	the peripheral chemoreceptors are mainly stimulated by hypoxia
B-	the intrapleural pressure is positive during inspiration
C-	CO2 is transported mainly as carbonic acid
D-	compliance of the lung is greater when the breath near the residual volume

135-	**Which the following is the primary regulating variable of the central chemoreceptors?**		
A-	PaO2	B-	PaCO2
C-	arterial pH	D-	Input from stretch receptors

136-	**Which of the following pairs is NOT a pulmonary mechanoreceptor paired to a possible stimulus?**
A-	Stretch receptor: inflation
B-	Irritant receptor: inhaled dust
C-	Juxtacapillary receptors: decreases interstitial fluid volume in alveolar walls
D-	Bronchial Č receptors: large inflations

137-	**Carbon dioxide carriage?**		
A-	25% dissolved	B-	10% carbamino
C-	65% bicarbonate	D-	100% bicarbonate

138-	**Factors that favor formation of carbamino-hemoglobin include?**		
A-	carbonic anhydrase	B-	a decrease in oxygen tension
C-	an increase in oxygen tension	D-	none of the above

139-	**In a normal healthy individual, the physiological dead space is?**		
A-	More than anatomic dead space	B-	Less than anatomic dead space
C-	Equal to anatomic dead space	D-	None of the above

140-	**Total lung capacity?**		
A-	Tidal volume + residual volume	B-	Residual volume + Vital capacity
C-	Inspiratory capacity + residual volume	D-	Expiratory reserve volume + residual volume

141-	**CO2 is transported in blood?**		
A-	In dissolved form in plasma as bicarbonate	B-	In combination with plasma proteins
C-	In combination with Hb	D-	All of the above forms

142-	**Which of the following statements about Hb is FALSE?**
A-	A higher P50 than normal means that the O2 binds less tightly to Hb
B-	An increase in 2,3-DPG shifts the O2 uptake curve to the left
C-	An increase in PCO2 causes a right shift of the O2 uptake curve
D-	An decrease in pH increases P50
E-	An increase in temperature shifts the O2 uptake curve to the right

143-	**The affinity of hemoglobin for oxygen is decreased under conditions of?**		
A-	acidosis	B-	fever
C-	acclimatization to a high altitude	D-	all of the above

144-	**Most of the carbon dioxide in the blood is carried in the form of?**		
A-	dissolved CO2	B-	carbaminohemoglobin
C-	bicarbonate	D-	carboxyhemoglobin

145-	**The chemoreceptor in the medulla is directly stimulated by?**
A-	CO2 from the blood
B-	H+ from the blood
C-	H+ in cerebrospinal fluid that is derived from blood CO2
D-	decreased arterial PO2

146-	**The rhythmic control of breathing is produced by the activity of inspiratory and expiratory neurons in?**		
A-	the medulla oblongata	B-	the apneustic center of the pons
C-	the pneumotaxic center of the pons	D-	the cerebral cortex

147-	Which of these occur(s) during hypoxemia?		
A-	increased ventilation	B-	increased production of 2,3-DPG
C-	increased production of erythropoietin	D-	all of the above

148-	All of these can bind with hemoglobin EXCEPT?						
A-	HCO3	B-	02	C-	H	D-	CO2

149-	Suppose a person's arterial PO2 and PCO2 are normal (PO2 = 100 mm Hg; PCO2 = 40 mm Hg) Which of the following would most likely stimulate an increase in ventilation?		
A-	A decrease in PO2 to 90 mm Hg	B-	A decrease in PCO2 to 35 mm Hg
C-	An increase in PO2 to 110 mm Hg	D-	An increase in PCO2 to 45 mm Hg

150-	A rise in arterial PCO2 triggers an increase in ventilation by stimulating both central and peripheral chemoreceptors The response of central chemoreceptors is due to?
A-	Diffusion of carbon dioxide into - brain extracellular fluid, which stimulato chemoreceptors directly
B-	Diffusion of hydrogen ions into brain extracellular fluid, which stimulats chemoreceptors directly
C-	Diffusion of carbon dioxide into brain extracellular fluid, which reacts with water to form hydrogen ions, which stimulate chemoreceptors directly
D-	Diffusion of carbon dioxide into brain extracellular fluid, which reacts with water to form bicarbonate ions, which stimulate chemoreceptors directly
E-	Direct stimulation by hydrogen ions in arterial blood

151-	Which of the following decreases with emphysema?		
A-	Cardiac output	B-	Alveolar Pco2
C-	Diffusion area	D-	Pulmonary artery pressure

152-	Which of the following can hemoglobin bind and transport in blood?				
A-	Oxygen	B-	Carbon dioxide	C-	Hydrogen ions
D-	Both a and c	E-	All of the above		

153-	Which of the following can cause stagnant hypoxia?		
A-	Bronchial asthma	B-	Heart failure
C-	Cyanide poisoning	D-	Carbon monoxide poisoning

154-	The volume of air respired normally is called?		
A-	The tidal volume	B-	Vital capacity
C-	Residual volume	D-	Total lung capacity

155-	**Residual volume is about?**						
A-	2200 ml	B-	1200 ml	C-	1000 ml	D-	4500ml

156-	**Hypoxia may be due to?**		
A-	Anemia	B-	Histamine release
C-	Hypertension	D-	Diabetes

157-	**During normal inspiration?**		
A-	PO2 in dead space rises	B-	Intra-abdominal pressure falls
C-	Intra-alveolar pressure falls	D-	All of the above

158-	**Cyanosis occurs when reduced hemoglobin in blood is more than?**						
A-	5 gm%	B-	10gm %	C-	15gm%	D-	20 gm%

159-	**Spirometer cannot measure the followings EXCEPT?**		
A-	Tidal volume	B-	Residual volume
C-	Functional residual capacity	D-	Expiratory reserve volume

160-	**The volume of the vital capacity is about?**						
A-	500 ml	B-	1500 ml	C-	4500 ml	D-	6000 ml

161-	**The following are static lung volumes and capacities EXCEPT?**		
A-	The vital capacity	B-	Expiratory reserve volume
C-	The residual volume	D-	The maximum breathing capacity

162-	**The following lung volumes and capacities can be directly measured by spirometry EXCEPT?**		
A-	The vital capacity	B-	The inspiratory reserve volume
C-	The total lung capacity	D-	The expiratory reserve volume

163-	**Which of the following is not function of the conducting zone of the respiratory system?**
A-	Humidifying the air
B-	Adjusting the air to body temperature
C-	Exchanging gases between the respiratory system and the blood
D-	Secreting mucus
E-	Protecting the lungs from inhaled particles

164-	**The smallest airways in the conducting zone are?**				
A-	Terminal bronchioles	B-	Respiratory bronchioles	C-	Alveolar ducts
D-	Alveolar sacs	E-	Bronchi		

165-	**Which of the following muscles contract(s) during quiet expiration?**				
A-	Diaphragm	B-	Internal intercostals	C-	External intercostals
D-	None of the above	E-	All of the above		

166-	**Which of the following factors decreases airway resistance?**
A-	Activation of the parasympathetic nervous system
B-	Epinephrine
C-	Histamine
D-	Both a and c

167-	**The product of tidal volume and breathing rate gives?**				
A-	Respiration rate	B-	Total lung capacity	C-	Alveolar ventilation
D-	Minute ventilation	E-	Dead space volume		

168-	**When all muscles of respiration are relaxed and alveolar pressure is zero, lung volume is equal to?**		
A-	Residual volume	B-	Vital capacity
C-	Functional residual capacity	D-	Tidal volume
E-	Total lung capacity		

169-	**In obstructive lung diseases (eg bronchial asthma) the following is true?**		
A-	The dead space is increased	B-	The total lung capacity is decreased
C-	The functional residual capacity is increases	D-	None of the above

170-	**On the summit of Mt Everest, where the barometric pressure is about 250 mm Hg, and the partial pressure of O2 is about?**								
A-	01 mm Hg	B-	05 mm Hg	C-	5 mm Hg	D-	50 mm Hg	E-	100 mm Hg

171-	**The forced vital capacity is?**
A-	the amount of air that normally moves into (or out of) the lung with each respiration
B-	the amount of air that enters the lung but does not participate in gas exchange
C-	the largest amount of air maximumly expired after maximal inspiratory effort
D-	the largest amount of gas that can be moved into and out of the lungs in 1 min

172-	**The tidal volume is?**
A-	the amount of air that normally moves into or out of) the lung with each respiration
B-	the amount of air that enters the lung but does not participate in gas exchange
C-	the largest amount of air expired after maximal expiratory effort
D-	the largest amount of gas that can be moved into and out of the lung in 1 min

173-	**At the normal resting PO2 of mixed venous blood, hemoglobin is?**		
A-	Nearly 100% saturated	B-	Nearly 97% saturated
C-	Nearly 75% saturated	D-	Nearly 50% saturated

174-	**Which of the following is responsible for the movement of O2 from the alveoli into the blood?**		
A-	active transport	B-	passive diffusion
C-	secondary active transport	D-	facilitated diffusion

175-	**Surfactant lining the alveoli?**
A-	prevents alveolar collapse
B-	is produced in alveolar type I cells and secreted into the alveolus
C-	is increased in the lungs of heavy smokers
D-	is a glycolipid complex

176-	**Most of the CO2 transported in the blood is?**
A-	dissolved in plasma
B-	in carbamino compounds formed from plasma proteins
C-	in carbamino compounds formed from hemoglobin
D-	bound to Cl-
E-	Bicarbonate

177-	**Inspiration occurs when?**		
A-	the alveolar pressure increases	B-	the intrapleural pressure increases
C-	the diaphragm relaxes	D-	the alveolar pressure decreases

178-	**The maximum amount of air that can be expired after a maximum inspiration?**		
A-	the vital capacity	B-	the forced expiratory volume
C-	the tidal volume	D-	the maximum expiratory flow rate

179-	**In order to measure alveolar ventilation, we need to know the value of tidal volume, respiratory rate, and?**		
A-	lung compliance	B-	oxygen consumption
C-	CO2 production	D-	dead space volume

ANSWERS – Physiology									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
A	A	A	A	A	A	D	C	C	D

11	12	13	14	15	16	17	18	19	20
D	B	C	C	B	D	D	B	C	D
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
B	A	D	A	D	B	D	A	A	C
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**
C&D	B	D	B	C	B	B	C	A	B
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
C	A	A	A	A	D	B	C	A	B
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
A	B	A	D	D	C	B	B	D	A
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
D	B	D	B	B	D	C	C	B	D
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
E	C	D	A	A	D	D	A	D	C
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
D	E	B	D	C	B	C	A	E	D
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
D	D	B	C	C	B	B	D	D	A
101	**102**	**103**	**104**	**105**	**106**	**107**	**108**	**109**	**110**
D	D	D	D	C	D	D	D	B	D
111	**112**	**113**	**114**	**115**	**116**	**117**	**118**	**119**	**120**
D	B	D	A	C	C	A	C	A	D
121	**122**	**123**	**124**	**125**	**126**	**127**	**128**	**129**	**130**
D	C	C	D	D	A	B	B	C	B
131	**132**	**133**	**134**	**135**	**136**	**137**	**138**	**139**	**140**
A	C	D	A	B	C	C	B	C	B
141	**142**	**143**	**144**	**145**	**146**	**147**	**148**	**149**	**150**
D	B	D	C	C	A	D	A	D	C
151	**152**	**153**	**154**	**155**	**156**	**157**	**158**	**159**	**160**
C	E	B	A	B	A	C	A	B	C
161	**162**	**163**	**164**	**165**	**166**	**167**	**168**	**169**	**170**
D	C	C	A	D	B	D	C	C	D
171	**172**	**173**	**174**	**175**	**176**	**177**	**178**	**179**	**180**
C	A	C	B	A	E	D	A	D	-


Microbiology

❖ Bacterial infection of URT

1-	**Sterile pyuria can be caused by all except?**		
A-	Streptococcus saprophyticus	B-	Mycoplasma hominis
C-	Chlamydia	D-	Mycobacterium Tb

2-	**The action of Diphtheria toxin is?**		
A-	increase cAMP	B-	inhibit protein synthesis
C-	inhibit secretion of Ach	D-	

3-	**Which one of these has a Chinese letter?**		
A-	Clostridium tetani	B-	Mycobacterium tuberculosis
C-	Bacillus anthracis	D-	Corynebacterium diphtheria

4-	**The cause of sore throat and difficulty breathing in young children is usually due to type b H.influenzae infection, what is it called?**		
A-	Epiglottitis	B-	Otitis media
C-	Brazilian purpuric fever	D-	Lassa fever

5-	**Diphtheria virulence test is?**		
A-	Ascoli's thermoprecipitation test	B-	Elek's gel precipitation test
C-	M.R.T. test	D-	R.P test

6-	**Which of the following bacteria is the most frequent cause of pharyngitis?**		
A-	Streptococcus pneumoniae	B-	Staphylococcus aureus
C-	Streptococcus pyogenes	D-	Mycoplasma pneumonia

7-	**Which of the following bacteria causes otitis media?**		
A-	Streptococcus pneumoniae	B-	Streptococcus agalactiae
C-	Streptococcus pyogenes	D-	Streptococcus intermedius

8-	**All of the following statements regarding Corynebacterium diphtheriac are true , except?**
A-	It can be identified by using tests for toxigenicity
B-	The toxin inhibits protein synthesis
C-	Toxin has adverse effects on cardiovascular and nervous systems
D-	Native chromosome is responsible for toxin production

9-	**Which of the following is NOT a characteristic of diphtheria in an infected person?**		
A-	Fatigue	B-	Fever and chills
C-	Pseudomembrane in the back of the throat	D-	Difficulty urinating
E-	Bull - neck appearance		

10-	**Diphtheria toxin acts by?**		
A-	Inhibiting acetylcholine release	B-	Inhibiting glucose transport
C-	Increasing levels of cyclic AMP	D-	Inhibiting protein synthesis

11-	**One of the following statements regarding diphtheria toxin is true?**
A-	Toxin is produced by all corynebacteria
B-	Positive Schick test suggest immunity
C-	Toxin production is influenced by critical concentration of iron
D-	It is an endotoxin

12-	**Elek's gel preciptiation test is for?**						
A-	Gonococcus	B-	Diphtheria	C-	Hemophillus	D-	Anthrax

13-	**Schick's test is used to determine?**		
A-	Suseptibility of the patient of diphtheria	B-	Immunity acquired against C diphtheriae
C-	Hypersensitivity to C diphtheriae	D-	None of the above

14-	**Which of these small , gram - negative microorganisms are important human pathogens?**		
A-	Haemophilus influenzae	B-	Bordetella pertussis
C-	Haemophilus parainfluenzae	D-	A , B and C

15-	**was one of the leading bacterial pathogens that caused severe upper respiratory tract infections and even death in children during the nineteenth century , it is now rare in countries where routine vaccination is given to children?**		
A-	Haemophilus influenzae	B-	Bordetella pertussis
C-	Haemophilus influenzae type b	D-	Francisella tularensis

16-	**A diagnosis of diphtheria is confirmed by?**
A-	Microscopic appearance of organisms stained with methylene blue
B-	Isolation of a typical colony on Tinsdale's agar
C-	Isolation of typical organisms from materials such as blood , showing invasiveness
D-	Detection of 3 phage plaques in cultures of suspicious isolates
E-	Demonstration of toxin production by a suspicious isolate

17-	**Pertusis vaccine is a?**		
A-	Live vaccine	B-	Killed vaccine
C-	Toxoids	D-	None of the above

قَالَ النَّبِيُّ ﷺ: (يا عبدَ اللهِ بنَ قَيسٍ ! ألَا أدُلُّكَ علَى كَلِمَةٍ هِيَ كَنْزٌ مِنْ كُنوزِ الجنةِ؟ لَا حولَ ولَا قُوَّةَ إلَّا باللهِ)

18-	**Which of the following is true of Haemophilus influenzae?**
A-	Invasive infections are most commonly associated with encapsulated strains
B-	Most invasive infections occur in infants during the neonatal period
C-	Most human infections are acquired from domestic pets
D-	The organism can be readily cultured on sheep blood agar in an environment of elevated CO2

19-	**Most common complication of pertusis is?**						
A-	Encephalopathy	B-	Seizures	C-	Epistaxis	D-	Pneumonia

20-	**Function of M protein?**						
A-	Adherent factor	B-	Receptor	C-	Antiphagocytic	D-	Spread factor

21-	**Function of lipoteichoic & F protein acid?**						
A-	Adherent factor	B-	Receptor	C-	Antiphagocytic	D-	Spread factor

22-	**What is the type of toxin in diphtheria?**						
A-	Endotoxin	B-	Bactericidal	C-	Bacteriostatic	D-	Exotoxins

23-	**Diphtheria can infect the following?**						
A-	Human	B-	pigs	C-	Baird	D-	Poultry

24-	**Morphology of Diphtheria?**		
A-	Chinese letter	B-	Gram positive rode
C-	Bedded rod with methylene blue	D-	All the above

25-	**Diphtheria toxin is?**		
A-	Inhibit protein synthesis	B-	Highly toxic & antigenic
C-	Releasing of it depend on ECF iron	D-	Composed of 2 subunit
E-	All the above		

26-	**Type of Diphtheria vaccine?**						
A-	Inactivated	B-	Attenuated	C-	Toxoid	D-	Recombined

27-	**All the following is Hemophilus character EXCEPT?**		
A-	Gram negative	B-	Pleomorphic (cocco – bacilli)
C-	Need X factor & V factor	D-	All strain non-capsulated

28-	**Serotyping of Hemophilus is dependent on?**						
A-	Capsule	B-	M protein	C-	NP protein	D-	All the following

29-	**Most pathogenic type of Hemophilus is?**						
A-	A type	B-	B type	C-	C type	D-	D type

30-	**Type of Hemophilus vaccine?**						
A-	Conjugated	B-	Inactivated	C-	Attenuated	D-	Recombined

31-	**All the following virulence factor of pertussis EXCEPT?**				
A-	PHA	B-	PTx	C-	pertactin
D-	Adenylate cyclase	E-	None – of the above		

32-	**Organism responsible to Vincent angina?**				
A-	Spirochete	B-	Streptococcus	C-	Fusobacteria
D-	Both a & c	E-	Both a & b		

33-	**Moraxella character by all the following EXCEPT?**				
A-	Oxidase positive	B-	Not fermentate any carb	C-	β- lactamase
D-	DNase	E-	Gram negative bacilli		

كان من دعاء النبيّ صَلَّى اللهُ عليه وسلَّمَ: (ربِّ اغْفِرْ لي خَطِيئَتي وجَهْلِي، وإسْرافِي في أمْرِي كُلِّهِ، وما أنْتَ أعْلَمُ به مِنِّي، اللَّهُمَّ اغْفِرْ لي خَطَايَايَ، وعَمْدِي وجَهْلِي وهَزْلِي، وكُلُّ ذلكَ عِندِي، اللَّهُمَّ اغْفِرْ لي ما قَدَّمْتُ وما أخَّرْتُ، وما أسْرَرْتُ وما أعْلَنْتُ، أنْتَ المُقَدِّمُ وأنْتَ المُؤَخِّرُ، وأنْتَ علَى كُلِّ شيءٍ قَدِيرٌ).

❖ Influenza virus

34-	**The subtype Virus that is known to cause epidemics is?**		
A-	Influenza virus A	B-	influenza Virus B
C-	influenza Virus C	D-	None of the above

35-	**H. Influenza type b most commonly causes?**						
A-	Meningitis	B-	Common cold	C-	Tonsillitis	D-	d

36-	**Segmented RNA is found in?**		
A-	Influenza virus	B-	Rabies virus
C-	Herpes virus	D-	Molluscum contagiosum virus

37-	**Which of the following is a reservoir for the antigenic shift variants of influenza virus?**						
A-	Pigs	B-	Rodents	C-	Mosquitoes	D-	Human

38-	**coronavirus is?**		
A-	+ve ss RNA enveloped virus	B-	+ve ss RNA non-enveloped virus
C-	-ve ss RNA enveloped virus	D-	-ve ss RNA non-envelope

39-	**A virus such as influenza which emerges suddenly and spreads globally is called?**						
A-	Epidemic	B-	Endemic	C-	Pandemic	D-	Zoonotic

40-	**The common cold is caused most often by?**				
A-	Adenovirus	B-	Influenza virus	C-	Respiratory syncytial virus
D-	Rhinovirus	E-	Parainfluenza virus		

41-	**Coronaviruses are recognized by club - shaped surface projections that are 20 nm long and resemble solar coronas . These viruses are characterized by their ability to?**
A-	Grow well in the usual laboratory cultured cell lines
B-	Cause the common cold
C-	Infect infants ore frequently than adults
D-	Grow profusely at 34 ° c

42-	**Antigenic variation in influenza virus is a phenomenon that?**
A-	Occurs by the addition of new antigenic determinants
B-	Is more prominent in b strains than in a strains
C-	Affects both the haemagglutinin and neuraminidase antigens
D-	Has no impact on the clinical management of influenza

43-	**Which of the following is the most common cause of bronchiolitis?**				
A-	Respiratory syncytial virus	B-	Parainfluenza virus	C-	Mycoplasma
D-	Adenovirus	E-	Streptococcus		

44-	**Influenza has the greatest virulence and epidemic spread?**				
A-	A	B-	B	C-	C

45-	**..... has 15 recognized subtypes and is important for attachment?**						
A-	Neuraminidase	B-	Hemagglutinin	C-	Glycoprotein	D-	Cilin

46-	**..... is a " slower process " that may result in as little as a single mutation in the viral RNA , occuring every few years in influenza A?**				
A-	Antigenic shift	B-	Antigenic drift	C-	Bottleneck effect

47-	**The most common mode of transmission for influenza virus?**		
A-	Fecal - oral route	B-	Inhalation of airborne droplets
C-	Direct droplet spread	D-	Direct physical contact

48-	**Which of the following non – respiratory virus?**				
A-	Corona virus	B-	Influenza	C-	RSV
D-	Adenovirus	E-	None - of the above		

49-	**Which of the following viruses belong to paramyxoviral family?**				
A-	Corona virus	B-	Influenza	C-	RSV
D-	Adenovirus	E-	Noe of the above		

50-	**Which of the following viruses most cause of childhood bronchiolitis?**				
A-	Corona virus	B-	Influenza	C-	RSV
D-	Adenovirus	E-	Noe of the above		

51-	**Which of the following viruses most cause of pharyngeal infection?**				
A-	Corona virus	B-	Influenza	C-	RSV
D-	Adenovirus	E-	Noe of the above		

52-	**Morphology of influenzas virus?**						
A-	Filamentous	B-	Spherical	C-	Spiral	D-	Both a & b

53-	**Structure of influenzas virus include all the following EXCEPT?**		
A-	Helical nucleocapsid	B-	spiral segmental RNA
C-	Lipo- protein envelop	D-	Lipo – protein spike (HA – NA)

54-	Grouping of influenzas virus according to?						
A-	M3protein	B-	Ny protein	C-	NP protein	D-	M2 protein

55-	Subtyping (serotyping) of influenza is according to?		
A-	HA – NA antigen	B-	M1 – NP protein
C-	Both a & b	D-	HA antigen only

56-	How many serotypes for influenza A virus?						
A-	16 HA serotype	B-	9 NA serotype	C-	Both a & b	D-	17 NA serotype

57-	All the following are feature of influenza A virus EXCEPT?		
A-	Infect multiple species	B-	Undergo drift only
C-	May induce epidemic	D-	sever respiratory effect

58-	Which of the following is – are feature of influenzas B virus?		
A-	Infect multiple species	B-	Undergo drift only
C-	May induce epidemic	D-	sever respiratory effect

59-	All the following are feature of influenza C virus EXCEPT?		
A-	Infect multiple species	B-	Antigenically stable
C-	may induce epidemic	D-	minor respiratory effect

60-	All the following about antigenic drift are true EXCEPT?		
A-	Due to mutation in HA OR NA	B-	Sporadic outbreak
C-	Occur with influenza A & C VIRSUS	D-	All the following are true

61-	All the following about antigenic shift are true EXCEPT?		
A-	Due to reassortment	B-	Induce epidemic or pandemic
C-	Occur only with influenza A virus	D-	Sporadic outbreak

62-	Influenza transmitted through?						
A-	Areolas	B-	Droplet	C-	Ingestion	D-	Sexual

63-	mechanism of action in Zanamivir & Oseltamivir?		
A-	Decrease release of virus (NA inhibition)	B-	Inhibit binding of virus (HA inhibition)
C-	Inhibit protein synthesis	D-	All the above

64-	mechanism of action is Rimantadine and amantadine?		
A-	Decrease release of virus (NA inhibition)	B-	Inhibit binding of virus (HA inhibition)
C-	Inhibit protein synthesis	D-	Both a & b

65-	Type of TIV?		
A-	Inactivated vaccine	B-	Attenuated
C-	Recombination	D-	All the following

66-	Type of Immunoglobulin injected in TIV?						
A-	IGG	B-	IGE	C-	IGD	D-	IGA

67-	Type of flumist spray vaccine (LAIV)?		
A-	Inactivated vaccine	B-	Live Attenuated
C-	Recombination	D-	All the following

68-	Which of the following in contraindication to use (LAIV)?		
A-	Children	B-	Pregnant women
C-	Adolescent on aspirin therapy	D-	Immunocompromised patient
E-	All the above		

69-	All of the following mRNA corona vaccine EXCEPT?		
A-	Moderna	B-	Johnson & Johnson
C-	Pfizer	D-	All the above

اختيارُ الراحةِ الآن لن يورثَ إلا الشقاءَ لاحقًا .

يقولُ ابنُ القيّمِ -رحمهُ اللّهُ-:

"قد أجمعَ عقلاءُ كلِ أمةٍ على أنّ النعيمَ لا يُدركُ بالنعيمِ، وأنّ من آثرَ الراحةَ فاتتهُ الراحةُ، وأنه بقدرِ الأهوالِ واحتمالِ المشاقِ تكون الفرحةُ واللذةُ؛ فلا فرحةَ لمن لا همَّ له، ولا لذةَ لمن لا صبرَ له، ولا نعيمَ لمن لا شقاءَ له، ولا راحةَ لمن لا تعبَ له" .

❖ Pneumonia and Mycobacterium

70-	**Which of the following is a cause of Atypical pneumonia?**		
A-	Streptococcus pneumonie	B-	Mycoplasma pneumonie
C-	Hemophilus influenza B	D-	pseudomonas aeruginosa

71-	**Community acquired pneumonia is caused mainly by?**		
A-	Streptococcus pneumonie	B-	Pseudomonas aeruginosa
C-	Staphylococcus aureus	D-	d

72-	**Which bacterial pathogen is the most common cause of community-acquired pneumonia in adults?**		
A-	Staphylococcus aureus	B-	Mycoplasma pneumoniae
C-	Streptococcus pneumoniae	D-	Chlamydophila pneumoniae

73-	**Which of the following is TRUE regarding the development of pneumonia?**
A-	Pneumonia is an acute inflammatory condition within the parenchyma of the lung
B-	Immunocompromised individuals are at an increased risk of developing pneumonia
C-	Pneumonia often develops as a consequence of bacterial colonization and microaspiration of upper respiratory tract secretions during a period of impaired host pulmonary defense mechanisms
D-	All of the above

74-	**Atypial pneumonia Caused by the following organism?**		
A-	Haemophilus influenza	B-	E coli
C-	a and b	D-	Legionella

75-	**All of the following are the characteristics of Streptococcus pneumoniae , EXCEPT?**
A-	The colonies are diplococcus and encapsulated
B-	Alpha hemolytic colonies appear in blood culture media
C-	It is present as normal flors in healthy individuals
D-	It grows well in a high concentration of glucose media

76-	**Which of the following is a major virulence factor of Streptococcus pneumoniae?**		
A-	polysaccharide capsule	B-	M protein
C-	streptolysin O	D-	streptolysin S

77-	**Which of these microbes causes " walking pneumonia " (atypical pneumonia)?**		
A-	Klebsiella pneumoniae	B-	Streptococcus pneumoniae
C-	Mycoplasma pneumonia	D-	Chlamydophila pneumonis

78-	**Community acquired pneumonia is most commonly associated with?**				
A-	Staphylococcus	B-	Listeria	C-	Legionella
D-	Pneumococcus	E-	Pseudomonas		

79-	**Acute tracheobronchitis is most commonly associated with which o following pathogens?**				
A-	Pseudomonas	B-	Klebsiella	C-	Influenza A Virus

80-	**What is a Quellung reaction?**		
A-	The capsule detection test	B-	The serological antibody detection test
C-	Direct antigen detection test	D-	The bacterial motility test

81-	**False regarding Pneumococcus is?**
A-	Causes mild form of meningitis
B-	Respiratory tract of carriers is the most important source of infection
C-	Common t cause of otitis media
D-	Capsule is important virulence

82-	**Typical bacterial pneumonia is caused by?**		
A-	Mycoplasmal pneumonia	B-	Legionnaires pneumonia
C-	Pneumocystis carinii	D-	Staphylococcus aureus

83-	**All of the following can be used to diagnose atypical CAP EXCEPT?**		
A-	ESR and Creactive protein	B-	Xrays
C-	Gram stain	D-	All the above

84-	**Choose the etiology of atypical pneumonia?**		
A-	Haemophilus influenzae	B-	Mycobacterium tuberculosis
C-	Mycoplasma pneumoniae	D-	Streptococcus pneumoniae
E-	Pseudomonas aeruginosa		

85-	**65 years old alcoholic man had sudden fever, chills, pleuritic pain &production of rusty sputum, he has infection caused by?**		
A-	Streptococcus pneumoniae	B-	Haemophilus influenzae
C-	Mycoplasma pneumoniae	D-	Escherichia coli

86-	**Pneumonia is?**		
A-	Inflammation of lung stroma	B-	Inflammation of lung parenchyma
C-	Inflammation of conducting portion	D-	Inflammation of pleura

87-	**Type of pneumonia is based on?**		
A-	Type of bacteria	B-	Site of acquisition
C-	Duration of infection	D-	Severity of infection

88-	**Which of the following the main types of pneumonia?**				
A-	CAP	B-	HAP	C-	Both a & b
D-	NASOCOMIA	E-	Both a& d		

89-	**Which of the following is risk factor to CAP?**		
A-	Antibiotic usage	B-	Hospital admission
C-	Low immunity	D-	Endotracheal intubation

90-	**Which of the following is risk factor to HAP?**				
A-	Young age	B-	Antibiotic usage	C-	Hospital admission
D-	Low immunity	E-	All the above EXCEPT A		

91-	**All the following are causative organism in HAP EXCEPT?**				
A-	P. aeruginosa	B-	Klebsiella pneumonia	C-	
D-	coli	E-	Acinetobacter	F-	None of the above

92-	**Polymicrobial infection occur with?**						
A-	COPD	B-	ARDS	C-	Low immunity	D-	All the above

93-	**How pneumonia infection transmitted?**						
A-	Aerosol	B-	Droplet	C-	Ingestion	D-	Sexual

94-	**Primary colonizing site of phenomena is?**		
A-	Nose	B-	Respiratory portion
C-	Oropharynx	D-	Nasopharynx

95-	**Streptococcus pneumoniae is?**		
A-	Gram negative	B-	Capsulated
C-	B – hemolytic in blood agar	D-	14 serotype

96-	**Serotyping of Streptococcus pneumoniae is dependent on?**		
A-	Pattern of growth	B-	Sensitivity to optochin
C-	Capsule	D-	All the above

97-	**Virulence factor of Streptococcus pneumoniae include all the following EXCEPT?**				
A-	Capsule	B-	IgA 1 protases	C-	Endotoxin
D-	Both a & b	E-	Both a & c		

98-	**Predisposing factor for Streptococcus pneumoniae includes all the following EXCEPT?**						
A-	Viral infection	B-	Low immunity	C-	Heart failure	D-	Hypersplenism

99-	**Type of pneumonia vaccine (PPV-13)?**						
A-	Inactivated	B-	Live attenuated	C-	conjugated	D-	Toxoid

100-	**pneumonia vaccine (PPV-23) used for?**		
A-	Children	B-	Adult
C-	Immunocompetent	D-	Immunocompromised

101-	**Which of the following is the reason for the acid fastness of Mycoplasma tuberculosis?**		
A-	presence of peptidoglycan in the cell wall	B-	presence of mycolic acid in the cell wall
C-	Chitin	D-	Ergosterol

102-	**First line Antibiotics usually used in treatment of Mycobacterium tuberculosis are?**		
A-	Isoniazid & Rifampin	B-	Rifampicin & streptomycin
C-	Isoniazid and ciprofloxacin	D-	d

103-	**What are the symptoms of active TB?**						
A-	Weight loss	B-	Night sweats	C-	Loss of appetite	D-	All of the above

104-	**The main virulence factor in TB pathogenesis is?**
A-	Bacteria's ability to survive inside the bronchi
B-	Bacteria's ability to destroy the macrophage
C-	Bacteria's ability to destroy the pulmonary tissue
D-	Bacteria's ability to survive inside the macrophage

105-	**Primary tuberculosis in which inhaled droplet nuclei are deposited in the peripheral respiratory alveoli , most frequently occurs in lobe(s) of the lungs?**						
A-	Upper	B-	Upper and middle	C-	Middle and lower	D-	Lower

106-	**MTB can produce large quantities of , which is uncommon to other mycobacteria?**						
A-	Tuberculin	B-	Niacin	C-	Endotoxin	D-	Exotoxin

107-	**Mycobacteria are acid - fast positive bacteris because of?**
A-	the presence of lipopolysaccharide in the bacterial cell wall
B-	the presence of mycolic acid in the bacterial cell wall
C-	the presence of lipids
D-	Both B and C options given above

108-	Which of the following first - line antibiotics are usually resistant to Mycobacterium tuberculosis?		
A-	Isoniazid and ciprofloxacin	B-	Isoniazid and Rifampin
C-	Rifampin and ciprofloxacin	D-	Rifampin and streptomycin

109-	All of the following are the examples of selective media used for culture of Mycobacterium tuberculosis , except?
A-	Inspissated egg media
B-	Middlebrook 7H10 / 7H11 media with antibiotics
C-	Dubos media
D-	Middlebrook 7H10 media without antibiotic

110-	Which of the following statement true about the tuberculin test and purified protein derivative (PPD)?
A-	The presence of intradermal skin induration is observed in 6 to 8 hours after being applied
B-	The redness of skin or erythema is also measured while reading the tuberculin test
C-	A positive tuberculin test means that a person was infected with M. tuberculosis in the I and continues to carry the viable organism
D-	A positive PPD test indicates that a person can never be infected with M. tuberculosis

111-	All of the following are the symptoms of pulmonary tuberculosis , Except?		
A-	Weakness and fatigue	B-	Decreased body temperature
C-	Weight loss	D-	Severe prolonged cough with sputum or blood

112-	Which of these following categories of people do not require the test for TB infection?
A-	A 30 years old man traveling from india to the USA for the first time
B-	A 45 years old woman contradicted with HIV infection
C-	A 7 years old healthy girl living together with her grandmother who has tuberculosis infection
D-	None of the above

113-	The treatment regimen for initial therapy of tuberculosis caused by Mycobacterium tuberculosis includes?
A-	Streptomycin and rifampin
B-	Isoniazid , streptomycin , and ethambutol
C-	Rifampin , isoniazid , and ciprofloxacin
D-	Isoniazid , rifampin , pyrazinamide , and ethambutol

﴿لَقَدْ خَلَقْنَا الْإِنسَانَ فِي كَبَدٍ﴾ .

أدرك أن الدنيا هي دار الشقاء يعقبها نعيم في الآخرة بإذن الله

114-	**What is the interferon - gamma release assay?**
A-	The antigen detection test for the Mycobacterium spp
B-	The DNA detection test in Mycobacterium spp
C-	The test used as an alternative tuberculin skin test in latent tuberculosis
D-	The test used as an alternative tuberculin skin test in active tuberculosis

115-	**Pneumococci can be differentiated from viridans streptococci by a following except?**		
A-	Alpha hemolysis on blood agar	B-	Optochin sensitivity
C-	Bile solubility	D-	Quellung reaction

116-	**All of the following are character of mycobacterium EXCEPT?**						
A-	Long rod	B-	Gram	C-	Acid fast	D-	Non – toxigenic

117-	**All of the following are character of mycobacterium EXCEPT?**		
A-	Resist the acid & UV rays	B-	None spore forming
C-	Facultative intracellular	D-	All the above

118-	**All of the following are character of mycobacterium EXCEPT?**		
A-	Grow in L-J & Dorset egg & middle brook	B-	5% co2 enhance growth
C-	Niacin production	D-	All the above true

119-	**Which of the following is typical mycobacterium?**				
A-	M.tuberculosis	B-	M.bovis	C-	M . africum
D-	M .cictoi	E-	All the above		

120-	**All of the following are virulence factor of mycobacterium EXCEPT?**				
A-	Mycolic acid	B-	Exotoxin	C-	WAX-D
D-	Phosphatides	E-	Cord factor		

121-	**Which of the following responsible to caseation?**						
A-	Mycolic acid	B-	Cord factor	C-	WAX-D	D-	Phosphatides

122-	**Mode of infection in pulmonary T.B?**						
A-	Arousal	B-	Ingestion	C-	Sexual	D-	Droplet

123-	**Primary complex in T.B include all the following EXCEPT?**		
A-	Ghosn focus	B-	Lymphangitis
C-	Lymphadenitis	D-	Miliary tuberculosis

124-	**Mantoux test is?**		
A-	Type 1 hypersensitivity	B-	Type 2 hypersensitivity
C-	Type 3 hypersensitivity	D-	Type 4 hypersensitivity

125-	If induration is 10mm it considers positive in?		
A-	Chalder under 4 years	B-	Diabetic
C-	Homeless & I.D drug users	D-	All the above

126-	Disadvantage of tuberculin test?						
A-	False positive	B-	False negative	C-	Expensive	D-	Both a & b

127-	tuberculin test gives False negative in which of the following?						
A-	Vaccinated	B-	NTM	C-	Low immunity	D-	All the above

128-	Type of BCG vaccine?						
A-	Inactivated	B-	Live attenuated	C-	Toxoid	D-	Recombed

129-	Advantage of BCG?		
A-	Decrease complication	B-	Contraindicated for immunocompromised
C-	Prevent infection	D-	Both a & c

يقول الإمام الغزالي – رحمه الله :–

اعلم ان للدين شطرين، أحدهما: ترك المناهي، والآخر: فعل الطاعات . . وترك المناهي هو الأشد؛ فإن الطاعات يقدر عليها كل واحد، وترك الشهوات لا يقدر عليه إلا الصديقون، فلذلك قال رسول الله صلى الله عليه وسلم: (المهاجر من هجر السوء، والمجاهد من جاهد هواه).

واعلم أنك إنما تعصي الله بجوارحك، وهي نعمة من الله عليك وأمانة لديك، فاستعانتك بنعمة الله على معصيته غاية الكفران، وخيانتك في أمانة استودعها الله غاية الطغيان؛ فأعضاؤك رعاياك، فانظر كيف ترعاها؛

فكلكم راع، وكلكم مسؤول عن رعيته .

❖ Immunity & Bronchial asthma

130-	**Bronchial asthma is an example of?**		
A-	Type I hypersensitivity reaction	B-	Type II hypersensitivity reaction
C-	Type III hypersensitivity reaction	D-	Type IV hypersensitivity reactionAns: A

131-	**IgE-mediated histamine release is classified as what type of hypersensitivity reaction?**						
A-	Type I	B-	Type II	C-	Type III	D-	Type IV

132-	**The immunoglobulin class most frequently responsible for inhibition of bacteria on mucosal surfaces is?**						
A-	IgG	B-	IgM	C-	IgA	D-	IgE

133-	**Which one of the following cell types expresses receptors for IgE on its cell surface that stimulate the cell to mount a response to an allergen?**						
A-	T cells	B-	B cells	C-	NK cells	D-	Mast cells

134-	**IgE-mediated histamine release is classified as what type of hypersensitivity reaction?**						
A-	Type I	B-	Type II	C-	Type III	D-	Type IV

135-	**Innate immunity of respiratory system includes all of the following EXCEPT?**				
A-	Hair (vibrase)	B-	Mucous	C-	Cilia
D-	T helper cell	E-	Dendritic cell		

136-	**Allergic rhinitis is allergic reaction in?**		
A-	Lower respiratory tract	B-	Upper respiratory tract
C-	Lung	D-	All the above

137-	**Hay fever is?**		
A-	Reversible allergic reaction	B-	Irreversible allergic reaction
C-	Autoimmune	D-	Idiopathic

138-	**irreversible changes in Bronchial asthma is?**		
A-	Excessive mucous secretion	B-	Muscular hypertrophy
C-	Respiratory obstruction	D-	Hemoptysis

139-	**Extrinsic asthma is induced by?**						
A-	Stress	B-	Exercise	C-	Allergen	D-	Infection

140-	**Intrinsic asthma occurs in?**						
A-	Child	B-	Adult	C-	Both	D-	Variable

141-	Which of the following in second class mediator?						
A-	Histamine	B-	Heparin	C-	Prostaglandin	D-	Proteases

142-	Second class mediator is?		
A-	Preformed	B-	Newly synthesis
C-	Both	D-	Not share in immediate reaction

143-	Leukotriene C4 – D4 responsible for?		
A-	Vasodilation	B-	Broncho – dilatation
C-	Increase permeability	D-	Both a & c

144-	IL-3 induce?		
A-	GM-CSF	B-	Mucous
C-	IGE	D-	Activation of Eosinophile

145-	IL-5 induce?		
A-	GM-CSF	B-	Mucous
C-	IGE	D-	Activation of Eosinophile

146-	Which of the following medication used in anaphylactic shock?						
A-	Epinephrine	B-	Corticosteroid	C-	Antihistaminic	D-	All the above

147-	Best management of asthma is?		
A-	Epinephrine	B-	Corticosteroid
C-	Antihistaminic	D-	Avoidance of allergen

وإن ضاقَ الفضاءُ عليكَ يومًا *** وضيّعْتَ الخُطى والدربُ أظلَمْ

فلا تيأسْ فخيرُ اللهِ آتٍ *** إليكَ ومَنْ سوى الرحمنِ أكرمْ

فهاجَرُ أقبلتْ في الصيفِ تسعى *** لإسماعيلَ بينَ الخوفِ والهمْ

أرادتْ شربةً تروي رضيعًا *** فعوّضَها الكريمُ ببئرِ زمزمْ

❖ Fungal infection

148-	Acute Allergic asthma is due to inhalation of spores of?		
A-	Dermatophytes	B-	Aspergillus
C-	Candida	D-	Histoplasma cpsulatum

149-	Allergic asthma is due to inhalation of spores of?		
A-	Dermatophytes	B-	Aspergillus
C-	Candida	D-	Histoplasma cpsulatum

150-	Dimorphic fungi have two different morphological forms yeast and molds. It is likely that?
A-	The yeast form appears in the environment, the mold form in tissue
B-	The mold form appears in the environment, the yeast form in tissue
C-	Both forms appear in tissue
D-	Neither form appears in tissue since these are nonpathogenic organisms

151-	Aspergillosis is best described as a?		
A-	Opportunistic mycosis	B-	Cutaneous mycosis
C-	Dimorphic systemic mycosis	D-	Subcutaneous mycosis

152-	Which of the following is a major virulence factor of Streptococcus pneumoniae?		
A-	Streptolysin O	B-	M protein
C-	Streptolysin S	D-	Polysaccharide capsule

153-	Fungi that are more virulent and cause disease in healthy hosts are classified as?				
A-	Superficial	B-	Cutaneous	C-	Subcutaneous
D-	Systemic	E-	Opportunistic		

154-	Which one of the following fungi causes allergic bronchopulmonary disease resulting in marked elevation of serum IgE?		
A-	Aspergillus fumigates	B-	candida albicans
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

155-	Aspergillosis is best described as a?		
A-	Subcutaneous mycosis	B-	Opportunistic mycosis
C-	Dimorphic systemic mycosis	D-	Cutaneous mycosis
E-	Superficial mycosis		

156-	Which of the following is opportunistic fungi?		
A-	Aspergillus fumigates	B-	candida albicans
C-	Blastomyces dermatosis	D-	Histoplasma capsulatum

157-	**All the following are systemic fungi EXCEPT?**		
A-	Blastomyces dermatosis	B-	Coccidiosis
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

158-	**The main cause of death in AIDS patient is?**		
A-	Blastomyces dermatosis	B-	Coccidiosis
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

159-	**Which of the following fungi form spherule in host?**		
A-	Aspergillus fumigates	B-	Coccidiosis
C-	Blastomyces dermatosis	D-	Histoplasma capsulatum

160-	**Which of the following fungi induce granuloma formation?**		
A-	Aspergillus fumigates	B-	Histoplasma capsulatum
C-	Blastomyces dermatosis	D-	All the above

161-	**Aspergillus induce all of the following EXCEPT?**						
A-	Allergic reaction	B-	Aspergilloma	C-	Pneumonia	D-	Skin dermatitis

162-	**Which of the following fungi lake ergosterol in cell wall?**		
A-	Blastomyces dermatosis	B-	Coccidiosis
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

163-	**Hepatosplenomegaly caused by?**		
A-	Blastomyces dermatosis	B-	Coccidiosis
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

164-	**Which of the following fungi do not grow in vitro culture?**		
A-	Blastomyces dermatosis	B-	Coccidiosis
C-	Pneumocystis jiroveci	D-	Histoplasma capsulatum

ANSWERS – Microbiology									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
A	B	D	A	B	C	A	D	D	D
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
C	B	A	D	C	E	D	A	D	C
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
A	D	A	D	E	C	D	A	B	A

31	32	33	34	35	36	37	38	39	40
A	D	E	A	A	A	A	A	C	D
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
B	A&C	A	A	B	B	B	E	B	C
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
D	D	D	C	A	C	B	B	C	C
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
D	A	A	D	A	A	B	E	B	D
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
A	C	D	D	D	A	C	D	C	A
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
A	D	C	C	A	B	B	E	C	E
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
E	B	B	D	B	C	C	D	C	D
101	**102**	**103**	**104**	**105**	**106**	**107**	**108**	**109**	**110**
B	A	D	D	A	B	D	B	D	C
111	**112**	**113**	**114**	**115**	**116**	**117**	**118**	**119**	**120**
B	D	D	A	A	B	A	D	E	B
121	**122**	**123**	**124**	**125**	**126**	**127**	**128**	**129**	**130**
D	D	D	D	D	D	C	B	A	A
131	**132**	**133**	**134**	**135**	**136**	**137**	**138**	**139**	**140**
A	C	D	A	D	B	A	B	C	B
141	**142**	**143**	**144**	**145**	**146**	**147**	**148**	**149**	**150**
C	B	D	A	D	D	D	B	B&D	B
151	**152**	**153**	**154**	**155**	**156**	**157**	**158**	**159**	**160**
A	D	D	A	B	A	C	C	B	D
161	**162**	**163**	**164**	**165**	**166**	**167**	**168**	**169**	**170**
D	C	D	C	-	-	-	-	-	-

Parasitology



❖ Parasitology

1-	**All the following parasites can affect the lung Except?**				
A-	Schistosoma haematobium	B-	Strongyloides stercoralis	C-	Enterobius vermicularis
D-	Entameba histolytica	E-	Echinococcus granulosus		

2-	**Amebic lung abscess can occur through?**		
A-	Direct extension from hepatic abscess	B-	Hematogenous spread
C-	Ingestion of Entameba histolytica cyst	D-	Both (a) and (b)
E-	None of the above		

3-	**Loeffler's syndrome occurs as a result of infection with?**				
A-	Ancylostoma doudenal	B-	Ascaris lumbricoides	C-	Wucheraria bancrofti
D-	Both a and c	E-	Both a and b		

4-	**the infective stage for Ancylostoma doudenal is?**				
A-	mature egg	B-	filariform larva	C-	microfilaria
D-	Both a and b	E-	None of the above		

5-	**The infection with bilharziasis is through?**		
A-	Eating infected meat	B-	Matura egg
C-	Skin penetration	D-	Blood transfusion

6-	**Loffler's pneumonia occurs in all of the following EXCEPT?**		
A-	Schistosoma haematobium	B-	Ascaris
C-	Ancylostoma	D-	Fasciola hepatica

7-	**Katayama fever occurs in?**		
A-	Hydatid disease	B-	Entamoeba histolytica liver abscess
C-	Tropical pulmonary eosinophilia	D-	Schistosoma haematobium infection

8-	**Bather's itch, or swimmer's itch?**
A-	caused by Penetration by non-human schistosome cercariae

9-	**Acute phase : Katayama fever?**
A-	caused by the release of large number of eggs

10-	**Dysentery?**
A-	caused by S. mansoni

11-	**There is no natural reservoir host for?**
A-	Schistosoma haematobium

12-	**Swallowing of eggs result in formation of?**
A-	Hydatid cyst

13-	**Infective stage?**
A-	Filariform larva

14-	**Invasion stage causing?**
A-	Ground itch

15-	**Type of anemia?**
A-	Hypochromic normocytic or microcytic or iron deficiency anemia

16-	**Culture of the egg to differentiate between larvae of hookworms using?**
A-	Harada-Mori-Method

17-	**Most frequent feature seen on chest radiography?**
A-	Hyperinfection

18-	**Hyperinfection is due to?**
A-	Autoinfection

19-	**Result from?**
A-	Hypersensitivity reaction (immunological response to microfilariae of Wucheria bancrofti & Bruges malayi not due to acute infection)

20-	**Most common clinical manifestations?**
A-	Elephantiasis

21-	**In the laboratory diagnosis no microfilariae can be found in the peripheral blood due to?**
A-	Extensive immune response

22-	**So, the finding can be?**
A-	Anti-filarial antibodies & eosinophilia

ANSWERS – Parasitology

1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
C	D	E	B	C	D	D	A	A	A
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
A	A	A	A	A	A	A	A	A	A
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
A	A	-	-	-	-	-	-	-	-


Pathology

❖ MID & Final 33

1-	**In Rhinoscleroma the macrophage that showed Hydropic degeneration is called?**		
A-	Mikulicz cell	B-	langhans giant cell
C-	epithelioid	D-	Russel bodies

2-	**Liver like consistency occurs in?**		
A-	bronchopneumonia	B-	lobar pneumonia
C-	bronchogenic carcinoma	D-	Bronchiectasis

3-	**The diagnostic feature of chronic bronchitis in the trachea and larger bronchi is?**		
A-	Chronic inflammatory cell infiltrate	B-	Increased vascularity in submucosa
C-	Enlargement of the mucus-secreting glands	D-	Acute inflammatory cell infiltrate

4-	**All of the following are diagnostic for Adenocarcinoma in situ except?**		
A-	Solitary lesion	B-	pure lepidic growth
C-	no invasion	D-	more than 3 cm

5-	**A man working in coal mines for many years. Now, he suffers from heart failure, the most possible cause is?**		
A-	Systemic hypertension	B-	Pulmonary hypertension
C-	Toxic myocarditis	D-	Fibrinous pleurisy

6-	**A man has persistent cough with expectoration of copious amounts of foul smelling, purulent sputum, the most possible diagnosis is?**						
A-	Bronchiectasis	B-	Emphysema	C-	Pneumonia	D-	Asthma

7-	**well differentiated neoplasms characterized by 2-10 mitosis per 2 mm2, and foci of necrosis is?**		
A-	Atypical carcinoid	B-	Typical carcinoid
C-	Small cell neuroendocrine	D-	Large cell neuroendocrine

8-	**Bagassosis is Interstitial lung disease due to inhalation of?**		
A-	Cotton particles	B-	Cane sugar particles
C-	Silica particles	D-	Carbon particles

9-	**The diagnostic histologic feature of rapidly progressive glomerulonephritis is?**		
A-	Hypercellular glomeruli	B-	Segmental necrosis of the glomeruli
C-	Epithelial crescents	D-	Protein casts in the tubules

10-	**All of the following cause Nephrotic syndrome except?**		
A-	Minimal change disease	B-	Membranoproliferative Glomerulonephritis
C-	Acute diffuse proliferative Glomerulonephritis	D-	Membranous Glomerulonephritis

11-	**The histological feature of Chronic Pyelonephritis is?**		
A-	Adherent Capsule	B-	Sheded mucosal cells
C-	Lymphoid follicle in the interstitium	D-	No differentiation between cortex & medulla

12-	**Female came to the clinic with flank pain, dysuria and Neutrophil casts, the most possible diagnosis is?**		
A-	Acute cystitis	B-	Acute urethritis
C-	Acute prostatitis	D-	Acute Pyelonephritis

13-	**Which of the following is a character of papillary Renal Cell carcinoma?**		
A-	Amyloid material is present in the stroma	B-	Commonly is Multifocal and bilateral
C-	Polyhedral cells with clear	D-	Triphasic

14-	**The following type of renal stone is multiple and spiky?**						
A-	Oxalate stones	B-	Phosphate stones	C-	Cystine stones	D-	Urate stones

ANSWERS – Mid & Final 33									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
A	B	C	D	B	A	A	B	C	C
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
C	D	B	A	-	-	-	-	-	-

قَالَ رَسُولُ اللَّهِ ﷺ: (الْمُؤْمِنُ الْقَوِيُّ خَيْرٌ وَأَحَبُّ إِلَى اللهِ مِنَ الْمُؤْمِنِ الضَّعِيفِ، وَفِي كُلٍّ خَيْرٌ. احْرِصْ عَلَى مَا يَنْفَعُكَ، وَاسْتَعِنْ بِاللَّهِ وَلَا تَعْجَزْ، وَإِنْ أَصَابَكَ شَيْءٌ، فَلَا تَقُلْ: لَوْ أَنِّي فَعَلْتُ كَانَ كَذَا وَكَذَا، وَلَكِنْ قُلْ: قَدَرُ اللهِ وَمَا شَاءَ فَعَلَ؛ فَإِنَّ (لَوْ) تَفْتَحُ عَمَلَ الشَّيْطَانِ).

الراوي: أبو هريرة

❖ DEPARTMENT MCQ

1-	**Bronchopneumonia is defined as?**		
A-	Acute serous inflammation	B-	Granulomatous inflammation
C-	Acute membranous inflammation	D-	Chronic non-specific inflammation
E-	Acute suppurative inflammation		

2-	**In lobar pneumonia, inflammatory cells and RBCs filled the alveolar spaces and this is called?**				
A-	Red hepatization	B-	Congestion	C-	Abscess formation
D-	Gray hepatization	E-	Granulomatous lesion		

3-	**In lobar pneumonia, the alveolar spaces are filled with RBCs is called?**				
A-	Red hepatization	B-	Congestion	C-	Abscess formation
D-	Gray hepatization	E-	Granulomatous lesion		

4-	**Inflammation in lobar pneumonia is called?**		
A-	Acute serous inflammation	B-	Acute hemorrhagic inflammation
C-	Acute suppurative inflammation	D-	Acute membranous inflammation
E-	Acute fibrinous inflammation		

5-	**In viral pneumonia, inflammatory cells infiltration is mainly in?**				
A-	Bronchial lumen	B-	Alveolar wall	C-	Interstitial tissue
D-	Alveolar lumen	E-	Bronchiolar wall		

6-	**Lung abscess is a complication of?**				
A-	Bronchial asthma	B-	Bronchopneumonia	C-	Interstitial pneumonia
D-	Chronic bronchitis	E-	Emphysema		

7-	**Bronchiectasis is characterized histologically by?**
A-	Acute inflammatory cells and RBCs filling the alveolar lumina
B-	Chronic inflammation in the interstitial tissue of the lung
C-	Acute suppurative inflammation & formation of a cavity filled with pus
D-	Overdistension of the lung with destruction of the alveolar wall
E-	Permanent dilatation of the bronchioles with suppurative inflammation

8-	**Emphysema is caused by?**		
A-	α- 1 Antitrypsin deficiency	B-	Loss of the elastic recoil of the lung
C-	Chronic interstitial inflammation	D-	Hyperreactive bronchi and bronchioles
E-	Acute fibrinous inflammation		

9-	**In bronchial asthma there is?**
A-	.α- 1 Antitrypsin deficiency with alveolar wall destruction
B-	Loss of the elastic recoil of the lung with fibrosis
C-	Chronic interstitial inflammation & consolidation
D-	Hyperreactive bronchi and bronchioles with ↑mucus secretion
E-	Acute fibrinous inflammation with consolidation

10-	**A 21-years-old man complained of nasal obstruction and discharges for 2 weeks. A clinical examination showed a small polyp about 1x2cm, white, soft, obstructing the nasal cavity. Excisional biopsy was done and histopathological examination revealed?**
A-	Few granulomas with Mikulicz cells, Russel bodies and lymphocytes
B-	Few caseating granulomas with epithelioid cells and lymphocytes
C-	Chronic inflammatory cells, in an edematous stroma
D-	Few papillary processes, covered by transitional epithelium
E-	Lobules of squamous epithelium in the subepithelial stroma

11-	**A 49-years-old heavy smoker, driver complained of cough, wheezing and dyspnea for 3 weeks. On physical examination there was mild cyanosis, weak heart sounds and overdistended both lungs. X-ray showed hyperinflation of both lung that encroached on the heart. What are the diagnostic features on lung biopsy of this case?**
A-	Dense acute inflammatory cells and RBCs filling the alveolar lumen
B-	Overdistended alveoli with rupture & compression of alveolar wall
C-	Dilated bronchioles with inflammation and destruction of its wall
D-	Chronic inflammatory cell infiltration in the interstitial lung tissue
E-	Dilated bronchi with chronic inflammatory cells and mucus glands hyperplasia

12-	**A 21-years-old female complained of nasal obstruction and offensive discharge for 4 days. On physical examination there were few crustation and friable mass in the nasal cavity A biopsy from the crusts revealed few foamy cells with pyknotic nuclei and foamy pale cytoplasm, plasma cells, lymphocytes and edema in a fibro-vascular tissue stroma. What is the diagnosis?**		
A-	Tuberculosis	B-	Chronic non-specific rhinitis
C-	Sarcoidosis	D-	Leprosy
E-	Rhinoscleroma		

13-	**What is the characteristic cell in this lesion?**				
A-	Reed-Sternberg cell	B-	Mikulicz cell	C-	Heart failure cell
D-	Lacunar cell	E-	Langhan's cell		

14-	**A 73-years-old man complained of cough and hemoptysis for 3 weeks. He had a long history of smoking. X-ray chest showed a central mass in the main bronchi about 3x4cm, with enlarged hilar LN. A biopsy from the mass revealed a tumor formed of small round neoplastic cells with round hyperchromatic nuclei and scanty pale cytoplasm, arranged in nesting pattern, with areas of necrosis and mitosis. What is the diagnosis of this case?**				
A-	Squamous cell carcinoma	B-	Large cell carcinoma	C-	Carcinoid tumor
D-	Small cell carcinoma	E-	Adenocarcinoma		

15-	**What is the tumor marker that confirm the diagnosis?**		
A-	Chromogranin and synaptophysin	B-	Cytokeratin and CEA
C-	α-fetoprotein	D-	CD2-3 and CD20
E-	Vimentin and Desmin		

16-	**A 67-years-old woman complained of dyspnea, chest pain and dry cough for 3 weeks. X-ray showed a small mass 4x3cm, at the periphery of the Lt lower lobe of the lung with hemorrhagic pleural effusion. A biopsy from the mass showed neoplastic epithelial cells, lining the alveolar walls. What is the diagnosis?**				
A-	Squamous cell carcinoma	B-	Large cell carcinoma	C-	Adenocarcinoma
D-	Carcinoid tumor	E-	Small cell carcinoma		

17-	**A 76-years-old man complained of dyspnea and productive cough with hemoptysis for 2 months. X ray chest showed a central large soft tissue mass in the Rt main bronchus 5x6 cm, with enlarged hilar LN. A biopsy from the mass showed cell nests and solid sheets of neoplastic epithelial cells, in a fibrous tissue stroma. What is the diagnosis?**				
A-	Squamous cell carcinoma	B-	Large cell carcinoma	C-	Carcinoid tumor
D-	Adenocarcinoma	E-	Small cell carcinoma		

18-	**What is the cause of enlargement of the hilar lymph nodes?**		
A-	Acute lymphadenitis	B-	Chronic non specific lymphadenitis
C-	Metastasis to the LN	D-	Tuberculous lymphadenitis
E-	Reactive hyperplasia of LN		

19-	**In small cell carcinoma of the lung, patients may present with myasthenia gravis or clupping of fingers. This unusual presentation is called?**				
A-	Cushing syndrome	B-	Paraneoplastic syndrome	C-	Conn syndrome
D-	Peripheral neuritis	E-	Addison syndrome		

قَالَ الْفُضَيْلُ بْنُ عِيَاضٍ: بِقَدْرِ مَا يَصْغُرُ الذَّنْبُ عِنْدَكَ يَعْظُمُ عِنْدَ اللَّهِ، وَبِقَدْرِ مَا يَعْظُمُ عِنْدَكَ يَصْغُرُ عِنْدَ اللَّهِ.

20-	**A 66-years-female complained of dyspnea for 3 years. She has a long history of working in Asbestos factory till retirement. X-ray chest showed pleural effusion and pleural thickening. A biopsy from the thickened pleura showed nests and acini formed of neoplastic epithelial cells in a atypical spindle cell stroma. What is the diagnosis?**				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Metastatic carcinoma
D-	Mesothelioma	E-	Fibrosarcoma		

عَنْ عَبْدِ اللَّهِ بْنِ عَبَّاسٍ رَضِيَ اللَّهُ عَنْهُمَا قَالَ: "كُنْتُ خَلْفَ رَسُولِ اللَّهِ صَلَّى اللَّهُ عَلَيْهِ وَسَلَّمَ يَوْمًا، فَقَالَ: يَا غُلَامُ! إِنِّي أُعَلِّمُكَ كَلِمَاتٍ: احْفَظِ اللَّهَ يَحْفَظْكَ، احْفَظِ اللَّهَ تَجِدْهُ تُجَاهَكَ، إِذَا سَأَلْتَ فَاسْأَلِ اللَّهَ، وَإِذَا اسْتَعَنْتَ فَاسْتَعِنْ بِاللَّهِ، وَاعْلَمْ أَنَّ الْأُمَّةَ لَوِ اجْتَمَعَتْ عَلَى أَنْ يَنْفَعُوكَ بِشَيْءٍ لَمْ يَنْفَعُوكَ إِلَّا بِشَيْءٍ قَدْ كَتَبَهُ اللَّهُ لَكَ، وَإِنِ اجْتَمَعُوا عَلَى أَنْ يَضُرُّوكَ بِشَيْءٍ لَمْ يَضُرُّوكَ إِلَّا بِشَيْءٍ قَدْ كَتَبَهُ اللَّهُ عَلَيْكَ؛ رُفِعَتِ الْأَقْلَامُ، وَجَفَّتِ الصُّحُفُ."

رَوَاهُ التِّرْمِذِيُّ [رقم: 2516] وَقَالَ: حَدِيثٌ حَسَنٌ صَحِيحٌ.

وَفِي رِوَايَةٍ غَيْرِ التِّرْمِذِيِّ: "احْفَظِ اللَّهَ تَجِدْهُ أَمَامَكَ، تَعَرَّفْ إِلَى اللَّهِ فِي الرَّخَاءِ يَعْرِفْكَ فِي الشِّدَّةِ، وَاعْلَمْ أَنَّ مَا أَخْطَأَكَ لَمْ يَكُنْ لِيُصِيبَكَ، وَمَا أَصَابَكَ لَمْ يَكُنْ لِيُخْطِئَكَ، وَاعْلَمْ أَنَّ النَّصْرَ مَعَ الصَّبْرِ، وَأَنَّ الْفَرَجَ مَعَ الْكَرْبِ، وَأَنَّ مَعَ الْعُسْرِ يُسْرًا

❖ Upper respiratory tract disease

21-	**The general cause of epistaxis includes?**						
A-	Hypertension	B-	Blood diseases	C-	Both the above	D-	Rhinitis

22-	**Allergic nasal polyp is?**		
A-	Congenital	B-	Inflammatory
C-	Benign epithelial tumour	D-	Benign mesenchymal tumour
E-	Precancerous lesion		

23-	**The most important complication of tonsillitis is?**		
A-	Enlarged cervical lymph nodes	B-	Otitis media
C-	Rheumatic fever	D-	Quinzy
E-	Fever		

24-	**Diphtheria is an example of?**		
A-	Suppurative inflammation	B-	Granulomatous inflammation
C-	Catarrhal inflammation	D-	Membranous inflammation
E-	Fibrinous inflammation		

25-	**The general complications of diphtheria are due to?**		
A-	Bacterial exotoxins	B-	Bacterial endotoxins
C-	High virulence of the organism	D-	Low resistance of the patient
E-	All the above		

26-	**The following is NOT a feature of diphtheria?**
A-	It is an infectious fever
B-	It is a suppurative inflammation
C-	It is characterised by formation of a pseudomembrane
D-	The organism produces powerful toxins
E-	It may lead to suffocation

27-	**Suffocation may occur in diphtheria patients due to?**		
A-	Toxaemia	B-	Separation of the pseudomembrane
C-	Spasm of the respiratory muscles	D-	All the above
E-	None of the above		

28-	**Which cell is characteristic for Rhinoscleroma?**						
A-	Mikulicz cells	B-	Epithelioid cells	C-	Langerhans cells	D-	Dust cells

29-	**Rasul body is?**		
A-	Langerhans cells	B-	Macrophage with hydronic degeneration
C-	Plasma cell with hyaline degeneration	D-	Dust cells

30-	**Laryngoscleroma is?**		
A-	Benign epithelial tumor	B-	Benign mesenchymal tumor
C-	Non-specific inflammatory lesion	D-	Granulomatous lesion
E-	None of the above		

31-	**Singer's nodule of the larynx is?**		
A-	Benign epithelial tumor	B-	Benign mesenchymal tumor
C-	Non-specific inflammatory lesion	D-	Granulomatous lesion

32-	**The following lesion is precancerous?**				
A-	Laryngoscicroma	B-	Laryngeal nodule	C-	Squamous cell papilloma
D-	All the above	E-	None of the above		

33-	**Squamous cell carcinoma of the vocal cords is characterised by all EXCEPT?**				
A-	Slowly growing	B-	Spreads only by lymphatics	C-	Well-differentiated
D-	Rather good prognosis	E-	Sends late metastases		

34-	**The commonest cause of epistaxis in young age is?**				
A-	Rhinitis	B-	Blood diseases	C-	Hypertension
D-	Congenital telangiectasia	E-	Nasal tumours		

35-	**Quinzy means?**		
A-	Follicular tonsillitis	B-	Parenchymatous tonsillitis
C-	peritonsillar abscess	D-	Tonsillar tumor

36-	**Zener's necrosis does NOT affect?**				
A-	Back muscles	B-	Thigh muscles	C-	Intercostal muscles
D-	Muscles of the diaphragm	E-	Shoulder muscles		

من شعر الشناقطة وهم حفظة موريتانيا ومنهم الشيخ محمد الامين الشنقيطي رحمه الله :-

وإن ترد تحصيل فن تمه *** وعن سواه قب الانتهاء مه (كلمه نهي وزجر)

وفي ترادف العلوم المنع جا *** إن توأمان استبقا لن يخرجا

❖ Pulmonary infection

37-	**Inflammation in bronchopneumonia (lobular) is?**				
A-	Suppurative	B-	Catarrhal	C-	Fibrinous
D-	Serous	E-	Non-bacterial		

38-	**The lung tissue has a liver-like consistency in?**				
A-	Lobar pneumonia	B-	Bronchopneumonia	C-	Bronchiectasis
D-	Bronchogenic carcinoma	E-	Bronchial asthma		

39-	**Inflammation in lobar pneumonia is?**				
A-	Suppurative	B-	Catarrhal	C-	Fibrinous
D-	Serous	E-	Non-bacterial		

40-	**In viral pneumonia, the inflammatory infiltrate occurs in?**				
A-	Alveolar lumen	B-	Alveolar wall	C-	Bronchial lumen
D-	Bronchial wall	E-	Interstitial tissue		

41-	**The causative organism of pneumonia can be?**				
A-	Virus	B-	Bacteria	C-	Fungus
D-	Parasite	E-	All the above		

42-	**Lobar pneumonia common in?**						
A-	Lower lobe	B-	Alveolar duct	C-	Upper lobe	D-	Interstitial tissue

43-	**Lobular pneumonia common in?**						
A-	Lower lobe	B-	Alveolar duct	C-	Upper lobe	D-	Interstitial tissue

44-	**All the following occur in stage of congestion EXCEPT?**		
A-	Dilated blood vessels	B-	Larger number of pneumococci
C-	Firm lung	D-	Few polymorphous

45-	**2nd stage of lobar pneumonia is?**						
A-	Congestion	B-	Gray hepatization	C-	Red hepatization	D-	Paroxysmal stage

46-	**Polymorphous present in large number in which stage of pneumonia?**						
A-	Congestion	B-	Gray hepatization	C-	Red hepatization	D-	Paroxysmal stage

47-	**Which type of bacterial pneumonia is bilateral?**						
A-	Lobar	B-	Lobular	C-	Interstitial	D-	Tuberculosis

48-	Characteristic cell in Interstitial pneumonia?						
A-	Polymorphous	B-	Macrophage	C-	Lymphocyte	D-	T helper

49-	Which of the following cell seen in T.B?				
A-	Macrophage	B-	Epithelioid	C-	Lymphocyte
D-	Langhans giant cell	E-	All the above		

50-	Primary pulmonary complex include all the following EXCEPT?		
A-	Ghosn focus	B-	Lymphangitis
C-	Pulmonary cavitation	D-	Lymphadenitis

51-	Suppurative lung diseases include all EXCEPT?				
A-	Bronchiectasis	B-	Bronchial asthma	C-	Lung abscess
D-	Gangrene	E-	Empyema		

52-	Kartagener's syndrome is characterized by?				
A-	Bronchiectasis	B-	Frontal sinusitis	C-	Dextrocardia
D-	All of the above	E-	None of the above		

وَلْتَقْصِدُوا أَرْبَعَةً قَبْلَ ٱبْتِدَاء *** تَعَلُّمِ لِكَيْ تَفُوزُوا بِالْهُدَى

أَوَّلُهَا الْخُرُوجُ عَنْ ضَلَالِ *** وَالثَّانِي نَفْعُ خَلْقِ ذِي الْجَلَالِ

وَالثَّالِثُ الإِحْيَاءُ لِلْعُلُومِ *** وَالرَّابِعُ الْعَمَلُ بِالْمَعْلُومِ

❖ Obstructive pulmonary diseases

53-	**Chronic obstructive lung diseases include all the following EXCEPT?**						
A-	Bronchial asthma	B-	Emphysema	C-	Lung abscess	D-	Bronchiectasis

54-	**The prominent inflammatory cells e in bronchial asthma is?**						
A-	Lymphocytes	B-	Plasma cells	C-	Eosinophils	D-	Polymorphs

55-	**Asthma is ..... Inflammation , come in?**		
A-	Chronic – chronic form	B-	Acute – acute
C-	Non – acute	D-	Chronic – acute attack

56-	**All the following are characters of atopic asthma EXCEPT?**		
A-	Genetic factor	B-	Hypertrophied muscle
C-	Normal igE level	D-	Start in childhood

57-	**All the following are characters of intrinsic asthma EXCEPT?**		
A-	Hypertrophied muscle	B-	Start in childhood
C-	Non – Genetic factor	D-	Normal IGE level

58-	**All the following are characters of intrinsic asthma EXCEPT?**		
A-	Thick mucosa	B-	Positive skin test
C-	Non – Genetic factor	D-	After viral infection

59-	**Charcot Leyden is?**		
A-	Epithelial debris in mucous	B-	Hypertrophied muscle
C-	Goblet metaplasia	D-	Eosinophilic debris in mucous

60-	**Churschman is?**		
A-	Epithelial debris in mucous	B-	Hypertrophied muscle
C-	Goblet metaplasia	D-	Eosinophilic debris in mucous

61-	**All the following are airway remuddling of asthma EXCEPT?**		
A-	Thick mucosa	B-	Hypertrophied muscle
C-	Decrease vasculature	D-	Goblet hyperplasia

62-	**Complete bronchial obstruction leads to?**				
A-	Emphysema	B-	Alveolar collapse	C-	Chronic bronchitis
D-	Pneumonia	E-	Bronchial asthma		

63-	**Partial bronchial obstruction leads to?**				
A-	Emphysema	B-	Alveolar collapse	C-	Chronic bronchitis
D-	Pneumonia	E-	Bronchial asthma		

64-	**All of the following result from smoking EXCEPT?**		
A-	Stimulate Vagus	B-	Inhibit muco-ciliary function
C-	Inhibition of PAMS	D-	Increased mucous gland
E-	None – of above		

65-	**Which of the following does not initiate chronic bronchitis?**		
A-	Smoking	B-	Pollution
C-	Infection	D-	Occupational factor

66-	**Respiratory acinus is?**		
A-	Conducting portion	B-	Respiratory portion
C-	Transitional zone	D-	None of the above

67-	**All the following are mechanism of emphysema EXCEPT?**		
A-	Protease – antiprotease	B-	Smoking
C-	Increase intraluminal pressure	D-	Autoimmune

68-	**alpha1 antitrypsin deficiency plays a role in the pathogenesis of?**				
A-	Lung abscess	B-	Pulmonary emphysema	C-	Pulmonary collapse
D-	All of the above	E-	None of the above		

69-	**All the following is true about centiradian emphysema EXCEPT?**		
A-	In respiratory bronchioles	B-	Caused by smoking
C-	Upper lobe	D-	alpha1 antitrypsin deficiency

70-	**Bullae appears in which type of emphysema?**						
A-	Cent acinar	B-	Peripheral	C-	Para septal	D-	All the above

71-	**All the following is true about bronchiectasis EXCEPT?**		
A-	Primary disease	B-	Complete obstruction
C-	Pyogenic infection	D-	Persistence cough

72-	**Bronchiectasis tend to occur in?**		
A-	Proximal air way	B-	Distal air way
C-	Lung parenchyma	D-	Equal in all the following

73-	**The histologic features of bronchiectasis include all EXCEPT?**
A-	Dilation of the bronchi and bronchioles
B-	Destruction of the bronchial wall
C-	The bronchial lumen is filled with pus
D-	The bronchial wall is infiltrated by many eosinophils
E-	The intervening lung tissue shows fibrosis

74-	**All the following are features of bronchiectasis EXCEPT?**
A-	Permanent dilation of bronchi and bronchioles
B-	Apical in location
C-	Chronic necrotizing suppurative inflammation
D-	Patient complains of cough with purulent sputum
E-	May be complicated by septicaemia

75-	**Most common type of bronchiectasis is?**						
A-	Fusiform	B-	Cylinder	C-	Saccular	D-	Varicose

عن صَفوانُ بنُ مُحرِزٍ المازنيُّ قال:

بَيْنَما أَنَا أَمْشِي مع ابْنِ عُمَرَ رَضِيَ اللَّهُ عنْهما آخِذٌ بيَدِهِ، إذْ عَرَضَ رَجُلٌ، فَقالَ: كيفَ سَمِعْتَ رَسولَ اللَّهِ صَلَّى اللهُ عليه وسلَّمَ يقولُ في النَّجْوَى؟ فَقالَ: سَمِعْتُ رَسولَ اللَّهِ صَلَّى اللهُ عليه وسلَّمَ يقولُ: إنَّ اللَّهَ يُدْنِي المُؤْمِنَ، فَيَضَعُ عليه كَنَفَهُ ويَسْتُرُهُ، فيَقولُ: أتَعْرِفُ ذَنْبَ كَذَا؟ أتَعْرِفُ ذَنْبَ كَذَا؟ فيَقولُ: نَعَمْ أيْ رَبِّ، حتَّى إذَا قَرَّرَهُ بذُنُوبِهِ، ورَأَى في نَفْسِهِ أنَّه هَلَكَ، قالَ: سَتَرْتُهَا عَلَيْكَ في الدُّنْيَا، وأنَا أغْفِرُهَا لكَ اليَومَ، فيُعْطَى كِتَابَ حَسَنَاتِهِ، وأَمَّا الكَافِرُ والمُنَافِقُونَ، فيَقولُ الأشْهَادُ: ﴿هَؤُلَاءِ الَّذِينَ كَذَبُوا عَلَى رَبِّهِمْ أَلَا لَعْنَةُ اللَّهِ عَلَى الظَّالِمِينَ﴾ [هود: 18].

❖ Restrictive lung diseases

76-	**Hyaline membrane disease is NOT characterised by?**		
A-	Enlarged fleshy lungs	B-	Pulmonary emphysema
C-	Pink fibrinous material lining the alveoli	D-	The lungs sink in water
E-	Collapsed alveoli		

77-	**All are true about the effect of big pulmonary embolus EXCEPT?**
A-	Complicated by acute sided heart failure
B-	Leads to death within minutes
C-	Occludes the pulmonary artery or one of its main branches
D-	Lead to lung infarct

78-	**All are true about NRDS EXCEPT?**
A-	Characterized by hyaline membrane formation
B-	Affects neonates
C-	More common in premature infants
D-	Caused mainly due to increased pulmonary surfactants

79-	**Asbestosis is complicated by?**		
A-	Bronchogenic carcinoma	B-	Mesothelioma
C-	Cor-pulmonale	D-	All of above

80-	**All are causes of acute pulmonary oedema EXCEPT?**		
A-	Acute left ventricular failure	B-	Inhalation of irritant gases
C-	Viral lung infection	D-	As part of generalized edema

81-	**A man working in coal mines for many years, Now, he suffers from heart failure, the most possible cause is?**				
A-	Systemic hypertension	B-	Pulmonary hypertension	C-	Toxic myocarditis
D-	Fibrinous pleurisy	E-	Coronary spasm		

82-	**A patient is working in a factory using asbestos. After several years, he suffered from chest pain. X ray chest shows diffuse thickening of the pleura. The most possible diagnosis is?**		
A-	Bronchogenic carcinoma	B-	Malignant mesothelioma
C-	Metastatic tumor of the pleura	D-	Fibrinous pleurisy
E-	Pneumoconiosis		

والوقتُ أنفسُ ما عنيتَ بحفظِهِ *** وأراهُ أسهلَ ما عليكَ يضيعُ

83-	A child complains of fever and haematuria 2 weeks after an attack of acute tonsillitis, the most possible diagnosis?		
A-	Rheumatic fever	B-	Acute diffuse glomerulonephritis
C-	Wilm's tumor	D-	Chronic glomerulonephritis
E-	None of the above		

84-	Chest wall restrictive lung diseases induced by which of the following?				
A-	Kyphoscoliosis	B-	Pleural disease	C-	Obesity
D-	Poliomyelitis	E-	All the above		

85-	Which of the following is not interstitial restrictive lung diseases?		
A-	ARDS	B-	Pneumoconiosis
C-	Collagen & vascular diseases	D-	Emphysema
E-	None of the above		

86-	Type of granuloma in silicosis?						
A-	Caseating	B-	Foreign body	C-	Inflammatory	D-	Necrotic

87-	Which pneumoconiosis characteristic by diffuse interstitial fibrosis & mesothelioma?						
A-	CWP	B-	Silicosis	C-	Asbestosis	D-	All the above

88-	Comments pulmonary hypertension etiology?						
A-	Passive	B-	Hyperkinetic	C-	Vaso-occlusive	D-	All the above

مِنْ كُلِّ شَيْءٍ إِذَا ضَيَّعْتَهُ عِوَضٌ . . . وَمَا مِنَ اللَّهِ إِنْ ضَيَّعْتَ مِنْ عِوَضِ

فَاللَّهُ سُبْحَانَهُ يُعَوِّضُ عَنْ كُلِّ شَيْءٍ مَا سِوَاهُ وَلَا يُعَوِّضُ مِنْهُ شَيْءٌ، وَيُغْنِي عَنْ كُلِّ شَيْءٍ وَلَا يُغْنِي عَنْهُ شَيْءٌ، وَيُجِيرُ مِنْ كُلِّ شَيْءٍ وَلَا يُجِيرُ مِنْهُ شَيْءٌ، وَيَمْنَعُ مِنْ كُلِّ شَيْءٍ وَلَا يَمْنَعُ مِنْهُ شَيْءٌ، كَيْفَ يَسْتَغْنِي الْعَبْدُ عَنْ طَاعَةِ مَنْ هَذَا شَأْنُهُ طَرْفَةَ عَيْنٍ ؟ وَكَيْفَ يَنْسَى ذِكْرَهُ وَيُضَيِّعُ أَمْرَهُ حَتَّى يُنْسِيَهُ نَفْسَهُ، فَيَخْسَرُهَا وَيَظْلِمُهَا أَعْظَمَ الظُّلْمِ ؟ فَمَا ظَلَمَ الْعَبْدُ رَبَّهُ وَلَكِنْ ظَلَمَ نَفْسَهُ، وَمَا ظَلَمَهُ رَبُّهُ وَلَكِنْ هُوَ الَّذِي ظَلَمَ نَفْسَهُ .

❖ Pulmonary tumors

89-	**The most favorable adenocarcinoma prognosis is?**				
A-	Micropapillary	B-	papillary	C-	Lepidic
D-	Sold	E-	Mucinous		

90-	**The commonest tumour of the lung is?**				
A-	Bronchial carcinoid	B-	Bronchogenic carcinoma	C-	Metastatic tumor
D-	Connective tissue tumors	E-	Lymphoma		

91-	**The most important risk factor of bronchogenic carcinoma is?**				
A-	Smoking	B-	Asbestos	C-	Air pollution
D-	Radiation	E-	Pulmonary scars		

92-	**The most aggressive type of bronchogenic carcinoma is?**				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Giant cell carcinoma		

93-	**The following is NOT true for bronchogenic squamous cell carcinoma?**		
A-	Most common in males	B-	Centrally located
C-	Rapid rate of local growth	D-	The most aggressive histologic type
E-	Closely related to smoking		

94-	**The following is NOT true for the usual pulmonary adenocarcinoma?**				
A-	more in males	B-	Peripherally located	C-	NOT related to scarring
D-	Slower rate of growth	E-	Less related to smoking		

95-	**The following tumour shows neuroendocrine differentiation?**				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Giant cell carcinoma		

96-	**Pulmonary small cell carcinoma is characterised by all EXCEPT?**		
A-	It is the most aggressive type	B-	Strongly related to smoking
C-	Mostly central	D-	NOT associated with hormone production
E-	Metastasizes widely		

97-	**Oat cell carcinoma is a subtype of?**				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Giant cell carcinoma		

98-	Giant cell carcinoma is a subtype of?				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Giant cell carcinoma		

99-	Cannon-Ball metastases arise from?				
A-	Hepatocellular carcinoma	B-	Renal cell carcinoma	C-	Prostatic carcinoma
D-	All of the above	E-	None of the above		

100-	Cannon ball metastases in the lung arise from?				
A-	Renal cell carcinoma	B-	Testicular tumors	C-	Choriocarcinoma
D-	All of the above	E-	None of the above		

101-	Chromogranin is a histologic marker of?				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Giant cell carcinoma		

102-	The commonest site of metastasis from bronchogenic carcinoma is?				
A-	Adrenal gland	B-	Liver	C-	Brain
D-	Bone	E-	Kidney		

103-	Bronchial carcinoid may spread by blood to?				
A-	Liver	B-	Brain	C-	Bone
D-	All of the above	E-	None of the above		

104-	Pancoast's tumour is a?		
A-	Benign pulmonary tumour	B-	Lung cancer NOT related to smoking
C-	Apical lung cancer	D-	Basal lung cancer
E-	Metastatic pulmonary tumour		

105-	Malignant mesothelioma is predisposed to by?				
A-	Silicosis	B-	Asbestosis	C-	Anthracosis
D-	All of the above	E-	None of the above		

106-	Malignant pleural mesothelioma is characterised by all EXCEPT?		
A-	It is related to heavy exposure to asbestos	B-	It appears as diffuse thickening of the pleura
C-	It is NOT associated with pleural effusion	D-	It may be of the sarcomatoid or epithelial type
E-	It arises from visceral or parietal pleura		

"ولا ينالُ المعالي الغُرّ غير فتىً *** يدوسُ شوكَ العوالي غيرَ مُنتعلِ"

107-	Mesothelioma does NOT arise from?						
A-	Pleura	B-	Peritoneum	C-	Mesentery	D-	Tunica vaginalis

108-	Complications of tonsillitis include all EXCEPT?				
A-	Chronic sinusitis	B-	Otitis media	C-	Rheumatic fever
D-	Lobar pneumonia	E-	Diffuse glomerulonephritis		


109-	A child is suffering from fever with purulent sputum. X ray chest shows bilateral basal lung lesion with destruction of lung tissue. , the most possible diagnosis is?				
A-	Lung abscess	B-	Bronchiectasis	C-	Septic bronchopneumonia
D-	Bronchogenic carcinoma	E-	Emphysema		

110-	Aspiration of infected material during anaesthesia may lead to?				
A-	Bronchiectasis	B-	Bronchopneumonia	C-	Lung abscess
D-	Bronchial asthma	E-	Emphysema		

111-	Pulmonary scars may predispose to?				
A-	Squamous cell carcinoma	B-	Adenocarcinoma	C-	Small cell carcinoma
D-	Large cell carcinoma	E-	Bronchial carcinoid		

الْقَلْبَ يَصْدَأُ مِنَ الْمَعْصِيَةِ، فَإِذَا زَادَتْ غَلَبَ الصَّدَأُ حَتَّى يَصِيرَ رَانًا، ثُمَّ يَغْلِبُ حَتَّى يَصِيرَ طَبْعًا وَقُفْلًا وَخَتْمًا، فَيَصِيرُ الْقَلْبُ فِي غِشَاوَةٍ وَغِلَافٍ، فَإِذَا حَصَلَ لَهُ ذَلِكَ بَعْدَ الْهُدَى وَالْبَصِيرَةِ انْعَكَسَ فَصَارَ أَعْلَاهُ أَسْفَلَهُ، فَحِينَئِذٍ يَتَوَلَّاهُ عَدُوُّهُ وَيَسُوقُهُ حَيْثُ أَرَادَ.

ANSWERS – Pathology									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
E	D	A	E	C	B	E	A	D	C
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
B	E	B	D	A	C	A	C	B	D
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
C	B	C	D	A	B	B	A	C	D
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**
C	C	B	D	C	A	A	A	C	E
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
E	C	A	C	C	B	B	C	E	C
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
B	D	C	C	D	C	B	B	D	A
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
C	B	A	E	C	B	D	B	D	C
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
A	B	D	B	B	B	D	D	D	D
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
B	B	B	E	D	B	C	A	C	C
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
A	C	D	A	C	D	C	D	B	D
101	**102**	**103**	**104**	**105**	**106**	**107**	**108**	**109**	**110**
C	A	A	C	B	C	C	D	B	C
111	**112**	**113**	**114**	**115**	**116**	**117**	**118**	**119**	**120**
B	-	-	-	-	-	-	-	-	-


Pharmacology

❖ Previous exams

1-	**Which Enzyme converts isoniazid to active metabolites?**		
A-	Topoisomerase	B-	Catalase peroxidase
C-	Arabinosyl transferase	D-	Pyrarazinamidase

2-	**Humanized monoclonal antibody used in severe bronchial asthma is called?**		
A-	Omalizumab	B-	Aminophylline
C-	Nedocromil sodium	D-	Budesonide

3-	**Symptomatic treatment of pneumonia is?**		
A-	Cardiac support by cortisol and dobutamine	B-	Analgesic & antipyretic
C-	Fluid and electrolytes replacement	D-	Total parenteral nutrition

4-	**Potassium iodide is considered?**		
A-	Central anti-tussive	B-	Mucolytic
C-	Expectorant	D-	Local anesthetic

5-	**In severe ill-hospitalized patient with CAP, combination of the following antibiotics is used, Except?**						
A-	Azithromycin	B-	Ceftazidime	C-	Piperacillin	D-	Benzyl penicillin

6-	**Increased blood glucose is associated with which of the following Drugs?**						
A-	Amiloride	B-	Eplerenone	C-	Triamterene	D-	Bumetanide

7-	**Ethambutol is contraindicated in patients with?**		
A-	Optic neuritis	B-	Hearing impairment
C-	Active Hepatic disease	D-	Acute renal failure

8-	**Oropharyngeal candidiasis is a side effect of which of the following?**		
A-	Inhaled Beclomethasone	B-	IV aminophylline
C-	Inhaled ipratropium bromide	D-	Montelukast

9-	**ONE of the following is non-opioid antitussive drugs?**		
A-	Noscapine	B-	Codeine
C-	Potassium iodide	D-	Dextromethorphan

10-	**Which of the following diuretics is used in treatment of Glaucoma?**						
A-	Amiloride	B-	Triamterene	C-	Mannitol	D-	Indapamide

11-	**Rhabdomyolysis is associated with?**						
A-	NSAID	B-	Methicillin	C-	Fluoxetine	D-	Thiazide

12-	**Drug of choice for treatment acute pulmonary edema?**						
A-	furosemide	B-	Chlorthalidone	C-	Indapamide	D-	spironolactone

13-	**All the following is side effects of B2 agonists except?**						
A-	tremor	B-	tachycardia	C-	tolerance	D-	urine retention

14-	**ALL of the following are bronchodilator used in bronchial asthma EXCEPT?**						
A-	Albutrol	B-	Ipratropium	C-	Propranolol	D-	Thiophylline

15-	**All of the following is true regarding the mechanism of action of ß2 adrenergic agonists in treating bronchial asthma except?**
A-	Inhibit release of bronchoconstricting mediators from mast cells
B-	Inhibit microvascular leakage
C-	Increase mucociliary transport by increasing ciliary activity
D-	Constrict the airway smooth muscle

16-	**Regarding Antitussive drugs (one false)?**
A-	Beneficial in suppressing cough and in decreasing morbidity in respiratory disease
B-	Indicated when cough is painful, unproductive, distressing, exhausting and exacerbate lung damage
C-	a and b
D-	Non of the above

17-	**Antitussive are?**
A-	Drugs used to prevent or relieve a cough
B-	Drugs promotes the secretion of sputum by the air passage
C-	Drugs that acts to break down thick mucus
D-	Non of the above

18-	**NSAID can induce nephrotoxicity by?**		
A-	Constriction of afferent arteriole	B-	Constriction of efferent arteriole
C-	Dilatation of afferent arteriole	D-	Dilatation of efferent arteriole

19-	**The pathogenesis of NSAIDs induced nephrotoxicity may involve which of the following?**		
A-	Altered intraglomerular hemodynamics	B-	acute interstitial nephritis
C-	Chronic interstitial nephritis	D-	All of the above

20-	**The diuretic which used in patient with creatinine clearance is below 25ml/min is?**		
A-	Hydrochlorothiazide	B-	Spironolactone
C-	Amiloride	D-	Furosemide

21-	**The primary site of action of thiazide diuretics is?**		
A-	Proximal tubule	B-	Ascending limb of loop of Henle
C-	Distal convoluted tubules	D-	Collecting ducts

22-	**In mild to moderate CAP in young patients without co-morbidity which ONE of the following is the drugs of choice?**				
A-	Benzyl penicillin	B-	Azithromycin	C-	Ciprofloxacin
D-	cefaclor	E-	Rifampicin		

23-	**In severe ill-hospitalized patient with CAP combination of the following antibiotic, Except?**				
A-	Azithromycin	B-	Ceftazidime	C-	Piperacillin
D-	Benzyl penicillin	E-	Ciprofloxacin		

24-	**Which ONE of the following considered as mucolytic?**				
A-	Acetylcysteine	B-	Noscapine	C-	Codeine
D-	Ammonium salts	E-	Dextromethorphan		

25-	**ONE of the following drugs used in treatment of cough only in presence of bronchoconstriction?**				
A-	Acetylcysteine	B-	Noscapine	C-	Codeine
D-	Ammonium salts	E-	Salbutamol		

26-	**A 25-year-old female is under treatment for tuberculosis. She reports that she has blurred vision and unable differentiate red and green color. Which of the following drugs is likely to produce the above effects?**				
A-	Isoniazid	B-	Rifampicin	C-	Pyrazinamide
D-	Ethambutol	E-	Ethionamide		

27-	**Following are the second line antitubercular drugs Except?**				
A-	Cyclosporine	B-	Capreomycin	C-	Streptomycin
D-	Kanamycin	E-	Ethionamide		

28-	**Which of the following drugs are the bronchodilator of choice in acute asthma?**		
A-	Beta 2 agonists	B-	Beta 2 antagonists
C-	Nedocromil sodium	D-	Opiates

29-	**One of the following drugs is a monoclonal antibody that binds to IgE -Ag complex used for treatment of severe asthma?**				
A-	Omalizumab	B-	Budesonide	C-	Aminophylline
D-	Nedocromil sodium				

30-	**The diuretic which allow excretion of 8% of filtered sodium is?**		
A-	Spironolactone	B-	Furosemide
C-	Hydrochlorothiazide	D-	Diamox

31-	**The following drug acts on thick ascending limb of loop of Henle?**						
A-	Ethacrynic acid	B-	Indapamide	C-	Spironolactone	D-	Chlorthalidone

32-	**Which of the following diuretics is most effective in treatment of glaucoma?**						
A-	Indapamide	B-	Mannitol	C-	Amiloride	D-	Furosemide

33-	**The diuretic which used in patient with creatinine clearance below 25 ml/min is?**		
A-	Hydrochlorothiazide	B-	Spironolactone
C-	Amiloride	D-	Furosemide

34-	**Thiazide diuretics may produce an increase in blood levels of all the following Except?**						
A-	Sodium	B-	Uric acid	C-	Calcium	D-	Glucose

35-	**Which of the following may associate with Rhabdomyolysis?**				
A-	Thiazide	B-	Methicillin	C-	Statin
D-	NSAIDS	E-	All of the above		

36-	**All the following drugs have been implicated in acute interstitial nephritis Except?**						
A-	Cimetidine	B-	Methicillin	C-	Fluoxetine	D-	NSAIDs

37-	**Lignocaine in treatment of cough considered as?**				
A-	Mucolytic	B-	Expectorant	C-	Bronchodilator
D-	Local anesthetic	E-	Opioid anti-tussive		

38-	**ONE of the following is non-opioid anti-tussive drugs?**				
A-	Noscapine	B-	Codeine	C-	Potassium iodide
D-	Sodium citrate	E-	Dextromethorphan		

39-	**In severe ill-hospitalized patient with CAP: ONE of the following anti- pseudomonal antibiotics must be used?**				
A-	Benzyl penicillin	B-	Azithromycin	C-	Cefaclor
D-	Ceftazidime	E-	Oxacillin		

40-	**All the following are risk factor for lower respiratory tract infection Except?**		
A-	Induced cough	B-	Aspiration
C-	Immunocompromised patients	D-	Gastroesophageal reflux
E-	bronchogenic carcinoma		

41-	Which one of the following anti- tubercular drugs cause hyperuricemia?						
A-	INH	B-	Ethambutol	C-	Streptomycin	D-	Rifampicin

42-	Choose the Wrong statement?
A-	Eye examination should be done during ethambutol administration
B-	Neurotoxicity is produced by isoniazid in pyridoxine deficient patients
C-	Pyrazinamide is not indicated in gout
D-	The effect of warfarin is increased by rifampicin

43-	Which of the following drugs is long-acting bronchodilator?						
A-	Salbutamol	B-	Terbutaline	C-	Metaproterenol	D-	Salmeterol

44-	Salmeterol Theophylline can be used in treatment of the following disorders Except?		
A-	cardiac arrhythmias	B-	bronchial asthma
C-	Apnea in premature infant	D-	migraine

45-	The following statements are correct about theophylline Except?
A-	Inhibition of phosphodiesterase
B-	Adenosine receptor antagonism
C-	Inhibition of both gastric and digestive enzymes
D-	weak diuretics

46-	The main side effect of omalizumab is?		
A-	anaphylactic response	B-	seizures
C-	abdominal discomfort	D-	headache

47-	Which of the following drugs u only in prophylaxis and not useful in management of acute attack of bronchial asthma?				
A-	terbutaline	B-		C-	prednisolone
D-	salbutamol	E-	cromolyn sodium		

48-	One of the following drugs is a bronchodilator used in treating acute attack of bronchial asthma?						
A-	Metoprolol	B-	Acebutolol	C-	Terbutaline	D-	Salmeterol

49-	One of the following is 5-lipoxygenase enzyme inhibitors used in bronchial asthma?						
A-	Montelukast	B-	Zileuton	C-	Zafirlukast	D-	Pranlukast

50-	One of the following is Oral corticosteroid used in treatment of bronchial asthma?						
A-	Prednisone	B-	Beclomethasone	C-	Budesonide	D-	Ciclesonide

51-	**Mechanism of actine of Rifampin is?**		
A-	Inhibition of mycolic acid synthesis	B-	Inhibition of DNA dependent RNA polymerase
C-	Inhibition of topoisomerase II	D-	Inhibition of cAMP synthesis

52-	**All the following are used in treatment of pneumonia Except?**						
A-	Antibacterial	B-	Antipyretic	C-	Immunomodulator	D-	Antitussive

53-	**Which of the following may contribute to altered intraglomerular hemodynamics?**						
A-	Paracetamol	B-	Penicillin	C-	Prazosin	D-	Cocaine

54-	**The diuretic that can cause gynecomastia and menstrual disturbance on long- term use?**						
A-	Amiloride	B-	Metolazone	C-	Spironolactone	D-	Acetazolamide

55-	**Which of the following may associate with renal tubular toxicity?**						
A-	Allopurinol	B-	Methicillin	C-	Aminoglycoside	D-	NSAIDs

56-	**Choose the drug, which is effective against mycobacteria only?**						
A-	Streptomycin	B-	Isoniazid	C-	Rifampin	D-	Kanamycin

57-	**Ethambutol has the following adverse effects?**						
A-	Cardiotoxicity	B-	Immunotoxicity	C-	Optic neuritis	D-	Hepatotoxicity

58-	**Augmentin is used in treatment of all the following types of pneumonia except?**
A-	Mild to moderate CAP in young patients without co-morbidity
B-	In severe ill-hospitalized patient with CAP
C-	Mild to moderate CAP in young patients with co-morbidity
D-	Mild to moderate CAP in elderly

59-	**Asthmatic cough is treated with one of the following?**		
A-	Appropriate antibiotics	B-	Losartan
C-	Nasal decongestant	D-	Inhaled β2-agonist

60-	**One of the following is oral corticosteroids used in treatments of bronchial asthma?**						
A-	Prednisone	B-	Beclomethasone	C-	Budesonide	D-	Ciclesonide

61-	**All of the following are common side effects of theophylline except?**						
A-	Headache	B-	Restlessness	C-	Diuresis	D-	Seizures

62-	**The diuretic of choice for the treatment of a patient with chronic renal failure is?**		
A-	Hydrochlorothiazide	B-	Bumetanide
C-	Furosemide	D-	Indepamede

63-	**The primary site of action of thiazide diuretics is?**		
A-	Proximal tubule	B-	Ascending limb of loop of Henle
C-	Distal convoluted tubules	D-	Collecting ducts

64-	**All of the following are common side effects of theophylline except?**						
A-	Headache	B-	Restlessness	C-	Diuresis	D-	Seizures

65-	**Potassium iodide is?**		
A-	Central anti-tussive	B-	Considered as mucolytic
C-	Expectorant	D-	Local anesthetic

66-	**ONE of the following is non-opioid anti-tussive drugs?**		
A-	Noscapine	B-	Codeine
C-	Potassium iodide	D-	Dextromethorphan

67-	**Symptomatic treatment in pneumonia?**		
A-	Analgesic and antipyretics	B-	Fluid and electrolytes replacement
C-	Total parenteral nutrition in severe cases	D-	Cardiac support: Cortisone and dobutamine

68-	**All the following are used in treatment of pneumonia except?**						
A-	Antibacterial	B-	Antipyretic	C-	immunomodulator	D-	Antitussive

قَالَ عَبْدُ اللَّهِ بْنُ عَبَّاسٍ: إِنَّ لِلْحَسَنَةِ ضِيَاءً فِي الْوَجْهِ، وَنُورًا فِي الْقَلْبِ، وَسَعَةً فِي الرِّزْقِ، وَقُوَّةً فِي الْبَدَنِ، وَمَحَبَّةً فِي قُلُوبِ الْخَلْقِ، وَإِنَّ لِلسَّيِّئَةِ سَوَادًا فِي الْوَجْهِ، وَظُلْمَةً فِي الْقَبْرِ وَالْقَلْبِ، وَوَهْنًا فِي الْبَدَنِ، وَنَقْصًا فِي الرِّزْقِ، وَبُغْضَةً فِي قُلُوبِ الْخَلْقِ.

❖ Pneumonia

69-	In treatment of mild to moderate CAP without co morbidity ,we use?		
A-	Rifampicin	B-	Benzyl penicillin
C-	Cephalosporin 3rd generation	D-	Erythromycin

70-	All of the following can be used with Benzyl penicillin in treatment of mild CAP without co morbidity except?						
A-	Azithromycin	B-	Cephalosporin	C-	Augmentin	D-	Rifampicin

71-	In treatment of mild to moderate CAP with co morbidity we use two of which of the following?		
A-	Cephalosporin + Azithromycin	B-	Augmentin + Cephalosporin
C-	Azithromycin + Augmentin	D-	All of the above

72-	We use anti pseudomonal antibiotics with which drug in treatment severe CAP?						
A-	Cephalosporin	B-	Azithromycin	C-	Rifampicin	D-	Augmentin

73-	All of the following can be used in treatment of severe CAP except?						
A-	Ciprofloxacin	B-	Piperacillin	C-	Azithromycin	D-	None of above

74-	We use 2nd and 3rd generation of Cephalosporins in treatment of HAP (non-sever) with which drug?						
A-	Azithromycin	B-	Ciprofloxacin	C-	Augmentin	D-	Rifampicin

75-	We use double or triple therapy in treatment of?		
A-	Mild to moderate CAP	B-	Non-Severe HAP
C-	Severe HAP	D-	None of above

76-	We use ..... if resistant staph aureus in treatment of severe HAP?						
A-	Augmentin	B-	Rifampicin	C-	Vancomycin	D-	cephalosporin

77-	Which drugs are used in treatment of atypical pneumonia?						
A-	Rifampicin	B-	Erythromycin	C-	Clarithromycin	D-	All of the above

78-	The most important drug in treatment of Mycoplasma pneumoniae is?		
A-	Erythromycin	B-	Rifampicin
C-	cephalosporin	D-	None of the above

مَن قالَ أنّ المجد يُؤتى بغتةً؟ *** إنّ الصِعابَ معاولٌ وعتادُ

فاقصد مسيرك للعُلا متوكلًا *** البذلُ روحٌ والمُنى أجسادُ

❖ Bronchial asthma

79-	**All of these are actions of B2 agonist except?**		
A-	Blockage of muscarinic receptor	B-	Relaxation of bronchial smooth muscle
C-	Decrease histamine	D-	Decrease microvascular leakage

80-	**Which drugs can increase cAMP?**						
A-	B2 agonist	B-	theophylline	C-	Anticholinergic	D-	A + B

81-	**The best administration route of B2 agonist to avoid side effects is?**						
A-	oral	B-	I.V	C-	inhalation	D-	I.M

82-	**All of these are long acting B2 agonist except?**						
A-	Salmeterol	B-	Formoterol	C-	Arformoterol	D-	Salbutamol

83-	**The cause of B2 agonists Side effects is?**		
A-	Not using inhaled therapy	B-	Stimulation of Extrapulmonary B receptors
C-	Continuous treatment with the drugs	D-	All of the above

84-	**All of these are side effects of B2 agonist except?**						
A-	Tolerance	B-	Palpitations	C-	Muscles tremors	D-	Bad taste

85-	**the most common side effect of B agonist is?**						
A-	Tachycardia	B-	Palpitations	C-	Muscles Tremors	D-	Tolerance

86-	**When side effects of B2 agonist disappear, this means that?**		
A-	Down regulation of the receptors	B-	Tolerance occurs
C-	B2 agonist has no side effects	D-	All of the above
E-	A+B		

87-	**Theophylline 's mechanism of action can be?**		
A-	decrease Il - 10 and increase PHD	B-	Decrease PHD and increase Il- 10
C-	increase Il - 10 and decrease Adenosine	D-	B and C

88-	**When Theophylline decrease PHD , this leads to?**				
A-	increase cAMP	B-	Decrease CAMP	C-	Bronchodilation
D-	A and B	E-	A and c		

89-	**Adenosine cause bronchoconstriction by releasing?**		
A-	Il- 10 and histamine	B-	Histamine and leukotrienes
C-	Il- 9 and histamine	D-	None of the above

90-	**Adenosine antagonism by Theophylline can lead to serious side effect including?**		
A-	Cardiac arrhythmia and Seizures	B-	Headache and cardiac arrhythmia
C-	Apnea in premature infants	D-	None of the above

91-	**Il- 10 is …… agent?**		
A-	Bronchoconstrictor	B-	Anti-inflammatory
C-	Bronchodilator	D-	B and C

92-	**…… has been used for acute Severe asthma but now we use B2 agonist?**		
A-	Aminophylline	B-	Theophylline
C-	Salmeterol	D-	None of the above

93-	**We can treat Apnea in premature infants by?**						
A-	Theophylline	B-	Caffeine	C-	Methylxanthines	D-	All of the above

94-	**Aspirin or paracetamol can potentiate effect of caffeine in treatment of?**						
A-	Apnea	B-	Asthma	C-	Headache	D-	COPD

95-	**Which drug enhance the absorption of caffeine in treatment of migraine?**						
A-	Aspirin	B-	Ergotamine	C-	Salbutamol	D-	None

96-	**Most common side effects of theophylline?**		
A-	Cardiac arrhythmia	B-	Seizures
C-	Headache	D-	All of the above

97-	**Anticholinergics are most effective than B2 agonist in treatment of ……but B2 agonist most effective in?**						
A-	COPD- ASTHMA	B-	Asthma - COPD	C-	Apnea - COPD	D-	None

98-	**Anticholinergics has ……. effect with B2 agonist, but Theophylline has ……. effect with it?**		
A-	Synergistic - additive	B-	Additive - Synergistic
C-	Opposite - Additive	D-	None

99-	**All of the following are side effects of Anticholinergics except?**		
A-	Paradoxical bronchoconstriction	B-	Glaucoma
C-	Bad taste	D-	Dryness of mouse
E-	None of the above		

100-	**Ipratropium causes?**		
A-	Bad taste	B-	Blockage of M2 receptor
C-	Both	D-	None

101-	**Which drug has effects on gene transcription?**				
A-	Mometasone	B-	Budesonide	C-	Prednisone
D-	All of the above	E-	None of the above		

102-	**Only one of the following isn't effect of corticosteroids?**		
A-	Gene transcription	B-	Resolution of edema
C-	decrease B2 agonist effect	D-	increase B2 agonist effect

103-	**Corticosteroids can lead to?**				
A-	Hoarseness of voice	B-	Candidiasis	C-	Osteoporosis
D-	Churg - Strauss syndrome	E-	All except d		

104-	**The most effective route of administration of corticosteroids is?**						
A-	Aerosol	B-	Oral	C-	IV	D-	IM

105-	**Which one is false?**
A-	B2 agonist must be taken with corticosteroids if used more than twice weekly
B-	Corticosteroids has intracellular effect
C-	Corticosteroids can cause osteoporosis
D-	Omalizumab is one of corticosteroids

106-	**Which drug isn't corticosteroid member?**		
A-	Mometasone	B-	Fluticasone
C-	Ipratropium	D-	None of the above

107-	**Which drug used in treatment of Status asthmatics?**		
A-	Hydrocortisone	B-	Methylprednisolone
C-	Both of them	D-	None

108-	**Why is hydrocortisone the steroid of choice?**
A-	Has low side effect
B-	Has the most rapid onset
C-	The most important drug in treatment of asthma
D-	Has good taste

109-	**Which drugs are indicated for acute exacerbations of asthma?**								
A-	IV drugs	B-	Oral drugs	C-	Prednisone	D-	All except b	E-	All except A

110-	**Which drug is as effective as prednisolone in controlling acute exacerbations?**						
A-	Mometasone	B-	Fluticasone	C-	Ciclesonide	D-	Omalizumab

111-	Which drugs cause stabilizing of Mast cells and prevent histamine release?				
A-	Zileuton	B-	Cromolyn Sodium	C-	Nedocromil sodium
D-	Anti IgE	E-	B+C		

112-	Which statement is false?		
A-	Cromolyn sodium prevent asthmatic response	B-	Cromolyn has Bronchodilator effect
C-	Not useful in managing acute asthma	D-	Effective when used prophylactically

113-	Which drug cause decrease of 5- lipoxygenase?						
A-	Zileuton	B-	Cromolyn sodium	C-	Pranlukast	D-	Zafirlukast

114-	Anti- leukotrienes ,what do you know about them?		
A-	Given orally	B-	Used as first choice to treat asthma
C-	Used prophylactically to treat asthma	D-	All
E-	All except b		

115-	Churg- Strauss syndrome caused by Which drugs?						
A-	Anti IgE	B-	Anti leukotrienes	C-	Corticosteroids	D-	B2 agonist

116-	Which drug prevent binding of IgE with their receptors?						
A-	Zileuton	B-	Montelukast	C-	Omalizumab	D-	All of the above

117-	Omalizumab is given?						
A-	IV	B-	IM	C-	Orally	D-	Subcutaneous

قال ابن النحاس الحلبي – رحمه الله:–

اليوم شيء وغدا مثله *** من نخب العلم التي تلتقط

يحصل المرء بها حكمة *** وانما السيل اجتماع النقط

❖ T.B drugs

118-	First line antituberculous drugs include all of the following except?						
A-	Ethionamide	B-	Isoniazid	C-	Rifampin	D-	Pyrazinamide

119-	Isoniazid has the following adverse effects?		
A-	Cardiotoxicity	B-	Hepatotoxicity, peripheral neuropathy
C-	Loss of hair	D-	Immunotoxicity

120-	Drug that causes ototoxicity is?						
A-	Rifampicin	B-	Cycloserine	C-	Pyrazinamide	D-	Streptomycin

121-	..... is potent enzyme inducer but ..... reduces metabolism of phenytoin?		
A-	Isoniazid – Rifampicin	B-	Rifampicin – isoniazid
C-	Pyrazinamide- isoniazid	D-	Isoniazid – Pyrazinamide

122-	All of these drugs are bactericidal for TB except?						
A-	Isoniazid	B-	Rifampicin	C-	Pyrazinamide	D-	Ethambutol

123-	Ethambutol causes?						
A-	Optic neuritis	B-	Nephrotoxicity	C-	Meningitis	D-	All the above

124-	The major adverse effect of Pyrazinamide is?						
A-	Hypertension	B-	Hypersensitivity	C-	Hepatotoxicity	D-	Hyperuricemia

125-	Which drug affect mycolic acid Synthesis?						
A-	Ethionamide	B-	Isoniazid	C-	Rifampicin	D-	Both A & B

126-	All of these drugs affect cell wall synthesis except?				
A-	Isoniazid	B-	Ethionamide	C-	Ethambutol
D-	Cycloserine	E-	None		

127-	Para amino salicylic acid inhibit synthesis of?						
A-	DNA	B-	RNA	C-	Protein	D-	Folate

128-	Both of these drugs inhibit the protein synthesis of TB?		
A-	Streptomycin & Capreomycin	B-	Isoniazid & Cycloserine
C-	PAS & Rifampicin	D-	Isoniazid & ethionamide

129-	Which drug causes of inhibition RNA synthesis?						
A-	Quinolones	B-	Isoniazid	C-	Rifampicin	D-	Cycloserine

❖ Antitussive drugs

130-	**Which drugs acts to break down thick mucus?**		
A-	Expectorants	B-	Mucolytics
C-	Antitussive	D-	None – of the above

131-	**We use the antitussive drugs when cough is?**				
A-	Productive	B-	Unproductive	C-	Useless cough
D-	Painful	E-	All except A		

132-	**Antitussive drugs act on?**		
A-	Cough center	B-	Cough receptors in lungs
C-	Both	D-	Direct on lung

133-	**Effect of antitussive drugs is?**		
A-	Breakdown mucous plugs	B-	decrease frequency and intensity of cough
C-	Promote secretion of sputum	D-	All of the above

134-	**Antitussive drugs include?**		
A-	Codeine	B-	Narcotics and non-narcotics
C-	Pholcodine	D-	All of the above
E-	All except c		

135-	**Codeine acts?**						
A-	Peripherally	B-	Centrally	C-	Both	D-	

136-	**We can block the opioid antitussive action by?**						
A-	Atropine	B-	Naloxone	C-	B2 agonists	D-	All the above

137-	**Most common side effect of codeine is?**						
A-	Diarrhea	B-	Constipation	C-	Vomiting	D-	Diarrhea

138-	**If we use Codeine in high dose ,what will happen?**		
A-	Causes heart failure	B-	Respiratory depression
C-	Hepatic dysfunction	D-	Hyperventilation

139-	**For how long Codeine can suppress cough center?**						
A-	12 h	B-	12m	C-	6 m	D-	6 h

140-	**The only difference between Codeine and Pholcodine is?**		
A-	Pholcodine is long-acting Codeine	B-	Pholcodine more effective than codeine
C-	Pholcodine has fewer side effects	D-	Pholcodine is peripheral acting

141-	**Which drug is useful in Spasmodic cough?**		
A-	Noscapine	B-	Dextromethorphan
C-	Codeine	D-	Oxeladin

142-	**Dextromethorphan is?**		
A-	Not effective as Codeine	B-	Depress the mucociliary function
C-	Blocked by Naloxone	D-	Acts centrally

143-	**All of these drugs are non - narcotic except?**		
A-	Oxeladin	B-	Dextromethorphan
C-	Ethyl morphine	D-	Noscapine

144-	**Expectorants acts by?**		
A-	increase mucous viscosity	B-	increase bronchial secretion
C-	increase volume of secretion	D-	All except B
E-	All except A		

145-	**Potassium iodide Expectorants action won't be desirable if?**		
A-	There is Bronchial Carcinoma	B-	There is inflammation in mucosa
C-	Hypothyroidism	D-	B and C

146-	**Potassium iodide will be dangerous if the patient?**		
A-	Sensitive to Sodium	B-	Sensitive to iodide
C-	Has a cancer	D-	None of the above

147-	**Which drug has bad taste and can cause Nauseating?**						
A-	Potassium iodide	B-	Codeine	C-	Ammonium salts	D-	Ethyl morphine

148-	**Which of these is not mucolytic drug?**				
A-	Bromhexine	B-	Ambroxol	C-	Acetylcysteine
D-	A + B	E-	None of the above		

149-	**Which drug acts on disulfide bridges of mucoprotein & antioxidant?**						
A-	Codeine	B-	Bromhexine	C-	Acetylcysteine	D-	Ethyl morphine

150-	**Which one of these drugs is not Antihistamines?**						
A-	Potassium iodide	B-	Chlorpheniramine	C-	Diphenhydramine	D-	Promethazine

151-	**Antihistamines are suitable for?**		
A-	Asthma	B-	Allergic cough
C-	Cancer treatment	D-	None of the above

152-	**In case of bronchial carcinoma or endoscopy, we use ....to prevent coughing?**						
A-	Codeine	B-	Antihistamines	C-	Local anesthetic	D-	Morphine

❖ Diuretics

153-	**Diuresis means?**		
A-	increase Na excretion	B-	increase urine volume
C-	increase k excretion	D-	None of the above

154-	**Types of Diuretics according to?**		
A-	Diuretic capacity	B-	Natriuretic capacity
C-	Ability of Na excretion	D-	B+C

155-	**Which of the following is loop Diuretic?**								
A-	Bumetanide	B-	Mannitol	C-	Furosemide	D-	A+B	E-	A+C

156-	**The drug of choice in treatment of Acute pulmonary oedema is?**		
A-	Torsemide	B-	Mannitol
C-	Aldosterone antagonist	D-	Furosemide

157-	**Which of the following is mechanism of action of loop Diuretics?**		
A-	increase K reabsorption	B-	increase K, Na ,Cl excretion
C-	decrease Aldosterone action	D-	None of the above

158-	**Which of the following is therapeutic use of loop Diuretics?**				
A-	Acute pulmonary oedema	B-	Hypertension	C-	Hyperkalemia
D-	All of the above	E-	All except A		

159-	**Loop Diuretics cause …….. of PG Synthesis?**						
A-	increase	B-	decrease	C-	Don't affect it	D-	Paradoxical

160-	**Which one of the following cause drug interaction with loop Diuretics?**		
A-	B2 agonist	B-	Aldosterone antagonist
C-	NSAIDS	D-	Prostaglandins

161-	**Thiazide is different from loop Diuretics in?**		
A-	increase Reabsorption of k	B-	increase Reabsorption of Ca
C-	Has more side effects	D-	None of the above

162-	**Which of the following is Thiazide diuretic?**						
A-	Furosemide	B-	Chlorthalidone	C-	Mannitol	D-	B + C

163-	**Site of action of loop Diuretics is …..and of Thiazide diuretic is?**		
A-	Descending loop - distal tubules	B-	Thick Ascending - proximal tubules
C-	Thick Ascending - Distal tubules	D-	None of the above

164-	**Mechanism of action of Thiazide is?**		
A-	increase Na , Cl excretion	B-	increase Ca Reabsorption
C-	increase Aldosterone action	D-	Osmotic action
E-	A +B		

165-	**We can use ……in treatment of osteoporosis?**		
A-	Furosemide	B-	Chlorthalidone
C-	Mannitol	D-	Aldosterone antagonist

166-	**Drugs of choice in treatment Hypertension are?**		
A-	Loop Diuretics (high efficacy)	B-	Thiazide
C-	Potassium Sparing Diuretics	D-	Osmotic Diuretics

167-	**Which drug is used in treatment of Nephrolithiasis and Nephrogenic DM?**		
A-	Furosemide	B-	Torsemide
C-	Mannitol	D-	Hydrochlorothiazide

168-	**Potassium Sparing Diuretics are?**				
A-	PG Synthesis inhibitors	B-	Aldosterone antagonist	C-	Na influx inhibitors
D-	Osmotic drugs	E-	B+ C		

169-	**Which two of the following are potassium Sparing Diuretics?**		
A-	Spironolactone and Metolazone	B-	Eplerenone and Amiloride
C-	Mannitol and Triamterene	D-	None of the above

170-	**Potassium Sparing Diuretics treat all except?**		
A-	Hypertension	B-	Hyperaldosteronism
C-	Hypothyroidism	D-	Albuminuria

171-	**Na influx inhibitors treat?**				
A-	Hyperkalemia	B-	Kidney’s stone	C-	Hypertension
D-	Heart failure	E-	C + D		

172-	**Na influx inhibitors cause?**
A-	Improvement mucociliary function in cystic fibrosis
B-	Hydration of respiratory secretion
C-	CA inhibition
D-	A + B

173-	Aldosterone inhibitors can lead to?				
A-	Severe diarrhea	B-	Gynecomastia	C-	Hyperkalemia
D-	All except B	E-	All except A		

174-	CA inhibitors lead to?		
A-	Reduction of aqueous humor	B-	Metabolic acidosis
C-	Urine alkalinization	D-	All of the above

175-	CA inhibitors cause ureteral colic due to?		
A-	increase Ca in blood	B-	Absorption of ammonia into blood
C-	increase Ca in urine	D-	None of the above

176-	CA inhibitors side effect is?		
A-	Metabolic alkalosis	B-	Absorption of ammonia into blood
C-	Urinary acidosis	D-	None of the above

177-	Which of the following is side effect of mannitol?		
A-	Severe constipation	B-	Dialysis disequilibrium syndrome
C-	Extracellular volume expansion	D-	Pulmonary edema
E-	C +D		

178-	Mannitol can treat ..... but complicate?
A-	Heart failure - Diarrhea
B-	Dialysis disequilibrium syndrome - Heart failure
C-	Constipation - Pulmonary edema
D-	None of the above

عن أبي طويل شطب الممدود أنه أتى رسول الله -صلى الله عليه وسلم- فقال: أرأيت رجلا عمل الذنوب كلها، فلم يترك منها شيئا، وهو في ذلك لم يترك حاجة ولا داجة إلا أتاها، فهل له من توبة؟ قال: «فهل أسلمت؟» قال: أما أنا فأشهد أن لا إله إلا الله، وحده لا شريك له، وأنك رسول الله، قال: «نعم، تفعل الخيرات، وتترك السيئات، فيجعلهن الله لك خيرات كلهن»، قال: وغدراتي وفجراتي؟ قال: «نعم» قال: الله أكبر، فما زال يكبر حتى توارى.

❖ Nephrotoxic drugs

179-	**Nephrotoxicity is characterized by?**		
A-	increase GFR	B-	increase Creatinine level in the urine
C-	increase Blood urea	D-	All of the above

180-	**Signs of Nephrotoxicity include?**		
A-	increase urine output	B-	decrease Urine output
C-	increase GFR	D-	B + C

181-	**Which of these drugs cause Tubular cell toxicity?**						
A-	NSAIDS	B-	Aminoglycosides	C-	ACE Inhibitors	D-	All of the above

182-	**Amphotericin causes?**		
A-	Inflammation	B-	decrease mitochondrial function
C-	increase Oxidative stress	D-	decrease Free radicals
E-	B + C		

183-	**Which drug causes renal injury and with which mechanism?**		
A-	Cocaine - decrease Mitochondrial function	B-	Statins - Rhabdomyolysis syndrome
C-	Fluoxetine increases cancers	D-	None of the above

184-	**Which drugs can lead to decrease GFR?**						
A-	ACE inhibitors	B-	NSAIDS	C-	Acetaminophen	D-	All

185-	**Drug doesn't cause Acute interstitial nephritis is?**				
A-	Sulphonamide	B-	NSAIDS	C-	Cimetidine
D-	All of the above	E-	None of the above		

186-	**Which of the following isn't effect of NSAIDS on kidney?**		
A-	Acute glomerular oedema	B-	Acute interstitial nephritis
C-	Altered Intra glomerular Hemodynamic	D-	Glomerulonephritis

ANSWERS – Pharmacology									
1	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**
B	A	B	C	D	D	A	A	D	C
11	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**
C	A	D	C	D	D	A	A	D	D
21	**22**	**23**	**24**	**25**	**26**	**27**	**28**	**29**	**30**
C	A	D	A	E	D	C	A	A	C
31	**32**	**33**	**34**	**35**	**36**	**37**	**38**	**39**	**40**
A	B	D	A	C	C	D	A&E	D	A
41	**42**	**43**	**44**	**45**	**46**	**47**	**48**	**49**	**50**
B	D	D	A	C	A	D	C	B	A
51	**52**	**53**	**54**	**55**	**56**	**57**	**58**	**59**	**60**
B	D	A	C	C	B	C	B	D	A
61	**62**	**63**	**64**	**65**	**66**	**67**	**68**	**69**	**70**
D	C	C	C	C	D	A	D	B	D
71	**72**	**73**	**74**	**75**	**76**	**77**	**78**	**79**	**80**
D	B	D	B	C	C	D	A	A	D
81	**82**	**83**	**84**	**85**	**86**	**87**	**88**	**89**	**90**
C	D	D	D	C	E	D	E	B	A
91	**92**	**93**	**94**	**95**	**96**	**97**	**98**	**99**	**100**
D	A	D	C	B	D	A	B	E	C
101	**102**	**103**	**104**	**105**	**106**	**107**	**108**	**109**	**110**
D	C	E	A	D	C	C	B	E	B
111	**112**	**113**	**114**	**115**	**116**	**117**	**118**	**119**	**120**
E	B	A	E	B	C	D	A	B	D
121	**122**	**123**	**124**	**125**	**126**	**127**	**128**	**129**	**130**
B	D	A	D	D	E	D	A	C	B
131	**132**	**133**	**134**	**135**	**136**	**137**	**138**	**139**	**140**
E	C	B	D	B	B	B	B	D	A
141	**142**	**143**	**144**	**145**	**146**	**147**	**148**	**149**	**150**
A	D	C	E	D	B	C	E	C	A
151	**152**	**153**	**154**	**155**	**156**	**157**	**158**	**159**	**160**
B	C	B	D	E	D	B	D	A	C

161	162	163	164	165	166	167	168	169	170
B	B	C	E	B	B	D	E	B	C
171	**172**	**173**	**174**	**175**	**176**	**177**	**178**	**179**	**180**
E	D	E	D	C	B	E	B	C	B
181	**182**	**183**	**184**	**185**	**186**	**187**	**188**	**189**	**190**
B	E	B	D	E	A	-	-	-	-

الخاتمة

الحمد لله الذي بنعمته تتم الصالحات، هذا وما كان من توفيق وسداد فمن الله وما كان من خطأ أو زلل أو نسيان فمن أنفسنا ومن الشيطان، وفقنا الله وإياكم لخيري الدنيا والآخرة وأعاننا وإياكم على ذكره وشكره وحسن عبادته، تذكروا جميع من سبقنا من إخواننا بدعوة صادقة لعل الله انه يرفع قدرهم ويوسع مدخلهم ويسكنهم الفردوس الأعلى وأن يجعل الله هذا العمل في ميزان حسناتهم .