

Nervous System

Choose the correct answer:

- (1407) **Modes of infection in pyogenic meningitis include all EXCEPT:**
 A. Blood spread B. Blood transfusion
 C. Local spread from paranasal sinuses
 D. Via skin
 E. Direct implantation in case of skull fracture
- (1408) **CSF in acute septic meningitis does NOT show:**
 A. Increased amount B. Increased protein content
 C. Increased sugar content
 D. Increased polymorphonuclear cells
 E. Organisms
- (1409) **CSF shows cob web coagulum of fibrin on standing in case of:**
 A. Acute pyogenic meningitis C. Brain abscess
 B. Chronic meningitis E. Cerebral infarction
 D. Encephalitis
- (1410) **Cerebellar brain abscess is usually a complication of:**
 A. Suppurative otitis media B. Suppurative lung diseases
 C. Sinusitis D. Skull fractures
 E. Systemic pyaemia
- (1411) **Gliosis means:**
 A. Regeneration of the brain tissue
 B. Necrosis of the brain tissue
 C. Fibrosis of the brain tissue D. None of the above
- (1412) **Infection spreads from suppurative lung diseases to the brain via:**
 A. Vertebral arteries B. Vertebral veins
 C. Local extension D. Peripheral nerves
 E. None of the above
- (1413) **Poliomyelitis is a:**
 A. Bacterial infection B. Viral infection
 C. Fungal infection D. Parasitic infection
 E. None of the above

- (1414) **Poliomyelitis is usually an infection of:**
 A. Cerebral tissue
 B. Cerebellar tissue
 C. Anterior horn cells of the spinal cord
 D. Posterior horn cells of the spinal cord
 E. Peripheral nerves
- (1415) **Mode of infection in poliomyelitis is:**
 A. Ingestion of contaminated food or drink
 B. Droplet infection
 C. Blood spread from a septic focus
 D. Direct spread from air sinuses
- (1416) **Muscle paralysis in case of poliomyelitis is due to:**
 A. Destruction of the muscle fibres by the toxins of the organisms
 B. Inflammation of the muscle (myositis)
 C. Inflammation of the nerves supplying the affected muscles (peripheral neuropathy)
 D. Degeneration of their anterior horn cells in the spinal cord
- (1417) **Rabies is a:**
 A. Bacterial infection
 B. Viral infection
 C. Fungal infection
 D. Parasitic infection
- (1418) **The organism is transmitted from the bite of a rabid animal to the central nervous system via:**
 A. Arteries
 B. Veins
 C. Peripheral nerves
 D. Direct implantation
 E. Lymphatics
- (1419) **Negri bodies are:**
 A. Inflamed granulation tissue
 B. Aggregates of organizing fibrin
 C. Epithelioid granulomas
 D. Foreign body granulomas
 E. Intracytoplasmic inclusions
- (1420) **The cause of death in rabies is:**
 A. Muscle paralysis
 B. Heart failure
 C. Paralysis of respiratory muscles
 D. Respiratory centre failure
 E. Septicaemia

- (1421) **The following disease is transmitted by blood transfusion:**
 A. Meningitis
 B. Autoimmune deficiency syndrome (AIDS)
 C. Brain abscess
 D. Rabies
 E. Poliomyelitis
- (1422) **Congenital cerebral aneurysm affects:**
 A. Blood vessels of circle of Willis
 B. Cerebral arteries
 C. Meningeal arteries
 D. Internal carotid artery
- (1423) **Mycotic cerebral aneurysm is due to:**
 A. Congenital weakness of the wall of cerebral vessels
 B. Septic emboli from subacute bacterial endocarditis
 C. Atherosclerosis of the cerebral vessels
 D. Increased intracranial tension
- (1424) **Subdural haemorrhage occurs:**
 A. Between dura and skull bones
 B. Between dura and arachnoid
 C. In subarachnoid space
 D. Intracerebral
- (1425) **Subarachnoid haemorrhage is due to:**
 A. Trauma of the meningeal artery
 B. Trauma of the cortical veins
 C. Rupture of cerebral aneurysm
 D. Sudden rise in blood pressure
 E. Haemorrhagic blood diseases
- (1426) **Hypertensive patients are at high risk of:**
 A. Extradural haemorrhage
 B. Subdural haemorrhage
 C. Subarachnoid haemorrhage
 D. Peticheal intracerebral haemorrhage
 E. Massive intracerebral haemorrhage
- (1427) **Hydrocephalus means abnormal dilation of the ventricles due to:**
 A. Severe inflammation
 B. Malignant tumors
 C. Cerebral aneurysm
 D. Accumulation of CSF
 E. Cerebral haemorrhage

- (1428) **CSF is normally formed by the:**
 A. Choroid plexus
 B. Arachnoid villi
 C. Pia mater
 D. Arachnoid mater
- (1429) **CSF is normally absorbed by the:**
 A. Choroid plexus
 B. Arachnoid villi
 C. Pia mater
 D. Arachnoid mater
- (1430) **Multiple sclerosis is a:**
 A. Congenital disease
 B. Inflammatory disease
 C. Degenerative disease
 D. Demyelinating disease
 E. Metabolic disease
- (1431) **Alzheimer's disease is a:**
 A. Congenital disease
 B. Inflammatory disease
 C. Degenerative disease
 D. Demyelinating disease
 E. Metabolic disease
- (1432) **Astrocytoma is a:**
 A. Glial tumor
 B. Neuronal tumor
 C. Tumor of undifferentiated cells
 D. Nerve sheath tumor
 E. Malformative tumor
- (1433) **Medulloblastoma is a:**
 A. Glial tumor
 B. Neuronal tumor
 C. Tumor of undifferentiated cells
 D. Nerve sheath tumor
 E. Malformative tumor
- (1434) **Astrocytoma is NOT:**
 A. A glial tumor
 B. The commonest primary brain tumor in adults
 C. Always in the cerebral hemispheres
 D. Classified into grades according to the degree of nuclear atypia
- (1435) **The following histologic picture is NOT characteristic of glioblastoma multiforme:**
 A. Highly anaplastic tumor cells
 B. Papillary formations
 C. Necrosis
 D. Tumor giant cells

- (1436) **Pilocytic astrocytoma is characterised by all EXCEPT:**
 A. Usually occurs in children
 B. Usually occurs in the cerebellum
 C. It is usually cystic
 D. It is of bad prognosis
- (1437) **Oligodendroglioma is NOT a:**
 A. Glial tumor
 B. Cerebral tumor
 C. High grade tumor
 D. Well-circumscribed tumor
- (1438) **Psammoma bodies are characteristic of:**
 A. Astrocytoma
 B. Oligodendroglioma
 C. Medulloblastoma
 D. Meningioma
 E. Ependymoma
- (1439) **Microscopic rosette formation is a characteristic feature of:**
 A. Astrocytoma
 B. Oligodendroglioma
 C. Medulloblastoma
 D. Meningioma
 E. Schwannoma
- (1440) **Malignant astrocytoma spreads by:**
 A. Direct spread
 B. Blood spread
 C. Lymphatic spread
 D. All of the above
 E. None of the above
- (1441) **The following is NOT a feature of meningioma**
 A. Usually occurs in adults
 B. Always a benign tumor
 C. Has a whorly cut surface
 D. Characterised by psammoma bodies
- (1442) **The tumor which is formed of two growth patterns (Antoni A and B) is:**
 A. Astrocytoma
 B. Oligodendroglioma
 C. Medulloblastoma
 D. Schwannoma
 E. Ependymoma
- (1443) **The following malignancy sends metastases mainly to the meninges:**
 A. Breast carcinoma
 B. Bronchogenic carcinoma
 C. Renal cell carcinoma
 D. Acute leukaemia
 E. Laryngeal carcinoma

- (1444) The following may be complicated by brain abscess **EXCEPT**:
- A. Suppurative otitis media.
 - B. Bacterial endocarditis.
 - C. Suppurative lung disease.
 - D. Suppurative peritonitis.
 - E. Suppurative mastoiditis.
- (1445) Gliomas include all **EXCEPT**:
- A. Astrocytoma.
 - B. Glioblastoma multiforme.
 - C. Oligodendroglioma.
 - D. Medulloblastoma.
 - E. Ependymoma.
- (1446) A male patient 40 years old, presented with hemiplegia and deafness. Radiologic examination shows a tumor at the cerebellooperative angle. Biopsy from this tumor shows a neurogenic tumor formed of hypercellular and hypocellular areas. The most possible diagnosis is:
- A. Neuroblastoma.
 - B. Schwannoma.
 - C. Ganglioneuroma.
 - D. Ganglioneuroblastoma.
 - E. Neurofibroma.
- (1447) A 5 years old child suffered from headache and blurring of vision. Radiologic examination showed a cerebellar tumor. Microscopic examination of a biopsy specimen from this tumor revealed diffuse infiltration by malignant small round cells with rosette formation. The most possible diagnosis is:
- A. Anaplastic astrocytoma.
 - B. Glioblastoma multiforme.
 - C. Ependymoma.
 - D. Neuroblastoma.
 - E. Medulloblastoma.
- (1448) A 10 years old child suffered from severe headache and vomiting. Radiologic examination showed a firm tumor tissue occupying the fourth ventricle of the brain. Biopsy revealed infiltration by small cells with rosette formation. The most possible diagnosis is:
- A. Neuroblastoma.
 - B. Ependymoma.
 - C. Medulloblastoma.
 - D. Oligodendroglioma.
 - E. Astrocytoma.

- (1449) **Psammoma bodies are characteristic of:**
 A. Serous cystadenocarcinoma of the ovary.
 B. Meningioma.
 C. Papillary carcinoma of the thyroid.
 D. All of the above. E. None of the above.
- (1450) **A patient with multiple skin nodules and skin hyperpigmentation, biopsy from the nodules shows a benign connective tissue neoplasm. The most possible diagnosis is:**
 A. Lipomatosis. B. Neurofibromatosis.
 C. Neurofibroma. D. Schwannoma.
 E. Leiomyoma.
- (1451) **A 70 years old male complaining of headache and vomiting. Radiologic examination revealed multiple space occupying lesions in the temporal lobe of the brain. Biopsy taken from one of these lesions showed sheets of malignant cells which are large with small central nuclei and abundant granular eosinophilic cytoplasm. The most possible diagnosis is:**
 A. Anaplastic astrocytoma.
 B. Glioblastoma multiforme.
 C. Metastatic bronchogenic carcinoma.
 D. Metastatic renal cell carcinoma.
 E. Metastatic colonic adenocarcinoma.

Encircle True or False:

- (1452) **The commonest cause of neonatal meningitis is E. coli.**
 (T - F)
- (1453) **Acute lymphocytic meningitis is usually of viral origin.**
 (T - F)
- (1454) **Neglected suppurative otitis media may predispose to meningitis.**
 (T - F)
- (1455) **Tuberculosis of the brain always takes the form of tuberculous meningitis. (T - F)**
- (1456) **Brain abscess is always pyaemic. (T - F)**
- (1457) **Atherosclerosis is the commonest cause of cerebral infarction.**
 (T - F)

- (1458) Cerebral infarction is usually of the liquefactive type due to digestion of the necrotic tissue by proteolytic enzymes. (T - F)
- (1459) Mycotic cerebral aneurysm is usually due to mycotic (fungus) infection. (T - F)
- (1460) Metastatic brain tumors are NOT so common as primary tumors. (T - F)
- (1461) Astrocytoma is NOT always a benign tumor. (T - F)
- (1462) Most malignant gliomas are locally malignant tumors. (T - F)
- (1463) Most gliomas spread by blood. (T - F)
- (1464) Most gliomas spread by lymphatics. (T - F)
- (1465) Medulloblastoma has the same histologic picture of neuroblastoma. (T - F)
- (1466) Meningioma arises from the endothelial lining of arachnoid. (T - F)
- (1467) Schwannoma is NOT always a benign tumor. (T - F)
- (1468) The meninges are NOT a site of tumor metastases. (T - F)
- (1469) Meningitis is NOT always of bacterial origin. (T - F)
- (1470) Infection may pass to the brain along the peripheral nerves. (T - F)
- (1471) Brain abscess is NOT always solitary. (T - F)
- (1472) Intracranial haemorrhage means haemorrhage within the brain tissue only. (T - F)
- (1473) Hydrocephalus is a disease of children only. (T - F)
- (1474) Glioblastoma multiforme is benign astrocytoma with multinucleated giant cells. (T - F)
- (1475) Pilocytic astrocytoma is a malignant astrocytoma occurring in children. (T - F)
- (1476) Ependymoma may occur outside the ventricles of the brain and the central canal of the spinal cord. (T - F)
- (1477) Acoustic neuroma is a neurofibroma of the vestibular branch of the 8th cranial nerve. (T - F)
- (1478) Acoustic neuroma is a common cause of deafness. (T - F)
- (1479) Antoni A and Antoni B represent benign and malignant types of Schwannoma. (T - F)

(1363)	C	(1364)	C	(1365)	E
(1366)	A	(1367)	D	(1368)	C
(1369)	F				
(1370)	F	(1371)	F	(1372)	F
(1373)	T	(1374)	F	(1375)	T
(1376)	F	(1377)	F	(1378)	T
(1379)	T	(1380)	T	(1381)	F
(1382)	F	(1383)	T	(1384)	T
(1385)	F	(1386)	F	(1387)	F
(1388)	F	(1389)	T	(1390)	F
(1391)	F	(1392)	F	(1393)	T
(1394)	F	(1395)	F	(1396)	F
(1397)	T	(1398)	T	(1399)	T
(1400)	F	(1401)	T	(1402)	T
(1403)	F	(1404)	F	(1405)	T
(1406)	F	(1407)	B	(1408)	C
(1409)	B	(1410)	A	(1411)	C
(1412)	B	(1413)	B	(1414)	C
(1415)	A	(1416)	D	(1417)	B
(1418)	C	(1419)	E	(1420)	D
(1421)	B	(1422)	A	(1423)	B
(1424)	B	(1425)	C	(1426)	E
(1427)	D	(1428)	A	(1429)	B
(1430)	D	(1431)	C	(1432)	A
(1433)	C	(1434)	C	(1435)	B
(1436)	D	(1437)	C	(1438)	D
(1439)	C	(1440)	A	(1441)	E
(1442)	D	(1443)	D	(1444)	D
(1445)	D	(1446)	B	(1447)	E
(1448)	B	(1449)	D	(1450)	B
(1451)	D	(1452)	T		
(1453)	T	(1454)	T	(1455)	F
(1456)	F	(1457)	T	(1458)	F
(1459)	F	(1460)	F	(1461)	T
(1462)	T	(1463)	F	(1464)	F
(1465)	T	(1466)	T	(1467)	T
(1468)	F	(1469)	T	(1470)	T
(1471)	T	(1472)	F	(1473)	F
(1474)	F	(1475)	F	(1476)	F
(1477)	F	(1478)	T	(1479)	F
(1480)	B	(1481)	C	(1482)	E
(1483)	A	(1484)	E	(1485)	B
(1486)	A	(1487)	A	(1488)	D
(1489)	A	(1490)	B	(1491)	C
(1492)	E	(1493)	A	(1494)	C
(1495)	D	(1496)	C	(1497)	D
(1498)	D	(1499)	A	(1500)	A