

- 1- The length of spinal cord is Cm**
a- 25
b- 35
c- 45
d- None of the above
- 2- Filum terminal is attached to the of the spinal cord**
a- Anterior surface
b- Lower end of conus medullaris
c- Dura mater
d- Arachnoid mater & posterior surface
- 3- Denticulate ligament connects the spinal cord to the**
a- Vertebral column
b- Arachnoid mater
c- Dura mater
d- Both b & c
- 4- Cauda equine means**
a- The lower tapering end of spinal cord
b- The lower spinal nerves in the lower part of vertebral canal
c- The terminal parts of arachnoid and pia maters
d- The lower enlargement of spinal cord
- 5- The lumbar enlargement includes the segments of spinal cord**
a- L2 - S1
b- L1 - S1
c- L2 – S3
d- L1 – S3
- 6- Area is mainly on the medial surface of the cerebral hemisphere.**
a- Primary visual
b- Primary auditory
c- Gustatory
d- Vestibular
- 7- The is concerned with visual reflexes**
a- Superior colliculus
b- Inferior colliculus
c- Habenular nucleus
d- Pineal gland
- 8- The posterior part of midbrain is called**
a- Tegmentum
b- Cerebral peduncle
c- Superior cerebellar peduncle
d- Tectum
- 9- C.S.F. is drained mainly into the**
a- Cavernous sinus
b- Superior sagittal sinus
c- Veins in the subarachnoid space
d- Perineural lymphatics
- 10- The superior colliculus & LGB are interconnected by the**
a- Superior brachium
b- Inferior brachium
c- Medial lemniscus
d- Lateral lemniscus

- 11- In relation to Wernicke's area, all of the following are true except**
- a- Enables the person to understand the spoken & written words
 - b- Its damage leads to receptive (sensory) aphasia
 - c- Called sensory speech area
 - d- In the superior temporal gyrus of both cerebral hemispheres
- 12- Functional areas of the superior temporal gyrus includes the area**
- a- Broca's
 - b- Primary auditory
 - c- Gustatory
 - d- Premotor
- 13- is present on the medial surface of the cerebral hemisphere**
- a- Uncus
 - b- Broca's area
 - c- Inferior frontal area
 - d- Cingulate gyrus
- 14- Factors supporting the spinal cord don't include the**
- a- Spinal nerves
 - b- Denticulate ligament
 - c- Lumbar cistern
 - d- Filum terminale
- 15- In relation to the arterial supply of spinal cord, all of the following are true except**
- a- Anterior spinal artery supplies the anterior 2/3 of spinal cord
 - b- Anterior & posterior spinal arteries arise from the vertebral artery
 - c- The posterior spinal arteries may unite
 - d- Segmental arteries arise from lumbar, posterior intercostal & deep cervical arteries
- 16- Uncus is**
- a- The secondary olfactory area
 - b- Medial to rhinal sulcus
 - c- On the lateral surface of the cerebral hemisphere
 - d- In the dominant hemisphere only
- 17- The middle part of cerebral peduncle is the**
- a- Crus cerebri
 - b- Substantia nigra
 - c- Tegmentum
 - d- Tectum
- 18- The olive of medulla oblongata is produced by the olivary nucleus**
- a- Superior
 - b- Inferior
 - c- Dorsal accessory
 - d- Medial accessory
- 19- Inferior brachium connects the with the MGB**
- a- LGB
 - b- Inferior olivary nucleus
 - c- Superior olivary nucleus
 - d- Inferior colliculus
- 20- isn't on the inferior surface of the cerebral hemisphere**
- a- Gyrus rectus
 - b- Parahippocampal gyrus
 - c- Medial orbital gyrus
 - d- Cingulate gyrus

- 21- Area is present on the medial surface of the cerebral hemisphere**
 a- Wernicke's
 b- Parietal association
 c- Secondary visual
 d- Primary auditory
- 22- Subarachnoid space ends at the**
 a- Lower border of S2
 b- Intervertebral disc between the 1st & 2nd lumbar vertebrae
 c- Lower end of vertebral canal
 d- Foramen magnum
- 23- The most anterior part of midbrain is called**
 a- Tegmentum
 b- Tectum
 c- Substantia nigra
 d- Crus cerebri
- 24- area is on the lateral surface of the frontal lobe**
 a- Wernicke's
 b- Broca's
 c- Auditory association
 d- Both a & b
- 25- The primary visual area includes the Sulcus**
 a- Parieto-occipital
 b- Calcarine
 c- Suprasplenial
 d- Collateral
- 26- is responsible for understanding the general sensations perceived by somatic sensory area**
 a- Parietal association area
 b- Wernicke's area
 c- Prefrontal cortex
 d- Medial surface of the frontal lobe
- 27- In the floor of 4th ventricle, facial colliculus is above the Nucleus**
 a- Abducent
 b- Trochlear
 c- Hypoglossal
 d- Motor trigeminal
- 28- The 3rd ventricle is the cavity of**
 a- Hindbrain
 b- Forebrain
 c- Diencephalon
 d- Telencephalon
- 29- The 3rd ventricle communicates with the lateral ventricles through the**
 a- Cerebral aqueduct
 b- Interventricular foramina of Monro
 c- Pineal recess
 d- Infundibular recess
- 30- The 4th ventricle communicates with the 3rd ventricle through**
 a- Foramina f Luschka
 b- Foramen of Magendie
 c- Cerebral aqueduct of Sylvius
 d- None of the above

- 31- Crura of the fornix are continuation of the**
- a- Fimbria of hippocampus
 - b- Indusium griseum
 - c- Parahippocampal gyrus
 - d- Ansa lenticularis
- 32- Commissure of the fornix is also called**
- a- Habenular commissure
 - b- Hippocampal commissure
 - c- Anterior commissure
 - d- Alveus
- 33- The sublentiform part of internal capsule is supplied by**
- a- Recurrent artery of Heubner
 - b- Lenticulo-striate branches of middle cerebral artery
 - c- Anterior choroidal artery
 - d- All of the above
- 34- The posterior limb of internal capsule is between**
- a- Lentiform nucleus & head of caudate
 - b- Lentiform nucleus & body of caudate
 - c- Lentiform nucleus & thalamus
 - d- Head of caudate & thalamus
- 35- The fibers connect the cerebral cortex of the 2 cerebral hemispheres**
- a- Association
 - b- Commissural
 - c- Projection
 - d- Decussating
- 36- Of corpus callosum is an extension from the genu**
- a- Rostrum
 - b- Forceps major
 - c- Forceps minor
 - d- Tapetum
- 37- is the part of cerebellum concerned with equilibrium**
- a- Archicerebellum
 - b- Paleocerebellum
 - c- Neocerebellum
 - d- Both a & b
- 38- Lingula of cerebellum is part of the**
- a- Paleocerebellum
 - b- Archicerebellum
 - c- Neocerebellum
 - d- Both a & c
- 39- sulcus is on the undersurface of cerebellum between the flocculonodular & posterior lobes**
- a- Anterolateral
 - b- Posterolateral
 - c- Inferolateral
 - d- Inferomedial
- 40- The lobe of cerebellum is also called middle lobe**
- a- Flocculonodular
 - b- Anterior
 - c- Posterior
 - d- Both a & b

- 41- The of cerebellum is on the upper surface between the anterior & posterior lobes**
 a- Fissura prima
 b- Horizontal fissure
 c- Posterolateral sulcus
 d- Superior fissure
- 42- Receives fibers from cerebral cortex through cortico-ponto-cerebellar connection**
 a- Archicerebellum
 b- Paleocerebellum
 c- Neocerebellum
 d- Flocculonodular lobe
- 43- Is the cerebral part of the cerebellum**
 a- Archicerebellum
 b- Paleocerebellum
 c- Neocerebellum
 d- Flocculonodular lobe
- 44- Is concerned with coordination of fine movements**
 a- Archicerebellum
 b- Paleocerebellum
 c- Neocerebellum
 d- Flocculonodular lobe
- 45- Afferents of PLVN of thalamus are the lemnisci**
 a- Medial & lateral
 b- Lateral & trigeminal
 c- Medial & spinal
 d- Lateral & spinal
- 46- LGB receives the as afferent fibers**
 a- Visual radiation
 b- Optic tract
 c- Superior thalamic radiation
 d- Both a & b
- 47- sends efferents to the primary auditory area in the temporal lobe**
 a- MGB
 b- PLVNT
 c- PMVNT
 d- LGB
- 48- consists of MGB & LGB**
 a- Subthalamus
 b- Metathalamus
 c- Hypothalamus
 d- Epithalamus
- 49- is connected to the superior colliculus by the superior brachium**
 a- MGB
 b- LGB
 c- Both of the above
 d- None of the above
- 50- Hypothalamus includes the following parts except**
 a- Tuber cinereum
 b- Mammillary bodies
 c- Infundibulum
 d- Pineal gland

- 51- Lentiform nucleus is related laterally to the**
- a- Metathalamus
 - b- Uncus
 - c- External capsule
 - d- Tail of caudate
- 52- In relation to lentiform nucleus, all of the following are true except**
- a- Putamen is the lateral part
 - b- Part of the limbic system
 - c- Separated from thalamus by the posterior limb of I.C.
 - d- Globus pallidus is the paler part
- 53- nucleus is part of limbic system**
- a- Caudate
 - b- Dentate cerebellar
 - c- Amygdaloid
 - d- All of the above
- 54- is attached to the tail of caudate**
- a- Hippocampus
 - b- Amygdaloid body
 - c- Thalamus
 - d- Lentiform nucleus
- 55- The inferior surface of cerebral hemisphere is supplied by the cerebral artery**
- a- Anterior
 - b- Middle
 - c- Posterior
 - d- All of the above
- 56- Basilar artery gives the following branches except**
- a- Superior cerebellar
 - b- Anterior inferior cerebellar
 - c- Anterior choroidal
 - d- Posterior cerebral
- 57- The middle cerebral artery supplies all of the following except**
- a- Corpus striatum
 - b- Posterior limb of internal capsule
 - c- Diencephalon
 - d- Most of the lateral surface of the cerebral hemisphere.
- 58- Labyrinthine artery is a branch from the artery**
- a- Anterior cerebral
 - b- Middle cerebral
 - c- Posterior cerebral
 - d- Basilar
- 59- The choroid plexus of the 4th ventricle is supplied by a branch from the**
- a- Posterior cerebral A.
 - b- Posterior inferior cerebellar A.
 - c- Anterior inferior cerebellar A.
 - d- Superior cerebellar A.
- 60- Middle cerebral artery supplies all of the following cortical areas except**
- a- Temporal pole
 - b- Inferior parietal lobule
 - c- Inferior temporal gyrus
 - d- Lateral part of orbital surface

- 61- artery(ies) is(are) branch from basilar artery**
- a- Posterior spinal
 - b- Posterior choroidal
 - c- Pontine
 - d- Medullary
- 62- Circle of Willis doesn't include the artery**
- a- Anterior choroidal
 - b- Internal carotid
 - c- Middle cerebral
 - d- Posterior communicating
- 63- artery shares in the arterial supply of corpus striatum**
- a- Anterior cerebral
 - b- Middle cerebral
 - c- Anterior communicating
 - d- Both a & b
- 64- The auditory area is supplied by the cerebral artery/arteries**
- a- Anterior
 - b- Middle
 - c- Posterior
 - d- Both a & b
- 65- Thalamus is supplied by the Cerebral artery**
- a- Anterior
 - b- Middle
 - c- Posterior
 - d- Both a & b
- 66- The 4th part of vertebral artery gives the following branches except**
- a- Medullary branches
 - b- Anterior & posterior spinal arteries
 - c- Posterior inferior cerebellar artery
 - d- Anterior inferior cerebellar artery
- 67- The cortex of occipital lobe is supplied by artery**
- a- Posterior cerebral
 - b- Middle cerebral
 - c- Both of the above
 - d- None of the above
- 68- Posterior choroidal arteries are branches from artery**
- a- Posterior cerebral
 - b- Middle cerebral
 - c- Anterior cerebral
 - d- Internal carotid
- 69- The greater part of the medial surface of cerebral hemisphere is supplied by Artery**
- a- Posterior cerebral
 - b- Middle cerebral
 - c- Anterior cerebral
 - d- Anterior choroidal
- 70- The choroid plexuses of the lateral & 3rd ventricles are supplied by artery**
- a- Anterior choroidal
 - b- Anterior communicating
 - c- Posterior choroidal
 - d- Both a & c

- 71- Circle of Willis lies**
- a- In front of the 3rd ventricle
 - b- Lateral to cisterna magna
 - c- Outside the subarachnoid space
 - d- In the interpeduncular cistern
- 72- All of the following nuclei are 2nd order neurons in their pathways except**
- a- Substantia gelatinosa of Rolando
 - b- Gracile & cuneate
 - c- Mitral cells of olfactory bulb
 - d- Superior olivary nucleus
- 73- Cortico-spinal tract passes through all of the following except**
- a- Corona radiata
 - b- Internal capsule
 - c- Tectum of midbrain
 - d- Anterior part of pons
- 74- The 2nd order neuron of olfactory pathway is the**
- a- Bipolar cells in the olfactory epithelium
 - b- Mitral & tufted cells of olfactory bulb
 - c- Granular cell layer of olfactory bulb
 - d- None of the above
- 75- Third order neuron for taste sensation is the cells of**
- a- PMVNT
 - b- PLVNT
 - c- Anterior ventral nucleus of thalamus
 - d- Posterior group of thalamic nuclei
- 76- In relation to visual pathway**
- a- First order neuron is the cells of ganglion cell layer
 - b- The temporal fibers of optic nerves decussate in optic chiasma
 - c- Fibers of optic tract relay on the LGB
 - d- The primary visual area occupies the parieto-occipital sulcus
- 77- Internal arcuate fibers are the axons of nuclei**
- a- Gracile & cuneate
 - b- Accessory olivary
 - c- Vestibular
 - d- Cochlear
- 78- tract carries pain & temperature from below the head**
- a- Anterior spinothalamic
 - b- Lateral spinothalamic
 - c- Anterior spinocerebellar
 - d- All of the above
- 79- Pyramidal decussation occurs in the**
- a- Upper end of pons
 - b- Lower end of pons
 - c- Upper end of medulla oblongata
 - d- Lower end of medulla oblongata
- 80- The secondary olfactory cortex is the**
- a- Parahippocampal gyrus
 - b- Uncus
 - c- Inferior temporal gyrus
 - d- Lingula

- 81- For direct & consensual pupillary light reflex, Edinger Westphal nucleus receives afferents from**
 a- Primary visual cortex
 b- Frontal eye field
 c- Pretectal nucleus
 d- LGB
- 82- The cell of the ganglion are the first order neurons in the auditory pathway**
 a- Vestibular
 b- Spiral
 c- Geniculate
 d- Trigeminal
- 83- The central nervous system is in origin**
 a- Endodermal
 b- Ectodermal
 c- Mesodermal
 d- Mesenchymal
- 84- The medulla oblongata is derived from the of the brain**
 a- Telencephalon
 b- Mesencephalon
 c- Metencephalon
 d- Myelencephalon
- 85- The pons & cerebellum are derived from the of the brain**
 a- Telencephalon
 b- Mesencephalon
 c- Metencephalon
 d- Myelencephalon
- 86- Failure of the cephalic part of the neural tube to close leads to**
 a- Anencephaly
 b- Meningocele
 c- Spina bifida
 d- Microcephaly
- 87- The cells of the basal lamina of the spinal cord give the**
 a- Motor cells of the anterior horn of gray matter
 b- Sensory cells of the posterior horn of gray matter
 c- Dorsal root ganglia
 d- Prevertebral ganglia

Answers

1-c	2-b	3-d	4-b	5-c	6-a	7-a	8-d	9-b	10-a
11-d	12-b	13-d	14-c	15-c	16-b	17-b	18-b	19-d	20-d
21-c	22-a	23-d	24-b	25-b	26-a	27-a	28-c	29-b	30-c
31-a	32-b	33-c	34-c	35-b	36-c	37-a	38-b	39-b	40-c
41-a	42-c	43-c	44-c	45-c	46-b	47-d	48-b	49-b	50-d
51-c	52-b	53-c	54-b	55-d	56-c	57-c	58-d	59-b	60-c
61-c	62-a	63-d	64-b	65-c	66-d	67-a	68-a	69-c	70-d
71-d	72-d	73-c	74-b	75-a	76-c	77-a	78-b	79-d	80-a
81-c	82-b	83-b	84-d	85-c	86-a	87-a			